




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 376 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5196.573 MHz : -5.946 dBm | Limit: ≤ -2.171 dBm Margin: 3.77 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 377 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5227.034 MHz : -5.809 dBm | Limit: ≤ -2.171 dBm Margin: 3.64 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 378 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5237.455 MHz : -7.219 dBm | Limit: ≤ -2.171 dBm Margin: 5.05 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 379 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5260.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5257.345 MHz : 5.008 dBm | Limit: ≤ 4.829 dBm Margin: 0.18 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 380 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5260.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5262.555 MHz : 4.716 dBm | Limit: ≤ 4.829 dBm Margin: -0.11 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 381 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5293.938 MHz : 3.875 dBm | Limit: ≤ 4.829 dBm Margin: -0.95 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 382 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5294.138 MHz : 4.634 dBm | Limit: ≤ 4.829 dBm Margin: -0.19 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 383 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5306.663 MHz : 4.260 dBm | Limit: ≤ 4.829 dBm Margin: -0.57 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 384 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5325.862 MHz : 4.412 dBm | Limit: ≤ 4.829 dBm Margin: -0.42 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 385 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5318.447 MHz : 4.778 dBm | Limit: ≤ 4.829 dBm Margin: -0.05 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 386 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5321.653 MHz : 4.824 dBm | Limit: ≤ 4.829 dBm Margin: 0.00 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 387 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5265.461 MHz : 4.256 dBm | Limit: ≤ 4.829 dBm Margin: -0.57 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 388 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5266.463 MHz : 4.880 dBm | Limit: ≤ 4.829 dBm Margin: 0.05 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 389 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5261.052 MHz : 4.559 dBm | Limit: ≤ 4.829 dBm Margin: -0.27 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 390 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5293.537 MHz : 4.083 dBm | Limit: ≤ 4.829 dBm Margin: -0.75 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 391 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5307.265 MHz : 4.531 dBm | Limit: ≤ 4.829 dBm Margin: -0.30 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 392 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5298.347 MHz : 4.541 dBm | Limit: ≤ 4.829 dBm Margin: -0.29 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 393 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5323.056 MHz : 4.549 dBm | Limit: ≤ 4.829 dBm Margin: -0.28 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 394 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5325.762 MHz : 5.329 dBm | Limit: ≤ 4.829 dBm Margin: 0.50 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 395 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5313.838 MHz : 4.845 dBm | Limit: ≤ 4.829 dBm Margin: 0.02 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 396 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW | M1 : 5315.541 MHz : 9.550 dBm | Limit: ≤ 4.829 dBm Margin: 4.72 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 397 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5259.880 MHz : 4.137 dBm | Limit: ≤ 4.829 dBm Margin: -0.69 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 398 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5272.305 MHz : 4.006 dBm | Limit: ≤ 4.829 dBm Margin: -0.82 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 399 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5259.078 MHz : 2.974 dBm | Limit: ≤ 4.829 dBm Margin: -1.85 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 400 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5305.291 MHz : 3.948 dBm | Limit: ≤ 4.829 dBm Margin: -0.88 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 401 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5318.717 MHz : 4.460 dBm | Limit: ≤ 4.829 dBm Margin: -0.37 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 402 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5302.485 MHz : 2.958 dBm | Limit: ≤ 4.829 dBm Margin: -1.87 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 403 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5282.725 MHz : 3.835 dBm | Limit: ≤ 4.829 dBm Margin: -0.99 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 404 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5272.104 MHz : 4.098 dBm | Limit: ≤ 4.829 dBm Margin: -0.73 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 405 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5277.715 MHz : 3.032 dBm | Limit: ≤ 4.829 dBm Margin: -1.80 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 406 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5304.890 MHz : 3.894 dBm | Limit: ≤ 4.829 dBm Margin: -0.93 dB |


[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5308.297 MHz : 4.170 dBm | Limit: ≤ 4.829 dBm Margin: -0.66 dB |


[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5320.922 MHz : 2.753 dBm | Limit: ≤ 4.829 dBm Margin: -2.08 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 409 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5283.788 MHz : 0.226 dBm | Limit: ≤ 4.829 dBm Margin: -4.60 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 410 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5273.367 MHz : 0.567 dBm | Limit: ≤ 4.829 dBm Margin: -4.26 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 411 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5306.232 MHz : -0.703 dBm | Limit: ≤ 4.829 dBm Margin: 5.53 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 412 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5493.337 MHz : 4.577 dBm | Limit: ≤ 4.429 dBm Margin: 0.15 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 413 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5493.838 MHz : 4.828 dBm | Limit: ≤ 4.429 dBm Margin: 0.40 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 414 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5493.136 MHz : 3.437 dBm | Limit: ≤ 4.429 dBm Margin: -0.99 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 415 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5574.138 MHz : 4.574 dBm | Limit: ≤ 4.429 dBm Margin: 0.14 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 416 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5574.238 MHz : 4.962 dBm | Limit: ≤ 4.429 dBm Margin: 0.53 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 417 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5582.255 MHz : 3.977 dBm | Limit: ≤ 4.429 dBm Margin: -0.45 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 418 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5725.561 MHz : 3.926 dBm | Limit: ≤ 4.429 dBm Margin: -0.50 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 419 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5715.541 MHz : 4.789 dBm | Limit: ≤ 4.429 dBm Margin: 0.36 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 420 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5715.541 MHz : 3.954 dBm | Limit: ≤ 4.429 dBm Margin: -0.48 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 421 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW | M1 : 5575.240 MHz : 9.080 dBm | Limit: ≤ 4.429 dBm Margin: 4.65 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 422 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5504.960 MHz : 4.636 dBm | Limit: ≤ 4.429 dBm Margin: 0.21 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 423 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5502.255 MHz : 4.927 dBm | Limit: ≤ 4.429 dBm Margin: 0.50 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 424 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5505.261 MHz : 3.749 dBm | Limit: ≤ 4.429 dBm Margin: -0.68 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 425 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5574.840 MHz : 4.126 dBm | Limit: ≤ 4.429 dBm Margin: -0.30 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 426 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5574.940 MHz : 4.644 dBm | Limit: ≤ 4.429 dBm Margin: 0.21 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 427 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5574.739 MHz : 3.328 dBm | Limit: ≤ 4.429 dBm Margin: -1.10 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 428 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5725.661 MHz : 3.825 dBm | Limit: ≤ 4.429 dBm Margin: -0.60 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 429 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5715.240 MHz : 4.608 dBm | Limit: ≤ 4.429 dBm Margin: 0.18 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 430 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5714.439 MHz : 3.826 dBm | Limit: ≤ 4.429 dBm Margin: -0.60 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 431 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW | M1 : 5494.940 MHz : 9.150 dBm | Limit: ≤ 4.429 dBm Margin: 4.72 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 432 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5499.479 MHz : 3.377 dBm | Limit: ≤ 4.429 dBm Margin: -1.05 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 433 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5503.888 MHz : 3.625 dBm | Limit: ≤ 4.429 dBm Margin: -0.80 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 434 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5501.082 MHz : 2.112 dBm | Limit: ≤ 4.429 dBm Margin: -2.32 dB |


[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5540.481 MHz : 3.557 dBm | Limit: ≤ 4.429 dBm Margin: -0.87 dB |


[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5539.078 MHz : 3.883 dBm | Limit: ≤ 4.429 dBm Margin: -0.55 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 437 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5545.491 MHz : 1.796 dBm | Limit: ≤ 4.429 dBm Margin: -2.63 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 438 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5722.325 MHz : 3.262 dBm | Limit: ≤ 4.429 dBm Margin: -1.17 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 439 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5696.273 MHz : 3.659 dBm | Limit: ≤ 4.429 dBm Margin: -0.77 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 440 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5714.108 MHz : 3.051 dBm | Limit: ≤ 4.429 dBm Margin: -1.38 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 441 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5505.090 MHz : 3.544 dBm | Limit: ≤ 4.429 dBm Margin: -0.89 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 442 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5496.673 MHz : 3.580 dBm | Limit: ≤ 4.429 dBm Margin: -0.85 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 443 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5502.084 MHz : 2.182 dBm | Limit: ≤ 4.429 dBm Margin: -2.25 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 444 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5538.677 MHz : 3.664 dBm | Limit: ≤ 4.429 dBm Margin: -0.77 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 445 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5537.074 MHz : 3.750 dBm | Limit: ≤ 4.429 dBm Margin: -0.68 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 446 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5533.868 MHz : 1.836 dBm | Limit: ≤ 4.429 dBm Margin: -2.59 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 447 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5717.114 MHz : 2.986 dBm | Limit: ≤ 4.429 dBm Margin: -1.44 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 448 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5714.709 MHz : 3.683 dBm | Limit: ≤ 4.429 dBm Margin: -0.75 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 449 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5697.275 MHz : 3.113 dBm | Limit: ≤ 4.429 dBm Margin: -1.32 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 450 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5506.152 MHz : 0.823 dBm | Limit: ≤ 4.429 dBm Margin: -3.61 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 451 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|---|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5524.589 MHz : 0.389 dBm | Limit: ≤ 4.429 dBm Margin: -4.04 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 452 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5504.950 MHz : -0.752 dBm | Limit: ≤ 4.429 dBm Margin: 5.18 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 453 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5672.565 MHz : -1.440 dBm | Limit: ≤ 4.429 dBm Margin: 5.87 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 454 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5658.136 MHz : -1.688 dBm | Limit: ≤ 4.429 dBm Margin: 6.12 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 455 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



| Analyser Setup | Marker : Frequency : Amplitude | Test Results |
|--|--------------------------------|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5699.018 MHz : -1.408 dBm | Limit: ≤ 4.429 dBm Margin: 5.84 dB |

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 456 of 585

POWER SPECTRAL DENSITY



Variation: 802.11a, Channel: 5745.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5739.840 MHz : 5.209 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 457 of 585

POWER SPECTRAL DENSITY



Variant: 802.11a, Channel: 5745.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5738.838 MHz : 6.202 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 458 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5745.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5738.737 MHz : 5.534 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 459 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5750.500 MHz : 10.034 dBm M1 + DCCF : 5750.500 MHz : 10.184 dBm Duty Cycle Correction Factor : +0.13 dB | Limit: ≤ 28.2 dBm Margin: -18.0 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 460 of 585

POWER SPECTRAL DENSITY



Variation: 802.11a, Channel: 5785.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5782.144 MHz : 5.311 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 461 of 585

POWER SPECTRAL DENSITY



Variant: 802.11a, Channel: 5785.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5778.737 MHz : 5.935 dBm | Channel Frequency: 5785.00 MHz |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 462 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5777.335 MHz : 5.718 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 463 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5785.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5780.600 MHz : 9.805 dBm M1 + DCCF : 5780.600 MHz : 9.955 dBm Duty Cycle Correction Factor : +0.13 dB | Limit: ≤ 28.2 dBm Margin: -18.2 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 464 of 585

POWER SPECTRAL DENSITY



Variant: 802.11a, Channel: 5825.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5817.836 MHz : 5.593 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 465 of 585

POWER SPECTRAL DENSITY



Variant: 802.11a, Channel: 5825.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5817.836 MHz : 5.872 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 466 of 585

POWER SPECTRAL DENSITY



Variant: 802.11a, Channel: 5825.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5818.737 MHz : 6.481 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 467 of 585




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5831.500 MHz : 10.330 dBm M1 + DCCF : 5831.500 MHz : 10.480 dBm Duty Cycle Correction Factor : +0.13 dB | Limit: ≤ 28.2 dBm Margin: -17.7 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 468 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5748.487 MHz : 1.652 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 469 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5755.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5762.916 MHz : 2.343 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 470 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5755.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5761.513 MHz : 1.663 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 471 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5743.500 MHz : 5.588 dBm M1 + DCCF : 5743.500 MHz : 5.952 dBm Duty Cycle Correction Factor : +0.36 dB | Limit: ≤ 28.2 dBm Margin: -22.2 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 472 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5795.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5797.705 MHz : 1.272 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 473 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5795.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5801.313 MHz : 1.390 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 474 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5795.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5784.479 MHz : 1.833 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 475 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-40, Channel: 5795.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5797.700 MHz : 5.539 dBm M1 + DCCF : 5797.700 MHz : 5.903 dBm Duty Cycle Correction Factor : +0.36 dB | Limit: ≤ 28.2 dBm Margin: -22.3 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 476 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5752.355 MHz : -3.476 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 477 of 585

POWER SPECTRAL DENSITY



Variant: 802.11ac-80, Channel: 5775.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5757.164 MHz : -2.466 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 478 of 585




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5754.359 MHz : -3.152 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 479 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5750.400 MHz : 0.432 dBm M1 + DCCF : 5750.400 MHz : 1.184 dBm Duty Cycle Correction Factor : +0.76 dB | Limit: ≤ 28.2 dBm Margin: -27.0 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 480 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5745.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5747.555 MHz : 4.670 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 481 of 585

POWER SPECTRAL DENSITY



Variante: 802.11n HT-20, Channel: 5745.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5751.864 MHz : 5.705 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 482 of 585

POWER SPECTRAL DENSITY



Variat: 802.11n HT-20, Channel: 5745.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5738.737 MHz : 5.433 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 483 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5745.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5747.600 MHz : 9.444 dBm M1 + DCCF : 5747.600 MHz : 9.603 dBm Duty Cycle Correction Factor : +0.18 dB | Limit: ≤ 28.2 dBm Margin: -18.6 dB |

[back to matrix](#)


This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5785.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5778.236 MHz : 4.834 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 485 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5785.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5781.142 MHz : 5.549 dBm | Channel Frequency: 5785.00 MHz |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 486 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5781.042 MHz : 5.167 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 487 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5785.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5781.000 MHz : 9.664 dBm M1 + DCCF : 5781.000 MHz : 9.823 dBm Duty Cycle Correction Factor : +0.18 dB | Limit: ≤ 28.2 dBm Margin: -18.3 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 488 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5825.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5820.942 MHz : 5.398 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 489 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-20, Channel: 5825.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5820.641 MHz : 5.700 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 490 of 585




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5819.739 MHz : 6.191 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 491 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5817.900 MHz : 10.068 dBm M1 + DCCF : 5817.900 MHz : 10.227 dBm Duty Cycle Correction Factor : +0.18 dB | Limit: ≤ 28.2 dBm Margin: -17.9 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 492 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5748.287 MHz : 1.403 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 493 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5751.493 MHz : 1.836 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 494 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc




| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5748.487 MHz : 1.770 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 495 of 585



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5748.500 MHz : 5.650 dBm M1 + DCCF : 5748.500 MHz : 6.014 dBm Duty Cycle Correction Factor : +0.36 dB | Limit: ≤ 28.2 dBm Margin: -22.2 dB |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 496 of 585

POWER SPECTRAL DENSITY



Variation: 802.11n HT-40, Channel: 5795.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5789.890 MHz : 1.390 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 497 of 585

POWER SPECTRAL DENSITY



Variante: 802.11n HT-40, Channel: 5795.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|---------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5791.293 MHz : 1.882 dBm | Limit: ≤ 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 498 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-40, Channel: 5795.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|-------------------------------|--------------------------|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5801.513 MHz : 2.187 dBm | Limit: \leq 23.440 dBm |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 499 of 585

POWER SPECTRAL DENSITY



Variant: 802.11n HT-40, Channel: 5795.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



| Analyzer Setup | Marker:Frequency:Amplitude | Test Results |
|--|--|--|
| Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW | M1 : 5786.300 MHz : 5.614 dBm M1 + DCCF : 5786.300 MHz : 5.978 dBm Duty Cycle Correction Factor : +0.36 dB | Limit: ≤ 28.2 dBm Margin: -22.2 dB |


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 500 of 585

A.1.3. Radiated Restricted Band-Edge Emissions



| Num | Frequency MHz | Raw dBuV | Cable Loss | AF dB | Level dBuV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBuV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5715.00 | 16.98 | 3.81 | 34.34 | 55.13 | Marker | Horizontal | 157 | 352 | 68.2 | -13.1 | Pass |
| 2 | 5725.00 | 18.35 | 3.79 | 34.35 | 56.49 | Marker | Horizontal | 157 | 352 | 78.2 | -21.7 | Pass |
| 3 | 5725.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 501 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-40, Test Freq: 5755.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5715.00 | 22.25 | 3.81 | 34.34 | 60.40 | Marker | Horizontal | 157 | 352 | 68.2 | -7.8 | Pass |
| 2 | 5716.76 | 23.01 | 3.81 | 34.34 | 61.16 | Marker | Horizontal | 157 | 352 | 78.2 | -17.1 | Pass |
| 3 | 5725.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 502 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-80, Test Freq: 5775.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5706.51 | 21.37 | 3.85 | 34.34 | 59.56 | Marker | Horizontal | 157 | 352 | 68.2 | -8.7 | Pass |
| 2 | 5725.00 | 29.05 | 3.79 | 34.35 | 67.19 | Marker | Horizontal | 157 | 352 | 78.2 | -11.0 | Pass |
| 3 | 5725.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 503 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-20, Test Freq: 5745.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5715.00 | 17.44 | 3.81 | 34.34 | 55.59 | Marker | Horizontal | 157 | 352 | 68.2 | -12.6 | Pass |
| 2 | 5725.00 | 19.05 | 3.79 | 34.35 | 57.19 | Marker | Horizontal | 157 | 352 | 78.2 | -21.0 | Pass |
| 3 | 5725.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 504 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-40, Test Freq: 5755.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5715.00 | 22.25 | 3.81 | 34.34 | 60.40 | Marker | Horizontal | 157 | 352 | 68.2 | -7.8 | Pass |
| 2 | 5717.48 | 23.01 | 3.81 | 34.34 | 61.16 | Marker | Horizontal | 157 | 352 | 78.2 | -17.1 | Pass |
| 3 | 5725.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 505 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11a, Test Freq: 5825.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 2 | 5851.68 | 18.37 | 3.82 | 34.63 | 56.82 | Marker | Horizontal | 157 | 352 | 78.2 | -21.4 | Pass |
| 3 | 5861.05 | 16.98 | 3.86 | 34.66 | 55.50 | Marker | Horizontal | 157 | 352 | 68.2 | -12.7 | Pass |
| 1 | 5850.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 506 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-40, Test Freq: 5795.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5850.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |
| 2 | 5853.58 | 17.36 | 3.83 | 34.64 | 55.83 | Marker | Horizontal | 157 | 352 | 78.2 | -22.4 | Pass |
| 3 | 5860.00 | 15.99 | 3.86 | 34.65 | 54.50 | Marker | Horizontal | 157 | 352 | 78.2 | -23.7 | Pass |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 507 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-80, Test Freq: 5775.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5850.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |
| 2 | 5853.58 | 21.45 | 3.83 | 34.64 | 59.92 | Marker | Horizontal | 157 | 352 | 78.2 | -18.3 | Pass |
| 3 | 5874.94 | 18.37 | 3.80 | 34.70 | 56.87 | Marker | Horizontal | 157 | 352 | 68.2 | -11.4 | Pass |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 508 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-20, Test Freq: 5825.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5850.00 | 17.04 | 3.81 | 34.63 | 55.48 | Marker | Horizontal | 157 | 352 | 78.2 | -22.8 | Pass |
| 2 | 5850.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |
| 3 | 5860.00 | 15.41 | 3.86 | 34.65 | 53.92 | Marker | Horizontal | 157 | 352 | 78.2 | -24.3 | Pass |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 509 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-40, Test Freq: 5795.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



| Num | Frequency MHz | Raw dBµV | Cable Loss | AF dB | Level dBµV/m | Measurement Type | Pol | Hgt cm | Azt Deg | Limit dBµV/m | Margin dB | Pass /Fail |
|-----|---------------|----------|------------|-------|--------------|------------------|------------|--------|---------|--------------|-----------|------------|
| 1 | 5850.00 | -- | -- | -- | -- | Band-Edge | -- | -- | -- | -- | -- | -- |
| 2 | 5850.84 | 17.04 | 3.81 | 34.63 | 55.48 | Marker | Horizontal | 157 | 352 | 78.2 | -22.8 | Pass |
| 3 | 5860.00 | 15.41 | 3.86 | 34.65 | 53.92 | Marker | Horizontal | 157 | 352 | 78.2 | -24.3 | Pass |

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



A.1.4. Probability of Detection – DFS Radar Signatures

A.1.1. Probability of Detection

Type 5 #1 5506.79 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 362777 | 50 | 1468 | 0 | 835655 | 1200000 |
| 2 | 2 | 16 | 4291 | 99 | 1255 | 0 | 1194256 | 1200000 |
| 3 | 2 | 15 | 1040382 | 66 | 1297 | 0 | 158189 | 1200000 |
| 4 | 2 | 12 | 911191 | 97 | 1517 | 0 | 287098 | 1200000 |
| 5 | 3 | 12 | 1064274 | 88 | 1153 | 1024 | 133285 | 1200000 |
| 6 | 1 | 12 | 185064 | 91 | 0 | 0 | 1014845 | 1200000 |
| 7 | 2 | 7 | 236739 | 100 | 1376 | 0 | 961685 | 1200000 |
| 8 | 3 | 16 | 975499 | 78 | 1286 | 1512 | 221469 | 1200000 |
| 9 | 1 | 14 | 311115 | 81 | 0 | 0 | 888804 | 1200000 |
| 10 | 3 | 11 | 601576 | 53 | 1021 | 1420 | 595824 | 1200000 |

Type 5 #2 5503.23 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 10 | 357372 | 98 | 1769 | 1526 | 239039 | 600000 |
| 2 | 2 | 10 | 180066 | 71 | 1154 | 0 | 418638 | 600000 |
| 3 | 1 | 13 | 78036 | 83 | 0 | 0 | 521881 | 600000 |
| 4 | 1 | 6 | 57289 | 55 | 0 | 0 | 542656 | 600000 |
| 5 | 1 | 5 | 567206 | 59 | 0 | 0 | 32735 | 600000 |
| 6 | 2 | 19 | 160286 | 56 | 1894 | 0 | 437708 | 600000 |
| 7 | 3 | 17 | 253063 | 88 | 1028 | 1652 | 343993 | 600000 |
| 8 | 1 | 5 | 257413 | 62 | 0 | 0 | 342525 | 600000 |
| 9 | 1 | 9 | 523098 | 98 | 0 | 0 | 76804 | 600000 |
| 10 | 1 | 5 | 308333 | 83 | 0 | 0 | 291584 | 600000 |
| 11 | 3 | 15 | 564428 | 85 | 1798 | 1312 | 32207 | 600000 |
| 12 | 1 | 16 | 443190 | 64 | 0 | 0 | 156746 | 600000 |
| 13 | 1 | 15 | 369643 | 89 | 0 | 0 | 230268 | 600000 |
| 14 | 3 | 14 | 162569 | 58 | 1562 | 1361 | 434334 | 600000 |
| 15 | 2 | 10 | 125431 | 61 | 1894 | 0 | 472553 | 600000 |
| 16 | 3 | 7 | 483028 | 91 | 1937 | 1321 | 113441 | 600000 |
| 17 | 1 | 14 | 587360 | 77 | 0 | 0 | 12563 | 600000 |
| 18 | 1 | 5 | 266215 | 82 | 0 | 0 | 333703 | 600000 |
| 19 | 3 | 10 | 138620 | 85 | 1688 | 1503 | 457934 | 600000 |
| 20 | 1 | 15 | 146991 | 90 | 0 | 0 | 452919 | 600000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 511 of 585

Type 5 #3 5491.54 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 9 | 976617 | 82 | 0 | 0 | 356634 | 1333333 |
| 2 | 1 | 11 | 977937 | 85 | 0 | 0 | 355311 | 1333333 |
| 3 | 2 | 7 | 468762 | 82 | 1180 | 0 | 863227 | 1333333 |
| 4 | 2 | 16 | 14244 | 97 | 1230 | 0 | 1317665 | 1333333 |
| 5 | 2 | 13 | 156952 | 76 | 1553 | 0 | 1174676 | 1333333 |
| 6 | 2 | 6 | 1081252 | 79 | 1539 | 0 | 250384 | 1333333 |
| 7 | 2 | 18 | 1198942 | 97 | 1157 | 0 | 133040 | 1333333 |
| 8 | 3 | 7 | 740303 | 51 | 1985 | 1812 | 589080 | 1333333 |
| 9 | 1 | 19 | 592102 | 91 | 0 | 0 | 741140 | 1333333 |

Type 5 #4 5500.59 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 5 | 340101 | 76 | 1273 | 1575 | 323489 | 666666 |
| 2 | 1 | 5 | 487773 | 90 | 0 | 0 | 178803 | 666666 |
| 3 | 2 | 13 | 108713 | 87 | 1787 | 0 | 555992 | 666666 |
| 4 | 3 | 14 | 509529 | 58 | 1072 | 1656 | 154235 | 666666 |
| 5 | 3 | 13 | 487662 | 64 | 1381 | 1753 | 175678 | 666666 |
| 6 | 2 | 10 | 415987 | 73 | 1708 | 0 | 248825 | 666666 |
| 7 | 1 | 17 | 30287 | 66 | 0 | 0 | 636313 | 666666 |
| 8 | 1 | 8 | 98873 | 63 | 0 | 0 | 567730 | 666666 |
| 9 | 3 | 7 | 198969 | 54 | 1168 | 1263 | 465104 | 666666 |
| 10 | 2 | 15 | 73873 | 60 | 1577 | 0 | 591096 | 666666 |
| 11 | 1 | 17 | 23063 | 92 | 0 | 0 | 643511 | 666666 |
| 12 | 3 | 12 | 515206 | 62 | 1892 | 1822 | 147560 | 666666 |
| 13 | 2 | 15 | 628247 | 66 | 1024 | 0 | 37263 | 666666 |
| 14 | 2 | 20 | 603221 | 60 | 1118 | 0 | 62207 | 666666 |
| 15 | 3 | 19 | 555302 | 67 | 1770 | 1680 | 107713 | 666666 |
| 16 | 1 | 6 | 61097 | 63 | 0 | 0 | 605506 | 666666 |
| 17 | 2 | 19 | 316996 | 89 | 1250 | 0 | 348242 | 666666 |
| 18 | 3 | 9 | 385267 | 66 | 1075 | 1802 | 278324 | 666666 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 512 of 585

Type 5 #5 5504.85 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 489981 | 68 | 1756 | 0 | 508127 | 1000000 |
| 2 | 1 | 15 | 460915 | 66 | 0 | 0 | 539019 | 1000000 |
| 3 | 1 | 15 | 212510 | 77 | 0 | 0 | 787413 | 1000000 |
| 4 | 3 | 5 | 131910 | 96 | 1355 | 1891 | 864556 | 1000000 |
| 5 | 1 | 16 | 240366 | 91 | 0 | 0 | 759543 | 1000000 |
| 6 | 3 | 11 | 304284 | 73 | 1548 | 1153 | 692796 | 1000000 |
| 7 | 3 | 10 | 918535 | 96 | 1326 | 1525 | 78326 | 1000000 |
| 8 | 2 | 19 | 965695 | 76 | 1346 | 0 | 32807 | 1000000 |
| 9 | 3 | 15 | 205733 | 70 | 1321 | 1241 | 791495 | 1000000 |
| 10 | 1 | 19 | 301613 | 79 | 0 | 0 | 698308 | 1000000 |
| 11 | 3 | 15 | 683135 | 59 | 1344 | 1563 | 313781 | 1000000 |
| 12 | 1 | 9 | 88998 | 70 | 0 | 0 | 910932 | 1000000 |

Type 5 #6 5498.17 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 13 | 246884 | 68 | 0 | 0 | 553048 | 800000 |
| 2 | 1 | 16 | 778121 | 67 | 0 | 0 | 21812 | 800000 |
| 3 | 2 | 11 | 131907 | 75 | 1545 | 0 | 666398 | 800000 |
| 4 | 1 | 6 | 735247 | 70 | 0 | 0 | 64683 | 800000 |
| 5 | 2 | 10 | 218431 | 62 | 1966 | 0 | 579479 | 800000 |
| 6 | 1 | 16 | 517667 | 100 | 0 | 0 | 282233 | 800000 |
| 7 | 3 | 8 | 496094 | 99 | 1423 | 1112 | 301074 | 800000 |
| 8 | 1 | 17 | 30449 | 68 | 0 | 0 | 769483 | 800000 |
| 9 | 1 | 5 | 689351 | 50 | 0 | 0 | 110599 | 800000 |
| 10 | 2 | 13 | 394406 | 81 | 1796 | 0 | 403636 | 800000 |
| 11 | 2 | 5 | 467759 | 75 | 1159 | 0 | 330932 | 800000 |
| 12 | 1 | 5 | 579943 | 89 | 0 | 0 | 219968 | 800000 |
| 13 | 2 | 10 | 467637 | 95 | 1549 | 0 | 330624 | 800000 |
| 14 | 2 | 16 | 745995 | 68 | 1737 | 0 | 52132 | 800000 |
| 15 | 2 | 9 | 422129 | 91 | 1795 | 0 | 375894 | 800000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 513 of 585

Type 5 #7 5504.09 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 14 | 387060 | 96 | 0 | 0 | 612844 | 1000000 |
| 2 | 1 | 17 | 207694 | 68 | 0 | 0 | 792238 | 1000000 |
| 3 | 2 | 7 | 800392 | 54 | 1939 | 0 | 197561 | 1000000 |
| 4 | 2 | 10 | 531719 | 60 | 1570 | 0 | 466591 | 1000000 |
| 5 | 3 | 15 | 459426 | 94 | 1540 | 1427 | 537325 | 1000000 |
| 6 | 2 | 18 | 401870 | 81 | 1588 | 0 | 596380 | 1000000 |
| 7 | 3 | 16 | 572691 | 68 | 1515 | 1794 | 423796 | 1000000 |
| 8 | 1 | 15 | 711092 | 59 | 0 | 0 | 288849 | 1000000 |
| 9 | 1 | 7 | 50418 | 57 | 0 | 0 | 949525 | 1000000 |
| 10 | 2 | 11 | 85854 | 71 | 1925 | 0 | 912079 | 1000000 |
| 11 | 3 | 8 | 647852 | 53 | 1754 | 1055 | 349180 | 1000000 |
| 12 | 3 | 12 | 388685 | 74 | 1128 | 1888 | 608077 | 1000000 |

Type 5 #8 5506.21 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 625689 | 91 | 0 | 0 | 231362 | 857142 |
| 2 | 2 | 5 | 775834 | 71 | 1075 | 0 | 80091 | 857142 |
| 3 | 1 | 18 | 397045 | 96 | 0 | 0 | 460001 | 857142 |
| 4 | 3 | 12 | 64564 | 76 | 1924 | 1037 | 789389 | 857142 |
| 5 | 3 | 18 | 511370 | 90 | 1338 | 1445 | 342719 | 857142 |
| 6 | 2 | 6 | 706248 | 94 | 1103 | 0 | 149603 | 857142 |
| 7 | 1 | 10 | 679868 | 89 | 0 | 0 | 177185 | 857142 |
| 8 | 3 | 8 | 853100 | 67 | 1773 | 1990 | 78 | 857142 |
| 9 | 3 | 18 | 796308 | 50 | 1931 | 1334 | 57419 | 857142 |
| 10 | 2 | 7 | 475134 | 96 | 1983 | 0 | 379833 | 857142 |
| 11 | 1 | 16 | 596080 | 91 | 0 | 0 | 260971 | 857142 |
| 12 | 1 | 10 | 112548 | 73 | 0 | 0 | 744521 | 857142 |
| 13 | 3 | 19 | 57202 | 78 | 1973 | 1081 | 796652 | 857142 |
| 14 | 1 | 15 | 653369 | 75 | 0 | 0 | 203698 | 857142 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 514 of 585

Type 5 #9 5491.85 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 5 | 90834 | 57 | 0 | 0 | 1109109 | 1200000 |
| 2 | 3 | 5 | 797333 | 89 | 1407 | 1111 | 399882 | 1200000 |
| 3 | 1 | 19 | 145106 | 98 | 0 | 0 | 1054796 | 1200000 |
| 4 | 1 | 20 | 757152 | 99 | 0 | 0 | 442749 | 1200000 |
| 5 | 1 | 19 | 1041666 | 84 | 0 | 0 | 158250 | 1200000 |
| 6 | 2 | 12 | 45173 | 60 | 1009 | 0 | 1153698 | 1200000 |
| 7 | 3 | 8 | 177862 | 94 | 1432 | 1923 | 1018501 | 1200000 |
| 8 | 1 | 11 | 50690 | 87 | 0 | 0 | 1149223 | 1200000 |
| 9 | 3 | 19 | 307874 | 96 | 1252 | 1060 | 889526 | 1200000 |
| 10 | 2 | 14 | 1020092 | 86 | 1985 | 0 | 177751 | 1200000 |

Type 5 #10 5490.51 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 381466 | 58 | 0 | 0 | 285142 | 666666 |
| 2 | 1 | 11 | 339818 | 64 | 0 | 0 | 326784 | 666666 |
| 3 | 3 | 17 | 360438 | 82 | 1739 | 1311 | 302932 | 666666 |
| 4 | 3 | 7 | 259257 | 61 | 1806 | 1907 | 403513 | 666666 |
| 5 | 3 | 8 | 281516 | 97 | 1725 | 1179 | 381955 | 666666 |
| 6 | 3 | 7 | 16768 | 81 | 1490 | 1836 | 646329 | 666666 |
| 7 | 1 | 17 | 29479 | 97 | 0 | 0 | 637090 | 666666 |
| 8 | 2 | 6 | 229548 | 67 | 1740 | 0 | 435244 | 666666 |
| 9 | 3 | 6 | 624837 | 60 | 1132 | 1179 | 39338 | 666666 |
| 10 | 2 | 8 | 531855 | 67 | 1580 | 0 | 133097 | 666666 |
| 11 | 1 | 20 | 104340 | 73 | 0 | 0 | 562253 | 666666 |
| 12 | 3 | 11 | 513108 | 57 | 1661 | 1451 | 150275 | 666666 |
| 13 | 2 | 17 | 367672 | 67 | 1749 | 0 | 297111 | 666666 |
| 14 | 2 | 18 | 524345 | 89 | 1671 | 0 | 140472 | 666666 |
| 15 | 3 | 5 | 84343 | 58 | 1971 | 1731 | 578447 | 666666 |
| 16 | 2 | 12 | 171986 | 100 | 1309 | 0 | 493171 | 666666 |
| 17 | 3 | 5 | 647532 | 96 | 1948 | 1726 | 15172 | 666666 |
| 18 | 2 | 11 | 267005 | 55 | 1957 | 0 | 397594 | 666666 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 515 of 585

Type 5 #11 5504.80 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 417659 | 78 | 1303 | 0 | 671791 | 1090909 |
| 2 | 2 | 16 | 611504 | 78 | 1492 | 0 | 477757 | 1090909 |
| 3 | 3 | 19 | 462977 | 52 | 1414 | 1977 | 624385 | 1090909 |
| 4 | 3 | 11 | 560402 | 78 | 1177 | 1142 | 527954 | 1090909 |
| 5 | 2 | 17 | 901046 | 72 | 1801 | 0 | 187918 | 1090909 |
| 6 | 2 | 16 | 906204 | 57 | 1252 | 0 | 183339 | 1090909 |
| 7 | 2 | 12 | 954101 | 94 | 1409 | 0 | 135211 | 1090909 |
| 8 | 3 | 10 | 833467 | 60 | 1931 | 1562 | 253769 | 1090909 |
| 9 | 2 | 20 | 339003 | 56 | 1037 | 0 | 750757 | 1090909 |
| 10 | 1 | 9 | 944135 | 59 | 0 | 0 | 146715 | 1090909 |
| 11 | 2 | 7 | 187178 | 61 | 1056 | 0 | 902553 | 1090909 |

Type 5 #12 5490.49 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 546606 | 79 | 1142 | 0 | 375170 | 923076 |
| 2 | 3 | 20 | 865384 | 65 | 1717 | 1032 | 54748 | 923076 |
| 3 | 2 | 20 | 18927 | 78 | 1344 | 0 | 902649 | 923076 |
| 4 | 1 | 16 | 5879 | 79 | 0 | 0 | 917118 | 923076 |
| 5 | 1 | 17 | 476587 | 90 | 0 | 0 | 446399 | 923076 |
| 6 | 2 | 12 | 247300 | 99 | 1386 | 0 | 674192 | 923076 |
| 7 | 1 | 11 | 219096 | 87 | 0 | 0 | 703893 | 923076 |
| 8 | 2 | 15 | 726111 | 64 | 1574 | 0 | 195263 | 923076 |
| 9 | 3 | 6 | 4023 | 51 | 1159 | 1261 | 916480 | 923076 |
| 10 | 2 | 15 | 480560 | 72 | 1323 | 0 | 441049 | 923076 |
| 11 | 2 | 14 | 152424 | 99 | 1308 | 0 | 769146 | 923076 |
| 12 | 1 | 18 | 260909 | 88 | 0 | 0 | 662079 | 923076 |
| 13 | 3 | 9 | 552261 | 82 | 1923 | 1691 | 366955 | 923076 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 516 of 585

Type 5 #13 5507.05 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 781493 | 66 | 1697 | 0 | 307587 | 1090909 |
| 2 | 2 | 14 | 1015763 | 73 | 1724 | 0 | 73276 | 1090909 |
| 3 | 1 | 17 | 159014 | 76 | 0 | 0 | 931819 | 1090909 |
| 4 | 3 | 6 | 151899 | 66 | 1866 | 1726 | 935220 | 1090909 |
| 5 | 1 | 6 | 394570 | 55 | 0 | 0 | 696284 | 1090909 |
| 6 | 2 | 9 | 369451 | 91 | 1055 | 0 | 720221 | 1090909 |
| 7 | 3 | 12 | 921251 | 57 | 1660 | 1703 | 166124 | 1090909 |
| 8 | 1 | 15 | 876880 | 78 | 0 | 0 | 213951 | 1090909 |
| 9 | 1 | 20 | 637727 | 76 | 0 | 0 | 453106 | 1090909 |
| 10 | 1 | 8 | 63889 | 97 | 0 | 0 | 1026923 | 1090909 |
| 11 | 1 | 9 | 190568 | 88 | 0 | 0 | 900253 | 1090909 |

Type 5 #14 5499.49 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 7 | 1091422 | 73 | 1415 | 1258 | 405686 | 1500000 |
| 2 | 1 | 7 | 605124 | 96 | 0 | 0 | 894780 | 1500000 |
| 3 | 1 | 17 | 1037742 | 100 | 0 | 0 | 462158 | 1500000 |
| 4 | 3 | 9 | 742890 | 52 | 1874 | 1772 | 753308 | 1500000 |
| 5 | 1 | 14 | 310173 | 82 | 0 | 0 | 1189745 | 1500000 |
| 6 | 2 | 11 | 1123467 | 92 | 1297 | 0 | 375052 | 1500000 |
| 7 | 1 | 5 | 828822 | 65 | 0 | 0 | 671113 | 1500000 |
| 8 | 1 | 8 | 847160 | 75 | 0 | 0 | 652765 | 1500000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 517 of 585

Type 5 #15 5502.79 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 12 | 104830 | 91 | 1895 | 1942 | 814136 | 923076 |
| 2 | 3 | 12 | 1471 | 79 | 1245 | 1369 | 918754 | 923076 |
| 3 | 3 | 13 | 309291 | 94 | 1678 | 1997 | 609828 | 923076 |
| 4 | 3 | 19 | 800497 | 97 | 1419 | 1305 | 119564 | 923076 |
| 5 | 1 | 6 | 222287 | 50 | 0 | 0 | 700739 | 923076 |
| 6 | 2 | 8 | 453409 | 85 | 1664 | 0 | 467833 | 923076 |
| 7 | 3 | 20 | 633450 | 51 | 1038 | 1166 | 287269 | 923076 |
| 8 | 2 | 19 | 164467 | 76 | 1388 | 0 | 757069 | 923076 |
| 9 | 3 | 10 | 804351 | 88 | 1419 | 1493 | 115549 | 923076 |
| 10 | 1 | 10 | 584941 | 58 | 0 | 0 | 338077 | 923076 |
| 11 | 2 | 13 | 677203 | 71 | 1588 | 0 | 244143 | 923076 |
| 12 | 3 | 12 | 51638 | 50 | 1143 | 1763 | 868382 | 923076 |
| 13 | 3 | 20 | 588363 | 75 | 1852 | 1587 | 331049 | 923076 |

Type 5 #16 5504.67 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 11 | 20216 | 66 | 1955 | 0 | 644363 | 666666 |
| 2 | 1 | 11 | 456293 | 98 | 0 | 0 | 210275 | 666666 |
| 3 | 3 | 14 | 201409 | 88 | 1591 | 1023 | 462379 | 666666 |
| 4 | 3 | 14 | 286473 | 66 | 1434 | 1450 | 377111 | 666666 |
| 5 | 3 | 6 | 81116 | 75 | 1793 | 1626 | 581906 | 666666 |
| 6 | 1 | 10 | 378042 | 62 | 0 | 0 | 288562 | 666666 |
| 7 | 3 | 9 | 148423 | 61 | 1517 | 1029 | 515514 | 666666 |
| 8 | 2 | 11 | 215134 | 70 | 1647 | 0 | 449745 | 666666 |
| 9 | 1 | 16 | 382656 | 66 | 0 | 0 | 283944 | 666666 |
| 10 | 1 | 11 | 433956 | 51 | 0 | 0 | 232659 | 666666 |
| 11 | 2 | 7 | 264687 | 62 | 1190 | 0 | 400665 | 666666 |
| 12 | 3 | 10 | 2693 | 92 | 1162 | 1405 | 661130 | 666666 |
| 13 | 3 | 10 | 222476 | 58 | 1116 | 1842 | 441058 | 666666 |
| 14 | 1 | 9 | 423216 | 75 | 0 | 0 | 243375 | 666666 |
| 15 | 3 | 5 | 326078 | 60 | 1803 | 1108 | 337497 | 666666 |
| 16 | 1 | 8 | 302864 | 69 | 0 | 0 | 363733 | 666666 |
| 17 | 1 | 14 | 464144 | 91 | 0 | 0 | 202431 | 666666 |
| 18 | 1 | 5 | 579827 | 88 | 0 | 0 | 86751 | 666666 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 518 of 585

Type 5 #17 5492.43 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 11 | 743201 | 95 | 0 | 0 | 6704 | 750000 |
| 2 | 2 | 7 | 157622 | 97 | 1916 | 0 | 590268 | 750000 |
| 3 | 3 | 18 | 12022 | 62 | 1526 | 1127 | 735139 | 750000 |
| 4 | 3 | 6 | 306111 | 52 | 1387 | 1289 | 441057 | 750000 |
| 5 | 2 | 20 | 683610 | 98 | 1951 | 0 | 64243 | 750000 |
| 6 | 3 | 15 | 217147 | 79 | 1799 | 1089 | 529728 | 750000 |
| 7 | 2 | 6 | 234973 | 95 | 1746 | 0 | 513091 | 750000 |
| 8 | 1 | 18 | 717913 | 83 | 0 | 0 | 32004 | 750000 |
| 9 | 2 | 13 | 453465 | 98 | 1980 | 0 | 294359 | 750000 |
| 10 | 2 | 14 | 206643 | 85 | 1787 | 0 | 541400 | 750000 |
| 11 | 2 | 14 | 398236 | 83 | 1206 | 0 | 350392 | 750000 |
| 12 | 3 | 5 | 422782 | 74 | 1472 | 1034 | 324490 | 750000 |
| 13 | 1 | 17 | 710941 | 71 | 0 | 0 | 38988 | 750000 |
| 14 | 2 | 5 | 445732 | 82 | 1270 | 0 | 302834 | 750000 |
| 15 | 3 | 13 | 526464 | 73 | 1332 | 1834 | 220151 | 750000 |
| 16 | 2 | 10 | 150425 | 99 | 1350 | 0 | 598027 | 750000 |

Type 5 #18 5509.65 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 12 | 1023030 | 76 | 1633 | 1874 | 473235 | 1500000 |
| 2 | 2 | 18 | 278962 | 91 | 1175 | 0 | 1219681 | 1500000 |
| 3 | 3 | 9 | 47010 | 69 | 1547 | 1758 | 1449478 | 1500000 |
| 4 | 1 | 15 | 451809 | 97 | 0 | 0 | 1048094 | 1500000 |
| 5 | 1 | 8 | 217139 | 72 | 0 | 0 | 1282789 | 1500000 |
| 6 | 1 | 18 | 751448 | 69 | 0 | 0 | 748483 | 1500000 |
| 7 | 2 | 6 | 827404 | 85 | 1833 | 0 | 670593 | 1500000 |
| 8 | 2 | 10 | 780558 | 95 | 1315 | 0 | 717937 | 1500000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 519 of 585

Type 5 #19 5501.15 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 158760 | 73 | 1650 | 0 | 439444 | 600000 |
| 2 | 3 | 13 | 557288 | 97 | 1158 | 1675 | 39588 | 600000 |
| 3 | 1 | 13 | 427271 | 71 | 0 | 0 | 172658 | 600000 |
| 4 | 2 | 9 | 374376 | 53 | 1488 | 0 | 224030 | 600000 |
| 5 | 1 | 9 | 192199 | 86 | 0 | 0 | 407715 | 600000 |
| 6 | 2 | 5 | 533165 | 53 | 1840 | 0 | 64889 | 600000 |
| 7 | 2 | 16 | 584016 | 72 | 1691 | 0 | 14149 | 600000 |
| 8 | 1 | 11 | 480358 | 92 | 0 | 0 | 119550 | 600000 |
| 9 | 3 | 9 | 492569 | 74 | 1844 | 1669 | 103696 | 600000 |
| 10 | 2 | 16 | 502880 | 78 | 1276 | 0 | 95688 | 600000 |
| 11 | 3 | 6 | 382092 | 91 | 1827 | 1896 | 213912 | 600000 |
| 12 | 3 | 12 | 398120 | 57 | 1171 | 1201 | 199337 | 600000 |
| 13 | 1 | 13 | 141980 | 82 | 0 | 0 | 457938 | 600000 |
| 14 | 1 | 12 | 249915 | 72 | 0 | 0 | 350013 | 600000 |
| 15 | 3 | 9 | 190352 | 62 | 1329 | 1016 | 407117 | 600000 |
| 16 | 2 | 12 | 546515 | 52 | 1740 | 0 | 51641 | 600000 |
| 17 | 2 | 20 | 502160 | 87 | 1144 | 0 | 96522 | 600000 |
| 18 | 2 | 17 | 212341 | 95 | 1335 | 0 | 386134 | 600000 |
| 19 | 3 | 15 | 122480 | 100 | 1725 | 1806 | 473689 | 600000 |
| 20 | 1 | 14 | 217991 | 58 | 0 | 0 | 381951 | 600000 |

Type 5 #20 5495.21 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 20 | 681933 | 93 | 0 | 0 | 651307 | 1333333 |
| 2 | 2 | 17 | 232113 | 87 | 1577 | 0 | 1099469 | 1333333 |
| 3 | 3 | 16 | 1244697 | 83 | 1257 | 1837 | 85293 | 1333333 |
| 4 | 1 | 15 | 1150283 | 75 | 0 | 0 | 182975 | 1333333 |
| 5 | 1 | 6 | 82356 | 82 | 0 | 0 | 1250895 | 1333333 |
| 6 | 1 | 15 | 805019 | 62 | 0 | 0 | 528252 | 1333333 |
| 7 | 1 | 9 | 1178018 | 55 | 0 | 0 | 155260 | 1333333 |
| 8 | 3 | 17 | 37313 | 69 | 1109 | 1871 | 1292833 | 1333333 |
| 9 | 2 | 15 | 291995 | 64 | 1079 | 0 | 1040131 | 1333333 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 520 of 585

Type 5 #21 5507.23 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 1064948 | 51 | 1372 | 0 | 133578 | 1200000 |
| 2 | 3 | 16 | 42613 | 55 | 1504 | 1727 | 1153991 | 1200000 |
| 3 | 2 | 17 | 318648 | 57 | 1798 | 0 | 879440 | 1200000 |
| 4 | 3 | 14 | 1018395 | 56 | 1463 | 1915 | 178059 | 1200000 |
| 5 | 3 | 12 | 89119 | 66 | 1727 | 1065 | 1107891 | 1200000 |
| 6 | 3 | 8 | 1136315 | 68 | 1248 | 1426 | 60807 | 1200000 |
| 7 | 2 | 20 | 857304 | 57 | 1270 | 0 | 341312 | 1200000 |
| 8 | 2 | 13 | 202667 | 50 | 1379 | 0 | 995854 | 1200000 |
| 9 | 2 | 20 | 275601 | 65 | 1072 | 0 | 923197 | 1200000 |
| 10 | 2 | 13 | 905581 | 69 | 1481 | 0 | 292800 | 1200000 |

Type 5 #22 5504.93 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 20 | 874702 | 63 | 1904 | 1162 | 212952 | 1090909 |
| 2 | 1 | 7 | 548001 | 93 | 0 | 0 | 542815 | 1090909 |
| 3 | 3 | 8 | 337183 | 52 | 1356 | 1660 | 750554 | 1090909 |
| 4 | 2 | 9 | 401451 | 71 | 1453 | 0 | 687863 | 1090909 |
| 5 | 2 | 20 | 829493 | 80 | 1158 | 0 | 260098 | 1090909 |
| 6 | 3 | 12 | 834564 | 93 | 1986 | 1718 | 252362 | 1090909 |
| 7 | 3 | 15 | 398378 | 85 | 1870 | 1991 | 688415 | 1090909 |
| 8 | 2 | 20 | 267950 | 77 | 1692 | 0 | 821113 | 1090909 |
| 9 | 3 | 9 | 619756 | 78 | 1770 | 1717 | 467432 | 1090909 |
| 10 | 1 | 6 | 244149 | 88 | 0 | 0 | 846672 | 1090909 |
| 11 | 1 | 9 | 732848 | 94 | 0 | 0 | 357967 | 1090909 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 521 of 585

Type 5 #23 5495.49 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 17 | 88286 | 70 | 1184 | 1361 | 508959 | 600000 |
| 2 | 3 | 11 | 471482 | 50 | 1493 | 1684 | 125191 | 600000 |
| 3 | 1 | 18 | 431297 | 63 | 0 | 0 | 168640 | 600000 |
| 4 | 2 | 8 | 257080 | 84 | 1931 | 0 | 340821 | 600000 |
| 5 | 3 | 9 | 140505 | 100 | 1274 | 1436 | 456485 | 600000 |
| 6 | 2 | 10 | 224771 | 77 | 1825 | 0 | 373250 | 600000 |
| 7 | 1 | 14 | 91706 | 50 | 0 | 0 | 508244 | 600000 |
| 8 | 3 | 10 | 318742 | 90 | 1098 | 1882 | 278008 | 600000 |
| 9 | 3 | 5 | 286681 | 64 | 1780 | 1738 | 309609 | 600000 |
| 10 | 1 | 18 | 120857 | 75 | 0 | 0 | 479068 | 600000 |
| 11 | 1 | 13 | 505835 | 87 | 0 | 0 | 94078 | 600000 |
| 12 | 2 | 19 | 545583 | 77 | 1925 | 0 | 52338 | 600000 |
| 13 | 1 | 5 | 400636 | 74 | 0 | 0 | 199290 | 600000 |
| 14 | 1 | 9 | 388614 | 80 | 0 | 0 | 211306 | 600000 |
| 15 | 3 | 15 | 28847 | 100 | 1345 | 1127 | 568381 | 600000 |
| 16 | 3 | 16 | 417248 | 51 | 1243 | 1495 | 179861 | 600000 |
| 17 | 3 | 5 | 181880 | 70 | 1537 | 1623 | 414750 | 600000 |
| 18 | 2 | 17 | 113787 | 73 | 1744 | 0 | 484323 | 600000 |
| 19 | 3 | 7 | 511353 | 70 | 1724 | 1058 | 85655 | 600000 |
| 20 | 2 | 8 | 498467 | 86 | 1427 | 0 | 99934 | 600000 |

Type 5 #24 5491.09 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 592947 | 58 | 1944 | 0 | 262135 | 857142 |
| 2 | 2 | 16 | 354937 | 91 | 1293 | 0 | 500730 | 857142 |
| 3 | 1 | 17 | 373971 | 58 | 0 | 0 | 483113 | 857142 |
| 4 | 2 | 5 | 730261 | 52 | 1136 | 0 | 125641 | 857142 |
| 5 | 3 | 17 | 803606 | 99 | 1786 | 1938 | 49515 | 857142 |
| 6 | 1 | 7 | 88758 | 92 | 0 | 0 | 768292 | 857142 |
| 7 | 2 | 9 | 754393 | 65 | 1922 | 0 | 100697 | 857142 |
| 8 | 2 | 17 | 652555 | 69 | 1361 | 0 | 203088 | 857142 |
| 9 | 3 | 5 | 154991 | 99 | 1898 | 1474 | 698482 | 857142 |
| 10 | 1 | 14 | 323387 | 99 | 0 | 0 | 533656 | 857142 |
| 11 | 2 | 5 | 824173 | 86 | 1574 | 0 | 31223 | 857142 |
| 12 | 2 | 10 | 1150 | 86 | 1919 | 0 | 853901 | 857142 |
| 13 | 2 | 15 | 662864 | 91 | 1593 | 0 | 192503 | 857142 |
| 14 | 1 | 8 | 750873 | 98 | 0 | 0 | 106171 | 857142 |

Type 5 #25 5503.52 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 522 of 585

| | | | | | | | | Length usec |
|----|---|----|--------|----|------|------|--------|-------------|
| 1 | 1 | 15 | 235950 | 64 | 0 | 0 | 395564 | 631578 |
| 2 | 1 | 19 | 571559 | 96 | 0 | 0 | 59923 | 631578 |
| 3 | 1 | 19 | 226640 | 88 | 0 | 0 | 404850 | 631578 |
| 4 | 1 | 13 | 502236 | 90 | 0 | 0 | 129252 | 631578 |
| 5 | 1 | 20 | 209437 | 85 | 0 | 0 | 422056 | 631578 |
| 6 | 3 | 18 | 617577 | 50 | 1360 | 1394 | 11097 | 631578 |
| 7 | 1 | 6 | 231038 | 73 | 0 | 0 | 400467 | 631578 |
| 8 | 1 | 6 | 450302 | 90 | 0 | 0 | 181186 | 631578 |
| 9 | 1 | 6 | 427923 | 64 | 0 | 0 | 203591 | 631578 |
| 10 | 2 | 15 | 37498 | 52 | 1805 | 0 | 592171 | 631578 |
| 11 | 1 | 5 | 381505 | 54 | 0 | 0 | 250019 | 631578 |
| 12 | 3 | 20 | 174808 | 52 | 1852 | 1256 | 453506 | 631578 |
| 13 | 2 | 6 | 177083 | 54 | 1429 | 0 | 452958 | 631578 |
| 14 | 3 | 14 | 594299 | 53 | 1464 | 1783 | 33873 | 631578 |
| 15 | 2 | 9 | 325950 | 56 | 1502 | 0 | 304014 | 631578 |
| 16 | 1 | 14 | 110815 | 86 | 0 | 0 | 520677 | 631578 |
| 17 | 3 | 5 | 171326 | 85 | 1949 | 1687 | 456361 | 631578 |
| 18 | 2 | 12 | 90054 | 69 | 1401 | 0 | 539985 | 631578 |
| 19 | 2 | 13 | 391342 | 99 | 1545 | 0 | 238493 | 631578 |

[Type 5 #26 5502.49 \[Back to Summary\]](#)

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 16 | 199534 | 90 | 1452 | 1477 | 997267 | 1200000 |
| 2 | 1 | 15 | 1157609 | 55 | 0 | 0 | 42336 | 1200000 |
| 3 | 3 | 10 | 327356 | 55 | 1804 | 1265 | 869410 | 1200000 |
| 4 | 1 | 18 | 94210 | 69 | 0 | 0 | 1105721 | 1200000 |
| 5 | 1 | 5 | 715727 | 87 | 0 | 0 | 484186 | 1200000 |
| 6 | 3 | 6 | 667370 | 55 | 1640 | 1432 | 529393 | 1200000 |
| 7 | 2 | 19 | 469329 | 86 | 1330 | 0 | 729169 | 1200000 |
| 8 | 3 | 16 | 1186509 | 94 | 1423 | 1534 | 10252 | 1200000 |
| 9 | 3 | 9 | 179079 | 52 | 1643 | 1276 | 1017846 | 1200000 |
| 10 | 2 | 8 | 161475 | 94 | 1891 | 0 | 1036446 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 523 of 585

Type 5 #27 5492.84 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 71200 | 52 | 1792 | 0 | 632786 | 705882 |
| 2 | 3 | 6 | 52918 | 69 | 1382 | 1682 | 649693 | 705882 |
| 3 | 2 | 8 | 290058 | 50 | 1999 | 0 | 413725 | 705882 |
| 4 | 2 | 10 | 218388 | 70 | 1956 | 0 | 485398 | 705882 |
| 5 | 1 | 16 | 493994 | 65 | 0 | 0 | 211823 | 705882 |
| 6 | 3 | 20 | 134525 | 71 | 1467 | 1762 | 567915 | 705882 |
| 7 | 3 | 5 | 193058 | 74 | 1337 | 1285 | 509980 | 705882 |
| 8 | 1 | 20 | 35416 | 89 | 0 | 0 | 670377 | 705882 |
| 9 | 2 | 7 | 670453 | 81 | 1979 | 0 | 33288 | 705882 |
| 10 | 2 | 7 | 370527 | 52 | 1184 | 0 | 334067 | 705882 |
| 11 | 3 | 7 | 519270 | 77 | 1391 | 1456 | 183534 | 705882 |
| 12 | 2 | 7 | 294785 | 54 | 1345 | 0 | 409644 | 705882 |
| 13 | 2 | 12 | 620600 | 81 | 1408 | 0 | 83712 | 705882 |
| 14 | 3 | 16 | 431341 | 95 | 1137 | 1229 | 271890 | 705882 |
| 15 | 2 | 19 | 107400 | 96 | 1478 | 0 | 596812 | 705882 |
| 16 | 3 | 10 | 198192 | 88 | 1362 | 1803 | 504261 | 705882 |
| 17 | 1 | 7 | 208346 | 67 | 0 | 0 | 497469 | 705882 |

Type 5 #28 5501.97 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 18 | 460934 | 77 | 1029 | 1632 | 286174 | 750000 |
| 2 | 2 | 20 | 427051 | 90 | 1664 | 0 | 321105 | 750000 |
| 3 | 1 | 7 | 328770 | 82 | 0 | 0 | 421148 | 750000 |
| 4 | 1 | 8 | 102545 | 65 | 0 | 0 | 647390 | 750000 |
| 5 | 1 | 20 | 439713 | 76 | 0 | 0 | 310211 | 750000 |
| 6 | 3 | 18 | 264027 | 67 | 1984 | 1616 | 482172 | 750000 |
| 7 | 2 | 9 | 268950 | 57 | 1586 | 0 | 479350 | 750000 |
| 8 | 1 | 9 | 149831 | 58 | 0 | 0 | 600111 | 750000 |
| 9 | 3 | 9 | 364968 | 89 | 1084 | 1489 | 382192 | 750000 |
| 10 | 1 | 16 | 144713 | 84 | 0 | 0 | 605203 | 750000 |
| 11 | 2 | 20 | 747548 | 61 | 1109 | 0 | 1221 | 750000 |
| 12 | 1 | 19 | 719663 | 56 | 0 | 0 | 30281 | 750000 |
| 13 | 1 | 17 | 475190 | 84 | 0 | 0 | 274726 | 750000 |
| 14 | 1 | 14 | 388444 | 72 | 0 | 0 | 361484 | 750000 |
| 15 | 1 | 9 | 124551 | 74 | 0 | 0 | 625375 | 750000 |
| 16 | 1 | 6 | 189630 | 88 | 0 | 0 | 560282 | 750000 |

Type 5 #29 5491.26 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 524 of 585

| | | | | | | | | Length usec |
|----|---|----|--------|----|------|------|--------|-------------|
| 1 | 1 | 12 | 97865 | 71 | 0 | 0 | 902064 | 1000000 |
| 2 | 2 | 7 | 250975 | 84 | 1791 | 0 | 747066 | 1000000 |
| 3 | 1 | 5 | 274367 | 72 | 0 | 0 | 725561 | 1000000 |
| 4 | 2 | 6 | 166052 | 62 | 1207 | 0 | 832617 | 1000000 |
| 5 | 2 | 7 | 642698 | 58 | 1258 | 0 | 355928 | 1000000 |
| 6 | 3 | 18 | 26810 | 99 | 1190 | 1417 | 970286 | 1000000 |
| 7 | 1 | 18 | 856680 | 74 | 0 | 0 | 143246 | 1000000 |
| 8 | 2 | 16 | 860445 | 51 | 1414 | 0 | 138039 | 1000000 |
| 9 | 2 | 15 | 762988 | 50 | 1844 | 0 | 235068 | 1000000 |
| 10 | 1 | 12 | 23663 | 58 | 0 | 0 | 976279 | 1000000 |
| 11 | 3 | 6 | 579927 | 51 | 1063 | 1589 | 417268 | 1000000 |
| 12 | 1 | 16 | 782896 | 60 | 0 | 0 | 217044 | 1000000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 525 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5538 | #02-5310 | #03-5601 | #04-5477 | #05-5587 | #06-5612 | #07-5325 | #08-5553 | #09-5535 | #10-5335 |
| #11-5551 | #12-5508 | #13-5507 | #14-5575 | #15-5414 | #16-5545 | #17-5487 | #18-5481 | #19-5393 | #20-5484 |
| #21-5402 | #22-5592 | #23-5482 | #24-5637 | #25-5377 | #26-5430 | #27-5705 | #28-5264 | #29-5673 | #30-5374 |
| #31-5617 | #32-5452 | #33-5382 | #34-5683 | #35-5633 | #36-5598 | #37-5631 | #38-5504 | #39-5711 | #40-5287 |
| #41-5537 | #42-5574 | #43-5516 | #44-5435 | #45-5429 | #46-5485 | #47-5431 | #48-5590 | #49-5709 | #50-5289 |
| #51-5532 | #52-5682 | #53-5368 | #54-5469 | #55-5670 | #56-5688 | #57-5349 | #58-5407 | #59-5311 | #60-5605 |
| #61-5410 | #62-5442 | #63-5348 | #64-5375 | #65-5549 | #66-5666 | #67-5540 | #68-5638 | #69-5707 | #70-5494 |
| #71-5355 | #72-5671 | #73-5338 | #74-5524 | #75-5398 | #76-5334 | #77-5464 | #78-5295 | #79-5667 | #80-5404 |
| #81-5554 | #82-5381 | #83-5476 | #84-5693 | #85-5356 | #86-5675 | #87-5336 | #88-5303 | #89-5661 | #90-5490 |
| #91-5300 | #92-5320 | #93-5306 | #94-5288 | #95-5577 | #96-5421 | #97-5640 | #98-5595 | #99-5486 | #100-5401 |

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5461 | #02-5357 | #03-5638 | #04-5641 | #05-5325 | #06-5578 | #07-5361 | #08-5334 | #09-5703 | #10-5494 |
| #11-5696 | #12-5552 | #13-5665 | #14-5699 | #15-5444 | #16-5584 | #17-5694 | #18-5388 | #19-5366 | #20-5619 |
| #21-5259 | #22-5284 | #23-5347 | #24-5618 | #25-5278 | #26-5296 | #27-5642 | #28-5567 | #29-5548 | #30-5343 |
| #31-5556 | #32-5431 | #33-5253 | #34-5342 | #35-5273 | #36-5563 | #37-5301 | #38-5281 | #39-5483 | #40-5667 |
| #41-5576 | #42-5511 | #43-5530 | #44-5349 | #45-5478 | #46-5603 | #47-5702 | #48-5306 | #49-5626 | #50-5326 |
| #51-5369 | #52-5507 | #53-5452 | #54-5323 | #55-5540 | #56-5311 | #57-5660 | #58-5518 | #59-5610 | #60-5663 |
| #61-5514 | #62-5549 | #63-5572 | #64-5675 | #65-5605 | #66-5532 | #67-5662 | #68-5545 | #69-5607 | #70-5676 |
| #71-5407 | #72-5497 | #73-5542 | #74-5524 | #75-5673 | #76-5288 | #77-5590 | #78-5492 | #79-5442 | #80-5480 |
| #81-5471 | #82-5615 | #83-5709 | #84-5506 | #85-5547 | #86-5398 | #87-5314 | #88-5591 | #89-5559 | #90-5654 |
| #91-5500 | #92-5653 | #93-5346 | #94-5498 | #95-5688 | #96-5505 | #97-5487 | #98-5555 | #99-5294 | #100-5550 |

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5723 | #02-5479 | #03-5496 | #04-5362 | #05-5621 | #06-5653 | #07-5269 | #08-5418 | #09-5433 | #10-5453 |
| #11-5328 | #12-5682 | #13-5724 | #14-5582 | #15-5504 | #16-5677 | #17-5288 | #18-5310 | #19-5528 | #20-5343 |
| #21-5595 | #22-5675 | #23-5683 | #24-5423 | #25-5360 | #26-5493 | #27-5718 | #28-5478 | #29-5699 | #30-5549 |
| #31-5640 | #32-5570 | #33-5375 | #34-5274 | #35-5523 | #36-5463 | #37-5394 | #38-5650 | #39-5469 | #40-5295 |
| #41-5458 | #42-5408 | #43-5356 | #44-5576 | #45-5543 | #46-5654 | #47-5488 | #48-5719 | #49-5260 | #50-5466 |
| #51-5427 | #52-5277 | #53-5676 | #54-5680 | #55-5298 | #56-5521 | #57-5626 | #58-5664 | #59-5511 | #60-5409 |
| #61-5276 | #62-5459 | #63-5628 | #64-5412 | #65-5599 | #66-5557 | #67-5706 | #68-5464 | #69-5619 | #70-5384 |
| #71-5308 | #72-5387 | #73-5516 | #74-5577 | #75-5268 | #76-5604 | #77-5431 | #78-5255 | #79-5468 | #80-5482 |
| #81-5372 | #82-5613 | #83-5618 | #84-5419 | #85-5701 | #86-5252 | #87-5562 | #88-5454 | #89-5389 | #90-5309 |
| #91-5519 | #92-5674 | #93-5414 | #94-5304 | #95-5655 | #96-5263 | #97-5520 | #98-5572 | #99-5292 | #100-5693 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 526 of 585

| Type 6 #4 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5628 | #02-5543 | #03-5506 | #04-5668 | #05-5607 | #06-5309 | #07-5330 | #08-5404 | #09-5276 | #10-5445 |
| #11-5701 | #12-5523 | #13-5468 | #14-5429 | #15-5581 | #16-5703 | #17-5627 | #18-5414 | #19-5720 | #20-5723 |
| #21-5279 | #22-5592 | #23-5567 | #24-5374 | #25-5578 | #26-5423 | #27-5376 | #28-5324 | #29-5711 | #30-5673 |
| #31-5635 | #32-5329 | #33-5645 | #34-5715 | #35-5601 | #36-5444 | #37-5308 | #38-5679 | #39-5395 | #40-5630 |
| #41-5717 | #42-5323 | #43-5697 | #44-5671 | #45-5616 | #46-5687 | #47-5600 | #48-5284 | #49-5618 | #50-5407 |
| #51-5297 | #52-5695 | #53-5599 | #54-5675 | #55-5664 | #56-5544 | #57-5610 | #58-5678 | #59-5290 | #60-5497 |
| #61-5316 | #62-5426 | #63-5602 | #64-5477 | #65-5552 | #66-5386 | #67-5269 | #68-5661 | #69-5343 | #70-5286 |
| #71-5519 | #72-5594 | #73-5427 | #74-5460 | #75-5500 | #76-5250 | #77-5676 | #78-5304 | #79-5282 | #80-5366 |
| #81-5651 | #82-5505 | #83-5488 | #84-5650 | #85-5509 | #86-5355 | #87-5550 | #88-5551 | #89-5631 | #90-5494 |
| #91-5263 | #92-5663 | #93-5363 | #94-5670 | #95-5388 | #96-5360 | #97-5562 | #98-5406 | #99-5320 | #100-5367 |

| Type 6 #5 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5316 | #02-5400 | #03-5427 | #04-5329 | #05-5339 | #06-5442 | #07-5564 | #08-5394 | #09-5652 | #10-5361 |
| #11-5626 | #12-5605 | #13-5407 | #14-5272 | #15-5484 | #16-5556 | #17-5517 | #18-5335 | #19-5692 | #20-5687 |
| #21-5657 | #22-5673 | #23-5250 | #24-5453 | #25-5311 | #26-5563 | #27-5359 | #28-5338 | #29-5646 | #30-5323 |
| #31-5529 | #32-5494 | #33-5434 | #34-5370 | #35-5583 | #36-5470 | #37-5587 | #38-5358 | #39-5317 | #40-5350 |
| #41-5336 | #42-5349 | #43-5395 | #44-5307 | #45-5681 | #46-5647 | #47-5629 | #48-5334 | #49-5476 | #50-5438 |
| #51-5357 | #52-5368 | #53-5399 | #54-5699 | #55-5268 | #56-5500 | #57-5333 | #58-5473 | #59-5579 | #60-5382 |
| #61-5420 | #62-5286 | #63-5414 | #64-5374 | #65-5628 | #66-5297 | #67-5584 | #68-5620 | #69-5557 | #70-5253 |
| #71-5606 | #72-5436 | #73-5433 | #74-5366 | #75-5714 | #76-5302 | #77-5306 | #78-5327 | #79-5660 | #80-5465 |
| #81-5685 | #82-5678 | #83-5452 | #84-5275 | #85-5565 | #86-5601 | #87-5482 | #88-5263 | #89-5611 | #90-5644 |
| #91-5483 | #92-5505 | #93-5625 | #94-5287 | #95-5462 | #96-5602 | #97-5506 | #98-5498 | #99-5641 | #100-5264 |

| Type 6 #6 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5619 | #02-5621 | #03-5292 | #04-5356 | #05-5589 | #06-5504 | #07-5325 | #08-5343 | #09-5350 | #10-5674 |
| #11-5414 | #12-5675 | #13-5569 | #14-5386 | #15-5559 | #16-5304 | #17-5680 | #18-5354 | #19-5359 | #20-5293 |
| #21-5366 | #22-5686 | #23-5678 | #24-5653 | #25-5465 | #26-5677 | #27-5299 | #28-5451 | #29-5308 | #30-5684 |
| #31-5437 | #32-5286 | #33-5442 | #34-5378 | #35-5523 | #36-5495 | #37-5617 | #38-5263 | #39-5662 | #40-5518 |
| #41-5544 | #42-5534 | #43-5340 | #44-5591 | #45-5270 | #46-5407 | #47-5646 | #48-5401 | #49-5388 | #50-5597 |
| #51-5623 | #52-5657 | #53-5668 | #54-5364 | #55-5615 | #56-5637 | #57-5454 | #58-5599 | #59-5479 | #60-5291 |
| #61-5715 | #62-5702 | #63-5639 | #64-5382 | #65-5669 | #66-5430 | #67-5506 | #68-5434 | #69-5462 | #70-5346 |
| #71-5573 | #72-5392 | #73-5394 | #74-5562 | #75-5515 | #76-5484 | #77-5433 | #78-5431 | #79-5432 | #80-5387 |
| #81-5532 | #82-5298 | #83-5413 | #84-5539 | #85-5510 | #86-5435 | #87-5409 | #88-5605 | #89-5704 | #90-5533 |
| #91-5313 | #92-5289 | #93-5502 | #94-5363 | #95-5310 | #96-5564 | #97-5625 | #98-5461 | #99-5663 | #100-5491 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 527 of 585

Type 6 #7 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5299 | #02-5514 | #03-5523 | #04-5526 | #05-5349 | #06-5402 | #07-5271 | #08-5417 | #09-5296 | #10-5629 |
| #11-5432 | #12-5654 | #13-5475 | #14-5567 | #15-5409 | #16-5720 | #17-5347 | #18-5554 | #19-5482 | #20-5537 |
| #21-5292 | #22-5534 | #23-5614 | #24-5575 | #25-5449 | #26-5479 | #27-5424 | #28-5511 | #29-5592 | #30-5531 |
| #31-5650 | #32-5593 | #33-5255 | #34-5647 | #35-5490 | #36-5636 | #37-5607 | #38-5505 | #39-5552 | #40-5512 |
| #41-5621 | #42-5717 | #43-5598 | #44-5361 | #45-5433 | #46-5536 | #47-5467 | #48-5487 | #49-5569 | #50-5527 |
| #51-5632 | #52-5431 | #53-5480 | #54-5448 | #55-5489 | #56-5625 | #57-5673 | #58-5326 | #59-5595 | #60-5703 |
| #61-5484 | #62-5549 | #63-5704 | #64-5563 | #65-5648 | #66-5327 | #67-5413 | #68-5333 | #69-5464 | #70-5298 |
| #71-5655 | #72-5275 | #73-5396 | #74-5542 | #75-5266 | #76-5463 | #77-5265 | #78-5668 | #79-5681 | #80-5274 |
| #81-5273 | #82-5253 | #83-5268 | #84-5412 | #85-5500 | #86-5250 | #87-5345 | #88-5687 | #89-5635 | #90-5573 |
| #91-5278 | #92-5321 | #93-5477 | #94-5618 | #95-5509 | #96-5708 | #97-5390 | #98-5323 | #99-5485 | #100-5313 |

Type 6 #8 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5583 | #02-5501 | #03-5455 | #04-5302 | #05-5672 | #06-5608 | #07-5460 | #08-5310 | #09-5652 | #10-5271 |
| #11-5459 | #12-5526 | #13-5485 | #14-5685 | #15-5400 | #16-5398 | #17-5354 | #18-5327 | #19-5318 | #20-5370 |
| #21-5658 | #22-5388 | #23-5331 | #24-5722 | #25-5325 | #26-5314 | #27-5372 | #28-5664 | #29-5480 | #30-5684 |
| #31-5541 | #32-5675 | #33-5512 | #34-5665 | #35-5410 | #36-5636 | #37-5295 | #38-5396 | #39-5461 | #40-5477 |
| #41-5470 | #42-5708 | #43-5552 | #44-5543 | #45-5519 | #46-5716 | #47-5657 | #48-5361 | #49-5604 | #50-5313 |
| #51-5255 | #52-5365 | #53-5379 | #54-5444 | #55-5419 | #56-5457 | #57-5702 | #58-5486 | #59-5521 | #60-5554 |
| #61-5692 | #62-5509 | #63-5264 | #64-5545 | #65-5525 | #66-5489 | #67-5353 | #68-5682 | #69-5274 | #70-5581 |
| #71-5618 | #72-5437 | #73-5405 | #74-5504 | #75-5428 | #76-5530 | #77-5322 | #78-5439 | #79-5369 | #80-5330 |
| #81-5670 | #82-5397 | #83-5536 | #84-5690 | #85-5466 | #86-5562 | #87-5418 | #88-5700 | #89-5680 | #90-5641 |
| #91-5265 | #92-5346 | #93-5284 | #94-5505 | #95-5421 | #96-5382 | #97-5607 | #98-5257 | #99-5646 | #100-5289 |

Type 6 #9 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5398 | #02-5472 | #03-5667 | #04-5289 | #05-5640 | #06-5279 | #07-5421 | #08-5535 | #09-5296 | #10-5704 |
| #11-5434 | #12-5612 | #13-5702 | #14-5563 | #15-5592 | #16-5258 | #17-5560 | #18-5273 | #19-5516 | #20-5514 |
| #21-5579 | #22-5606 | #23-5662 | #24-5521 | #25-5389 | #26-5407 | #27-5394 | #28-5275 | #29-5626 | #30-5307 |
| #31-5658 | #32-5362 | #33-5409 | #34-5438 | #35-5522 | #36-5649 | #37-5594 | #38-5650 | #39-5550 | #40-5533 |
| #41-5722 | #42-5609 | #43-5654 | #44-5701 | #45-5456 | #46-5378 | #47-5368 | #48-5445 | #49-5637 | #50-5412 |
| #51-5546 | #52-5584 | #53-5465 | #54-5382 | #55-5534 | #56-5395 | #57-5625 | #58-5483 | #59-5396 | #60-5633 |
| #61-5713 | #62-5295 | #63-5322 | #64-5452 | #65-5291 | #66-5634 | #67-5447 | #68-5708 | #69-5695 | #70-5677 |
| #71-5686 | #72-5315 | #73-5261 | #74-5674 | #75-5463 | #76-5486 | #77-5324 | #78-5621 | #79-5277 | #80-5254 |
| #81-5255 | #82-5365 | #83-5448 | #84-5317 | #85-5648 | #86-5575 | #87-5700 | #88-5665 | #89-5655 | #90-5384 |
| #91-5404 | #92-5272 | #93-5636 | #94-5386 | #95-5482 | #96-5590 | #97-5564 | #98-5573 | #99-5330 | #100-5613 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5659 | #03-5283 | #04-5419 | #05-5477 | #06-5696 | #07-5425 | #08-5509 | #09-5285 | #10-5552 |
| #11-5666 | #12-5609 | #13-5380 | #14-5309 | #15-5719 | #16-5261 | #17-5280 | #18-5655 | #19-5335 | #20-5434 |
| #21-5519 | #22-5392 | #23-5441 | #24-5574 | #25-5662 | #26-5389 | #27-5411 | #28-5515 | #29-5416 | #30-5516 |
| #31-5367 | #32-5386 | #33-5598 | #34-5714 | #35-5542 | #36-5530 | #37-5438 | #38-5683 | #39-5475 | #40-5319 |
| #41-5369 | #42-5393 | #43-5331 | #44-5277 | #45-5256 | #46-5422 | #47-5648 | #48-5468 | #49-5399 | #50-5528 |
| #51-5259 | #52-5616 | #53-5703 | #54-5627 | #55-5284 | #56-5263 | #57-5593 | #58-5548 | #59-5472 | #60-5506 |
| #61-5320 | #62-5374 | #63-5322 | #64-5697 | #65-5584 | #66-5365 | #67-5400 | #68-5724 | #69-5359 | #70-5547 |
| #71-5656 | #72-5692 | #73-5487 | #74-5297 | #75-5588 | #76-5698 | #77-5582 | #78-5589 | #79-5650 | #80-5535 |
| #81-5649 | #82-5461 | #83-5325 | #84-5500 | #85-5357 | #86-5507 | #87-5529 | #88-5474 | #89-5351 | #90-5524 |
| #91-5279 | #92-5254 | #93-5470 | #94-5427 | #95-5668 | #96-5618 | #97-5617 | #98-5330 | #99-5353 | #100-5318 |

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5500 | #02-5671 | #03-5254 | #04-5311 | #05-5580 | #06-5615 | #07-5642 | #08-5471 | #09-5448 | #10-5611 |
| #11-5263 | #12-5398 | #13-5298 | #14-5373 | #15-5290 | #16-5625 | #17-5616 | #18-5577 | #19-5268 | #20-5431 |
| #21-5590 | #22-5688 | #23-5267 | #24-5584 | #25-5478 | #26-5515 | #27-5639 | #28-5696 | #29-5283 | #30-5683 |
| #31-5454 | #32-5545 | #33-5685 | #34-5378 | #35-5495 | #36-5296 | #37-5651 | #38-5557 | #39-5605 | #40-5326 |
| #41-5392 | #42-5716 | #43-5322 | #44-5578 | #45-5339 | #46-5250 | #47-5266 | #48-5312 | #49-5646 | #50-5452 |
| #51-5537 | #52-5654 | #53-5395 | #54-5558 | #55-5315 | #56-5700 | #57-5415 | #58-5653 | #59-5533 | #60-5443 |
| #61-5412 | #62-5636 | #63-5379 | #64-5570 | #65-5353 | #66-5598 | #67-5710 | #68-5612 | #69-5599 | #70-5593 |
| #71-5406 | #72-5386 | #73-5343 | #74-5367 | #75-5282 | #76-5667 | #77-5623 | #78-5377 | #79-5350 | #80-5462 |
| #81-5585 | #82-5663 | #83-5719 | #84-5635 | #85-5464 | #86-5432 | #87-5469 | #88-5660 | #89-5382 | #90-5666 |
| #91-5684 | #92-5405 | #93-5467 | #94-5650 | #95-5305 | #96-5527 | #97-5401 | #98-5607 | #99-5553 | #100-5365 |

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5383 | #02-5711 | #03-5391 | #04-5678 | #05-5316 | #06-5264 | #07-5438 | #08-5279 | #09-5357 | #10-5315 |
| #11-5415 | #12-5712 | #13-5716 | #14-5701 | #15-5384 | #16-5410 | #17-5661 | #18-5451 | #19-5686 | #20-5426 |
| #21-5536 | #22-5601 | #23-5577 | #24-5433 | #25-5575 | #26-5634 | #27-5472 | #28-5392 | #29-5547 | #30-5310 |
| #31-5656 | #32-5306 | #33-5308 | #34-5603 | #35-5502 | #36-5477 | #37-5291 | #38-5516 | #39-5593 | #40-5367 |
| #41-5655 | #42-5298 | #43-5273 | #44-5518 | #45-5311 | #46-5476 | #47-5674 | #48-5645 | #49-5366 | #50-5465 |
| #51-5452 | #52-5376 | #53-5554 | #54-5506 | #55-5682 | #56-5352 | #57-5406 | #58-5517 | #59-5295 | #60-5456 |
| #61-5296 | #62-5359 | #63-5653 | #64-5362 | #65-5448 | #66-5632 | #67-5368 | #68-5394 | #69-5582 | #70-5568 |
| #71-5673 | #72-5605 | #73-5553 | #74-5640 | #75-5514 | #76-5407 | #77-5523 | #78-5430 | #79-5570 | #80-5453 |
| #81-5385 | #82-5721 | #83-5343 | #84-5333 | #85-5414 | #86-5436 | #87-5432 | #88-5251 | #89-5614 | #90-5409 |
| #91-5382 | #92-5364 | #93-5475 | #94-5263 | #95-5722 | #96-5320 | #97-5594 | #98-5327 | #99-5427 | #100-5677 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 529 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5555 | #02-5292 | #03-5563 | #04-5723 | #05-5718 | #06-5548 | #07-5275 | #08-5451 | #09-5655 | #10-5698 |
| #11-5722 | #12-5313 | #13-5538 | #14-5284 | #15-5705 | #16-5396 | #17-5491 | #18-5407 | #19-5552 | #20-5663 |
| #21-5480 | #22-5381 | #23-5293 | #24-5297 | #25-5458 | #26-5432 | #27-5499 | #28-5583 | #29-5308 | #30-5478 |
| #31-5350 | #32-5513 | #33-5291 | #34-5575 | #35-5437 | #36-5581 | #37-5609 | #38-5422 | #39-5524 | #40-5684 |
| #41-5435 | #42-5385 | #43-5300 | #44-5274 | #45-5450 | #46-5687 | #47-5340 | #48-5448 | #49-5334 | #50-5661 |
| #51-5516 | #52-5375 | #53-5616 | #54-5537 | #55-5431 | #56-5680 | #57-5671 | #58-5339 | #59-5567 | #60-5677 |
| #61-5321 | #62-5640 | #63-5493 | #64-5688 | #65-5408 | #66-5379 | #67-5683 | #68-5386 | #69-5607 | #70-5709 |
| #71-5277 | #72-5704 | #73-5294 | #74-5721 | #75-5273 | #76-5258 | #77-5469 | #78-5699 | #79-5542 | #80-5559 |
| #81-5643 | #82-5621 | #83-5479 | #84-5394 | #85-5482 | #86-5635 | #87-5519 | #88-5579 | #89-5572 | #90-5612 |
| #91-5520 | #92-5337 | #93-5590 | #94-5425 | #95-5694 | #96-5685 | #97-5490 | #98-5672 | #99-5303 | #100-5531 |

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5348 | #02-5637 | #03-5492 | #04-5435 | #05-5686 | #06-5648 | #07-5331 | #08-5518 | #09-5661 | #10-5666 |
| #11-5675 | #12-5379 | #13-5489 | #14-5377 | #15-5710 | #16-5450 | #17-5476 | #18-5337 | #19-5429 | #20-5341 |
| #21-5499 | #22-5354 | #23-5631 | #24-5407 | #25-5557 | #26-5500 | #27-5448 | #28-5619 | #29-5276 | #30-5488 |
| #31-5277 | #32-5545 | #33-5709 | #34-5712 | #35-5683 | #36-5521 | #37-5711 | #38-5438 | #39-5481 | #40-5304 |
| #41-5676 | #42-5579 | #43-5682 | #44-5351 | #45-5298 | #46-5454 | #47-5699 | #48-5290 | #49-5446 | #50-5691 |
| #51-5401 | #52-5643 | #53-5717 | #54-5330 | #55-5305 | #56-5491 | #57-5498 | #58-5572 | #59-5320 | #60-5291 |
| #61-5639 | #62-5436 | #63-5352 | #64-5669 | #65-5392 | #66-5502 | #67-5654 | #68-5623 | #69-5375 | #70-5390 |
| #71-5644 | #72-5413 | #73-5673 | #74-5306 | #75-5509 | #76-5295 | #77-5473 | #78-5555 | #79-5522 | #80-5600 |
| #81-5626 | #82-5414 | #83-5719 | #84-5603 | #85-5465 | #86-5470 | #87-5665 | #88-5634 | #89-5479 | #90-5580 |
| #91-5406 | #92-5630 | #93-5677 | #94-5360 | #95-5681 | #96-5317 | #97-5503 | #98-5404 | #99-5322 | #100-5642 |

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5356 | #02-5435 | #03-5713 | #04-5526 | #05-5571 | #06-5437 | #07-5334 | #08-5639 | #09-5476 | #10-5292 |
| #11-5703 | #12-5508 | #13-5398 | #14-5438 | #15-5269 | #16-5683 | #17-5714 | #18-5390 | #19-5481 | #20-5704 |
| #21-5659 | #22-5342 | #23-5624 | #24-5604 | #25-5343 | #26-5525 | #27-5468 | #28-5598 | #29-5455 | #30-5346 |
| #31-5358 | #32-5260 | #33-5646 | #34-5685 | #35-5285 | #36-5676 | #37-5357 | #38-5387 | #39-5446 | #40-5580 |
| #41-5565 | #42-5354 | #43-5363 | #44-5651 | #45-5419 | #46-5524 | #47-5647 | #48-5662 | #49-5514 | #50-5377 |
| #51-5648 | #52-5708 | #53-5264 | #54-5535 | #55-5359 | #56-5433 | #57-5296 | #58-5693 | #59-5460 | #60-5379 |
| #61-5692 | #62-5586 | #63-5329 | #64-5709 | #65-5257 | #66-5606 | #67-5253 | #68-5284 | #69-5374 | #70-5344 |
| #71-5511 | #72-5677 | #73-5649 | #74-5250 | #75-5546 | #76-5661 | #77-5347 | #78-5557 | #79-5706 | #80-5336 |
| #81-5553 | #82-5702 | #83-5474 | #84-5566 | #85-5341 | #86-5478 | #87-5369 | #88-5381 | #89-5699 | #90-5428 |
| #91-5337 | #92-5567 | #93-5350 | #94-5632 | #95-5614 | #96-5275 | #97-5274 | #98-5406 | #99-5509 | #100-5397 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5524 | #02-5336 | #03-5546 | #04-5678 | #05-5606 | #06-5282 | #07-5460 | #08-5709 | #09-5484 | #10-5415 |
| #11-5682 | #12-5637 | #13-5531 | #14-5254 | #15-5687 | #16-5264 | #17-5332 | #18-5718 | #19-5341 | #20-5638 |
| #21-5703 | #22-5708 | #23-5721 | #24-5650 | #25-5581 | #26-5447 | #27-5585 | #28-5337 | #29-5319 | #30-5450 |
| #31-5409 | #32-5390 | #33-5294 | #34-5330 | #35-5569 | #36-5295 | #37-5402 | #38-5475 | #39-5327 | #40-5525 |
| #41-5601 | #42-5582 | #43-5442 | #44-5659 | #45-5674 | #46-5461 | #47-5333 | #48-5689 | #49-5651 | #50-5261 |
| #51-5666 | #52-5413 | #53-5417 | #54-5383 | #55-5418 | #56-5541 | #57-5339 | #58-5621 | #59-5346 | #60-5408 |
| #61-5422 | #62-5372 | #63-5640 | #64-5284 | #65-5256 | #66-5542 | #67-5592 | #68-5642 | #69-5586 | #70-5286 |
| #71-5371 | #72-5515 | #73-5311 | #74-5700 | #75-5370 | #76-5364 | #77-5410 | #78-5308 | #79-5508 | #80-5697 |
| #81-5636 | #82-5278 | #83-5680 | #84-5506 | #85-5379 | #86-5644 | #87-5352 | #88-5478 | #89-5667 | #90-5653 |
| #91-5382 | #92-5594 | #93-5607 | #94-5529 | #95-5259 | #96-5399 | #97-5334 | #98-5497 | #99-5297 | #100-5275 |

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5278 | #02-5645 | #03-5701 | #04-5293 | #05-5526 | #06-5686 | #07-5582 | #08-5500 | #09-5259 | #10-5570 |
| #11-5680 | #12-5538 | #13-5381 | #14-5687 | #15-5329 | #16-5452 | #17-5721 | #18-5438 | #19-5532 | #20-5429 |
| #21-5357 | #22-5382 | #23-5568 | #24-5481 | #25-5341 | #26-5401 | #27-5633 | #28-5423 | #29-5474 | #30-5345 |
| #31-5540 | #32-5590 | #33-5253 | #34-5651 | #35-5585 | #36-5402 | #37-5600 | #38-5551 | #39-5517 | #40-5335 |
| #41-5632 | #42-5644 | #43-5537 | #44-5638 | #45-5319 | #46-5398 | #47-5297 | #48-5320 | #49-5606 | #50-5413 |
| #51-5592 | #52-5643 | #53-5620 | #54-5327 | #55-5450 | #56-5536 | #57-5434 | #58-5535 | #59-5673 | #60-5326 |
| #61-5510 | #62-5390 | #63-5378 | #64-5285 | #65-5469 | #66-5300 | #67-5370 | #68-5612 | #69-5265 | #70-5344 |
| #71-5449 | #72-5463 | #73-5281 | #74-5586 | #75-5412 | #76-5668 | #77-5354 | #78-5563 | #79-5541 | #80-5698 |
| #81-5657 | #82-5251 | #83-5722 | #84-5334 | #85-5508 | #86-5676 | #87-5313 | #88-5366 | #89-5706 | #90-5386 |
| #91-5555 | #92-5383 | #93-5312 | #94-5498 | #95-5371 | #96-5270 | #97-5261 | #98-5575 | #99-5556 | #100-5379 |

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5525 | #02-5523 | #03-5498 | #04-5443 | #05-5407 | #06-5295 | #07-5588 | #08-5374 | #09-5491 | #10-5431 |
| #11-5360 | #12-5509 | #13-5537 | #14-5541 | #15-5388 | #16-5676 | #17-5293 | #18-5254 | #19-5685 | #20-5348 |
| #21-5307 | #22-5495 | #23-5283 | #24-5682 | #25-5619 | #26-5329 | #27-5693 | #28-5338 | #29-5291 | #30-5648 |
| #31-5342 | #32-5712 | #33-5710 | #34-5568 | #35-5381 | #36-5453 | #37-5473 | #38-5616 | #39-5598 | #40-5462 |
| #41-5337 | #42-5664 | #43-5600 | #44-5276 | #45-5571 | #46-5359 | #47-5420 | #48-5702 | #49-5257 | #50-5614 |
| #51-5458 | #52-5322 | #53-5279 | #54-5489 | #55-5540 | #56-5549 | #57-5327 | #58-5500 | #59-5333 | #60-5372 |
| #61-5524 | #62-5694 | #63-5410 | #64-5660 | #65-5452 | #66-5401 | #67-5380 | #68-5260 | #69-5367 | #70-5620 |
| #71-5482 | #72-5656 | #73-5573 | #74-5483 | #75-5448 | #76-5704 | #77-5596 | #78-5670 | #79-5334 | #80-5347 |
| #81-5502 | #82-5351 | #83-5688 | #84-5657 | #85-5317 | #86-5521 | #87-5385 | #88-5562 | #89-5581 | #90-5282 |
| #91-5436 | #92-5628 | #93-5496 | #94-5601 | #95-5335 | #96-5423 | #97-5692 | #98-5550 | #99-5602 | #100-5391 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 531 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5447 | #02-5679 | #03-5384 | #04-5257 | #05-5609 | #06-5700 | #07-5568 | #08-5604 | #09-5520 | #10-5461 |
| #11-5622 | #12-5254 | #13-5274 | #14-5272 | #15-5448 | #16-5308 | #17-5697 | #18-5334 | #19-5583 | #20-5338 |
| #21-5422 | #22-5511 | #23-5588 | #24-5295 | #25-5278 | #26-5327 | #27-5607 | #28-5362 | #29-5530 | #30-5628 |
| #31-5370 | #32-5456 | #33-5681 | #34-5304 | #35-5540 | #36-5692 | #37-5298 | #38-5341 | #39-5678 | #40-5506 |
| #41-5292 | #42-5369 | #43-5432 | #44-5603 | #45-5473 | #46-5403 | #47-5277 | #48-5451 | #49-5466 | #50-5269 |
| #51-5303 | #52-5418 | #53-5686 | #54-5580 | #55-5623 | #56-5491 | #57-5714 | #58-5557 | #59-5501 | #60-5523 |
| #61-5318 | #62-5632 | #63-5340 | #64-5265 | #65-5471 | #66-5717 | #67-5630 | #68-5556 | #69-5380 | #70-5392 |
| #71-5453 | #72-5400 | #73-5578 | #74-5335 | #75-5329 | #76-5629 | #77-5437 | #78-5280 | #79-5372 | #80-5719 |
| #81-5442 | #82-5716 | #83-5264 | #84-5302 | #85-5536 | #86-5634 | #87-5534 | #88-5505 | #89-5495 | #90-5661 |
| #91-5435 | #92-5675 | #93-5363 | #94-5618 | #95-5276 | #96-5316 | #97-5348 | #98-5430 | #99-5482 | #100-5406 |

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5635 | #02-5351 | #03-5597 | #04-5335 | #05-5415 | #06-5662 | #07-5510 | #08-5643 | #09-5270 | #10-5279 |
| #11-5525 | #12-5638 | #13-5542 | #14-5328 | #15-5580 | #16-5570 | #17-5679 | #18-5590 | #19-5322 | #20-5682 |
| #21-5398 | #22-5618 | #23-5506 | #24-5405 | #25-5323 | #26-5406 | #27-5386 | #28-5346 | #29-5355 | #30-5621 |
| #31-5261 | #32-5397 | #33-5484 | #34-5583 | #35-5391 | #36-5435 | #37-5260 | #38-5548 | #39-5369 | #40-5567 |
| #41-5710 | #42-5268 | #43-5646 | #44-5673 | #45-5450 | #46-5654 | #47-5540 | #48-5420 | #49-5470 | #50-5394 |
| #51-5565 | #52-5698 | #53-5257 | #54-5267 | #55-5442 | #56-5262 | #57-5258 | #58-5526 | #59-5413 | #60-5537 |
| #61-5374 | #62-5377 | #63-5404 | #64-5683 | #65-5661 | #66-5395 | #67-5560 | #68-5380 | #69-5479 | #70-5696 |
| #71-5379 | #72-5452 | #73-5584 | #74-5457 | #75-5477 | #76-5650 | #77-5610 | #78-5421 | #79-5424 | #80-5684 |
| #81-5576 | #82-5589 | #83-5543 | #84-5535 | #85-5360 | #86-5291 | #87-5547 | #88-5456 | #89-5628 | #90-5545 |
| #91-5296 | #92-5695 | #93-5603 | #94-5275 | #95-5634 | #96-5263 | #97-5344 | #98-5468 | #99-5553 | #100-5539 |

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5710 | #02-5389 | #03-5505 | #04-5680 | #05-5488 | #06-5652 | #07-5621 | #08-5571 | #09-5678 | #10-5445 |
| #11-5357 | #12-5537 | #13-5530 | #14-5267 | #15-5569 | #16-5360 | #17-5438 | #18-5399 | #19-5648 | #20-5411 |
| #21-5681 | #22-5636 | #23-5551 | #24-5507 | #25-5691 | #26-5625 | #27-5700 | #28-5464 | #29-5326 | #30-5380 |
| #31-5698 | #32-5559 | #33-5603 | #34-5557 | #35-5395 | #36-5580 | #37-5335 | #38-5309 | #39-5529 | #40-5394 |
| #41-5307 | #42-5591 | #43-5575 | #44-5587 | #45-5316 | #46-5469 | #47-5617 | #48-5418 | #49-5709 | #50-5280 |
| #51-5403 | #52-5679 | #53-5377 | #54-5279 | #55-5323 | #56-5563 | #57-5723 | #58-5714 | #59-5676 | #60-5406 |
| #61-5494 | #62-5314 | #63-5384 | #64-5702 | #65-5651 | #66-5434 | #67-5424 | #68-5504 | #69-5352 | #70-5340 |
| #71-5368 | #72-5266 | #73-5623 | #74-5294 | #75-5701 | #76-5644 | #77-5624 | #78-5333 | #79-5296 | #80-5342 |
| #81-5649 | #82-5268 | #83-5431 | #84-5574 | #85-5484 | #86-5582 | #87-5346 | #88-5446 | #89-5577 | #90-5713 |
| #91-5593 | #92-5511 | #93-5453 | #94-5339 | #95-5542 | #96-5432 | #97-5719 | #98-5454 | #99-5313 | #100-5561 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 532 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5360 | #02-5380 | #03-5278 | #04-5587 | #05-5328 | #06-5339 | #07-5431 | #08-5593 | #09-5402 | #10-5323 |
| #11-5337 | #12-5366 | #13-5520 | #14-5327 | #15-5675 | #16-5591 | #17-5647 | #18-5256 | #19-5618 | #20-5516 |
| #21-5335 | #22-5426 | #23-5439 | #24-5440 | #25-5535 | #26-5588 | #27-5625 | #28-5301 | #29-5612 | #30-5722 |
| #31-5639 | #32-5321 | #33-5443 | #34-5456 | #35-5695 | #36-5503 | #37-5257 | #38-5265 | #39-5708 | #40-5602 |
| #41-5385 | #42-5519 | #43-5423 | #44-5543 | #45-5464 | #46-5482 | #47-5378 | #48-5532 | #49-5646 | #50-5419 |
| #51-5294 | #52-5332 | #53-5576 | #54-5397 | #55-5528 | #56-5567 | #57-5692 | #58-5308 | #59-5514 | #60-5326 |
| #61-5659 | #62-5449 | #63-5608 | #64-5469 | #65-5620 | #66-5393 | #67-5724 | #68-5603 | #69-5400 | #70-5632 |
| #71-5353 | #72-5717 | #73-5374 | #74-5648 | #75-5329 | #76-5325 | #77-5470 | #78-5387 | #79-5713 | #80-5398 |
| #81-5604 | #82-5548 | #83-5616 | #84-5453 | #85-5422 | #86-5544 | #87-5595 | #88-5250 | #89-5344 | #90-5581 |
| #91-5262 | #92-5483 | #93-5389 | #94-5540 | #95-5487 | #96-5656 | #97-5669 | #98-5381 | #99-5508 | #100-5536 |

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5549 | #03-5384 | #04-5434 | #05-5250 | #06-5677 | #07-5522 | #08-5460 | #09-5459 | #10-5589 |
| #11-5321 | #12-5502 | #13-5520 | #14-5430 | #15-5516 | #16-5581 | #17-5329 | #18-5438 | #19-5265 | #20-5676 |
| #21-5622 | #22-5518 | #23-5381 | #24-5415 | #25-5665 | #26-5403 | #27-5654 | #28-5624 | #29-5307 | #30-5304 |
| #31-5659 | #32-5417 | #33-5357 | #34-5642 | #35-5704 | #36-5441 | #37-5409 | #38-5411 | #39-5442 | #40-5297 |
| #41-5605 | #42-5608 | #43-5371 | #44-5397 | #45-5612 | #46-5376 | #47-5359 | #48-5695 | #49-5324 | #50-5264 |
| #51-5480 | #52-5366 | #53-5557 | #54-5638 | #55-5650 | #56-5418 | #57-5694 | #58-5494 | #59-5572 | #60-5273 |
| #61-5405 | #62-5655 | #63-5628 | #64-5394 | #65-5603 | #66-5450 | #67-5325 | #68-5422 | #69-5643 | #70-5720 |
| #71-5692 | #72-5320 | #73-5396 | #74-5708 | #75-5253 | #76-5303 | #77-5276 | #78-5544 | #79-5707 | #80-5289 |
| #81-5428 | #82-5301 | #83-5525 | #84-5440 | #85-5641 | #86-5595 | #87-5274 | #88-5455 | #89-5691 | #90-5467 |
| #91-5508 | #92-5498 | #93-5633 | #94-5620 | #95-5627 | #96-5346 | #97-5485 | #98-5399 | #99-5486 | #100-5503 |

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5434 | #02-5690 | #03-5440 | #04-5545 | #05-5453 | #06-5693 | #07-5420 | #08-5365 | #09-5476 | #10-5577 |
| #11-5594 | #12-5599 | #13-5396 | #14-5301 | #15-5707 | #16-5251 | #17-5375 | #18-5667 | #19-5338 | #20-5534 |
| #21-5430 | #22-5490 | #23-5470 | #24-5560 | #25-5503 | #26-5635 | #27-5284 | #28-5330 | #29-5668 | #30-5627 |
| #31-5288 | #32-5354 | #33-5526 | #34-5563 | #35-5474 | #36-5450 | #37-5300 | #38-5264 | #39-5575 | #40-5715 |
| #41-5655 | #42-5598 | #43-5624 | #44-5487 | #45-5568 | #46-5645 | #47-5344 | #48-5359 | #49-5456 | #50-5398 |
| #51-5340 | #52-5322 | #53-5469 | #54-5605 | #55-5292 | #56-5543 | #57-5659 | #58-5422 | #59-5533 | #60-5674 |
| #61-5555 | #62-5495 | #63-5463 | #64-5482 | #65-5525 | #66-5324 | #67-5371 | #68-5323 | #69-5499 | #70-5580 |
| #71-5500 | #72-5539 | #73-5686 | #74-5604 | #75-5441 | #76-5409 | #77-5573 | #78-5558 | #79-5615 | #80-5454 |
| #81-5619 | #82-5254 | #83-5570 | #84-5258 | #85-5252 | #86-5403 | #87-5432 | #88-5705 | #89-5378 | #90-5617 |
| #91-5412 | #92-5285 | #93-5335 | #94-5565 | #95-5466 | #96-5418 | #97-5643 | #98-5413 | #99-5394 | #100-5467 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 533 of 585

Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5655 | #02-5573 | #03-5699 | #04-5504 | #05-5665 | #06-5480 | #07-5390 | #08-5568 | #09-5477 | #10-5680 |
| #11-5316 | #12-5368 | #13-5718 | #14-5555 | #15-5427 | #16-5317 | #17-5558 | #18-5643 | #19-5475 | #20-5505 |
| #21-5336 | #22-5721 | #23-5279 | #24-5523 | #25-5335 | #26-5540 | #27-5423 | #28-5712 | #29-5451 | #30-5324 |
| #31-5651 | #32-5570 | #33-5582 | #34-5587 | #35-5262 | #36-5554 | #37-5457 | #38-5352 | #39-5622 | #40-5476 |
| #41-5511 | #42-5660 | #43-5588 | #44-5693 | #45-5691 | #46-5330 | #47-5259 | #48-5289 | #49-5350 | #50-5346 |
| #51-5724 | #52-5662 | #53-5614 | #54-5381 | #55-5659 | #56-5544 | #57-5425 | #58-5418 | #59-5375 | #60-5307 |
| #61-5403 | #62-5367 | #63-5278 | #64-5471 | #65-5510 | #66-5542 | #67-5597 | #68-5585 | #69-5357 | #70-5541 |
| #71-5577 | #72-5550 | #73-5311 | #74-5415 | #75-5459 | #76-5414 | #77-5672 | #78-5703 | #79-5652 | #80-5632 |
| #81-5455 | #82-5328 | #83-5260 | #84-5281 | #85-5282 | #86-5702 | #87-5565 | #88-5323 | #89-5393 | #90-5507 |
| #91-5560 | #92-5472 | #93-5431 | #94-5674 | #95-5441 | #96-5416 | #97-5490 | #98-5713 | #99-5432 | #100-5586 |

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5556 | #02-5597 | #03-5378 | #04-5596 | #05-5299 | #06-5640 | #07-5617 | #08-5455 | #09-5266 | #10-5424 |
| #11-5351 | #12-5563 | #13-5542 | #14-5650 | #15-5464 | #16-5587 | #17-5553 | #18-5324 | #19-5564 | #20-5261 |
| #21-5680 | #22-5406 | #23-5529 | #24-5580 | #25-5332 | #26-5662 | #27-5510 | #28-5698 | #29-5506 | #30-5585 |
| #31-5714 | #32-5469 | #33-5546 | #34-5357 | #35-5624 | #36-5456 | #37-5606 | #38-5410 | #39-5708 | #40-5311 |
| #41-5673 | #42-5592 | #43-5377 | #44-5459 | #45-5634 | #46-5614 | #47-5273 | #48-5702 | #49-5554 | #50-5639 |
| #51-5593 | #52-5631 | #53-5400 | #54-5318 | #55-5522 | #56-5514 | #57-5362 | #58-5379 | #59-5644 | #60-5674 |
| #61-5435 | #62-5434 | #63-5276 | #64-5257 | #65-5705 | #66-5392 | #67-5341 | #68-5502 | #69-5313 | #70-5337 |
| #71-5278 | #72-5446 | #73-5371 | #74-5422 | #75-5298 | #76-5486 | #77-5720 | #78-5676 | #79-5647 | #80-5601 |
| #81-5472 | #82-5451 | #83-5473 | #84-5387 | #85-5334 | #86-5621 | #87-5595 | #88-5657 | #89-5643 | #90-5695 |
| #91-5622 | #92-5577 | #93-5429 | #94-5722 | #95-5694 | #96-5573 | #97-5520 | #98-5548 | #99-5340 | #100-5543 |

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5371 | #02-5596 | #03-5401 | #04-5341 | #05-5313 | #06-5617 | #07-5648 | #08-5722 | #09-5483 | #10-5360 |
| #11-5255 | #12-5519 | #13-5708 | #14-5527 | #15-5594 | #16-5621 | #17-5495 | #18-5470 | #19-5570 | #20-5284 |
| #21-5419 | #22-5308 | #23-5549 | #24-5518 | #25-5530 | #26-5488 | #27-5276 | #28-5353 | #29-5377 | #30-5501 |
| #31-5510 | #32-5461 | #33-5632 | #34-5352 | #35-5516 | #36-5658 | #37-5532 | #38-5289 | #39-5354 | #40-5645 |
| #41-5512 | #42-5572 | #43-5347 | #44-5445 | #45-5349 | #46-5677 | #47-5274 | #48-5327 | #49-5494 | #50-5701 |
| #51-5374 | #52-5297 | #53-5607 | #54-5535 | #55-5444 | #56-5379 | #57-5622 | #58-5619 | #59-5356 | #60-5583 |
| #61-5469 | #62-5326 | #63-5424 | #64-5328 | #65-5688 | #66-5689 | #67-5663 | #68-5531 | #69-5655 | #70-5498 |
| #71-5571 | #72-5286 | #73-5671 | #74-5433 | #75-5398 | #76-5292 | #77-5651 | #78-5266 | #79-5484 | #80-5507 |
| #81-5468 | #82-5300 | #83-5720 | #84-5337 | #85-5635 | #86-5456 | #87-5355 | #88-5653 | #89-5288 | #90-5369 |
| #91-5271 | #92-5713 | #93-5309 | #94-5389 | #95-5295 | #96-5600 | #97-5466 | #98-5261 | #99-5660 | #100-5336 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5696 | #02-5467 | #03-5252 | #04-5409 | #05-5453 | #06-5548 | #07-5543 | #08-5385 | #09-5585 | #10-5637 |
| #11-5694 | #12-5575 | #13-5621 | #14-5448 | #15-5472 | #16-5465 | #17-5357 | #18-5568 | #19-5394 | #20-5279 |
| #21-5271 | #22-5629 | #23-5412 | #24-5293 | #25-5284 | #26-5302 | #27-5438 | #28-5632 | #29-5547 | #30-5457 |
| #31-5364 | #32-5617 | #33-5292 | #34-5484 | #35-5533 | #36-5352 | #37-5494 | #38-5624 | #39-5464 | #40-5551 |
| #41-5610 | #42-5411 | #43-5326 | #44-5339 | #45-5538 | #46-5317 | #47-5571 | #48-5378 | #49-5250 | #50-5628 |
| #51-5341 | #52-5682 | #53-5266 | #54-5314 | #55-5304 | #56-5684 | #57-5374 | #58-5400 | #59-5360 | #60-5636 |
| #61-5562 | #62-5377 | #63-5522 | #64-5322 | #65-5689 | #66-5663 | #67-5363 | #68-5588 | #69-5669 | #70-5654 |
| #71-5468 | #72-5336 | #73-5678 | #74-5471 | #75-5710 | #76-5591 | #77-5503 | #78-5546 | #79-5553 | #80-5272 |
| #81-5660 | #82-5276 | #83-5417 | #84-5479 | #85-5393 | #86-5370 | #87-5473 | #88-5354 | #89-5640 | #90-5298 |
| #91-5283 | #92-5528 | #93-5262 | #94-5254 | #95-5719 | #96-5607 | #97-5440 | #98-5612 | #99-5290 | #100-5397 |

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5277 | #02-5537 | #03-5654 | #04-5573 | #05-5693 | #06-5255 | #07-5627 | #08-5414 | #09-5493 | #10-5382 |
| #11-5265 | #12-5548 | #13-5499 | #14-5391 | #15-5507 | #16-5563 | #17-5522 | #18-5434 | #19-5694 | #20-5467 |
| #21-5445 | #22-5550 | #23-5538 | #24-5337 | #25-5435 | #26-5532 | #27-5665 | #28-5466 | #29-5716 | #30-5709 |
| #31-5313 | #32-5659 | #33-5513 | #34-5600 | #35-5632 | #36-5463 | #37-5554 | #38-5568 | #39-5510 | #40-5387 |
| #41-5309 | #42-5586 | #43-5282 | #44-5459 | #45-5278 | #46-5596 | #47-5472 | #48-5406 | #49-5335 | #50-5256 |
| #51-5643 | #52-5547 | #53-5676 | #54-5452 | #55-5724 | #56-5566 | #57-5388 | #58-5410 | #59-5315 | #60-5423 |
| #61-5508 | #62-5319 | #63-5331 | #64-5285 | #65-5624 | #66-5483 | #67-5293 | #68-5258 | #69-5678 | #70-5648 |
| #71-5557 | #72-5250 | #73-5386 | #74-5688 | #75-5280 | #76-5304 | #77-5701 | #78-5504 | #79-5719 | #80-5560 |
| #81-5623 | #82-5307 | #83-5691 | #84-5649 | #85-5430 | #86-5713 | #87-5349 | #88-5321 | #89-5306 | #90-5610 |
| #91-5327 | #92-5438 | #93-5675 | #94-5424 | #95-5379 | #96-5363 | #97-5428 | #98-5397 | #99-5332 | #100-5546 |

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5540 | #02-5488 | #03-5694 | #04-5511 | #05-5411 | #06-5631 | #07-5721 | #08-5416 | #09-5588 | #10-5610 |
| #11-5262 | #12-5315 | #13-5318 | #14-5699 | #15-5302 | #16-5554 | #17-5270 | #18-5497 | #19-5549 | #20-5485 |
| #21-5668 | #22-5500 | #23-5567 | #24-5353 | #25-5527 | #26-5374 | #27-5680 | #28-5412 | #29-5491 | #30-5700 |
| #31-5655 | #32-5394 | #33-5359 | #34-5666 | #35-5494 | #36-5451 | #37-5268 | #38-5442 | #39-5325 | #40-5615 |
| #41-5272 | #42-5426 | #43-5609 | #44-5355 | #45-5404 | #46-5310 | #47-5598 | #48-5377 | #49-5508 | #50-5574 |
| #51-5603 | #52-5289 | #53-5376 | #54-5407 | #55-5507 | #56-5290 | #57-5600 | #58-5425 | #59-5368 | #60-5287 |
| #61-5385 | #62-5648 | #63-5590 | #64-5361 | #65-5544 | #66-5478 | #67-5356 | #68-5410 | #69-5418 | #70-5391 |
| #71-5469 | #72-5421 | #73-5620 | #74-5667 | #75-5285 | #76-5607 | #77-5441 | #78-5330 | #79-5516 | #80-5319 |
| #81-5313 | #82-5367 | #83-5293 | #84-5384 | #85-5660 | #86-5265 | #87-5571 | #88-5324 | #89-5389 | #90-5474 |
| #91-5431 | #92-5538 | #93-5674 | #94-5557 | #95-5380 | #96-5401 | #97-5414 | #98-5550 | #99-5535 | #100-5434 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 535 of 585

Type 5 #1 5554.75 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 20 | 576163 | 79 | 1880 | 1545 | 86841 | 666666 |
| 2 | 1 | 10 | 283035 | 61 | 0 | 0 | 383570 | 666666 |
| 3 | 2 | 12 | 179741 | 69 | 1597 | 0 | 485190 | 666666 |
| 4 | 2 | 8 | 100970 | 57 | 1020 | 0 | 564562 | 666666 |
| 5 | 2 | 19 | 502489 | 93 | 1009 | 0 | 162982 | 666666 |
| 6 | 2 | 12 | 476781 | 68 | 1319 | 0 | 188430 | 666666 |
| 7 | 2 | 9 | 479696 | 80 | 1890 | 0 | 184920 | 666666 |
| 8 | 2 | 13 | 514851 | 50 | 1476 | 0 | 150239 | 666666 |
| 9 | 1 | 7 | 61205 | 54 | 0 | 0 | 605407 | 666666 |
| 10 | 3 | 19 | 175215 | 78 | 1359 | 1673 | 488185 | 666666 |
| 11 | 3 | 17 | 8996 | 88 | 1214 | 1192 | 655000 | 666666 |
| 12 | 3 | 6 | 361242 | 98 | 1067 | 1513 | 302550 | 666666 |
| 13 | 3 | 6 | 388881 | 81 | 1956 | 1098 | 274488 | 666666 |
| 14 | 3 | 13 | 163334 | 85 | 1592 | 1761 | 499724 | 666666 |
| 15 | 3 | 16 | 125267 | 78 | 1809 | 1302 | 538054 | 666666 |
| 16 | 2 | 17 | 578706 | 100 | 1055 | 0 | 86705 | 666666 |
| 17 | 2 | 6 | 470814 | 90 | 1698 | 0 | 193974 | 666666 |
| 18 | 3 | 12 | 471557 | 53 | 1408 | 1260 | 192282 | 666666 |

Type 5 #2 5516.75 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 362777 | 50 | 1468 | 0 | 835655 | 1200000 |
| 2 | 2 | 16 | 4291 | 99 | 1255 | 0 | 1194256 | 1200000 |
| 3 | 2 | 15 | 1040382 | 66 | 1297 | 0 | 158189 | 1200000 |
| 4 | 2 | 12 | 911191 | 97 | 1517 | 0 | 287098 | 1200000 |
| 5 | 3 | 12 | 1064274 | 88 | 1153 | 1024 | 133285 | 1200000 |
| 6 | 1 | 12 | 185064 | 91 | 0 | 0 | 1014845 | 1200000 |
| 7 | 2 | 7 | 236739 | 100 | 1376 | 0 | 961685 | 1200000 |
| 8 | 3 | 16 | 975499 | 78 | 1286 | 1512 | 221469 | 1200000 |
| 9 | 1 | 14 | 311115 | 81 | 0 | 0 | 888804 | 1200000 |
| 10 | 3 | 11 | 601576 | 53 | 1021 | 1420 | 595824 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 536 of 585

Type 5 #3 5557.16 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 10 | 357372 | 98 | 1769 | 1526 | 239039 | 600000 |
| 2 | 2 | 10 | 180066 | 71 | 1154 | 0 | 418638 | 600000 |
| 3 | 1 | 13 | 78036 | 83 | 0 | 0 | 521881 | 600000 |
| 4 | 1 | 6 | 57289 | 55 | 0 | 0 | 542656 | 600000 |
| 5 | 1 | 5 | 567206 | 59 | 0 | 0 | 32735 | 600000 |
| 6 | 2 | 19 | 160286 | 56 | 1894 | 0 | 437708 | 600000 |
| 7 | 3 | 17 | 253063 | 88 | 1028 | 1652 | 343993 | 600000 |
| 8 | 1 | 5 | 257413 | 62 | 0 | 0 | 342525 | 600000 |
| 9 | 1 | 9 | 523098 | 98 | 0 | 0 | 76804 | 600000 |
| 10 | 1 | 5 | 308333 | 83 | 0 | 0 | 291584 | 600000 |
| 11 | 3 | 15 | 564428 | 85 | 1798 | 1312 | 32207 | 600000 |
| 12 | 1 | 16 | 443190 | 64 | 0 | 0 | 156746 | 600000 |
| 13 | 1 | 15 | 369643 | 89 | 0 | 0 | 230268 | 600000 |
| 14 | 3 | 14 | 162569 | 58 | 1562 | 1361 | 434334 | 600000 |
| 15 | 2 | 10 | 125431 | 61 | 1894 | 0 | 472553 | 600000 |
| 16 | 3 | 7 | 483028 | 91 | 1937 | 1321 | 113441 | 600000 |
| 17 | 1 | 14 | 587360 | 77 | 0 | 0 | 12563 | 600000 |
| 18 | 1 | 5 | 266215 | 82 | 0 | 0 | 333703 | 600000 |
| 19 | 3 | 10 | 138620 | 85 | 1688 | 1503 | 457934 | 600000 |
| 20 | 1 | 15 | 146991 | 90 | 0 | 0 | 452919 | 600000 |

Type 5 #4 5535.01 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 9 | 976617 | 82 | 0 | 0 | 356634 | 1333333 |
| 2 | 1 | 11 | 977937 | 85 | 0 | 0 | 355311 | 1333333 |
| 3 | 2 | 7 | 468762 | 82 | 1180 | 0 | 863227 | 1333333 |
| 4 | 2 | 16 | 14244 | 97 | 1230 | 0 | 1317665 | 1333333 |
| 5 | 2 | 13 | 156952 | 76 | 1553 | 0 | 1174676 | 1333333 |
| 6 | 2 | 6 | 1081252 | 79 | 1539 | 0 | 250384 | 1333333 |
| 7 | 2 | 18 | 1198942 | 97 | 1157 | 0 | 133040 | 1333333 |
| 8 | 3 | 7 | 740303 | 51 | 1985 | 1812 | 589080 | 1333333 |
| 9 | 1 | 19 | 592102 | 91 | 0 | 0 | 741140 | 1333333 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 537 of 585

Type 5 #5 5515.58 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 5 | 340101 | 76 | 1273 | 1575 | 323489 | 666666 |
| 2 | 1 | 5 | 487773 | 90 | 0 | 0 | 178803 | 666666 |
| 3 | 2 | 13 | 108713 | 87 | 1787 | 0 | 555992 | 666666 |
| 4 | 3 | 14 | 509529 | 58 | 1072 | 1656 | 154235 | 666666 |
| 5 | 3 | 13 | 487662 | 64 | 1381 | 1753 | 175678 | 666666 |
| 6 | 2 | 10 | 415987 | 73 | 1708 | 0 | 248825 | 666666 |
| 7 | 1 | 17 | 30287 | 66 | 0 | 0 | 636313 | 666666 |
| 8 | 1 | 8 | 98873 | 63 | 0 | 0 | 567730 | 666666 |
| 9 | 3 | 7 | 198969 | 54 | 1168 | 1263 | 465104 | 666666 |
| 10 | 2 | 15 | 73873 | 60 | 1577 | 0 | 591096 | 666666 |
| 11 | 1 | 17 | 23063 | 92 | 0 | 0 | 643511 | 666666 |
| 12 | 3 | 12 | 515206 | 62 | 1892 | 1822 | 147560 | 666666 |
| 13 | 2 | 15 | 628247 | 66 | 1024 | 0 | 37263 | 666666 |
| 14 | 2 | 20 | 603221 | 60 | 1118 | 0 | 62207 | 666666 |
| 15 | 3 | 19 | 555302 | 67 | 1770 | 1680 | 107713 | 666666 |
| 16 | 1 | 6 | 61097 | 63 | 0 | 0 | 605506 | 666666 |
| 17 | 2 | 19 | 316996 | 89 | 1250 | 0 | 348242 | 666666 |
| 18 | 3 | 9 | 385267 | 66 | 1075 | 1802 | 278324 | 666666 |

Type 5 #6 5514.57 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 489981 | 68 | 1756 | 0 | 508127 | 1000000 |
| 2 | 1 | 15 | 460915 | 66 | 0 | 0 | 539019 | 1000000 |
| 3 | 1 | 15 | 212510 | 77 | 0 | 0 | 787413 | 1000000 |
| 4 | 3 | 5 | 131910 | 96 | 1355 | 1891 | 864556 | 1000000 |
| 5 | 1 | 16 | 240366 | 91 | 0 | 0 | 759543 | 1000000 |
| 6 | 3 | 11 | 304284 | 73 | 1548 | 1153 | 692796 | 1000000 |
| 7 | 3 | 10 | 918535 | 96 | 1326 | 1525 | 78326 | 1000000 |
| 8 | 2 | 19 | 965695 | 76 | 1346 | 0 | 32807 | 1000000 |
| 9 | 3 | 15 | 205733 | 70 | 1321 | 1241 | 791495 | 1000000 |
| 10 | 1 | 19 | 301613 | 79 | 0 | 0 | 698308 | 1000000 |
| 11 | 3 | 15 | 683135 | 59 | 1344 | 1563 | 313781 | 1000000 |
| 12 | 1 | 9 | 88998 | 70 | 0 | 0 | 910932 | 1000000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 538 of 585

Type 5 #7 5545.39 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 13 | 246884 | 68 | 0 | 0 | 553048 | 800000 |
| 2 | 1 | 16 | 778121 | 67 | 0 | 0 | 21812 | 800000 |
| 3 | 2 | 11 | 131907 | 75 | 1545 | 0 | 666398 | 800000 |
| 4 | 1 | 6 | 735247 | 70 | 0 | 0 | 64683 | 800000 |
| 5 | 2 | 10 | 218431 | 62 | 1966 | 0 | 579479 | 800000 |
| 6 | 1 | 16 | 517667 | 100 | 0 | 0 | 282233 | 800000 |
| 7 | 3 | 8 | 496094 | 99 | 1423 | 1112 | 301074 | 800000 |
| 8 | 1 | 17 | 30449 | 68 | 0 | 0 | 769483 | 800000 |
| 9 | 1 | 5 | 689351 | 50 | 0 | 0 | 110599 | 800000 |
| 10 | 2 | 13 | 394406 | 81 | 1796 | 0 | 403636 | 800000 |
| 11 | 2 | 5 | 467759 | 75 | 1159 | 0 | 330932 | 800000 |
| 12 | 1 | 5 | 579943 | 89 | 0 | 0 | 219968 | 800000 |
| 13 | 2 | 10 | 467637 | 95 | 1549 | 0 | 330624 | 800000 |
| 14 | 2 | 16 | 745995 | 68 | 1737 | 0 | 52132 | 800000 |
| 15 | 2 | 9 | 422129 | 91 | 1795 | 0 | 375894 | 800000 |

Type 5 #8 5565.12 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 14 | 387060 | 96 | 0 | 0 | 612844 | 1000000 |
| 2 | 1 | 17 | 207694 | 68 | 0 | 0 | 792238 | 1000000 |
| 3 | 2 | 7 | 800392 | 54 | 1939 | 0 | 197561 | 1000000 |
| 4 | 2 | 10 | 531719 | 60 | 1570 | 0 | 466591 | 1000000 |
| 5 | 3 | 15 | 459426 | 94 | 1540 | 1427 | 537325 | 1000000 |
| 6 | 2 | 18 | 401870 | 81 | 1588 | 0 | 596380 | 1000000 |
| 7 | 3 | 16 | 572691 | 68 | 1515 | 1794 | 423796 | 1000000 |
| 8 | 1 | 15 | 711092 | 59 | 0 | 0 | 288849 | 1000000 |
| 9 | 1 | 7 | 50418 | 57 | 0 | 0 | 949525 | 1000000 |
| 10 | 2 | 11 | 85854 | 71 | 1925 | 0 | 912079 | 1000000 |
| 11 | 3 | 8 | 647852 | 53 | 1754 | 1055 | 349180 | 1000000 |
| 12 | 3 | 12 | 388685 | 74 | 1128 | 1888 | 608077 | 1000000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 539 of 585

Type 5 #9 5512.96 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 625689 | 91 | 0 | 0 | 231362 | 857142 |
| 2 | 2 | 5 | 775834 | 71 | 1075 | 0 | 80091 | 857142 |
| 3 | 1 | 18 | 397045 | 96 | 0 | 0 | 460001 | 857142 |
| 4 | 3 | 12 | 64564 | 76 | 1924 | 1037 | 789389 | 857142 |
| 5 | 3 | 18 | 511370 | 90 | 1338 | 1445 | 342719 | 857142 |
| 6 | 2 | 6 | 706248 | 94 | 1103 | 0 | 149603 | 857142 |
| 7 | 1 | 10 | 679868 | 89 | 0 | 0 | 177185 | 857142 |
| 8 | 3 | 8 | 853100 | 67 | 1773 | 1990 | 78 | 857142 |
| 9 | 3 | 18 | 796308 | 50 | 1931 | 1334 | 57419 | 857142 |
| 10 | 2 | 7 | 475134 | 96 | 1983 | 0 | 379833 | 857142 |
| 11 | 1 | 16 | 596080 | 91 | 0 | 0 | 260971 | 857142 |
| 12 | 1 | 10 | 112548 | 73 | 0 | 0 | 744521 | 857142 |
| 13 | 3 | 19 | 57202 | 78 | 1973 | 1081 | 796652 | 857142 |
| 14 | 1 | 15 | 653369 | 75 | 0 | 0 | 203698 | 857142 |

Type 5 #10 5494.25 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 5 | 90834 | 57 | 0 | 0 | 1109109 | 1200000 |
| 2 | 3 | 5 | 797333 | 89 | 1407 | 1111 | 399882 | 1200000 |
| 3 | 1 | 19 | 145106 | 98 | 0 | 0 | 1054796 | 1200000 |
| 4 | 1 | 20 | 757152 | 99 | 0 | 0 | 442749 | 1200000 |
| 5 | 1 | 19 | 1041666 | 84 | 0 | 0 | 158250 | 1200000 |
| 6 | 2 | 12 | 45173 | 60 | 1009 | 0 | 1153698 | 1200000 |
| 7 | 3 | 8 | 177862 | 94 | 1432 | 1923 | 1018501 | 1200000 |
| 8 | 1 | 11 | 50690 | 87 | 0 | 0 | 1149223 | 1200000 |
| 9 | 3 | 19 | 307874 | 96 | 1252 | 1060 | 889526 | 1200000 |
| 10 | 2 | 14 | 1020092 | 86 | 1985 | 0 | 177751 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 540 of 585

Type 5 #11 5538.51 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 381466 | 58 | 0 | 0 | 285142 | 666666 |
| 2 | 1 | 11 | 339818 | 64 | 0 | 0 | 326784 | 666666 |
| 3 | 3 | 17 | 360438 | 82 | 1739 | 1311 | 302932 | 666666 |
| 4 | 3 | 7 | 259257 | 61 | 1806 | 1907 | 403513 | 666666 |
| 5 | 3 | 8 | 281516 | 97 | 1725 | 1179 | 381955 | 666666 |
| 6 | 3 | 7 | 16768 | 81 | 1490 | 1836 | 646329 | 666666 |
| 7 | 1 | 17 | 29479 | 97 | 0 | 0 | 637090 | 666666 |
| 8 | 2 | 6 | 229548 | 67 | 1740 | 0 | 435244 | 666666 |
| 9 | 3 | 6 | 624837 | 60 | 1132 | 1179 | 39338 | 666666 |
| 10 | 2 | 8 | 531855 | 67 | 1580 | 0 | 133097 | 666666 |
| 11 | 1 | 20 | 104340 | 73 | 0 | 0 | 562253 | 666666 |
| 12 | 3 | 11 | 513108 | 57 | 1661 | 1451 | 150275 | 666666 |
| 13 | 2 | 17 | 367672 | 67 | 1749 | 0 | 297111 | 666666 |
| 14 | 2 | 18 | 524345 | 89 | 1671 | 0 | 140472 | 666666 |
| 15 | 3 | 5 | 84343 | 58 | 1971 | 1731 | 578447 | 666666 |
| 16 | 2 | 12 | 171986 | 100 | 1309 | 0 | 493171 | 666666 |
| 17 | 3 | 5 | 647532 | 96 | 1948 | 1726 | 15172 | 666666 |
| 18 | 2 | 11 | 267005 | 55 | 1957 | 0 | 397594 | 666666 |

Type 5 #12 5532.10 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 417659 | 78 | 1303 | 0 | 671791 | 1090909 |
| 2 | 2 | 16 | 611504 | 78 | 1492 | 0 | 477757 | 1090909 |
| 3 | 3 | 19 | 462977 | 52 | 1414 | 1977 | 624385 | 1090909 |
| 4 | 3 | 11 | 560402 | 78 | 1177 | 1142 | 527954 | 1090909 |
| 5 | 2 | 17 | 901046 | 72 | 1801 | 0 | 187918 | 1090909 |
| 6 | 2 | 16 | 906204 | 57 | 1252 | 0 | 183339 | 1090909 |
| 7 | 2 | 12 | 954101 | 94 | 1409 | 0 | 135211 | 1090909 |
| 8 | 3 | 10 | 833467 | 60 | 1931 | 1562 | 253769 | 1090909 |
| 9 | 2 | 20 | 339003 | 56 | 1037 | 0 | 750757 | 1090909 |
| 10 | 1 | 9 | 944135 | 59 | 0 | 0 | 146715 | 1090909 |
| 11 | 2 | 7 | 187178 | 61 | 1056 | 0 | 902553 | 1090909 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 541 of 585

Type 5 #13 5531.84 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 546606 | 79 | 1142 | 0 | 375170 | 923076 |
| 2 | 3 | 20 | 865384 | 65 | 1717 | 1032 | 54748 | 923076 |
| 3 | 2 | 20 | 18927 | 78 | 1344 | 0 | 902649 | 923076 |
| 4 | 1 | 16 | 5879 | 79 | 0 | 0 | 917118 | 923076 |
| 5 | 1 | 17 | 476587 | 90 | 0 | 0 | 446399 | 923076 |
| 6 | 2 | 12 | 247300 | 99 | 1386 | 0 | 674192 | 923076 |
| 7 | 1 | 11 | 219096 | 87 | 0 | 0 | 703893 | 923076 |
| 8 | 2 | 15 | 726111 | 64 | 1574 | 0 | 195263 | 923076 |
| 9 | 3 | 6 | 4023 | 51 | 1159 | 1261 | 916480 | 923076 |
| 10 | 2 | 15 | 480560 | 72 | 1323 | 0 | 441049 | 923076 |
| 11 | 2 | 14 | 152424 | 99 | 1308 | 0 | 769146 | 923076 |
| 12 | 1 | 18 | 260909 | 88 | 0 | 0 | 662079 | 923076 |
| 13 | 3 | 9 | 552261 | 82 | 1923 | 1691 | 366955 | 923076 |

Type 5 #14 5519.71 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 781493 | 66 | 1697 | 0 | 307587 | 1090909 |
| 2 | 2 | 14 | 1015763 | 73 | 1724 | 0 | 73276 | 1090909 |
| 3 | 1 | 17 | 159014 | 76 | 0 | 0 | 931819 | 1090909 |
| 4 | 3 | 6 | 151899 | 66 | 1866 | 1726 | 935220 | 1090909 |
| 5 | 1 | 6 | 394570 | 55 | 0 | 0 | 696284 | 1090909 |
| 6 | 2 | 9 | 369451 | 91 | 1055 | 0 | 720221 | 1090909 |
| 7 | 3 | 12 | 921251 | 57 | 1660 | 1703 | 166124 | 1090909 |
| 8 | 1 | 15 | 876880 | 78 | 0 | 0 | 213951 | 1090909 |
| 9 | 1 | 20 | 637727 | 76 | 0 | 0 | 453106 | 1090909 |
| 10 | 1 | 8 | 63889 | 97 | 0 | 0 | 1026923 | 1090909 |
| 11 | 1 | 9 | 190568 | 88 | 0 | 0 | 900253 | 1090909 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 542 of 585

Type 5 #15 5505.65 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 7 | 1091422 | 73 | 1415 | 1258 | 405686 | 1500000 |
| 2 | 1 | 7 | 605124 | 96 | 0 | 0 | 894780 | 1500000 |
| 3 | 1 | 17 | 1037742 | 100 | 0 | 0 | 462158 | 1500000 |
| 4 | 3 | 9 | 742890 | 52 | 1874 | 1772 | 753308 | 1500000 |
| 5 | 1 | 14 | 310173 | 82 | 0 | 0 | 1189745 | 1500000 |
| 6 | 2 | 11 | 1123467 | 92 | 1297 | 0 | 375052 | 1500000 |
| 7 | 1 | 5 | 828822 | 65 | 0 | 0 | 671113 | 1500000 |
| 8 | 1 | 8 | 847160 | 75 | 0 | 0 | 652765 | 1500000 |

Type 5 #16 5514.66 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 12 | 104830 | 91 | 1895 | 1942 | 814136 | 923076 |
| 2 | 3 | 12 | 1471 | 79 | 1245 | 1369 | 918754 | 923076 |
| 3 | 3 | 13 | 309291 | 94 | 1678 | 1997 | 609828 | 923076 |
| 4 | 3 | 19 | 800497 | 97 | 1419 | 1305 | 119564 | 923076 |
| 5 | 1 | 6 | 222287 | 50 | 0 | 0 | 700739 | 923076 |
| 6 | 2 | 8 | 453409 | 85 | 1664 | 0 | 467833 | 923076 |
| 7 | 3 | 20 | 633450 | 51 | 1038 | 1166 | 287269 | 923076 |
| 8 | 2 | 19 | 164467 | 76 | 1388 | 0 | 757069 | 923076 |
| 9 | 3 | 10 | 804351 | 88 | 1419 | 1493 | 115549 | 923076 |
| 10 | 1 | 10 | 584941 | 58 | 0 | 0 | 338077 | 923076 |
| 11 | 2 | 13 | 677203 | 71 | 1588 | 0 | 244143 | 923076 |
| 12 | 3 | 12 | 51638 | 50 | 1143 | 1763 | 868382 | 923076 |
| 13 | 3 | 20 | 588363 | 75 | 1852 | 1587 | 331049 | 923076 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 543 of 585

Type 5 #17 5550.11 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 11 | 20216 | 66 | 1955 | 0 | 644363 | 666666 |
| 2 | 1 | 11 | 456293 | 98 | 0 | 0 | 210275 | 666666 |
| 3 | 3 | 14 | 201409 | 88 | 1591 | 1023 | 462379 | 666666 |
| 4 | 3 | 14 | 286473 | 66 | 1434 | 1450 | 377111 | 666666 |
| 5 | 3 | 6 | 81116 | 75 | 1793 | 1626 | 581906 | 666666 |
| 6 | 1 | 10 | 378042 | 62 | 0 | 0 | 288562 | 666666 |
| 7 | 3 | 9 | 148423 | 61 | 1517 | 1029 | 515514 | 666666 |
| 8 | 2 | 11 | 215134 | 70 | 1647 | 0 | 449745 | 666666 |
| 9 | 1 | 16 | 382656 | 66 | 0 | 0 | 283944 | 666666 |
| 10 | 1 | 11 | 433956 | 51 | 0 | 0 | 232659 | 666666 |
| 11 | 2 | 7 | 264687 | 62 | 1190 | 0 | 400665 | 666666 |
| 12 | 3 | 10 | 2693 | 92 | 1162 | 1405 | 661130 | 666666 |
| 13 | 3 | 10 | 222476 | 58 | 1116 | 1842 | 441058 | 666666 |
| 14 | 1 | 9 | 423216 | 75 | 0 | 0 | 243375 | 666666 |
| 15 | 3 | 5 | 326078 | 60 | 1803 | 1108 | 337497 | 666666 |
| 16 | 1 | 8 | 302864 | 69 | 0 | 0 | 363733 | 666666 |
| 17 | 1 | 14 | 464144 | 91 | 0 | 0 | 202431 | 666666 |
| 18 | 1 | 5 | 579827 | 88 | 0 | 0 | 86751 | 666666 |

Type 5 #18 5515.41 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 11 | 743201 | 95 | 0 | 0 | 6704 | 750000 |
| 2 | 2 | 7 | 157622 | 97 | 1916 | 0 | 590268 | 750000 |
| 3 | 3 | 18 | 12022 | 62 | 1526 | 1127 | 735139 | 750000 |
| 4 | 3 | 6 | 306111 | 52 | 1387 | 1289 | 441057 | 750000 |
| 5 | 2 | 20 | 683610 | 98 | 1951 | 0 | 64243 | 750000 |
| 6 | 3 | 15 | 217147 | 79 | 1799 | 1089 | 529728 | 750000 |
| 7 | 2 | 6 | 234973 | 95 | 1746 | 0 | 513091 | 750000 |
| 8 | 1 | 18 | 717913 | 83 | 0 | 0 | 32004 | 750000 |
| 9 | 2 | 13 | 453465 | 98 | 1980 | 0 | 294359 | 750000 |
| 10 | 2 | 14 | 206643 | 85 | 1787 | 0 | 541400 | 750000 |
| 11 | 2 | 14 | 398236 | 83 | 1206 | 0 | 350392 | 750000 |
| 12 | 3 | 5 | 422782 | 74 | 1472 | 1034 | 324490 | 750000 |
| 13 | 1 | 17 | 710941 | 71 | 0 | 0 | 38988 | 750000 |
| 14 | 2 | 5 | 445732 | 82 | 1270 | 0 | 302834 | 750000 |
| 15 | 3 | 13 | 526464 | 73 | 1332 | 1834 | 220151 | 750000 |
| 16 | 2 | 10 | 150425 | 99 | 1350 | 0 | 598027 | 750000 |

Type 5 #19 5553.43 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 544 of 585

| | | | | | | | | Length usec |
|---|---|----|---------|----|------|------|---------|-------------|
| 1 | 3 | 12 | 1023030 | 76 | 1633 | 1874 | 473235 | 1500000 |
| 2 | 2 | 18 | 278962 | 91 | 1175 | 0 | 1219681 | 1500000 |
| 3 | 3 | 9 | 47010 | 69 | 1547 | 1758 | 1449478 | 1500000 |
| 4 | 1 | 15 | 451809 | 97 | 0 | 0 | 1048094 | 1500000 |
| 5 | 1 | 8 | 217139 | 72 | 0 | 0 | 1282789 | 1500000 |
| 6 | 1 | 18 | 751448 | 69 | 0 | 0 | 748483 | 1500000 |
| 7 | 2 | 6 | 827404 | 85 | 1833 | 0 | 670593 | 1500000 |
| 8 | 2 | 10 | 780558 | 95 | 1315 | 0 | 717937 | 1500000 |

Type 5 #20 5519.33 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 158760 | 73 | 1650 | 0 | 439444 | 600000 |
| 2 | 3 | 13 | 557288 | 97 | 1158 | 1675 | 39588 | 600000 |
| 3 | 1 | 13 | 427271 | 71 | 0 | 0 | 172658 | 600000 |
| 4 | 2 | 9 | 374376 | 53 | 1488 | 0 | 224030 | 600000 |
| 5 | 1 | 9 | 192199 | 86 | 0 | 0 | 407715 | 600000 |
| 6 | 2 | 5 | 533165 | 53 | 1840 | 0 | 64889 | 600000 |
| 7 | 2 | 16 | 584016 | 72 | 1691 | 0 | 14149 | 600000 |
| 8 | 1 | 11 | 480358 | 92 | 0 | 0 | 119550 | 600000 |
| 9 | 3 | 9 | 492569 | 74 | 1844 | 1669 | 103696 | 600000 |
| 10 | 2 | 16 | 502880 | 78 | 1276 | 0 | 95688 | 600000 |
| 11 | 3 | 6 | 382092 | 91 | 1827 | 1896 | 213912 | 600000 |
| 12 | 3 | 12 | 398120 | 57 | 1171 | 1201 | 199337 | 600000 |
| 13 | 1 | 13 | 141980 | 82 | 0 | 0 | 457938 | 600000 |
| 14 | 1 | 12 | 249915 | 72 | 0 | 0 | 350013 | 600000 |
| 15 | 3 | 9 | 190352 | 62 | 1329 | 1016 | 407117 | 600000 |
| 16 | 2 | 12 | 546515 | 52 | 1740 | 0 | 51641 | 600000 |
| 17 | 2 | 20 | 502160 | 87 | 1144 | 0 | 96522 | 600000 |
| 18 | 2 | 17 | 212341 | 95 | 1335 | 0 | 386134 | 600000 |
| 19 | 3 | 15 | 122480 | 100 | 1725 | 1806 | 473689 | 600000 |
| 20 | 1 | 14 | 217991 | 58 | 0 | 0 | 381951 | 600000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 545 of 585

Type 5 #21 5511.31 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 20 | 681933 | 93 | 0 | 0 | 651307 | 1333333 |
| 2 | 2 | 17 | 232113 | 87 | 1577 | 0 | 1099469 | 1333333 |
| 3 | 3 | 16 | 1244697 | 83 | 1257 | 1837 | 85293 | 1333333 |
| 4 | 1 | 15 | 1150283 | 75 | 0 | 0 | 182975 | 1333333 |
| 5 | 1 | 6 | 82356 | 82 | 0 | 0 | 1250895 | 1333333 |
| 6 | 1 | 15 | 805019 | 62 | 0 | 0 | 528252 | 1333333 |
| 7 | 1 | 9 | 1178018 | 55 | 0 | 0 | 155260 | 1333333 |
| 8 | 3 | 17 | 37313 | 69 | 1109 | 1871 | 1292833 | 1333333 |
| 9 | 2 | 15 | 291995 | 64 | 1079 | 0 | 1040131 | 1333333 |

Type 5 #22 5566.87 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 1064948 | 51 | 1372 | 0 | 133578 | 1200000 |
| 2 | 3 | 16 | 42613 | 55 | 1504 | 1727 | 1153991 | 1200000 |
| 3 | 2 | 17 | 318648 | 57 | 1798 | 0 | 879440 | 1200000 |
| 4 | 3 | 14 | 1018395 | 56 | 1463 | 1915 | 178059 | 1200000 |
| 5 | 3 | 12 | 89119 | 66 | 1727 | 1065 | 1107891 | 1200000 |
| 6 | 3 | 8 | 1136315 | 68 | 1248 | 1426 | 60807 | 1200000 |
| 7 | 2 | 20 | 857304 | 57 | 1270 | 0 | 341312 | 1200000 |
| 8 | 2 | 13 | 202667 | 50 | 1379 | 0 | 995854 | 1200000 |
| 9 | 2 | 20 | 275601 | 65 | 1072 | 0 | 923197 | 1200000 |
| 10 | 2 | 13 | 905581 | 69 | 1481 | 0 | 292800 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 546 of 585

Type 5 #23 5495.55 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 20 | 874702 | 63 | 1904 | 1162 | 212952 | 1090909 |
| 2 | 1 | 7 | 548001 | 93 | 0 | 0 | 542815 | 1090909 |
| 3 | 3 | 8 | 337183 | 52 | 1356 | 1660 | 750554 | 1090909 |
| 4 | 2 | 9 | 401451 | 71 | 1453 | 0 | 687863 | 1090909 |
| 5 | 2 | 20 | 829493 | 80 | 1158 | 0 | 260098 | 1090909 |
| 6 | 3 | 12 | 834564 | 93 | 1986 | 1718 | 252362 | 1090909 |
| 7 | 3 | 15 | 398378 | 85 | 1870 | 1991 | 688415 | 1090909 |
| 8 | 2 | 20 | 267950 | 77 | 1692 | 0 | 821113 | 1090909 |
| 9 | 3 | 9 | 619756 | 78 | 1770 | 1717 | 467432 | 1090909 |
| 10 | 1 | 6 | 244149 | 88 | 0 | 0 | 846672 | 1090909 |
| 11 | 1 | 9 | 732848 | 94 | 0 | 0 | 357967 | 1090909 |

Type 5 #24 5525.26 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 17 | 88286 | 70 | 1184 | 1361 | 508959 | 600000 |
| 2 | 3 | 11 | 471482 | 50 | 1493 | 1684 | 125191 | 600000 |
| 3 | 1 | 18 | 431297 | 63 | 0 | 0 | 168640 | 600000 |
| 4 | 2 | 8 | 257080 | 84 | 1931 | 0 | 340821 | 600000 |
| 5 | 3 | 9 | 140505 | 100 | 1274 | 1436 | 456485 | 600000 |
| 6 | 2 | 10 | 224771 | 77 | 1825 | 0 | 373250 | 600000 |
| 7 | 1 | 14 | 91706 | 50 | 0 | 0 | 508244 | 600000 |
| 8 | 3 | 10 | 318742 | 90 | 1098 | 1882 | 278008 | 600000 |
| 9 | 3 | 5 | 286681 | 64 | 1780 | 1738 | 309609 | 600000 |
| 10 | 1 | 18 | 120857 | 75 | 0 | 0 | 479068 | 600000 |
| 11 | 1 | 13 | 505835 | 87 | 0 | 0 | 94078 | 600000 |
| 12 | 2 | 19 | 545583 | 77 | 1925 | 0 | 52338 | 600000 |
| 13 | 1 | 5 | 400636 | 74 | 0 | 0 | 199290 | 600000 |
| 14 | 1 | 9 | 388614 | 80 | 0 | 0 | 211306 | 600000 |
| 15 | 3 | 15 | 28847 | 100 | 1345 | 1127 | 568381 | 600000 |
| 16 | 3 | 16 | 417248 | 51 | 1243 | 1495 | 179861 | 600000 |
| 17 | 3 | 5 | 181880 | 70 | 1537 | 1623 | 414750 | 600000 |
| 18 | 2 | 17 | 113787 | 73 | 1744 | 0 | 484323 | 600000 |
| 19 | 3 | 7 | 511353 | 70 | 1724 | 1058 | 85655 | 600000 |
| 20 | 2 | 8 | 498467 | 86 | 1427 | 0 | 99934 | 600000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 547 of 585

Type 5 #25 5509.11 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 592947 | 58 | 1944 | 0 | 262135 | 857142 |
| 2 | 2 | 16 | 354937 | 91 | 1293 | 0 | 500730 | 857142 |
| 3 | 1 | 17 | 373971 | 58 | 0 | 0 | 483113 | 857142 |
| 4 | 2 | 5 | 730261 | 52 | 1136 | 0 | 125641 | 857142 |
| 5 | 3 | 17 | 803606 | 99 | 1786 | 1938 | 49515 | 857142 |
| 6 | 1 | 7 | 88758 | 92 | 0 | 0 | 768292 | 857142 |
| 7 | 2 | 9 | 754393 | 65 | 1922 | 0 | 100697 | 857142 |
| 8 | 2 | 17 | 652555 | 69 | 1361 | 0 | 203088 | 857142 |
| 9 | 3 | 5 | 154991 | 99 | 1898 | 1474 | 698482 | 857142 |
| 10 | 1 | 14 | 323387 | 99 | 0 | 0 | 533656 | 857142 |
| 11 | 2 | 5 | 824173 | 86 | 1574 | 0 | 31223 | 857142 |
| 12 | 2 | 10 | 1150 | 86 | 1919 | 0 | 853901 | 857142 |
| 13 | 2 | 15 | 662864 | 91 | 1593 | 0 | 192503 | 857142 |
| 14 | 1 | 8 | 750873 | 98 | 0 | 0 | 106171 | 857142 |

Type 5 #26 5503.00 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 15 | 235950 | 64 | 0 | 0 | 395564 | 631578 |
| 2 | 1 | 19 | 571559 | 96 | 0 | 0 | 59923 | 631578 |
| 3 | 1 | 19 | 226640 | 88 | 0 | 0 | 404850 | 631578 |
| 4 | 1 | 13 | 502236 | 90 | 0 | 0 | 129252 | 631578 |
| 5 | 1 | 20 | 209437 | 85 | 0 | 0 | 422056 | 631578 |
| 6 | 3 | 18 | 617577 | 50 | 1360 | 1394 | 11097 | 631578 |
| 7 | 1 | 6 | 231038 | 73 | 0 | 0 | 400467 | 631578 |
| 8 | 1 | 6 | 450302 | 90 | 0 | 0 | 181186 | 631578 |
| 9 | 1 | 6 | 427923 | 64 | 0 | 0 | 203591 | 631578 |
| 10 | 2 | 15 | 37498 | 52 | 1805 | 0 | 592171 | 631578 |
| 11 | 1 | 5 | 381505 | 54 | 0 | 0 | 250019 | 631578 |
| 12 | 3 | 20 | 174808 | 52 | 1852 | 1256 | 453506 | 631578 |
| 13 | 2 | 6 | 177083 | 54 | 1429 | 0 | 452958 | 631578 |
| 14 | 3 | 14 | 594299 | 53 | 1464 | 1783 | 33873 | 631578 |
| 15 | 2 | 9 | 325950 | 56 | 1502 | 0 | 304014 | 631578 |
| 16 | 1 | 14 | 110815 | 86 | 0 | 0 | 520677 | 631578 |
| 17 | 3 | 5 | 171326 | 85 | 1949 | 1687 | 456361 | 631578 |
| 18 | 2 | 12 | 90054 | 69 | 1401 | 0 | 539985 | 631578 |
| 19 | 2 | 13 | 391342 | 99 | 1545 | 0 | 238493 | 631578 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 548 of 585

Type 5 #27 5490.85 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 16 | 199534 | 90 | 1452 | 1477 | 997267 | 1200000 |
| 2 | 1 | 15 | 1157609 | 55 | 0 | 0 | 42336 | 1200000 |
| 3 | 3 | 10 | 327356 | 55 | 1804 | 1265 | 869410 | 1200000 |
| 4 | 1 | 18 | 94210 | 69 | 0 | 0 | 1105721 | 1200000 |
| 5 | 1 | 5 | 715727 | 87 | 0 | 0 | 484186 | 1200000 |
| 6 | 3 | 6 | 667370 | 55 | 1640 | 1432 | 529393 | 1200000 |
| 7 | 2 | 19 | 469329 | 86 | 1330 | 0 | 729169 | 1200000 |
| 8 | 3 | 16 | 1186509 | 94 | 1423 | 1534 | 10252 | 1200000 |
| 9 | 3 | 9 | 179079 | 52 | 1643 | 1276 | 1017846 | 1200000 |
| 10 | 2 | 8 | 161475 | 94 | 1891 | 0 | 1036446 | 1200000 |

Type 5 #28 5526.01 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 71200 | 52 | 1792 | 0 | 632786 | 705882 |
| 2 | 3 | 6 | 52918 | 69 | 1382 | 1682 | 649693 | 705882 |
| 3 | 2 | 8 | 290058 | 50 | 1999 | 0 | 413725 | 705882 |
| 4 | 2 | 10 | 218388 | 70 | 1956 | 0 | 485398 | 705882 |
| 5 | 1 | 16 | 493994 | 65 | 0 | 0 | 211823 | 705882 |
| 6 | 3 | 20 | 134525 | 71 | 1467 | 1762 | 567915 | 705882 |
| 7 | 3 | 5 | 193058 | 74 | 1337 | 1285 | 509980 | 705882 |
| 8 | 1 | 20 | 35416 | 89 | 0 | 0 | 670377 | 705882 |
| 9 | 2 | 7 | 670453 | 81 | 1979 | 0 | 33288 | 705882 |
| 10 | 2 | 7 | 370527 | 52 | 1184 | 0 | 334067 | 705882 |
| 11 | 3 | 7 | 519270 | 77 | 1391 | 1456 | 183534 | 705882 |
| 12 | 2 | 7 | 294785 | 54 | 1345 | 0 | 409644 | 705882 |
| 13 | 2 | 12 | 620600 | 81 | 1408 | 0 | 83712 | 705882 |
| 14 | 3 | 16 | 431341 | 95 | 1137 | 1229 | 271890 | 705882 |
| 15 | 2 | 19 | 107400 | 96 | 1478 | 0 | 596812 | 705882 |
| 16 | 3 | 10 | 198192 | 88 | 1362 | 1803 | 504261 | 705882 |
| 17 | 1 | 7 | 208346 | 67 | 0 | 0 | 497469 | 705882 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 549 of 585

Type 5 #29 5519.49 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 18 | 460934 | 77 | 1029 | 1632 | 286174 | 750000 |
| 2 | 2 | 20 | 427051 | 90 | 1664 | 0 | 321105 | 750000 |
| 3 | 1 | 7 | 328770 | 82 | 0 | 0 | 421148 | 750000 |
| 4 | 1 | 8 | 102545 | 65 | 0 | 0 | 647390 | 750000 |
| 5 | 1 | 20 | 439713 | 76 | 0 | 0 | 310211 | 750000 |
| 6 | 3 | 18 | 264027 | 67 | 1984 | 1616 | 482172 | 750000 |
| 7 | 2 | 9 | 268950 | 57 | 1586 | 0 | 479350 | 750000 |
| 8 | 1 | 9 | 149831 | 58 | 0 | 0 | 600111 | 750000 |
| 9 | 3 | 9 | 364968 | 89 | 1084 | 1489 | 382192 | 750000 |
| 10 | 1 | 16 | 144713 | 84 | 0 | 0 | 605203 | 750000 |
| 11 | 2 | 20 | 747548 | 61 | 1109 | 0 | 1221 | 750000 |
| 12 | 1 | 19 | 719663 | 56 | 0 | 0 | 30281 | 750000 |
| 13 | 1 | 17 | 475190 | 84 | 0 | 0 | 274726 | 750000 |
| 14 | 1 | 14 | 388444 | 72 | 0 | 0 | 361484 | 750000 |
| 15 | 1 | 9 | 124551 | 74 | 0 | 0 | 625375 | 750000 |
| 16 | 1 | 6 | 189630 | 88 | 0 | 0 | 560282 | 750000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 550 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5538 | #02-5310 | #03-5601 | #04-5477 | #05-5587 | #06-5612 | #07-5325 | #08-5553 | #09-5535 | #10-5335 |
| #11-5551 | #12-5508 | #13-5507 | #14-5575 | #15-5414 | #16-5545 | #17-5487 | #18-5481 | #19-5393 | #20-5484 |
| #21-5402 | #22-5592 | #23-5482 | #24-5637 | #25-5377 | #26-5430 | #27-5705 | #28-5264 | #29-5673 | #30-5374 |
| #31-5617 | #32-5452 | #33-5382 | #34-5683 | #35-5633 | #36-5598 | #37-5631 | #38-5504 | #39-5711 | #40-5287 |
| #41-5537 | #42-5574 | #43-5516 | #44-5435 | #45-5429 | #46-5485 | #47-5431 | #48-5590 | #49-5709 | #50-5289 |
| #51-5532 | #52-5682 | #53-5368 | #54-5469 | #55-5670 | #56-5688 | #57-5349 | #58-5407 | #59-5311 | #60-5605 |
| #61-5410 | #62-5442 | #63-5348 | #64-5375 | #65-5549 | #66-5666 | #67-5540 | #68-5638 | #69-5707 | #70-5494 |
| #71-5355 | #72-5671 | #73-5338 | #74-5524 | #75-5398 | #76-5334 | #77-5464 | #78-5295 | #79-5667 | #80-5404 |
| #81-5554 | #82-5381 | #83-5476 | #84-5693 | #85-5356 | #86-5675 | #87-5336 | #88-5303 | #89-5661 | #90-5490 |
| #91-5300 | #92-5320 | #93-5306 | #94-5288 | #95-5577 | #96-5421 | #97-5640 | #98-5595 | #99-5486 | #100-5401 |

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5461 | #02-5357 | #03-5638 | #04-5641 | #05-5325 | #06-5578 | #07-5361 | #08-5334 | #09-5703 | #10-5494 |
| #11-5696 | #12-5552 | #13-5665 | #14-5699 | #15-5444 | #16-5584 | #17-5694 | #18-5388 | #19-5366 | #20-5619 |
| #21-5259 | #22-5284 | #23-5347 | #24-5618 | #25-5278 | #26-5296 | #27-5642 | #28-5567 | #29-5548 | #30-5343 |
| #31-5556 | #32-5431 | #33-5253 | #34-5342 | #35-5273 | #36-5563 | #37-5301 | #38-5281 | #39-5483 | #40-5667 |
| #41-5576 | #42-5511 | #43-5530 | #44-5349 | #45-5478 | #46-5603 | #47-5702 | #48-5306 | #49-5626 | #50-5326 |
| #51-5369 | #52-5507 | #53-5452 | #54-5323 | #55-5540 | #56-5311 | #57-5660 | #58-5518 | #59-5610 | #60-5663 |
| #61-5514 | #62-5549 | #63-5572 | #64-5675 | #65-5605 | #66-5532 | #67-5662 | #68-5545 | #69-5607 | #70-5676 |
| #71-5407 | #72-5497 | #73-5542 | #74-5524 | #75-5673 | #76-5288 | #77-5590 | #78-5492 | #79-5442 | #80-5480 |
| #81-5471 | #82-5615 | #83-5709 | #84-5506 | #85-5547 | #86-5398 | #87-5314 | #88-5591 | #89-5559 | #90-5654 |
| #91-5500 | #92-5653 | #93-5346 | #94-5498 | #95-5688 | #96-5505 | #97-5487 | #98-5555 | #99-5294 | #100-5550 |

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5723 | #02-5479 | #03-5496 | #04-5362 | #05-5621 | #06-5653 | #07-5269 | #08-5418 | #09-5433 | #10-5453 |
| #11-5328 | #12-5682 | #13-5724 | #14-5582 | #15-5504 | #16-5677 | #17-5288 | #18-5310 | #19-5528 | #20-5343 |
| #21-5595 | #22-5675 | #23-5683 | #24-5423 | #25-5360 | #26-5493 | #27-5718 | #28-5478 | #29-5699 | #30-5549 |
| #31-5640 | #32-5570 | #33-5375 | #34-5274 | #35-5523 | #36-5463 | #37-5394 | #38-5650 | #39-5469 | #40-5295 |
| #41-5458 | #42-5408 | #43-5356 | #44-5576 | #45-5543 | #46-5654 | #47-5488 | #48-5719 | #49-5260 | #50-5466 |
| #51-5427 | #52-5277 | #53-5676 | #54-5680 | #55-5298 | #56-5521 | #57-5626 | #58-5664 | #59-5511 | #60-5409 |
| #61-5276 | #62-5459 | #63-5628 | #64-5412 | #65-5599 | #66-5557 | #67-5706 | #68-5464 | #69-5619 | #70-5384 |
| #71-5308 | #72-5387 | #73-5516 | #74-5577 | #75-5268 | #76-5604 | #77-5431 | #78-5255 | #79-5468 | #80-5482 |
| #81-5372 | #82-5613 | #83-5618 | #84-5419 | #85-5701 | #86-5252 | #87-5562 | #88-5454 | #89-5389 | #90-5309 |
| #91-5519 | #92-5674 | #93-5414 | #94-5304 | #95-5655 | #96-5263 | #97-5520 | #98-5572 | #99-5292 | #100-5693 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 551 of 585

| Type 6 #4 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5628 | #02-5543 | #03-5506 | #04-5668 | #05-5607 | #06-5309 | #07-5330 | #08-5404 | #09-5276 | #10-5445 |
| #11-5701 | #12-5523 | #13-5468 | #14-5429 | #15-5581 | #16-5703 | #17-5627 | #18-5414 | #19-5720 | #20-5723 |
| #21-5279 | #22-5592 | #23-5567 | #24-5374 | #25-5578 | #26-5423 | #27-5376 | #28-5324 | #29-5711 | #30-5673 |
| #31-5635 | #32-5329 | #33-5645 | #34-5715 | #35-5601 | #36-5444 | #37-5308 | #38-5679 | #39-5395 | #40-5630 |
| #41-5717 | #42-5323 | #43-5697 | #44-5671 | #45-5616 | #46-5687 | #47-5600 | #48-5284 | #49-5618 | #50-5407 |
| #51-5297 | #52-5695 | #53-5599 | #54-5675 | #55-5664 | #56-5544 | #57-5610 | #58-5678 | #59-5290 | #60-5497 |
| #61-5316 | #62-5426 | #63-5602 | #64-5477 | #65-5552 | #66-5386 | #67-5269 | #68-5661 | #69-5343 | #70-5286 |
| #71-5519 | #72-5594 | #73-5427 | #74-5460 | #75-5500 | #76-5250 | #77-5676 | #78-5304 | #79-5282 | #80-5366 |
| #81-5651 | #82-5505 | #83-5488 | #84-5650 | #85-5509 | #86-5355 | #87-5550 | #88-5551 | #89-5631 | #90-5494 |
| #91-5263 | #92-5663 | #93-5363 | #94-5670 | #95-5388 | #96-5360 | #97-5562 | #98-5406 | #99-5320 | #100-5367 |

| Type 6 #5 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5316 | #02-5400 | #03-5427 | #04-5329 | #05-5339 | #06-5442 | #07-5564 | #08-5394 | #09-5652 | #10-5361 |
| #11-5626 | #12-5605 | #13-5407 | #14-5272 | #15-5484 | #16-5556 | #17-5517 | #18-5335 | #19-5692 | #20-5687 |
| #21-5657 | #22-5673 | #23-5250 | #24-5453 | #25-5311 | #26-5563 | #27-5359 | #28-5338 | #29-5646 | #30-5323 |
| #31-5529 | #32-5494 | #33-5434 | #34-5370 | #35-5583 | #36-5470 | #37-5587 | #38-5358 | #39-5317 | #40-5350 |
| #41-5336 | #42-5349 | #43-5395 | #44-5307 | #45-5681 | #46-5647 | #47-5629 | #48-5334 | #49-5476 | #50-5438 |
| #51-5357 | #52-5368 | #53-5399 | #54-5699 | #55-5268 | #56-5500 | #57-5333 | #58-5473 | #59-5579 | #60-5382 |
| #61-5420 | #62-5286 | #63-5414 | #64-5374 | #65-5628 | #66-5297 | #67-5584 | #68-5620 | #69-5557 | #70-5253 |
| #71-5606 | #72-5436 | #73-5433 | #74-5366 | #75-5714 | #76-5302 | #77-5306 | #78-5327 | #79-5660 | #80-5465 |
| #81-5685 | #82-5678 | #83-5452 | #84-5275 | #85-5565 | #86-5601 | #87-5482 | #88-5263 | #89-5611 | #90-5644 |
| #91-5483 | #92-5505 | #93-5625 | #94-5287 | #95-5462 | #96-5602 | #97-5506 | #98-5498 | #99-5641 | #100-5264 |

| Type 6 #6 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5619 | #02-5621 | #03-5292 | #04-5356 | #05-5589 | #06-5504 | #07-5325 | #08-5343 | #09-5350 | #10-5674 |
| #11-5414 | #12-5675 | #13-5569 | #14-5386 | #15-5559 | #16-5304 | #17-5680 | #18-5354 | #19-5359 | #20-5293 |
| #21-5366 | #22-5686 | #23-5678 | #24-5653 | #25-5465 | #26-5677 | #27-5299 | #28-5451 | #29-5308 | #30-5684 |
| #31-5437 | #32-5286 | #33-5442 | #34-5378 | #35-5523 | #36-5495 | #37-5617 | #38-5263 | #39-5662 | #40-5518 |
| #41-5544 | #42-5534 | #43-5340 | #44-5591 | #45-5270 | #46-5407 | #47-5646 | #48-5401 | #49-5388 | #50-5597 |
| #51-5623 | #52-5657 | #53-5668 | #54-5364 | #55-5615 | #56-5637 | #57-5454 | #58-5599 | #59-5479 | #60-5291 |
| #61-5715 | #62-5702 | #63-5639 | #64-5382 | #65-5669 | #66-5430 | #67-5506 | #68-5434 | #69-5462 | #70-5346 |
| #71-5573 | #72-5392 | #73-5394 | #74-5562 | #75-5515 | #76-5484 | #77-5433 | #78-5431 | #79-5432 | #80-5387 |
| #81-5532 | #82-5298 | #83-5413 | #84-5539 | #85-5510 | #86-5435 | #87-5409 | #88-5605 | #89-5704 | #90-5533 |
| #91-5313 | #92-5289 | #93-5502 | #94-5363 | #95-5310 | #96-5564 | #97-5625 | #98-5461 | #99-5663 | #100-5491 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 552 of 585

| Type 6 #7 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5299 | #02-5514 | #03-5523 | #04-5526 | #05-5349 | #06-5402 | #07-5271 | #08-5417 | #09-5296 | #10-5629 |
| #11-5432 | #12-5654 | #13-5475 | #14-5567 | #15-5409 | #16-5720 | #17-5347 | #18-5554 | #19-5482 | #20-5537 |
| #21-5292 | #22-5534 | #23-5614 | #24-5575 | #25-5449 | #26-5479 | #27-5424 | #28-5511 | #29-5592 | #30-5531 |
| #31-5650 | #32-5593 | #33-5255 | #34-5647 | #35-5490 | #36-5636 | #37-5607 | #38-5505 | #39-5552 | #40-5512 |
| #41-5621 | #42-5717 | #43-5598 | #44-5361 | #45-5433 | #46-5536 | #47-5467 | #48-5487 | #49-5569 | #50-5527 |
| #51-5632 | #52-5431 | #53-5480 | #54-5448 | #55-5489 | #56-5625 | #57-5673 | #58-5326 | #59-5595 | #60-5703 |
| #61-5484 | #62-5549 | #63-5704 | #64-5563 | #65-5648 | #66-5327 | #67-5413 | #68-5333 | #69-5464 | #70-5298 |
| #71-5655 | #72-5275 | #73-5396 | #74-5542 | #75-5266 | #76-5463 | #77-5265 | #78-5668 | #79-5681 | #80-5274 |
| #81-5273 | #82-5253 | #83-5268 | #84-5412 | #85-5500 | #86-5250 | #87-5345 | #88-5687 | #89-5635 | #90-5573 |
| #91-5278 | #92-5321 | #93-5477 | #94-5618 | #95-5509 | #96-5708 | #97-5390 | #98-5323 | #99-5485 | #100-5313 |

| Type 6 #8 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5583 | #02-5501 | #03-5455 | #04-5302 | #05-5672 | #06-5608 | #07-5460 | #08-5310 | #09-5652 | #10-5271 |
| #11-5459 | #12-5526 | #13-5485 | #14-5685 | #15-5400 | #16-5398 | #17-5354 | #18-5327 | #19-5318 | #20-5370 |
| #21-5658 | #22-5388 | #23-5331 | #24-5722 | #25-5325 | #26-5314 | #27-5372 | #28-5664 | #29-5480 | #30-5684 |
| #31-5541 | #32-5675 | #33-5512 | #34-5665 | #35-5410 | #36-5636 | #37-5295 | #38-5396 | #39-5461 | #40-5477 |
| #41-5470 | #42-5708 | #43-5552 | #44-5543 | #45-5519 | #46-5716 | #47-5657 | #48-5361 | #49-5604 | #50-5313 |
| #51-5255 | #52-5365 | #53-5379 | #54-5444 | #55-5419 | #56-5457 | #57-5702 | #58-5486 | #59-5521 | #60-5554 |
| #61-5692 | #62-5509 | #63-5264 | #64-5545 | #65-5525 | #66-5489 | #67-5353 | #68-5682 | #69-5274 | #70-5581 |
| #71-5618 | #72-5437 | #73-5405 | #74-5504 | #75-5428 | #76-5530 | #77-5322 | #78-5439 | #79-5369 | #80-5330 |
| #81-5670 | #82-5397 | #83-5536 | #84-5690 | #85-5466 | #86-5562 | #87-5418 | #88-5700 | #89-5680 | #90-5641 |
| #91-5265 | #92-5346 | #93-5284 | #94-5505 | #95-5421 | #96-5382 | #97-5607 | #98-5257 | #99-5646 | #100-5289 |

| Type 6 #9 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5398 | #02-5472 | #03-5667 | #04-5289 | #05-5640 | #06-5279 | #07-5421 | #08-5535 | #09-5296 | #10-5704 |
| #11-5434 | #12-5612 | #13-5702 | #14-5563 | #15-5592 | #16-5258 | #17-5560 | #18-5273 | #19-5516 | #20-5514 |
| #21-5579 | #22-5606 | #23-5662 | #24-5521 | #25-5389 | #26-5407 | #27-5394 | #28-5275 | #29-5626 | #30-5307 |
| #31-5658 | #32-5362 | #33-5409 | #34-5438 | #35-5522 | #36-5649 | #37-5594 | #38-5650 | #39-5550 | #40-5533 |
| #41-5722 | #42-5609 | #43-5654 | #44-5701 | #45-5456 | #46-5378 | #47-5368 | #48-5445 | #49-5637 | #50-5412 |
| #51-5546 | #52-5584 | #53-5465 | #54-5382 | #55-5534 | #56-5395 | #57-5625 | #58-5483 | #59-5396 | #60-5633 |
| #61-5713 | #62-5295 | #63-5322 | #64-5452 | #65-5291 | #66-5634 | #67-5447 | #68-5708 | #69-5695 | #70-5677 |
| #71-5686 | #72-5315 | #73-5261 | #74-5674 | #75-5463 | #76-5486 | #77-5324 | #78-5621 | #79-5277 | #80-5254 |
| #81-5255 | #82-5365 | #83-5448 | #84-5317 | #85-5648 | #86-5575 | #87-5700 | #88-5665 | #89-5655 | #90-5384 |
| #91-5404 | #92-5272 | #93-5636 | #94-5386 | #95-5482 | #96-5590 | #97-5564 | #98-5573 | #99-5330 | #100-5613 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5659 | #03-5283 | #04-5419 | #05-5477 | #06-5696 | #07-5425 | #08-5509 | #09-5285 | #10-5552 |
| #11-5666 | #12-5609 | #13-5380 | #14-5309 | #15-5719 | #16-5261 | #17-5280 | #18-5655 | #19-5335 | #20-5434 |
| #21-5519 | #22-5392 | #23-5441 | #24-5574 | #25-5662 | #26-5389 | #27-5411 | #28-5515 | #29-5416 | #30-5516 |
| #31-5367 | #32-5386 | #33-5598 | #34-5714 | #35-5542 | #36-5530 | #37-5438 | #38-5683 | #39-5475 | #40-5319 |
| #41-5369 | #42-5393 | #43-5331 | #44-5277 | #45-5256 | #46-5422 | #47-5648 | #48-5468 | #49-5399 | #50-5528 |
| #51-5259 | #52-5616 | #53-5703 | #54-5627 | #55-5284 | #56-5263 | #57-5593 | #58-5548 | #59-5472 | #60-5506 |
| #61-5320 | #62-5374 | #63-5322 | #64-5697 | #65-5584 | #66-5365 | #67-5400 | #68-5724 | #69-5359 | #70-5547 |
| #71-5656 | #72-5692 | #73-5487 | #74-5297 | #75-5588 | #76-5698 | #77-5582 | #78-5589 | #79-5650 | #80-5535 |
| #81-5649 | #82-5461 | #83-5325 | #84-5500 | #85-5357 | #86-5507 | #87-5529 | #88-5474 | #89-5351 | #90-5524 |
| #91-5279 | #92-5254 | #93-5470 | #94-5427 | #95-5668 | #96-5618 | #97-5617 | #98-5330 | #99-5353 | #100-5318 |

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5500 | #02-5671 | #03-5254 | #04-5311 | #05-5580 | #06-5615 | #07-5642 | #08-5471 | #09-5448 | #10-5611 |
| #11-5263 | #12-5398 | #13-5298 | #14-5373 | #15-5290 | #16-5625 | #17-5616 | #18-5577 | #19-5268 | #20-5431 |
| #21-5590 | #22-5688 | #23-5267 | #24-5584 | #25-5478 | #26-5515 | #27-5639 | #28-5696 | #29-5283 | #30-5683 |
| #31-5454 | #32-5545 | #33-5685 | #34-5378 | #35-5495 | #36-5296 | #37-5651 | #38-5557 | #39-5605 | #40-5326 |
| #41-5392 | #42-5716 | #43-5322 | #44-5578 | #45-5339 | #46-5250 | #47-5266 | #48-5312 | #49-5646 | #50-5452 |
| #51-5537 | #52-5654 | #53-5395 | #54-5558 | #55-5315 | #56-5700 | #57-5415 | #58-5653 | #59-5533 | #60-5443 |
| #61-5412 | #62-5636 | #63-5379 | #64-5570 | #65-5353 | #66-5598 | #67-5710 | #68-5612 | #69-5599 | #70-5593 |
| #71-5406 | #72-5386 | #73-5343 | #74-5367 | #75-5282 | #76-5667 | #77-5623 | #78-5377 | #79-5350 | #80-5462 |
| #81-5585 | #82-5663 | #83-5719 | #84-5635 | #85-5464 | #86-5432 | #87-5469 | #88-5660 | #89-5382 | #90-5666 |
| #91-5684 | #92-5405 | #93-5467 | #94-5650 | #95-5305 | #96-5527 | #97-5401 | #98-5607 | #99-5553 | #100-5365 |

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5383 | #02-5711 | #03-5391 | #04-5678 | #05-5316 | #06-5264 | #07-5438 | #08-5279 | #09-5357 | #10-5315 |
| #11-5415 | #12-5712 | #13-5716 | #14-5701 | #15-5384 | #16-5410 | #17-5661 | #18-5451 | #19-5686 | #20-5426 |
| #21-5536 | #22-5601 | #23-5577 | #24-5433 | #25-5575 | #26-5634 | #27-5472 | #28-5392 | #29-5547 | #30-5310 |
| #31-5656 | #32-5306 | #33-5308 | #34-5603 | #35-5502 | #36-5477 | #37-5291 | #38-5516 | #39-5593 | #40-5367 |
| #41-5655 | #42-5298 | #43-5273 | #44-5518 | #45-5311 | #46-5476 | #47-5674 | #48-5645 | #49-5366 | #50-5465 |
| #51-5452 | #52-5376 | #53-5554 | #54-5506 | #55-5682 | #56-5352 | #57-5406 | #58-5517 | #59-5295 | #60-5456 |
| #61-5296 | #62-5359 | #63-5653 | #64-5362 | #65-5448 | #66-5632 | #67-5368 | #68-5394 | #69-5582 | #70-5568 |
| #71-5673 | #72-5605 | #73-5553 | #74-5640 | #75-5514 | #76-5407 | #77-5523 | #78-5430 | #79-5570 | #80-5453 |
| #81-5385 | #82-5721 | #83-5343 | #84-5333 | #85-5414 | #86-5436 | #87-5432 | #88-5251 | #89-5614 | #90-5409 |
| #91-5382 | #92-5364 | #93-5475 | #94-5263 | #95-5722 | #96-5320 | #97-5594 | #98-5327 | #99-5427 | #100-5677 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 554 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5555 | #02-5292 | #03-5563 | #04-5723 | #05-5718 | #06-5548 | #07-5275 | #08-5451 | #09-5655 | #10-5698 |
| #11-5722 | #12-5313 | #13-5538 | #14-5284 | #15-5705 | #16-5396 | #17-5491 | #18-5407 | #19-5552 | #20-5663 |
| #21-5480 | #22-5381 | #23-5293 | #24-5297 | #25-5458 | #26-5432 | #27-5499 | #28-5583 | #29-5308 | #30-5478 |
| #31-5350 | #32-5513 | #33-5291 | #34-5575 | #35-5437 | #36-5581 | #37-5609 | #38-5422 | #39-5524 | #40-5684 |
| #41-5435 | #42-5385 | #43-5300 | #44-5274 | #45-5450 | #46-5687 | #47-5340 | #48-5448 | #49-5334 | #50-5661 |
| #51-5516 | #52-5375 | #53-5616 | #54-5537 | #55-5431 | #56-5680 | #57-5671 | #58-5339 | #59-5567 | #60-5677 |
| #61-5321 | #62-5640 | #63-5493 | #64-5688 | #65-5408 | #66-5379 | #67-5683 | #68-5386 | #69-5607 | #70-5709 |
| #71-5277 | #72-5704 | #73-5294 | #74-5721 | #75-5273 | #76-5258 | #77-5469 | #78-5699 | #79-5542 | #80-5559 |
| #81-5643 | #82-5621 | #83-5479 | #84-5394 | #85-5482 | #86-5635 | #87-5519 | #88-5579 | #89-5572 | #90-5612 |
| #91-5520 | #92-5337 | #93-5590 | #94-5425 | #95-5694 | #96-5685 | #97-5490 | #98-5672 | #99-5303 | #100-5531 |

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5348 | #02-5637 | #03-5492 | #04-5435 | #05-5686 | #06-5648 | #07-5331 | #08-5518 | #09-5661 | #10-5666 |
| #11-5675 | #12-5379 | #13-5489 | #14-5377 | #15-5710 | #16-5450 | #17-5476 | #18-5337 | #19-5429 | #20-5341 |
| #21-5499 | #22-5354 | #23-5631 | #24-5407 | #25-5557 | #26-5500 | #27-5448 | #28-5619 | #29-5276 | #30-5488 |
| #31-5277 | #32-5545 | #33-5709 | #34-5712 | #35-5683 | #36-5521 | #37-5711 | #38-5438 | #39-5481 | #40-5304 |
| #41-5676 | #42-5579 | #43-5682 | #44-5351 | #45-5298 | #46-5454 | #47-5699 | #48-5290 | #49-5446 | #50-5691 |
| #51-5401 | #52-5643 | #53-5717 | #54-5330 | #55-5305 | #56-5491 | #57-5498 | #58-5572 | #59-5320 | #60-5291 |
| #61-5639 | #62-5436 | #63-5352 | #64-5669 | #65-5392 | #66-5502 | #67-5654 | #68-5623 | #69-5375 | #70-5390 |
| #71-5644 | #72-5413 | #73-5673 | #74-5306 | #75-5509 | #76-5295 | #77-5473 | #78-5555 | #79-5522 | #80-5600 |
| #81-5626 | #82-5414 | #83-5719 | #84-5603 | #85-5465 | #86-5470 | #87-5665 | #88-5634 | #89-5479 | #90-5580 |
| #91-5406 | #92-5630 | #93-5677 | #94-5360 | #95-5681 | #96-5317 | #97-5503 | #98-5404 | #99-5322 | #100-5642 |

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5356 | #02-5435 | #03-5713 | #04-5526 | #05-5571 | #06-5437 | #07-5334 | #08-5639 | #09-5476 | #10-5292 |
| #11-5703 | #12-5508 | #13-5398 | #14-5438 | #15-5269 | #16-5683 | #17-5714 | #18-5390 | #19-5481 | #20-5704 |
| #21-5659 | #22-5342 | #23-5624 | #24-5604 | #25-5343 | #26-5525 | #27-5468 | #28-5598 | #29-5455 | #30-5346 |
| #31-5358 | #32-5260 | #33-5646 | #34-5685 | #35-5285 | #36-5676 | #37-5357 | #38-5387 | #39-5446 | #40-5580 |
| #41-5565 | #42-5354 | #43-5363 | #44-5651 | #45-5419 | #46-5524 | #47-5647 | #48-5662 | #49-5514 | #50-5377 |
| #51-5648 | #52-5708 | #53-5264 | #54-5535 | #55-5359 | #56-5433 | #57-5296 | #58-5693 | #59-5460 | #60-5379 |
| #61-5692 | #62-5586 | #63-5329 | #64-5709 | #65-5257 | #66-5606 | #67-5253 | #68-5284 | #69-5374 | #70-5344 |
| #71-5511 | #72-5677 | #73-5649 | #74-5250 | #75-5546 | #76-5661 | #77-5347 | #78-5557 | #79-5706 | #80-5336 |
| #81-5553 | #82-5702 | #83-5474 | #84-5566 | #85-5341 | #86-5478 | #87-5369 | #88-5381 | #89-5699 | #90-5428 |
| #91-5337 | #92-5567 | #93-5350 | #94-5632 | #95-5614 | #96-5275 | #97-5274 | #98-5406 | #99-5509 | #100-5397 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 555 of 585

Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5524 | #02-5336 | #03-5546 | #04-5678 | #05-5606 | #06-5282 | #07-5460 | #08-5709 | #09-5484 | #10-5415 |
| #11-5682 | #12-5637 | #13-5531 | #14-5254 | #15-5687 | #16-5264 | #17-5332 | #18-5718 | #19-5341 | #20-5638 |
| #21-5703 | #22-5708 | #23-5721 | #24-5650 | #25-5581 | #26-5447 | #27-5585 | #28-5337 | #29-5319 | #30-5450 |
| #31-5409 | #32-5390 | #33-5294 | #34-5330 | #35-5569 | #36-5295 | #37-5402 | #38-5475 | #39-5327 | #40-5525 |
| #41-5601 | #42-5582 | #43-5442 | #44-5659 | #45-5674 | #46-5461 | #47-5333 | #48-5689 | #49-5651 | #50-5261 |
| #51-5666 | #52-5413 | #53-5417 | #54-5383 | #55-5418 | #56-5541 | #57-5339 | #58-5621 | #59-5346 | #60-5408 |
| #61-5422 | #62-5372 | #63-5640 | #64-5284 | #65-5256 | #66-5542 | #67-5592 | #68-5642 | #69-5586 | #70-5286 |
| #71-5371 | #72-5515 | #73-5311 | #74-5700 | #75-5370 | #76-5364 | #77-5410 | #78-5308 | #79-5508 | #80-5697 |
| #81-5636 | #82-5278 | #83-5680 | #84-5506 | #85-5379 | #86-5644 | #87-5352 | #88-5478 | #89-5667 | #90-5653 |
| #91-5382 | #92-5594 | #93-5607 | #94-5529 | #95-5259 | #96-5399 | #97-5334 | #98-5497 | #99-5297 | #100-5275 |

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5278 | #02-5645 | #03-5701 | #04-5293 | #05-5526 | #06-5686 | #07-5582 | #08-5500 | #09-5259 | #10-5570 |
| #11-5680 | #12-5538 | #13-5381 | #14-5687 | #15-5329 | #16-5452 | #17-5721 | #18-5438 | #19-5532 | #20-5429 |
| #21-5357 | #22-5382 | #23-5568 | #24-5481 | #25-5341 | #26-5401 | #27-5633 | #28-5423 | #29-5474 | #30-5345 |
| #31-5540 | #32-5590 | #33-5253 | #34-5651 | #35-5585 | #36-5402 | #37-5600 | #38-5551 | #39-5517 | #40-5335 |
| #41-5632 | #42-5644 | #43-5537 | #44-5638 | #45-5319 | #46-5398 | #47-5297 | #48-5320 | #49-5606 | #50-5413 |
| #51-5592 | #52-5643 | #53-5620 | #54-5327 | #55-5450 | #56-5536 | #57-5434 | #58-5535 | #59-5673 | #60-5326 |
| #61-5510 | #62-5390 | #63-5378 | #64-5285 | #65-5469 | #66-5300 | #67-5370 | #68-5612 | #69-5265 | #70-5344 |
| #71-5449 | #72-5463 | #73-5281 | #74-5586 | #75-5412 | #76-5668 | #77-5354 | #78-5563 | #79-5541 | #80-5698 |
| #81-5657 | #82-5251 | #83-5722 | #84-5334 | #85-5508 | #86-5676 | #87-5313 | #88-5366 | #89-5706 | #90-5386 |
| #91-5555 | #92-5383 | #93-5312 | #94-5498 | #95-5371 | #96-5270 | #97-5261 | #98-5575 | #99-5556 | #100-5379 |

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5525 | #02-5523 | #03-5498 | #04-5443 | #05-5407 | #06-5295 | #07-5588 | #08-5374 | #09-5491 | #10-5431 |
| #11-5360 | #12-5509 | #13-5537 | #14-5541 | #15-5388 | #16-5676 | #17-5293 | #18-5254 | #19-5685 | #20-5348 |
| #21-5307 | #22-5495 | #23-5283 | #24-5682 | #25-5619 | #26-5329 | #27-5693 | #28-5338 | #29-5291 | #30-5648 |
| #31-5342 | #32-5712 | #33-5710 | #34-5568 | #35-5381 | #36-5453 | #37-5473 | #38-5616 | #39-5598 | #40-5462 |
| #41-5337 | #42-5664 | #43-5600 | #44-5276 | #45-5571 | #46-5359 | #47-5420 | #48-5702 | #49-5257 | #50-5614 |
| #51-5458 | #52-5322 | #53-5279 | #54-5489 | #55-5540 | #56-5549 | #57-5327 | #58-5500 | #59-5333 | #60-5372 |
| #61-5524 | #62-5694 | #63-5410 | #64-5660 | #65-5452 | #66-5401 | #67-5380 | #68-5260 | #69-5367 | #70-5620 |
| #71-5482 | #72-5656 | #73-5573 | #74-5483 | #75-5448 | #76-5704 | #77-5596 | #78-5670 | #79-5334 | #80-5347 |
| #81-5502 | #82-5351 | #83-5688 | #84-5657 | #85-5317 | #86-5521 | #87-5385 | #88-5562 | #89-5581 | #90-5282 |
| #91-5436 | #92-5628 | #93-5496 | #94-5601 | #95-5335 | #96-5423 | #97-5692 | #98-5550 | #99-5602 | #100-5391 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 556 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5447 | #02-5679 | #03-5384 | #04-5257 | #05-5609 | #06-5700 | #07-5568 | #08-5604 | #09-5520 | #10-5461 |
| #11-5622 | #12-5254 | #13-5274 | #14-5272 | #15-5448 | #16-5308 | #17-5697 | #18-5334 | #19-5583 | #20-5338 |
| #21-5422 | #22-5511 | #23-5588 | #24-5295 | #25-5278 | #26-5327 | #27-5607 | #28-5362 | #29-5530 | #30-5628 |
| #31-5370 | #32-5456 | #33-5681 | #34-5304 | #35-5540 | #36-5692 | #37-5298 | #38-5341 | #39-5678 | #40-5506 |
| #41-5292 | #42-5369 | #43-5432 | #44-5603 | #45-5473 | #46-5403 | #47-5277 | #48-5451 | #49-5466 | #50-5269 |
| #51-5303 | #52-5418 | #53-5686 | #54-5580 | #55-5623 | #56-5491 | #57-5714 | #58-5557 | #59-5501 | #60-5523 |
| #61-5318 | #62-5632 | #63-5340 | #64-5265 | #65-5471 | #66-5717 | #67-5630 | #68-5556 | #69-5380 | #70-5392 |
| #71-5453 | #72-5400 | #73-5578 | #74-5335 | #75-5329 | #76-5629 | #77-5437 | #78-5280 | #79-5372 | #80-5719 |
| #81-5442 | #82-5716 | #83-5264 | #84-5302 | #85-5536 | #86-5634 | #87-5534 | #88-5505 | #89-5495 | #90-5661 |
| #91-5435 | #92-5675 | #93-5363 | #94-5618 | #95-5276 | #96-5316 | #97-5348 | #98-5430 | #99-5482 | #100-5406 |

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5635 | #02-5351 | #03-5597 | #04-5335 | #05-5415 | #06-5662 | #07-5510 | #08-5643 | #09-5270 | #10-5279 |
| #11-5525 | #12-5638 | #13-5542 | #14-5328 | #15-5580 | #16-5570 | #17-5679 | #18-5590 | #19-5322 | #20-5682 |
| #21-5398 | #22-5618 | #23-5506 | #24-5405 | #25-5323 | #26-5406 | #27-5386 | #28-5346 | #29-5355 | #30-5621 |
| #31-5261 | #32-5397 | #33-5484 | #34-5583 | #35-5391 | #36-5435 | #37-5260 | #38-5548 | #39-5369 | #40-5567 |
| #41-5710 | #42-5268 | #43-5646 | #44-5673 | #45-5450 | #46-5654 | #47-5540 | #48-5420 | #49-5470 | #50-5394 |
| #51-5565 | #52-5698 | #53-5257 | #54-5267 | #55-5442 | #56-5262 | #57-5258 | #58-5526 | #59-5413 | #60-5537 |
| #61-5374 | #62-5377 | #63-5404 | #64-5683 | #65-5661 | #66-5395 | #67-5560 | #68-5380 | #69-5479 | #70-5696 |
| #71-5379 | #72-5452 | #73-5584 | #74-5457 | #75-5477 | #76-5650 | #77-5610 | #78-5421 | #79-5424 | #80-5684 |
| #81-5576 | #82-5589 | #83-5543 | #84-5535 | #85-5360 | #86-5291 | #87-5547 | #88-5456 | #89-5628 | #90-5545 |
| #91-5296 | #92-5695 | #93-5603 | #94-5275 | #95-5634 | #96-5263 | #97-5344 | #98-5468 | #99-5553 | #100-5539 |

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5710 | #02-5389 | #03-5505 | #04-5680 | #05-5488 | #06-5652 | #07-5621 | #08-5571 | #09-5678 | #10-5445 |
| #11-5357 | #12-5537 | #13-5530 | #14-5267 | #15-5569 | #16-5360 | #17-5438 | #18-5399 | #19-5648 | #20-5411 |
| #21-5681 | #22-5636 | #23-5551 | #24-5507 | #25-5691 | #26-5625 | #27-5700 | #28-5464 | #29-5326 | #30-5380 |
| #31-5698 | #32-5559 | #33-5603 | #34-5557 | #35-5395 | #36-5580 | #37-5335 | #38-5309 | #39-5529 | #40-5394 |
| #41-5307 | #42-5591 | #43-5575 | #44-5587 | #45-5316 | #46-5469 | #47-5617 | #48-5418 | #49-5709 | #50-5280 |
| #51-5403 | #52-5679 | #53-5377 | #54-5279 | #55-5323 | #56-5563 | #57-5723 | #58-5714 | #59-5676 | #60-5406 |
| #61-5494 | #62-5314 | #63-5384 | #64-5702 | #65-5651 | #66-5434 | #67-5424 | #68-5504 | #69-5352 | #70-5340 |
| #71-5368 | #72-5266 | #73-5623 | #74-5294 | #75-5701 | #76-5644 | #77-5624 | #78-5333 | #79-5296 | #80-5342 |
| #81-5649 | #82-5268 | #83-5431 | #84-5574 | #85-5484 | #86-5582 | #87-5346 | #88-5446 | #89-5577 | #90-5713 |
| #91-5593 | #92-5511 | #93-5453 | #94-5339 | #95-5542 | #96-5432 | #97-5719 | #98-5454 | #99-5313 | #100-5561 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 557 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5360 | #02-5380 | #03-5278 | #04-5587 | #05-5328 | #06-5339 | #07-5431 | #08-5593 | #09-5402 | #10-5323 |
| #11-5337 | #12-5366 | #13-5520 | #14-5327 | #15-5675 | #16-5591 | #17-5647 | #18-5256 | #19-5618 | #20-5516 |
| #21-5335 | #22-5426 | #23-5439 | #24-5440 | #25-5535 | #26-5588 | #27-5625 | #28-5301 | #29-5612 | #30-5722 |
| #31-5639 | #32-5321 | #33-5443 | #34-5456 | #35-5695 | #36-5503 | #37-5257 | #38-5265 | #39-5708 | #40-5602 |
| #41-5385 | #42-5519 | #43-5423 | #44-5543 | #45-5464 | #46-5482 | #47-5378 | #48-5532 | #49-5646 | #50-5419 |
| #51-5294 | #52-5332 | #53-5576 | #54-5397 | #55-5528 | #56-5567 | #57-5692 | #58-5308 | #59-5514 | #60-5326 |
| #61-5659 | #62-5449 | #63-5608 | #64-5469 | #65-5620 | #66-5393 | #67-5724 | #68-5603 | #69-5400 | #70-5632 |
| #71-5353 | #72-5717 | #73-5374 | #74-5648 | #75-5329 | #76-5325 | #77-5470 | #78-5387 | #79-5713 | #80-5398 |
| #81-5604 | #82-5548 | #83-5616 | #84-5453 | #85-5422 | #86-5544 | #87-5595 | #88-5250 | #89-5344 | #90-5581 |
| #91-5262 | #92-5483 | #93-5389 | #94-5540 | #95-5487 | #96-5656 | #97-5669 | #98-5381 | #99-5508 | #100-5536 |

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5549 | #03-5384 | #04-5434 | #05-5250 | #06-5677 | #07-5522 | #08-5460 | #09-5459 | #10-5589 |
| #11-5321 | #12-5502 | #13-5520 | #14-5430 | #15-5516 | #16-5581 | #17-5329 | #18-5438 | #19-5265 | #20-5676 |
| #21-5622 | #22-5518 | #23-5381 | #24-5415 | #25-5665 | #26-5403 | #27-5654 | #28-5624 | #29-5307 | #30-5304 |
| #31-5659 | #32-5417 | #33-5357 | #34-5642 | #35-5704 | #36-5441 | #37-5409 | #38-5411 | #39-5442 | #40-5297 |
| #41-5605 | #42-5608 | #43-5371 | #44-5397 | #45-5612 | #46-5376 | #47-5359 | #48-5695 | #49-5324 | #50-5264 |
| #51-5480 | #52-5366 | #53-5557 | #54-5638 | #55-5650 | #56-5418 | #57-5694 | #58-5494 | #59-5572 | #60-5273 |
| #61-5405 | #62-5655 | #63-5628 | #64-5394 | #65-5603 | #66-5450 | #67-5325 | #68-5422 | #69-5643 | #70-5720 |
| #71-5692 | #72-5320 | #73-5396 | #74-5708 | #75-5253 | #76-5303 | #77-5276 | #78-5544 | #79-5707 | #80-5289 |
| #81-5428 | #82-5301 | #83-5525 | #84-5440 | #85-5641 | #86-5595 | #87-5274 | #88-5455 | #89-5691 | #90-5467 |
| #91-5508 | #92-5498 | #93-5633 | #94-5620 | #95-5627 | #96-5346 | #97-5485 | #98-5399 | #99-5486 | #100-5503 |

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5434 | #02-5690 | #03-5440 | #04-5545 | #05-5453 | #06-5693 | #07-5420 | #08-5365 | #09-5476 | #10-5577 |
| #11-5594 | #12-5599 | #13-5396 | #14-5301 | #15-5707 | #16-5251 | #17-5375 | #18-5667 | #19-5338 | #20-5534 |
| #21-5430 | #22-5490 | #23-5470 | #24-5560 | #25-5503 | #26-5635 | #27-5284 | #28-5330 | #29-5668 | #30-5627 |
| #31-5288 | #32-5354 | #33-5526 | #34-5563 | #35-5474 | #36-5450 | #37-5300 | #38-5264 | #39-5575 | #40-5715 |
| #41-5655 | #42-5598 | #43-5624 | #44-5487 | #45-5568 | #46-5645 | #47-5344 | #48-5359 | #49-5456 | #50-5398 |
| #51-5340 | #52-5322 | #53-5469 | #54-5605 | #55-5292 | #56-5543 | #57-5659 | #58-5422 | #59-5533 | #60-5674 |
| #61-5555 | #62-5495 | #63-5463 | #64-5482 | #65-5525 | #66-5324 | #67-5371 | #68-5323 | #69-5499 | #70-5580 |
| #71-5500 | #72-5539 | #73-5686 | #74-5604 | #75-5441 | #76-5409 | #77-5573 | #78-5558 | #79-5615 | #80-5454 |
| #81-5619 | #82-5254 | #83-5570 | #84-5258 | #85-5252 | #86-5403 | #87-5432 | #88-5705 | #89-5378 | #90-5617 |
| #91-5412 | #92-5285 | #93-5335 | #94-5565 | #95-5466 | #96-5418 | #97-5643 | #98-5413 | #99-5394 | #100-5467 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5655 | #02-5573 | #03-5699 | #04-5504 | #05-5665 | #06-5480 | #07-5390 | #08-5568 | #09-5477 | #10-5680 |
| #11-5316 | #12-5368 | #13-5718 | #14-5555 | #15-5427 | #16-5317 | #17-5558 | #18-5643 | #19-5475 | #20-5505 |
| #21-5336 | #22-5721 | #23-5279 | #24-5523 | #25-5335 | #26-5540 | #27-5423 | #28-5712 | #29-5451 | #30-5324 |
| #31-5651 | #32-5570 | #33-5582 | #34-5587 | #35-5262 | #36-5554 | #37-5457 | #38-5352 | #39-5622 | #40-5476 |
| #41-5511 | #42-5660 | #43-5588 | #44-5693 | #45-5691 | #46-5330 | #47-5259 | #48-5289 | #49-5350 | #50-5346 |
| #51-5724 | #52-5662 | #53-5614 | #54-5381 | #55-5659 | #56-5544 | #57-5425 | #58-5418 | #59-5375 | #60-5307 |
| #61-5403 | #62-5367 | #63-5278 | #64-5471 | #65-5510 | #66-5542 | #67-5597 | #68-5585 | #69-5357 | #70-5541 |
| #71-5577 | #72-5550 | #73-5311 | #74-5415 | #75-5459 | #76-5414 | #77-5672 | #78-5703 | #79-5652 | #80-5632 |
| #81-5455 | #82-5328 | #83-5260 | #84-5281 | #85-5282 | #86-5702 | #87-5565 | #88-5323 | #89-5393 | #90-5507 |
| #91-5560 | #92-5472 | #93-5431 | #94-5674 | #95-5441 | #96-5416 | #97-5490 | #98-5713 | #99-5432 | #100-5586 |

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5556 | #02-5597 | #03-5378 | #04-5596 | #05-5299 | #06-5640 | #07-5617 | #08-5455 | #09-5266 | #10-5424 |
| #11-5351 | #12-5563 | #13-5542 | #14-5650 | #15-5464 | #16-5587 | #17-5553 | #18-5324 | #19-5564 | #20-5261 |
| #21-5680 | #22-5406 | #23-5529 | #24-5580 | #25-5332 | #26-5662 | #27-5510 | #28-5698 | #29-5506 | #30-5585 |
| #31-5714 | #32-5469 | #33-5546 | #34-5357 | #35-5624 | #36-5456 | #37-5606 | #38-5410 | #39-5708 | #40-5311 |
| #41-5673 | #42-5592 | #43-5377 | #44-5459 | #45-5634 | #46-5614 | #47-5273 | #48-5702 | #49-5554 | #50-5639 |
| #51-5593 | #52-5631 | #53-5400 | #54-5318 | #55-5522 | #56-5514 | #57-5362 | #58-5379 | #59-5644 | #60-5674 |
| #61-5435 | #62-5434 | #63-5276 | #64-5257 | #65-5705 | #66-5392 | #67-5341 | #68-5502 | #69-5313 | #70-5337 |
| #71-5278 | #72-5446 | #73-5371 | #74-5422 | #75-5298 | #76-5486 | #77-5720 | #78-5676 | #79-5647 | #80-5601 |
| #81-5472 | #82-5451 | #83-5473 | #84-5387 | #85-5334 | #86-5621 | #87-5595 | #88-5657 | #89-5643 | #90-5695 |
| #91-5622 | #92-5577 | #93-5429 | #94-5722 | #95-5694 | #96-5573 | #97-5520 | #98-5548 | #99-5340 | #100-5543 |

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5371 | #02-5596 | #03-5401 | #04-5341 | #05-5313 | #06-5617 | #07-5648 | #08-5722 | #09-5483 | #10-5360 |
| #11-5255 | #12-5519 | #13-5708 | #14-5527 | #15-5594 | #16-5621 | #17-5495 | #18-5470 | #19-5570 | #20-5284 |
| #21-5419 | #22-5308 | #23-5549 | #24-5518 | #25-5530 | #26-5488 | #27-5276 | #28-5353 | #29-5377 | #30-5501 |
| #31-5510 | #32-5461 | #33-5632 | #34-5352 | #35-5516 | #36-5658 | #37-5532 | #38-5289 | #39-5354 | #40-5645 |
| #41-5512 | #42-5572 | #43-5347 | #44-5445 | #45-5349 | #46-5677 | #47-5274 | #48-5327 | #49-5494 | #50-5701 |
| #51-5374 | #52-5297 | #53-5607 | #54-5535 | #55-5444 | #56-5379 | #57-5622 | #58-5619 | #59-5356 | #60-5583 |
| #61-5469 | #62-5326 | #63-5424 | #64-5328 | #65-5688 | #66-5689 | #67-5663 | #68-5531 | #69-5655 | #70-5498 |
| #71-5571 | #72-5286 | #73-5671 | #74-5433 | #75-5398 | #76-5292 | #77-5651 | #78-5266 | #79-5484 | #80-5507 |
| #81-5468 | #82-5300 | #83-5720 | #84-5337 | #85-5635 | #86-5456 | #87-5355 | #88-5653 | #89-5288 | #90-5369 |
| #91-5271 | #92-5713 | #93-5309 | #94-5389 | #95-5295 | #96-5600 | #97-5466 | #98-5261 | #99-5660 | #100-5336 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 559 of 585

Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5696 | #02-5467 | #03-5252 | #04-5409 | #05-5453 | #06-5548 | #07-5543 | #08-5385 | #09-5585 | #10-5637 |
| #11-5694 | #12-5575 | #13-5621 | #14-5448 | #15-5472 | #16-5465 | #17-5357 | #18-5568 | #19-5394 | #20-5279 |
| #21-5271 | #22-5629 | #23-5412 | #24-5293 | #25-5284 | #26-5302 | #27-5438 | #28-5632 | #29-5547 | #30-5457 |
| #31-5364 | #32-5617 | #33-5292 | #34-5484 | #35-5533 | #36-5352 | #37-5494 | #38-5624 | #39-5464 | #40-5551 |
| #41-5610 | #42-5411 | #43-5326 | #44-5339 | #45-5538 | #46-5317 | #47-5571 | #48-5378 | #49-5250 | #50-5628 |
| #51-5341 | #52-5682 | #53-5266 | #54-5314 | #55-5304 | #56-5684 | #57-5374 | #58-5400 | #59-5360 | #60-5636 |
| #61-5562 | #62-5377 | #63-5522 | #64-5322 | #65-5689 | #66-5663 | #67-5363 | #68-5588 | #69-5669 | #70-5654 |
| #71-5468 | #72-5336 | #73-5678 | #74-5471 | #75-5710 | #76-5591 | #77-5503 | #78-5546 | #79-5553 | #80-5272 |
| #81-5660 | #82-5276 | #83-5417 | #84-5479 | #85-5393 | #86-5370 | #87-5473 | #88-5354 | #89-5640 | #90-5298 |
| #91-5283 | #92-5528 | #93-5262 | #94-5254 | #95-5719 | #96-5607 | #97-5440 | #98-5612 | #99-5290 | #100-5397 |

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5277 | #02-5537 | #03-5654 | #04-5573 | #05-5693 | #06-5255 | #07-5627 | #08-5414 | #09-5493 | #10-5382 |
| #11-5265 | #12-5548 | #13-5499 | #14-5391 | #15-5507 | #16-5563 | #17-5522 | #18-5434 | #19-5694 | #20-5467 |
| #21-5445 | #22-5550 | #23-5538 | #24-5337 | #25-5435 | #26-5532 | #27-5665 | #28-5466 | #29-5716 | #30-5709 |
| #31-5313 | #32-5659 | #33-5513 | #34-5600 | #35-5632 | #36-5463 | #37-5554 | #38-5568 | #39-5510 | #40-5387 |
| #41-5309 | #42-5586 | #43-5282 | #44-5459 | #45-5278 | #46-5596 | #47-5472 | #48-5406 | #49-5335 | #50-5256 |
| #51-5643 | #52-5547 | #53-5676 | #54-5452 | #55-5724 | #56-5566 | #57-5388 | #58-5410 | #59-5315 | #60-5423 |
| #61-5508 | #62-5319 | #63-5331 | #64-5285 | #65-5624 | #66-5483 | #67-5293 | #68-5258 | #69-5678 | #70-5648 |
| #71-5557 | #72-5250 | #73-5386 | #74-5688 | #75-5280 | #76-5304 | #77-5701 | #78-5504 | #79-5719 | #80-5560 |
| #81-5623 | #82-5307 | #83-5691 | #84-5649 | #85-5430 | #86-5713 | #87-5349 | #88-5321 | #89-5306 | #90-5610 |
| #91-5327 | #92-5438 | #93-5675 | #94-5424 | #95-5379 | #96-5363 | #97-5428 | #98-5397 | #99-5332 | #100-5546 |

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5540 | #02-5488 | #03-5694 | #04-5511 | #05-5411 | #06-5631 | #07-5721 | #08-5416 | #09-5588 | #10-5610 |
| #11-5262 | #12-5315 | #13-5318 | #14-5699 | #15-5302 | #16-5554 | #17-5270 | #18-5497 | #19-5549 | #20-5485 |
| #21-5668 | #22-5500 | #23-5567 | #24-5353 | #25-5527 | #26-5374 | #27-5680 | #28-5412 | #29-5491 | #30-5700 |
| #31-5655 | #32-5394 | #33-5359 | #34-5666 | #35-5494 | #36-5451 | #37-5268 | #38-5442 | #39-5325 | #40-5615 |
| #41-5272 | #42-5426 | #43-5609 | #44-5355 | #45-5404 | #46-5310 | #47-5598 | #48-5377 | #49-5508 | #50-5574 |
| #51-5603 | #52-5289 | #53-5376 | #54-5407 | #55-5507 | #56-5290 | #57-5600 | #58-5425 | #59-5368 | #60-5287 |
| #61-5385 | #62-5648 | #63-5590 | #64-5361 | #65-5544 | #66-5478 | #67-5356 | #68-5410 | #69-5418 | #70-5391 |
| #71-5469 | #72-5421 | #73-5620 | #74-5667 | #75-5285 | #76-5607 | #77-5441 | #78-5330 | #79-5516 | #80-5319 |
| #81-5313 | #82-5367 | #83-5293 | #84-5384 | #85-5660 | #86-5265 | #87-5571 | #88-5324 | #89-5389 | #90-5474 |
| #91-5431 | #92-5538 | #93-5674 | #94-5557 | #95-5380 | #96-5401 | #97-5414 | #98-5550 | #99-5535 | #100-5434 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 560 of 585

Type 5 #1 5521.23 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 20 | 576163 | 79 | 1880 | 1545 | 86841 | 666666 |
| 2 | 1 | 10 | 283035 | 61 | 0 | 0 | 383570 | 666666 |
| 3 | 2 | 12 | 179741 | 69 | 1597 | 0 | 485190 | 666666 |
| 4 | 2 | 8 | 100970 | 57 | 1020 | 0 | 564562 | 666666 |
| 5 | 2 | 19 | 502489 | 93 | 1009 | 0 | 162982 | 666666 |
| 6 | 2 | 12 | 476781 | 68 | 1319 | 0 | 188430 | 666666 |
| 7 | 2 | 9 | 479696 | 80 | 1890 | 0 | 184920 | 666666 |
| 8 | 2 | 13 | 514851 | 50 | 1476 | 0 | 150239 | 666666 |
| 9 | 1 | 7 | 61205 | 54 | 0 | 0 | 605407 | 666666 |
| 10 | 3 | 19 | 175215 | 78 | 1359 | 1673 | 488185 | 666666 |
| 11 | 3 | 17 | 8996 | 88 | 1214 | 1192 | 655000 | 666666 |
| 12 | 3 | 6 | 361242 | 98 | 1067 | 1513 | 302550 | 666666 |
| 13 | 3 | 6 | 388881 | 81 | 1956 | 1098 | 274488 | 666666 |
| 14 | 3 | 13 | 163334 | 85 | 1592 | 1761 | 499724 | 666666 |
| 15 | 3 | 16 | 125267 | 78 | 1809 | 1302 | 538054 | 666666 |
| 16 | 2 | 17 | 578706 | 100 | 1055 | 0 | 86705 | 666666 |
| 17 | 2 | 6 | 470814 | 90 | 1698 | 0 | 193974 | 666666 |
| 18 | 3 | 12 | 471557 | 53 | 1408 | 1260 | 192282 | 666666 |

Type 5 #2 5512.55 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 362777 | 50 | 1468 | 0 | 835655 | 1200000 |
| 2 | 2 | 16 | 4291 | 99 | 1255 | 0 | 1194256 | 1200000 |
| 3 | 2 | 15 | 1040382 | 66 | 1297 | 0 | 158189 | 1200000 |
| 4 | 2 | 12 | 911191 | 97 | 1517 | 0 | 287098 | 1200000 |
| 5 | 3 | 12 | 1064274 | 88 | 1153 | 1024 | 133285 | 1200000 |
| 6 | 1 | 12 | 185064 | 91 | 0 | 0 | 1014845 | 1200000 |
| 7 | 2 | 7 | 236739 | 100 | 1376 | 0 | 961685 | 1200000 |
| 8 | 3 | 16 | 975499 | 78 | 1286 | 1512 | 221469 | 1200000 |
| 9 | 1 | 14 | 311115 | 81 | 0 | 0 | 888804 | 1200000 |
| 10 | 3 | 11 | 601576 | 53 | 1021 | 1420 | 595824 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 561 of 585

Type 5 #3 5501.03 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 10 | 357372 | 98 | 1769 | 1526 | 239039 | 600000 |
| 2 | 2 | 10 | 180066 | 71 | 1154 | 0 | 418638 | 600000 |
| 3 | 1 | 13 | 78036 | 83 | 0 | 0 | 521881 | 600000 |
| 4 | 1 | 6 | 57289 | 55 | 0 | 0 | 542656 | 600000 |
| 5 | 1 | 5 | 567206 | 59 | 0 | 0 | 32735 | 600000 |
| 6 | 2 | 19 | 160286 | 56 | 1894 | 0 | 437708 | 600000 |
| 7 | 3 | 17 | 253063 | 88 | 1028 | 1652 | 343993 | 600000 |
| 8 | 1 | 5 | 257413 | 62 | 0 | 0 | 342525 | 600000 |
| 9 | 1 | 9 | 523098 | 98 | 0 | 0 | 76804 | 600000 |
| 10 | 1 | 5 | 308333 | 83 | 0 | 0 | 291584 | 600000 |
| 11 | 3 | 15 | 564428 | 85 | 1798 | 1312 | 32207 | 600000 |
| 12 | 1 | 16 | 443190 | 64 | 0 | 0 | 156746 | 600000 |
| 13 | 1 | 15 | 369643 | 89 | 0 | 0 | 230268 | 600000 |
| 14 | 3 | 14 | 162569 | 58 | 1562 | 1361 | 434334 | 600000 |
| 15 | 2 | 10 | 125431 | 61 | 1894 | 0 | 472553 | 600000 |
| 16 | 3 | 7 | 483028 | 91 | 1937 | 1321 | 113441 | 600000 |
| 17 | 1 | 14 | 587360 | 77 | 0 | 0 | 12563 | 600000 |
| 18 | 1 | 5 | 266215 | 82 | 0 | 0 | 333703 | 600000 |
| 19 | 3 | 10 | 138620 | 85 | 1688 | 1503 | 457934 | 600000 |
| 20 | 1 | 15 | 146991 | 90 | 0 | 0 | 452919 | 600000 |

Type 5 #4 5527.58 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 9 | 976617 | 82 | 0 | 0 | 356634 | 1333333 |
| 2 | 1 | 11 | 977937 | 85 | 0 | 0 | 355311 | 1333333 |
| 3 | 2 | 7 | 468762 | 82 | 1180 | 0 | 863227 | 1333333 |
| 4 | 2 | 16 | 14244 | 97 | 1230 | 0 | 1317665 | 1333333 |
| 5 | 2 | 13 | 156952 | 76 | 1553 | 0 | 1174676 | 1333333 |
| 6 | 2 | 6 | 1081252 | 79 | 1539 | 0 | 250384 | 1333333 |
| 7 | 2 | 18 | 1198942 | 97 | 1157 | 0 | 133040 | 1333333 |
| 8 | 3 | 7 | 740303 | 51 | 1985 | 1812 | 589080 | 1333333 |
| 9 | 1 | 19 | 592102 | 91 | 0 | 0 | 741140 | 1333333 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 562 of 585

Type 5 #5 5498.03 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 5 | 340101 | 76 | 1273 | 1575 | 323489 | 666666 |
| 2 | 1 | 5 | 487773 | 90 | 0 | 0 | 178803 | 666666 |
| 3 | 2 | 13 | 108713 | 87 | 1787 | 0 | 555992 | 666666 |
| 4 | 3 | 14 | 509529 | 58 | 1072 | 1656 | 154235 | 666666 |
| 5 | 3 | 13 | 487662 | 64 | 1381 | 1753 | 175678 | 666666 |
| 6 | 2 | 10 | 415987 | 73 | 1708 | 0 | 248825 | 666666 |
| 7 | 1 | 17 | 30287 | 66 | 0 | 0 | 636313 | 666666 |
| 8 | 1 | 8 | 98873 | 63 | 0 | 0 | 567730 | 666666 |
| 9 | 3 | 7 | 198969 | 54 | 1168 | 1263 | 465104 | 666666 |
| 10 | 2 | 15 | 73873 | 60 | 1577 | 0 | 591096 | 666666 |
| 11 | 1 | 17 | 23063 | 92 | 0 | 0 | 643511 | 666666 |
| 12 | 3 | 12 | 515206 | 62 | 1892 | 1822 | 147560 | 666666 |
| 13 | 2 | 15 | 628247 | 66 | 1024 | 0 | 37263 | 666666 |
| 14 | 2 | 20 | 603221 | 60 | 1118 | 0 | 62207 | 666666 |
| 15 | 3 | 19 | 555302 | 67 | 1770 | 1680 | 107713 | 666666 |
| 16 | 1 | 6 | 61097 | 63 | 0 | 0 | 605506 | 666666 |
| 17 | 2 | 19 | 316996 | 89 | 1250 | 0 | 348242 | 666666 |
| 18 | 3 | 9 | 385267 | 66 | 1075 | 1802 | 278324 | 666666 |

Type 5 #6 5528.85 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 489981 | 68 | 1756 | 0 | 508127 | 1000000 |
| 2 | 1 | 15 | 460915 | 66 | 0 | 0 | 539019 | 1000000 |
| 3 | 1 | 15 | 212510 | 77 | 0 | 0 | 787413 | 1000000 |
| 4 | 3 | 5 | 131910 | 96 | 1355 | 1891 | 864556 | 1000000 |
| 5 | 1 | 16 | 240366 | 91 | 0 | 0 | 759543 | 1000000 |
| 6 | 3 | 11 | 304284 | 73 | 1548 | 1153 | 692796 | 1000000 |
| 7 | 3 | 10 | 918535 | 96 | 1326 | 1525 | 78326 | 1000000 |
| 8 | 2 | 19 | 965695 | 76 | 1346 | 0 | 32807 | 1000000 |
| 9 | 3 | 15 | 205733 | 70 | 1321 | 1241 | 791495 | 1000000 |
| 10 | 1 | 19 | 301613 | 79 | 0 | 0 | 698308 | 1000000 |
| 11 | 3 | 15 | 683135 | 59 | 1344 | 1563 | 313781 | 1000000 |
| 12 | 1 | 9 | 88998 | 70 | 0 | 0 | 910932 | 1000000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 563 of 585

Type 5 #7 5508.46 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 13 | 246884 | 68 | 0 | 0 | 553048 | 800000 |
| 2 | 1 | 16 | 778121 | 67 | 0 | 0 | 21812 | 800000 |
| 3 | 2 | 11 | 131907 | 75 | 1545 | 0 | 666398 | 800000 |
| 4 | 1 | 6 | 735247 | 70 | 0 | 0 | 64683 | 800000 |
| 5 | 2 | 10 | 218431 | 62 | 1966 | 0 | 579479 | 800000 |
| 6 | 1 | 16 | 517667 | 100 | 0 | 0 | 282233 | 800000 |
| 7 | 3 | 8 | 496094 | 99 | 1423 | 1112 | 301074 | 800000 |
| 8 | 1 | 17 | 30449 | 68 | 0 | 0 | 769483 | 800000 |
| 9 | 1 | 5 | 689351 | 50 | 0 | 0 | 110599 | 800000 |
| 10 | 2 | 13 | 394406 | 81 | 1796 | 0 | 403636 | 800000 |
| 11 | 2 | 5 | 467759 | 75 | 1159 | 0 | 330932 | 800000 |
| 12 | 1 | 5 | 579943 | 89 | 0 | 0 | 219968 | 800000 |
| 13 | 2 | 10 | 467637 | 95 | 1549 | 0 | 330624 | 800000 |
| 14 | 2 | 16 | 745995 | 68 | 1737 | 0 | 52132 | 800000 |
| 15 | 2 | 9 | 422129 | 91 | 1795 | 0 | 375894 | 800000 |

Type 5 #8 5503.91 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 14 | 387060 | 96 | 0 | 0 | 612844 | 1000000 |
| 2 | 1 | 17 | 207694 | 68 | 0 | 0 | 792238 | 1000000 |
| 3 | 2 | 7 | 800392 | 54 | 1939 | 0 | 197561 | 1000000 |
| 4 | 2 | 10 | 531719 | 60 | 1570 | 0 | 466591 | 1000000 |
| 5 | 3 | 15 | 459426 | 94 | 1540 | 1427 | 537325 | 1000000 |
| 6 | 2 | 18 | 401870 | 81 | 1588 | 0 | 596380 | 1000000 |
| 7 | 3 | 16 | 572691 | 68 | 1515 | 1794 | 423796 | 1000000 |
| 8 | 1 | 15 | 711092 | 59 | 0 | 0 | 288849 | 1000000 |
| 9 | 1 | 7 | 50418 | 57 | 0 | 0 | 949525 | 1000000 |
| 10 | 2 | 11 | 85854 | 71 | 1925 | 0 | 912079 | 1000000 |
| 11 | 3 | 8 | 647852 | 53 | 1754 | 1055 | 349180 | 1000000 |
| 12 | 3 | 12 | 388685 | 74 | 1128 | 1888 | 608077 | 1000000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 564 of 585

Type 5 #9 5514.36 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 625689 | 91 | 0 | 0 | 231362 | 857142 |
| 2 | 2 | 5 | 775834 | 71 | 1075 | 0 | 80091 | 857142 |
| 3 | 1 | 18 | 397045 | 96 | 0 | 0 | 460001 | 857142 |
| 4 | 3 | 12 | 64564 | 76 | 1924 | 1037 | 789389 | 857142 |
| 5 | 3 | 18 | 511370 | 90 | 1338 | 1445 | 342719 | 857142 |
| 6 | 2 | 6 | 706248 | 94 | 1103 | 0 | 149603 | 857142 |
| 7 | 1 | 10 | 679868 | 89 | 0 | 0 | 177185 | 857142 |
| 8 | 3 | 8 | 853100 | 67 | 1773 | 1990 | 78 | 857142 |
| 9 | 3 | 18 | 796308 | 50 | 1931 | 1334 | 57419 | 857142 |
| 10 | 2 | 7 | 475134 | 96 | 1983 | 0 | 379833 | 857142 |
| 11 | 1 | 16 | 596080 | 91 | 0 | 0 | 260971 | 857142 |
| 12 | 1 | 10 | 112548 | 73 | 0 | 0 | 744521 | 857142 |
| 13 | 3 | 19 | 57202 | 78 | 1973 | 1081 | 796652 | 857142 |
| 14 | 1 | 15 | 653369 | 75 | 0 | 0 | 203698 | 857142 |

Type 5 #10 5524.20 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 5 | 90834 | 57 | 0 | 0 | 1109109 | 1200000 |
| 2 | 3 | 5 | 797333 | 89 | 1407 | 1111 | 399882 | 1200000 |
| 3 | 1 | 19 | 145106 | 98 | 0 | 0 | 1054796 | 1200000 |
| 4 | 1 | 20 | 757152 | 99 | 0 | 0 | 442749 | 1200000 |
| 5 | 1 | 19 | 1041666 | 84 | 0 | 0 | 158250 | 1200000 |
| 6 | 2 | 12 | 45173 | 60 | 1009 | 0 | 1153698 | 1200000 |
| 7 | 3 | 8 | 177862 | 94 | 1432 | 1923 | 1018501 | 1200000 |
| 8 | 1 | 11 | 50690 | 87 | 0 | 0 | 1149223 | 1200000 |
| 9 | 3 | 19 | 307874 | 96 | 1252 | 1060 | 889526 | 1200000 |
| 10 | 2 | 14 | 1020092 | 86 | 1985 | 0 | 177751 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 565 of 585

Type 5 #11 5521.73 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 18 | 381466 | 58 | 0 | 0 | 285142 | 666666 |
| 2 | 1 | 11 | 339818 | 64 | 0 | 0 | 326784 | 666666 |
| 3 | 3 | 17 | 360438 | 82 | 1739 | 1311 | 302932 | 666666 |
| 4 | 3 | 7 | 259257 | 61 | 1806 | 1907 | 403513 | 666666 |
| 5 | 3 | 8 | 281516 | 97 | 1725 | 1179 | 381955 | 666666 |
| 6 | 3 | 7 | 16768 | 81 | 1490 | 1836 | 646329 | 666666 |
| 7 | 1 | 17 | 29479 | 97 | 0 | 0 | 637090 | 666666 |
| 8 | 2 | 6 | 229548 | 67 | 1740 | 0 | 435244 | 666666 |
| 9 | 3 | 6 | 624837 | 60 | 1132 | 1179 | 39338 | 666666 |
| 10 | 2 | 8 | 531855 | 67 | 1580 | 0 | 133097 | 666666 |
| 11 | 1 | 20 | 104340 | 73 | 0 | 0 | 562253 | 666666 |
| 12 | 3 | 11 | 513108 | 57 | 1661 | 1451 | 150275 | 666666 |
| 13 | 2 | 17 | 367672 | 67 | 1749 | 0 | 297111 | 666666 |
| 14 | 2 | 18 | 524345 | 89 | 1671 | 0 | 140472 | 666666 |
| 15 | 3 | 5 | 84343 | 58 | 1971 | 1731 | 578447 | 666666 |
| 16 | 2 | 12 | 171986 | 100 | 1309 | 0 | 493171 | 666666 |
| 17 | 3 | 5 | 647532 | 96 | 1948 | 1726 | 15172 | 666666 |
| 18 | 2 | 11 | 267005 | 55 | 1957 | 0 | 397594 | 666666 |

Type 5 #12 5516.90 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 417659 | 78 | 1303 | 0 | 671791 | 1090909 |
| 2 | 2 | 16 | 611504 | 78 | 1492 | 0 | 477757 | 1090909 |
| 3 | 3 | 19 | 462977 | 52 | 1414 | 1977 | 624385 | 1090909 |
| 4 | 3 | 11 | 560402 | 78 | 1177 | 1142 | 527954 | 1090909 |
| 5 | 2 | 17 | 901046 | 72 | 1801 | 0 | 187918 | 1090909 |
| 6 | 2 | 16 | 906204 | 57 | 1252 | 0 | 183339 | 1090909 |
| 7 | 2 | 12 | 954101 | 94 | 1409 | 0 | 135211 | 1090909 |
| 8 | 3 | 10 | 833467 | 60 | 1931 | 1562 | 253769 | 1090909 |
| 9 | 2 | 20 | 339003 | 56 | 1037 | 0 | 750757 | 1090909 |
| 10 | 1 | 9 | 944135 | 59 | 0 | 0 | 146715 | 1090909 |
| 11 | 2 | 7 | 187178 | 61 | 1056 | 0 | 902553 | 1090909 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 566 of 585

Type 5 #13 5520.31 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 546606 | 79 | 1142 | 0 | 375170 | 923076 |
| 2 | 3 | 20 | 865384 | 65 | 1717 | 1032 | 54748 | 923076 |
| 3 | 2 | 20 | 18927 | 78 | 1344 | 0 | 902649 | 923076 |
| 4 | 1 | 16 | 5879 | 79 | 0 | 0 | 917118 | 923076 |
| 5 | 1 | 17 | 476587 | 90 | 0 | 0 | 446399 | 923076 |
| 6 | 2 | 12 | 247300 | 99 | 1386 | 0 | 674192 | 923076 |
| 7 | 1 | 11 | 219096 | 87 | 0 | 0 | 703893 | 923076 |
| 8 | 2 | 15 | 726111 | 64 | 1574 | 0 | 195263 | 923076 |
| 9 | 3 | 6 | 4023 | 51 | 1159 | 1261 | 916480 | 923076 |
| 10 | 2 | 15 | 480560 | 72 | 1323 | 0 | 441049 | 923076 |
| 11 | 2 | 14 | 152424 | 99 | 1308 | 0 | 769146 | 923076 |
| 12 | 1 | 18 | 260909 | 88 | 0 | 0 | 662079 | 923076 |
| 13 | 3 | 9 | 552261 | 82 | 1923 | 1691 | 366955 | 923076 |

Type 5 #14 5507.83 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 781493 | 66 | 1697 | 0 | 307587 | 1090909 |
| 2 | 2 | 14 | 1015763 | 73 | 1724 | 0 | 73276 | 1090909 |
| 3 | 1 | 17 | 159014 | 76 | 0 | 0 | 931819 | 1090909 |
| 4 | 3 | 6 | 151899 | 66 | 1866 | 1726 | 935220 | 1090909 |
| 5 | 1 | 6 | 394570 | 55 | 0 | 0 | 696284 | 1090909 |
| 6 | 2 | 9 | 369451 | 91 | 1055 | 0 | 720221 | 1090909 |
| 7 | 3 | 12 | 921251 | 57 | 1660 | 1703 | 166124 | 1090909 |
| 8 | 1 | 15 | 876880 | 78 | 0 | 0 | 213951 | 1090909 |
| 9 | 1 | 20 | 637727 | 76 | 0 | 0 | 453106 | 1090909 |
| 10 | 1 | 8 | 63889 | 97 | 0 | 0 | 1026923 | 1090909 |
| 11 | 1 | 9 | 190568 | 88 | 0 | 0 | 900253 | 1090909 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 567 of 585

Type 5 #15 5516.07 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 7 | 1091422 | 73 | 1415 | 1258 | 405686 | 1500000 |
| 2 | 1 | 7 | 605124 | 96 | 0 | 0 | 894780 | 1500000 |
| 3 | 1 | 17 | 1037742 | 100 | 0 | 0 | 462158 | 1500000 |
| 4 | 3 | 9 | 742890 | 52 | 1874 | 1772 | 753308 | 1500000 |
| 5 | 1 | 14 | 310173 | 82 | 0 | 0 | 1189745 | 1500000 |
| 6 | 2 | 11 | 1123467 | 92 | 1297 | 0 | 375052 | 1500000 |
| 7 | 1 | 5 | 828822 | 65 | 0 | 0 | 671113 | 1500000 |
| 8 | 1 | 8 | 847160 | 75 | 0 | 0 | 652765 | 1500000 |

Type 5 #16 5527.18 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 12 | 104830 | 91 | 1895 | 1942 | 814136 | 923076 |
| 2 | 3 | 12 | 1471 | 79 | 1245 | 1369 | 918754 | 923076 |
| 3 | 3 | 13 | 309291 | 94 | 1678 | 1997 | 609828 | 923076 |
| 4 | 3 | 19 | 800497 | 97 | 1419 | 1305 | 119564 | 923076 |
| 5 | 1 | 6 | 222287 | 50 | 0 | 0 | 700739 | 923076 |
| 6 | 2 | 8 | 453409 | 85 | 1664 | 0 | 467833 | 923076 |
| 7 | 3 | 20 | 633450 | 51 | 1038 | 1166 | 287269 | 923076 |
| 8 | 2 | 19 | 164467 | 76 | 1388 | 0 | 757069 | 923076 |
| 9 | 3 | 10 | 804351 | 88 | 1419 | 1493 | 115549 | 923076 |
| 10 | 1 | 10 | 584941 | 58 | 0 | 0 | 338077 | 923076 |
| 11 | 2 | 13 | 677203 | 71 | 1588 | 0 | 244143 | 923076 |
| 12 | 3 | 12 | 51638 | 50 | 1143 | 1763 | 868382 | 923076 |
| 13 | 3 | 20 | 588363 | 75 | 1852 | 1587 | 331049 | 923076 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 568 of 585

Type 5 #17 5505.90 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 11 | 20216 | 66 | 1955 | 0 | 644363 | 666666 |
| 2 | 1 | 11 | 456293 | 98 | 0 | 0 | 210275 | 666666 |
| 3 | 3 | 14 | 201409 | 88 | 1591 | 1023 | 462379 | 666666 |
| 4 | 3 | 14 | 286473 | 66 | 1434 | 1450 | 377111 | 666666 |
| 5 | 3 | 6 | 81116 | 75 | 1793 | 1626 | 581906 | 666666 |
| 6 | 1 | 10 | 378042 | 62 | 0 | 0 | 288562 | 666666 |
| 7 | 3 | 9 | 148423 | 61 | 1517 | 1029 | 515514 | 666666 |
| 8 | 2 | 11 | 215134 | 70 | 1647 | 0 | 449745 | 666666 |
| 9 | 1 | 16 | 382656 | 66 | 0 | 0 | 283944 | 666666 |
| 10 | 1 | 11 | 433956 | 51 | 0 | 0 | 232659 | 666666 |
| 11 | 2 | 7 | 264687 | 62 | 1190 | 0 | 400665 | 666666 |
| 12 | 3 | 10 | 2693 | 92 | 1162 | 1405 | 661130 | 666666 |
| 13 | 3 | 10 | 222476 | 58 | 1116 | 1842 | 441058 | 666666 |
| 14 | 1 | 9 | 423216 | 75 | 0 | 0 | 243375 | 666666 |
| 15 | 3 | 5 | 326078 | 60 | 1803 | 1108 | 337497 | 666666 |
| 16 | 1 | 8 | 302864 | 69 | 0 | 0 | 363733 | 666666 |
| 17 | 1 | 14 | 464144 | 91 | 0 | 0 | 202431 | 666666 |
| 18 | 1 | 5 | 579827 | 88 | 0 | 0 | 86751 | 666666 |

Type 5 #18 5526.96 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 11 | 743201 | 95 | 0 | 0 | 6704 | 750000 |
| 2 | 2 | 7 | 157622 | 97 | 1916 | 0 | 590268 | 750000 |
| 3 | 3 | 18 | 12022 | 62 | 1526 | 1127 | 735139 | 750000 |
| 4 | 3 | 6 | 306111 | 52 | 1387 | 1289 | 441057 | 750000 |
| 5 | 2 | 20 | 683610 | 98 | 1951 | 0 | 64243 | 750000 |
| 6 | 3 | 15 | 217147 | 79 | 1799 | 1089 | 529728 | 750000 |
| 7 | 2 | 6 | 234973 | 95 | 1746 | 0 | 513091 | 750000 |
| 8 | 1 | 18 | 717913 | 83 | 0 | 0 | 32004 | 750000 |
| 9 | 2 | 13 | 453465 | 98 | 1980 | 0 | 294359 | 750000 |
| 10 | 2 | 14 | 206643 | 85 | 1787 | 0 | 541400 | 750000 |
| 11 | 2 | 14 | 398236 | 83 | 1206 | 0 | 350392 | 750000 |
| 12 | 3 | 5 | 422782 | 74 | 1472 | 1034 | 324490 | 750000 |
| 13 | 1 | 17 | 710941 | 71 | 0 | 0 | 38988 | 750000 |
| 14 | 2 | 5 | 445732 | 82 | 1270 | 0 | 302834 | 750000 |
| 15 | 3 | 13 | 526464 | 73 | 1332 | 1834 | 220151 | 750000 |
| 16 | 2 | 10 | 150425 | 99 | 1350 | 0 | 598027 | 750000 |

Type 5 #19 5513.88 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------|

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 569 of 585

| | | | | | | | | Length usec |
|---|---|----|---------|----|------|------|---------|-------------|
| 1 | 3 | 12 | 1023030 | 76 | 1633 | 1874 | 473235 | 1500000 |
| 2 | 2 | 18 | 278962 | 91 | 1175 | 0 | 1219681 | 1500000 |
| 3 | 3 | 9 | 47010 | 69 | 1547 | 1758 | 1449478 | 1500000 |
| 4 | 1 | 15 | 451809 | 97 | 0 | 0 | 1048094 | 1500000 |
| 5 | 1 | 8 | 217139 | 72 | 0 | 0 | 1282789 | 1500000 |
| 6 | 1 | 18 | 751448 | 69 | 0 | 0 | 748483 | 1500000 |
| 7 | 2 | 6 | 827404 | 85 | 1833 | 0 | 670593 | 1500000 |
| 8 | 2 | 10 | 780558 | 95 | 1315 | 0 | 717937 | 1500000 |

Type 5 #20 5509.63 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 17 | 158760 | 73 | 1650 | 0 | 439444 | 600000 |
| 2 | 3 | 13 | 557288 | 97 | 1158 | 1675 | 39588 | 600000 |
| 3 | 1 | 13 | 427271 | 71 | 0 | 0 | 172658 | 600000 |
| 4 | 2 | 9 | 374376 | 53 | 1488 | 0 | 224030 | 600000 |
| 5 | 1 | 9 | 192199 | 86 | 0 | 0 | 407715 | 600000 |
| 6 | 2 | 5 | 533165 | 53 | 1840 | 0 | 64889 | 600000 |
| 7 | 2 | 16 | 584016 | 72 | 1691 | 0 | 14149 | 600000 |
| 8 | 1 | 11 | 480358 | 92 | 0 | 0 | 119550 | 600000 |
| 9 | 3 | 9 | 492569 | 74 | 1844 | 1669 | 103696 | 600000 |
| 10 | 2 | 16 | 502880 | 78 | 1276 | 0 | 95688 | 600000 |
| 11 | 3 | 6 | 382092 | 91 | 1827 | 1896 | 213912 | 600000 |
| 12 | 3 | 12 | 398120 | 57 | 1171 | 1201 | 199337 | 600000 |
| 13 | 1 | 13 | 141980 | 82 | 0 | 0 | 457938 | 600000 |
| 14 | 1 | 12 | 249915 | 72 | 0 | 0 | 350013 | 600000 |
| 15 | 3 | 9 | 190352 | 62 | 1329 | 1016 | 407117 | 600000 |
| 16 | 2 | 12 | 546515 | 52 | 1740 | 0 | 51641 | 600000 |
| 17 | 2 | 20 | 502160 | 87 | 1144 | 0 | 96522 | 600000 |
| 18 | 2 | 17 | 212341 | 95 | 1335 | 0 | 386134 | 600000 |
| 19 | 3 | 15 | 122480 | 100 | 1725 | 1806 | 473689 | 600000 |
| 20 | 1 | 14 | 217991 | 58 | 0 | 0 | 381951 | 600000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 570 of 585

Type 5 #21 5505.70 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 20 | 681933 | 93 | 0 | 0 | 651307 | 1333333 |
| 2 | 2 | 17 | 232113 | 87 | 1577 | 0 | 1099469 | 1333333 |
| 3 | 3 | 16 | 1244697 | 83 | 1257 | 1837 | 85293 | 1333333 |
| 4 | 1 | 15 | 1150283 | 75 | 0 | 0 | 182975 | 1333333 |
| 5 | 1 | 6 | 82356 | 82 | 0 | 0 | 1250895 | 1333333 |
| 6 | 1 | 15 | 805019 | 62 | 0 | 0 | 528252 | 1333333 |
| 7 | 1 | 9 | 1178018 | 55 | 0 | 0 | 155260 | 1333333 |
| 8 | 3 | 17 | 37313 | 69 | 1109 | 1871 | 1292833 | 1333333 |
| 9 | 2 | 15 | 291995 | 64 | 1079 | 0 | 1040131 | 1333333 |

Type 5 #22 5499.83 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 9 | 1064948 | 51 | 1372 | 0 | 133578 | 1200000 |
| 2 | 3 | 16 | 42613 | 55 | 1504 | 1727 | 1153991 | 1200000 |
| 3 | 2 | 17 | 318648 | 57 | 1798 | 0 | 879440 | 1200000 |
| 4 | 3 | 14 | 1018395 | 56 | 1463 | 1915 | 178059 | 1200000 |
| 5 | 3 | 12 | 89119 | 66 | 1727 | 1065 | 1107891 | 1200000 |
| 6 | 3 | 8 | 1136315 | 68 | 1248 | 1426 | 60807 | 1200000 |
| 7 | 2 | 20 | 857304 | 57 | 1270 | 0 | 341312 | 1200000 |
| 8 | 2 | 13 | 202667 | 50 | 1379 | 0 | 995854 | 1200000 |
| 9 | 2 | 20 | 275601 | 65 | 1072 | 0 | 923197 | 1200000 |
| 10 | 2 | 13 | 905581 | 69 | 1481 | 0 | 292800 | 1200000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 571 of 585

Type 5 #23 5510.31 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 20 | 874702 | 63 | 1904 | 1162 | 212952 | 1090909 |
| 2 | 1 | 7 | 548001 | 93 | 0 | 0 | 542815 | 1090909 |
| 3 | 3 | 8 | 337183 | 52 | 1356 | 1660 | 750554 | 1090909 |
| 4 | 2 | 9 | 401451 | 71 | 1453 | 0 | 687863 | 1090909 |
| 5 | 2 | 20 | 829493 | 80 | 1158 | 0 | 260098 | 1090909 |
| 6 | 3 | 12 | 834564 | 93 | 1986 | 1718 | 252362 | 1090909 |
| 7 | 3 | 15 | 398378 | 85 | 1870 | 1991 | 688415 | 1090909 |
| 8 | 2 | 20 | 267950 | 77 | 1692 | 0 | 821113 | 1090909 |
| 9 | 3 | 9 | 619756 | 78 | 1770 | 1717 | 467432 | 1090909 |
| 10 | 1 | 6 | 244149 | 88 | 0 | 0 | 846672 | 1090909 |
| 11 | 1 | 9 | 732848 | 94 | 0 | 0 | 357967 | 1090909 |

Type 5 #24 5529.34 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 17 | 88286 | 70 | 1184 | 1361 | 508959 | 600000 |
| 2 | 3 | 11 | 471482 | 50 | 1493 | 1684 | 125191 | 600000 |
| 3 | 1 | 18 | 431297 | 63 | 0 | 0 | 168640 | 600000 |
| 4 | 2 | 8 | 257080 | 84 | 1931 | 0 | 340821 | 600000 |
| 5 | 3 | 9 | 140505 | 100 | 1274 | 1436 | 456485 | 600000 |
| 6 | 2 | 10 | 224771 | 77 | 1825 | 0 | 373250 | 600000 |
| 7 | 1 | 14 | 91706 | 50 | 0 | 0 | 508244 | 600000 |
| 8 | 3 | 10 | 318742 | 90 | 1098 | 1882 | 278008 | 600000 |
| 9 | 3 | 5 | 286681 | 64 | 1780 | 1738 | 309609 | 600000 |
| 10 | 1 | 18 | 120857 | 75 | 0 | 0 | 479068 | 600000 |
| 11 | 1 | 13 | 505835 | 87 | 0 | 0 | 94078 | 600000 |
| 12 | 2 | 19 | 545583 | 77 | 1925 | 0 | 52338 | 600000 |
| 13 | 1 | 5 | 400636 | 74 | 0 | 0 | 199290 | 600000 |
| 14 | 1 | 9 | 388614 | 80 | 0 | 0 | 211306 | 600000 |
| 15 | 3 | 15 | 28847 | 100 | 1345 | 1127 | 568381 | 600000 |
| 16 | 3 | 16 | 417248 | 51 | 1243 | 1495 | 179861 | 600000 |
| 17 | 3 | 5 | 181880 | 70 | 1537 | 1623 | 414750 | 600000 |
| 18 | 2 | 17 | 113787 | 73 | 1744 | 0 | 484323 | 600000 |
| 19 | 3 | 7 | 511353 | 70 | 1724 | 1058 | 85655 | 600000 |
| 20 | 2 | 8 | 498467 | 86 | 1427 | 0 | 99934 | 600000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 572 of 585

Type 5 #25 5497.22 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 18 | 592947 | 58 | 1944 | 0 | 262135 | 857142 |
| 2 | 2 | 16 | 354937 | 91 | 1293 | 0 | 500730 | 857142 |
| 3 | 1 | 17 | 373971 | 58 | 0 | 0 | 483113 | 857142 |
| 4 | 2 | 5 | 730261 | 52 | 1136 | 0 | 125641 | 857142 |
| 5 | 3 | 17 | 803606 | 99 | 1786 | 1938 | 49515 | 857142 |
| 6 | 1 | 7 | 88758 | 92 | 0 | 0 | 768292 | 857142 |
| 7 | 2 | 9 | 754393 | 65 | 1922 | 0 | 100697 | 857142 |
| 8 | 2 | 17 | 652555 | 69 | 1361 | 0 | 203088 | 857142 |
| 9 | 3 | 5 | 154991 | 99 | 1898 | 1474 | 698482 | 857142 |
| 10 | 1 | 14 | 323387 | 99 | 0 | 0 | 533656 | 857142 |
| 11 | 2 | 5 | 824173 | 86 | 1574 | 0 | 31223 | 857142 |
| 12 | 2 | 10 | 1150 | 86 | 1919 | 0 | 853901 | 857142 |
| 13 | 2 | 15 | 662864 | 91 | 1593 | 0 | 192503 | 857142 |
| 14 | 1 | 8 | 750873 | 98 | 0 | 0 | 106171 | 857142 |

Type 5 #26 5498.40 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 1 | 15 | 235950 | 64 | 0 | 0 | 395564 | 631578 |
| 2 | 1 | 19 | 571559 | 96 | 0 | 0 | 59923 | 631578 |
| 3 | 1 | 19 | 226640 | 88 | 0 | 0 | 404850 | 631578 |
| 4 | 1 | 13 | 502236 | 90 | 0 | 0 | 129252 | 631578 |
| 5 | 1 | 20 | 209437 | 85 | 0 | 0 | 422056 | 631578 |
| 6 | 3 | 18 | 617577 | 50 | 1360 | 1394 | 11097 | 631578 |
| 7 | 1 | 6 | 231038 | 73 | 0 | 0 | 400467 | 631578 |
| 8 | 1 | 6 | 450302 | 90 | 0 | 0 | 181186 | 631578 |
| 9 | 1 | 6 | 427923 | 64 | 0 | 0 | 203591 | 631578 |
| 10 | 2 | 15 | 37498 | 52 | 1805 | 0 | 592171 | 631578 |
| 11 | 1 | 5 | 381505 | 54 | 0 | 0 | 250019 | 631578 |
| 12 | 3 | 20 | 174808 | 52 | 1852 | 1256 | 453506 | 631578 |
| 13 | 2 | 6 | 177083 | 54 | 1429 | 0 | 452958 | 631578 |
| 14 | 3 | 14 | 594299 | 53 | 1464 | 1783 | 33873 | 631578 |
| 15 | 2 | 9 | 325950 | 56 | 1502 | 0 | 304014 | 631578 |
| 16 | 1 | 14 | 110815 | 86 | 0 | 0 | 520677 | 631578 |
| 17 | 3 | 5 | 171326 | 85 | 1949 | 1687 | 456361 | 631578 |
| 18 | 2 | 12 | 90054 | 69 | 1401 | 0 | 539985 | 631578 |
| 19 | 2 | 13 | 391342 | 99 | 1545 | 0 | 238493 | 631578 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 573 of 585

Type 5 #27 5499.50 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 16 | 199534 | 90 | 1452 | 1477 | 997267 | 1200000 |
| 2 | 1 | 15 | 1157609 | 55 | 0 | 0 | 42336 | 1200000 |
| 3 | 3 | 10 | 327356 | 55 | 1804 | 1265 | 869410 | 1200000 |
| 4 | 1 | 18 | 94210 | 69 | 0 | 0 | 1105721 | 1200000 |
| 5 | 1 | 5 | 715727 | 87 | 0 | 0 | 484186 | 1200000 |
| 6 | 3 | 6 | 667370 | 55 | 1640 | 1432 | 529393 | 1200000 |
| 7 | 2 | 19 | 469329 | 86 | 1330 | 0 | 729169 | 1200000 |
| 8 | 3 | 16 | 1186509 | 94 | 1423 | 1534 | 10252 | 1200000 |
| 9 | 3 | 9 | 179079 | 52 | 1643 | 1276 | 1017846 | 1200000 |
| 10 | 2 | 8 | 161475 | 94 | 1891 | 0 | 1036446 | 1200000 |

Type 5 #28 5523.01 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 2 | 6 | 71200 | 52 | 1792 | 0 | 632786 | 705882 |
| 2 | 3 | 6 | 52918 | 69 | 1382 | 1682 | 649693 | 705882 |
| 3 | 2 | 8 | 290058 | 50 | 1999 | 0 | 413725 | 705882 |
| 4 | 2 | 10 | 218388 | 70 | 1956 | 0 | 485398 | 705882 |
| 5 | 1 | 16 | 493994 | 65 | 0 | 0 | 211823 | 705882 |
| 6 | 3 | 20 | 134525 | 71 | 1467 | 1762 | 567915 | 705882 |
| 7 | 3 | 5 | 193058 | 74 | 1337 | 1285 | 509980 | 705882 |
| 8 | 1 | 20 | 35416 | 89 | 0 | 0 | 670377 | 705882 |
| 9 | 2 | 7 | 670453 | 81 | 1979 | 0 | 33288 | 705882 |
| 10 | 2 | 7 | 370527 | 52 | 1184 | 0 | 334067 | 705882 |
| 11 | 3 | 7 | 519270 | 77 | 1391 | 1456 | 183534 | 705882 |
| 12 | 2 | 7 | 294785 | 54 | 1345 | 0 | 409644 | 705882 |
| 13 | 2 | 12 | 620600 | 81 | 1408 | 0 | 83712 | 705882 |
| 14 | 3 | 16 | 431341 | 95 | 1137 | 1229 | 271890 | 705882 |
| 15 | 2 | 19 | 107400 | 96 | 1478 | 0 | 596812 | 705882 |
| 16 | 3 | 10 | 198192 | 88 | 1362 | 1803 | 504261 | 705882 |
| 17 | 1 | 7 | 208346 | 67 | 0 | 0 | 497469 | 705882 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 574 of 585

Type 5 #29 5514.27 [Back to Summary]

| Burst Segment | Number of Pulses | Chirp Width MHz | t1 usec | Pulse Width (t2) usec | t3 usec | t4 usec | t5 usec | Total Segment Length usec |
|---------------|------------------|-----------------|---------|-----------------------|---------|---------|---------|---------------------------|
| 1 | 3 | 18 | 460934 | 77 | 1029 | 1632 | 286174 | 750000 |
| 2 | 2 | 20 | 427051 | 90 | 1664 | 0 | 321105 | 750000 |
| 3 | 1 | 7 | 328770 | 82 | 0 | 0 | 421148 | 750000 |
| 4 | 1 | 8 | 102545 | 65 | 0 | 0 | 647390 | 750000 |
| 5 | 1 | 20 | 439713 | 76 | 0 | 0 | 310211 | 750000 |
| 6 | 3 | 18 | 264027 | 67 | 1984 | 1616 | 482172 | 750000 |
| 7 | 2 | 9 | 268950 | 57 | 1586 | 0 | 479350 | 750000 |
| 8 | 1 | 9 | 149831 | 58 | 0 | 0 | 600111 | 750000 |
| 9 | 3 | 9 | 364968 | 89 | 1084 | 1489 | 382192 | 750000 |
| 10 | 1 | 16 | 144713 | 84 | 0 | 0 | 605203 | 750000 |
| 11 | 2 | 20 | 747548 | 61 | 1109 | 0 | 1221 | 750000 |
| 12 | 1 | 19 | 719663 | 56 | 0 | 0 | 30281 | 750000 |
| 13 | 1 | 17 | 475190 | 84 | 0 | 0 | 274726 | 750000 |
| 14 | 1 | 14 | 388444 | 72 | 0 | 0 | 361484 | 750000 |
| 15 | 1 | 9 | 124551 | 74 | 0 | 0 | 625375 | 750000 |
| 16 | 1 | 6 | 189630 | 88 | 0 | 0 | 560282 | 750000 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 575 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5538 | #02-5310 | #03-5601 | #04-5477 | #05-5587 | #06-5612 | #07-5325 | #08-5553 | #09-5535 | #10-5335 |
| #11-5551 | #12-5508 | #13-5507 | #14-5575 | #15-5414 | #16-5545 | #17-5487 | #18-5481 | #19-5393 | #20-5484 |
| #21-5402 | #22-5592 | #23-5482 | #24-5637 | #25-5377 | #26-5430 | #27-5705 | #28-5264 | #29-5673 | #30-5374 |
| #31-5617 | #32-5452 | #33-5382 | #34-5683 | #35-5633 | #36-5598 | #37-5631 | #38-5504 | #39-5711 | #40-5287 |
| #41-5537 | #42-5574 | #43-5516 | #44-5435 | #45-5429 | #46-5485 | #47-5431 | #48-5590 | #49-5709 | #50-5289 |
| #51-5532 | #52-5682 | #53-5368 | #54-5469 | #55-5670 | #56-5688 | #57-5349 | #58-5407 | #59-5311 | #60-5605 |
| #61-5410 | #62-5442 | #63-5348 | #64-5375 | #65-5549 | #66-5666 | #67-5540 | #68-5638 | #69-5707 | #70-5494 |
| #71-5355 | #72-5671 | #73-5338 | #74-5524 | #75-5398 | #76-5334 | #77-5464 | #78-5295 | #79-5667 | #80-5404 |
| #81-5554 | #82-5381 | #83-5476 | #84-5693 | #85-5356 | #86-5675 | #87-5336 | #88-5303 | #89-5661 | #90-5490 |
| #91-5300 | #92-5320 | #93-5306 | #94-5288 | #95-5577 | #96-5421 | #97-5640 | #98-5595 | #99-5486 | #100-5401 |

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5461 | #02-5357 | #03-5638 | #04-5641 | #05-5325 | #06-5578 | #07-5361 | #08-5334 | #09-5703 | #10-5494 |
| #11-5696 | #12-5552 | #13-5665 | #14-5699 | #15-5444 | #16-5584 | #17-5694 | #18-5388 | #19-5366 | #20-5619 |
| #21-5259 | #22-5284 | #23-5347 | #24-5618 | #25-5278 | #26-5296 | #27-5642 | #28-5567 | #29-5548 | #30-5343 |
| #31-5556 | #32-5431 | #33-5253 | #34-5342 | #35-5273 | #36-5563 | #37-5301 | #38-5281 | #39-5483 | #40-5667 |
| #41-5576 | #42-5511 | #43-5530 | #44-5349 | #45-5478 | #46-5603 | #47-5702 | #48-5306 | #49-5626 | #50-5326 |
| #51-5369 | #52-5507 | #53-5452 | #54-5323 | #55-5540 | #56-5311 | #57-5660 | #58-5518 | #59-5610 | #60-5663 |
| #61-5514 | #62-5549 | #63-5572 | #64-5675 | #65-5605 | #66-5532 | #67-5662 | #68-5545 | #69-5607 | #70-5676 |
| #71-5407 | #72-5497 | #73-5542 | #74-5524 | #75-5673 | #76-5288 | #77-5590 | #78-5492 | #79-5442 | #80-5480 |
| #81-5471 | #82-5615 | #83-5709 | #84-5506 | #85-5547 | #86-5398 | #87-5314 | #88-5591 | #89-5559 | #90-5654 |
| #91-5500 | #92-5653 | #93-5346 | #94-5498 | #95-5688 | #96-5505 | #97-5487 | #98-5555 | #99-5294 | #100-5550 |

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5723 | #02-5479 | #03-5496 | #04-5362 | #05-5621 | #06-5653 | #07-5269 | #08-5418 | #09-5433 | #10-5453 |
| #11-5328 | #12-5682 | #13-5724 | #14-5582 | #15-5504 | #16-5677 | #17-5288 | #18-5310 | #19-5528 | #20-5343 |
| #21-5595 | #22-5675 | #23-5683 | #24-5423 | #25-5360 | #26-5493 | #27-5718 | #28-5478 | #29-5699 | #30-5549 |
| #31-5640 | #32-5570 | #33-5375 | #34-5274 | #35-5523 | #36-5463 | #37-5394 | #38-5650 | #39-5469 | #40-5295 |
| #41-5458 | #42-5408 | #43-5356 | #44-5576 | #45-5543 | #46-5654 | #47-5488 | #48-5719 | #49-5260 | #50-5466 |
| #51-5427 | #52-5277 | #53-5676 | #54-5680 | #55-5298 | #56-5521 | #57-5626 | #58-5664 | #59-5511 | #60-5409 |
| #61-5276 | #62-5459 | #63-5628 | #64-5412 | #65-5599 | #66-5557 | #67-5706 | #68-5464 | #69-5619 | #70-5384 |
| #71-5308 | #72-5387 | #73-5516 | #74-5577 | #75-5268 | #76-5604 | #77-5431 | #78-5255 | #79-5468 | #80-5482 |
| #81-5372 | #82-5613 | #83-5618 | #84-5419 | #85-5701 | #86-5252 | #87-5562 | #88-5454 | #89-5389 | #90-5309 |
| #91-5519 | #92-5674 | #93-5414 | #94-5304 | #95-5655 | #96-5263 | #97-5520 | #98-5572 | #99-5292 | #100-5693 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 576 of 585

| Type 6 #4 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5628 | #02-5543 | #03-5506 | #04-5668 | #05-5607 | #06-5309 | #07-5330 | #08-5404 | #09-5276 | #10-5445 |
| #11-5701 | #12-5523 | #13-5468 | #14-5429 | #15-5581 | #16-5703 | #17-5627 | #18-5414 | #19-5720 | #20-5723 |
| #21-5279 | #22-5592 | #23-5567 | #24-5374 | #25-5578 | #26-5423 | #27-5376 | #28-5324 | #29-5711 | #30-5673 |
| #31-5635 | #32-5329 | #33-5645 | #34-5715 | #35-5601 | #36-5444 | #37-5308 | #38-5679 | #39-5395 | #40-5630 |
| #41-5717 | #42-5323 | #43-5697 | #44-5671 | #45-5616 | #46-5687 | #47-5600 | #48-5284 | #49-5618 | #50-5407 |
| #51-5297 | #52-5695 | #53-5599 | #54-5675 | #55-5664 | #56-5544 | #57-5610 | #58-5678 | #59-5290 | #60-5497 |
| #61-5316 | #62-5426 | #63-5602 | #64-5477 | #65-5552 | #66-5386 | #67-5269 | #68-5661 | #69-5343 | #70-5286 |
| #71-5519 | #72-5594 | #73-5427 | #74-5460 | #75-5500 | #76-5250 | #77-5676 | #78-5304 | #79-5282 | #80-5366 |
| #81-5651 | #82-5505 | #83-5488 | #84-5650 | #85-5509 | #86-5355 | #87-5550 | #88-5551 | #89-5631 | #90-5494 |
| #91-5263 | #92-5663 | #93-5363 | #94-5670 | #95-5388 | #96-5360 | #97-5562 | #98-5406 | #99-5320 | #100-5367 |

| Type 6 #5 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5316 | #02-5400 | #03-5427 | #04-5329 | #05-5339 | #06-5442 | #07-5564 | #08-5394 | #09-5652 | #10-5361 |
| #11-5626 | #12-5605 | #13-5407 | #14-5272 | #15-5484 | #16-5556 | #17-5517 | #18-5335 | #19-5692 | #20-5687 |
| #21-5657 | #22-5673 | #23-5250 | #24-5453 | #25-5311 | #26-5563 | #27-5359 | #28-5338 | #29-5646 | #30-5323 |
| #31-5529 | #32-5494 | #33-5434 | #34-5370 | #35-5583 | #36-5470 | #37-5587 | #38-5358 | #39-5317 | #40-5350 |
| #41-5336 | #42-5349 | #43-5395 | #44-5307 | #45-5681 | #46-5647 | #47-5629 | #48-5334 | #49-5476 | #50-5438 |
| #51-5357 | #52-5368 | #53-5399 | #54-5699 | #55-5268 | #56-5500 | #57-5333 | #58-5473 | #59-5579 | #60-5382 |
| #61-5420 | #62-5286 | #63-5414 | #64-5374 | #65-5628 | #66-5297 | #67-5584 | #68-5620 | #69-5557 | #70-5253 |
| #71-5606 | #72-5436 | #73-5433 | #74-5366 | #75-5714 | #76-5302 | #77-5306 | #78-5327 | #79-5660 | #80-5465 |
| #81-5685 | #82-5678 | #83-5452 | #84-5275 | #85-5565 | #86-5601 | #87-5482 | #88-5263 | #89-5611 | #90-5644 |
| #91-5483 | #92-5505 | #93-5625 | #94-5287 | #95-5462 | #96-5602 | #97-5506 | #98-5498 | #99-5641 | #100-5264 |

| Type 6 #6 [Back to Summary] | | | | | | | | | |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps | | | | | | | | | |
| #01-5619 | #02-5621 | #03-5292 | #04-5356 | #05-5589 | #06-5504 | #07-5325 | #08-5343 | #09-5350 | #10-5674 |
| #11-5414 | #12-5675 | #13-5569 | #14-5386 | #15-5559 | #16-5304 | #17-5680 | #18-5354 | #19-5359 | #20-5293 |
| #21-5366 | #22-5686 | #23-5678 | #24-5653 | #25-5465 | #26-5677 | #27-5299 | #28-5451 | #29-5308 | #30-5684 |
| #31-5437 | #32-5286 | #33-5442 | #34-5378 | #35-5523 | #36-5495 | #37-5617 | #38-5263 | #39-5662 | #40-5518 |
| #41-5544 | #42-5534 | #43-5340 | #44-5591 | #45-5270 | #46-5407 | #47-5646 | #48-5401 | #49-5388 | #50-5597 |
| #51-5623 | #52-5657 | #53-5668 | #54-5364 | #55-5615 | #56-5637 | #57-5454 | #58-5599 | #59-5479 | #60-5291 |
| #61-5715 | #62-5702 | #63-5639 | #64-5382 | #65-5669 | #66-5430 | #67-5506 | #68-5434 | #69-5462 | #70-5346 |
| #71-5573 | #72-5392 | #73-5394 | #74-5562 | #75-5515 | #76-5484 | #77-5433 | #78-5431 | #79-5432 | #80-5387 |
| #81-5532 | #82-5298 | #83-5413 | #84-5539 | #85-5510 | #86-5435 | #87-5409 | #88-5605 | #89-5704 | #90-5533 |
| #91-5313 | #92-5289 | #93-5502 | #94-5363 | #95-5310 | #96-5564 | #97-5625 | #98-5461 | #99-5663 | #100-5491 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 577 of 585

Type 6 #7 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5299 | #02-5514 | #03-5523 | #04-5526 | #05-5349 | #06-5402 | #07-5271 | #08-5417 | #09-5296 | #10-5629 |
| #11-5432 | #12-5654 | #13-5475 | #14-5567 | #15-5409 | #16-5720 | #17-5347 | #18-5554 | #19-5482 | #20-5537 |
| #21-5292 | #22-5534 | #23-5614 | #24-5575 | #25-5449 | #26-5479 | #27-5424 | #28-5511 | #29-5592 | #30-5531 |
| #31-5650 | #32-5593 | #33-5255 | #34-5647 | #35-5490 | #36-5636 | #37-5607 | #38-5505 | #39-5552 | #40-5512 |
| #41-5621 | #42-5717 | #43-5598 | #44-5361 | #45-5433 | #46-5536 | #47-5467 | #48-5487 | #49-5569 | #50-5527 |
| #51-5632 | #52-5431 | #53-5480 | #54-5448 | #55-5489 | #56-5625 | #57-5673 | #58-5326 | #59-5595 | #60-5703 |
| #61-5484 | #62-5549 | #63-5704 | #64-5563 | #65-5648 | #66-5327 | #67-5413 | #68-5333 | #69-5464 | #70-5298 |
| #71-5655 | #72-5275 | #73-5396 | #74-5542 | #75-5266 | #76-5463 | #77-5265 | #78-5668 | #79-5681 | #80-5274 |
| #81-5273 | #82-5253 | #83-5268 | #84-5412 | #85-5500 | #86-5250 | #87-5345 | #88-5687 | #89-5635 | #90-5573 |
| #91-5278 | #92-5321 | #93-5477 | #94-5618 | #95-5509 | #96-5708 | #97-5390 | #98-5323 | #99-5485 | #100-5313 |

Type 6 #8 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5583 | #02-5501 | #03-5455 | #04-5302 | #05-5672 | #06-5608 | #07-5460 | #08-5310 | #09-5652 | #10-5271 |
| #11-5459 | #12-5526 | #13-5485 | #14-5685 | #15-5400 | #16-5398 | #17-5354 | #18-5327 | #19-5318 | #20-5370 |
| #21-5658 | #22-5388 | #23-5331 | #24-5722 | #25-5325 | #26-5314 | #27-5372 | #28-5664 | #29-5480 | #30-5684 |
| #31-5541 | #32-5675 | #33-5512 | #34-5665 | #35-5410 | #36-5636 | #37-5295 | #38-5396 | #39-5461 | #40-5477 |
| #41-5470 | #42-5708 | #43-5552 | #44-5543 | #45-5519 | #46-5716 | #47-5657 | #48-5361 | #49-5604 | #50-5313 |
| #51-5255 | #52-5365 | #53-5379 | #54-5444 | #55-5419 | #56-5457 | #57-5702 | #58-5486 | #59-5521 | #60-5554 |
| #61-5692 | #62-5509 | #63-5264 | #64-5545 | #65-5525 | #66-5489 | #67-5353 | #68-5682 | #69-5274 | #70-5581 |
| #71-5618 | #72-5437 | #73-5405 | #74-5504 | #75-5428 | #76-5530 | #77-5322 | #78-5439 | #79-5369 | #80-5330 |
| #81-5670 | #82-5397 | #83-5536 | #84-5690 | #85-5466 | #86-5562 | #87-5418 | #88-5700 | #89-5680 | #90-5641 |
| #91-5265 | #92-5346 | #93-5284 | #94-5505 | #95-5421 | #96-5382 | #97-5607 | #98-5257 | #99-5646 | #100-5289 |

Type 6 #9 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5398 | #02-5472 | #03-5667 | #04-5289 | #05-5640 | #06-5279 | #07-5421 | #08-5535 | #09-5296 | #10-5704 |
| #11-5434 | #12-5612 | #13-5702 | #14-5563 | #15-5592 | #16-5258 | #17-5560 | #18-5273 | #19-5516 | #20-5514 |
| #21-5579 | #22-5606 | #23-5662 | #24-5521 | #25-5389 | #26-5407 | #27-5394 | #28-5275 | #29-5626 | #30-5307 |
| #31-5658 | #32-5362 | #33-5409 | #34-5438 | #35-5522 | #36-5649 | #37-5594 | #38-5650 | #39-5550 | #40-5533 |
| #41-5722 | #42-5609 | #43-5654 | #44-5701 | #45-5456 | #46-5378 | #47-5368 | #48-5445 | #49-5637 | #50-5412 |
| #51-5546 | #52-5584 | #53-5465 | #54-5382 | #55-5534 | #56-5395 | #57-5625 | #58-5483 | #59-5396 | #60-5633 |
| #61-5713 | #62-5295 | #63-5322 | #64-5452 | #65-5291 | #66-5634 | #67-5447 | #68-5708 | #69-5695 | #70-5677 |
| #71-5686 | #72-5315 | #73-5261 | #74-5674 | #75-5463 | #76-5486 | #77-5324 | #78-5621 | #79-5277 | #80-5254 |
| #81-5255 | #82-5365 | #83-5448 | #84-5317 | #85-5648 | #86-5575 | #87-5700 | #88-5665 | #89-5655 | #90-5384 |
| #91-5404 | #92-5272 | #93-5636 | #94-5386 | #95-5482 | #96-5590 | #97-5564 | #98-5573 | #99-5330 | #100-5613 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5659 | #03-5283 | #04-5419 | #05-5477 | #06-5696 | #07-5425 | #08-5509 | #09-5285 | #10-5552 |
| #11-5666 | #12-5609 | #13-5380 | #14-5309 | #15-5719 | #16-5261 | #17-5280 | #18-5655 | #19-5335 | #20-5434 |
| #21-5519 | #22-5392 | #23-5441 | #24-5574 | #25-5662 | #26-5389 | #27-5411 | #28-5515 | #29-5416 | #30-5516 |
| #31-5367 | #32-5386 | #33-5598 | #34-5714 | #35-5542 | #36-5530 | #37-5438 | #38-5683 | #39-5475 | #40-5319 |
| #41-5369 | #42-5393 | #43-5331 | #44-5277 | #45-5256 | #46-5422 | #47-5648 | #48-5468 | #49-5399 | #50-5528 |
| #51-5259 | #52-5616 | #53-5703 | #54-5627 | #55-5284 | #56-5263 | #57-5593 | #58-5548 | #59-5472 | #60-5506 |
| #61-5320 | #62-5374 | #63-5322 | #64-5697 | #65-5584 | #66-5365 | #67-5400 | #68-5724 | #69-5359 | #70-5547 |
| #71-5656 | #72-5692 | #73-5487 | #74-5297 | #75-5588 | #76-5698 | #77-5582 | #78-5589 | #79-5650 | #80-5535 |
| #81-5649 | #82-5461 | #83-5325 | #84-5500 | #85-5357 | #86-5507 | #87-5529 | #88-5474 | #89-5351 | #90-5524 |
| #91-5279 | #92-5254 | #93-5470 | #94-5427 | #95-5668 | #96-5618 | #97-5617 | #98-5330 | #99-5353 | #100-5318 |

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5500 | #02-5671 | #03-5254 | #04-5311 | #05-5580 | #06-5615 | #07-5642 | #08-5471 | #09-5448 | #10-5611 |
| #11-5263 | #12-5398 | #13-5298 | #14-5373 | #15-5290 | #16-5625 | #17-5616 | #18-5577 | #19-5268 | #20-5431 |
| #21-5590 | #22-5688 | #23-5267 | #24-5584 | #25-5478 | #26-5515 | #27-5639 | #28-5696 | #29-5283 | #30-5683 |
| #31-5454 | #32-5545 | #33-5685 | #34-5378 | #35-5495 | #36-5296 | #37-5651 | #38-5557 | #39-5605 | #40-5326 |
| #41-5392 | #42-5716 | #43-5322 | #44-5578 | #45-5339 | #46-5250 | #47-5266 | #48-5312 | #49-5646 | #50-5452 |
| #51-5537 | #52-5654 | #53-5395 | #54-5558 | #55-5315 | #56-5700 | #57-5415 | #58-5653 | #59-5533 | #60-5443 |
| #61-5412 | #62-5636 | #63-5379 | #64-5570 | #65-5353 | #66-5598 | #67-5710 | #68-5612 | #69-5599 | #70-5593 |
| #71-5406 | #72-5386 | #73-5343 | #74-5367 | #75-5282 | #76-5667 | #77-5623 | #78-5377 | #79-5350 | #80-5462 |
| #81-5585 | #82-5663 | #83-5719 | #84-5635 | #85-5464 | #86-5432 | #87-5469 | #88-5660 | #89-5382 | #90-5666 |
| #91-5684 | #92-5405 | #93-5467 | #94-5650 | #95-5305 | #96-5527 | #97-5401 | #98-5607 | #99-5553 | #100-5365 |

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5383 | #02-5711 | #03-5391 | #04-5678 | #05-5316 | #06-5264 | #07-5438 | #08-5279 | #09-5357 | #10-5315 |
| #11-5415 | #12-5712 | #13-5716 | #14-5701 | #15-5384 | #16-5410 | #17-5661 | #18-5451 | #19-5686 | #20-5426 |
| #21-5536 | #22-5601 | #23-5577 | #24-5433 | #25-5575 | #26-5634 | #27-5472 | #28-5392 | #29-5547 | #30-5310 |
| #31-5656 | #32-5306 | #33-5308 | #34-5603 | #35-5502 | #36-5477 | #37-5291 | #38-5516 | #39-5593 | #40-5367 |
| #41-5655 | #42-5298 | #43-5273 | #44-5518 | #45-5311 | #46-5476 | #47-5674 | #48-5645 | #49-5366 | #50-5465 |
| #51-5452 | #52-5376 | #53-5554 | #54-5506 | #55-5682 | #56-5352 | #57-5406 | #58-5517 | #59-5295 | #60-5456 |
| #61-5296 | #62-5359 | #63-5653 | #64-5362 | #65-5448 | #66-5632 | #67-5368 | #68-5394 | #69-5582 | #70-5568 |
| #71-5673 | #72-5605 | #73-5553 | #74-5640 | #75-5514 | #76-5407 | #77-5523 | #78-5430 | #79-5570 | #80-5453 |
| #81-5385 | #82-5721 | #83-5343 | #84-5333 | #85-5414 | #86-5436 | #87-5432 | #88-5251 | #89-5614 | #90-5409 |
| #91-5382 | #92-5364 | #93-5475 | #94-5263 | #95-5722 | #96-5320 | #97-5594 | #98-5327 | #99-5427 | #100-5677 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 579 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5555 | #02-5292 | #03-5563 | #04-5723 | #05-5718 | #06-5548 | #07-5275 | #08-5451 | #09-5655 | #10-5698 |
| #11-5722 | #12-5313 | #13-5538 | #14-5284 | #15-5705 | #16-5396 | #17-5491 | #18-5407 | #19-5552 | #20-5663 |
| #21-5480 | #22-5381 | #23-5293 | #24-5297 | #25-5458 | #26-5432 | #27-5499 | #28-5583 | #29-5308 | #30-5478 |
| #31-5350 | #32-5513 | #33-5291 | #34-5575 | #35-5437 | #36-5581 | #37-5609 | #38-5422 | #39-5524 | #40-5684 |
| #41-5435 | #42-5385 | #43-5300 | #44-5274 | #45-5450 | #46-5687 | #47-5340 | #48-5448 | #49-5334 | #50-5661 |
| #51-5516 | #52-5375 | #53-5616 | #54-5537 | #55-5431 | #56-5680 | #57-5671 | #58-5339 | #59-5567 | #60-5677 |
| #61-5321 | #62-5640 | #63-5493 | #64-5688 | #65-5408 | #66-5379 | #67-5683 | #68-5386 | #69-5607 | #70-5709 |
| #71-5277 | #72-5704 | #73-5294 | #74-5721 | #75-5273 | #76-5258 | #77-5469 | #78-5699 | #79-5542 | #80-5559 |
| #81-5643 | #82-5621 | #83-5479 | #84-5394 | #85-5482 | #86-5635 | #87-5519 | #88-5579 | #89-5572 | #90-5612 |
| #91-5520 | #92-5337 | #93-5590 | #94-5425 | #95-5694 | #96-5685 | #97-5490 | #98-5672 | #99-5303 | #100-5531 |

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5348 | #02-5637 | #03-5492 | #04-5435 | #05-5686 | #06-5648 | #07-5331 | #08-5518 | #09-5661 | #10-5666 |
| #11-5675 | #12-5379 | #13-5489 | #14-5377 | #15-5710 | #16-5450 | #17-5476 | #18-5337 | #19-5429 | #20-5341 |
| #21-5499 | #22-5354 | #23-5631 | #24-5407 | #25-5557 | #26-5500 | #27-5448 | #28-5619 | #29-5276 | #30-5488 |
| #31-5277 | #32-5545 | #33-5709 | #34-5712 | #35-5683 | #36-5521 | #37-5711 | #38-5438 | #39-5481 | #40-5304 |
| #41-5676 | #42-5579 | #43-5682 | #44-5351 | #45-5298 | #46-5454 | #47-5699 | #48-5290 | #49-5446 | #50-5691 |
| #51-5401 | #52-5643 | #53-5717 | #54-5330 | #55-5305 | #56-5491 | #57-5498 | #58-5572 | #59-5320 | #60-5291 |
| #61-5639 | #62-5436 | #63-5352 | #64-5669 | #65-5392 | #66-5502 | #67-5654 | #68-5623 | #69-5375 | #70-5390 |
| #71-5644 | #72-5413 | #73-5673 | #74-5306 | #75-5509 | #76-5295 | #77-5473 | #78-5555 | #79-5522 | #80-5600 |
| #81-5626 | #82-5414 | #83-5719 | #84-5603 | #85-5465 | #86-5470 | #87-5665 | #88-5634 | #89-5479 | #90-5580 |
| #91-5406 | #92-5630 | #93-5677 | #94-5360 | #95-5681 | #96-5317 | #97-5503 | #98-5404 | #99-5322 | #100-5642 |

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5356 | #02-5435 | #03-5713 | #04-5526 | #05-5571 | #06-5437 | #07-5334 | #08-5639 | #09-5476 | #10-5292 |
| #11-5703 | #12-5508 | #13-5398 | #14-5438 | #15-5269 | #16-5683 | #17-5714 | #18-5390 | #19-5481 | #20-5704 |
| #21-5659 | #22-5342 | #23-5624 | #24-5604 | #25-5343 | #26-5525 | #27-5468 | #28-5598 | #29-5455 | #30-5346 |
| #31-5358 | #32-5260 | #33-5646 | #34-5685 | #35-5285 | #36-5676 | #37-5357 | #38-5387 | #39-5446 | #40-5580 |
| #41-5565 | #42-5354 | #43-5363 | #44-5651 | #45-5419 | #46-5524 | #47-5647 | #48-5662 | #49-5514 | #50-5377 |
| #51-5648 | #52-5708 | #53-5264 | #54-5535 | #55-5359 | #56-5433 | #57-5296 | #58-5693 | #59-5460 | #60-5379 |
| #61-5692 | #62-5586 | #63-5329 | #64-5709 | #65-5257 | #66-5606 | #67-5253 | #68-5284 | #69-5374 | #70-5344 |
| #71-5511 | #72-5677 | #73-5649 | #74-5250 | #75-5546 | #76-5661 | #77-5347 | #78-5557 | #79-5706 | #80-5336 |
| #81-5553 | #82-5702 | #83-5474 | #84-5566 | #85-5341 | #86-5478 | #87-5369 | #88-5381 | #89-5699 | #90-5428 |
| #91-5337 | #92-5567 | #93-5350 | #94-5632 | #95-5614 | #96-5275 | #97-5274 | #98-5406 | #99-5509 | #100-5397 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 580 of 585

Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5524 | #02-5336 | #03-5546 | #04-5678 | #05-5606 | #06-5282 | #07-5460 | #08-5709 | #09-5484 | #10-5415 |
| #11-5682 | #12-5637 | #13-5531 | #14-5254 | #15-5687 | #16-5264 | #17-5332 | #18-5718 | #19-5341 | #20-5638 |
| #21-5703 | #22-5708 | #23-5721 | #24-5650 | #25-5581 | #26-5447 | #27-5585 | #28-5337 | #29-5319 | #30-5450 |
| #31-5409 | #32-5390 | #33-5294 | #34-5330 | #35-5569 | #36-5295 | #37-5402 | #38-5475 | #39-5327 | #40-5525 |
| #41-5601 | #42-5582 | #43-5442 | #44-5659 | #45-5674 | #46-5461 | #47-5333 | #48-5689 | #49-5651 | #50-5261 |
| #51-5666 | #52-5413 | #53-5417 | #54-5383 | #55-5418 | #56-5541 | #57-5339 | #58-5621 | #59-5346 | #60-5408 |
| #61-5422 | #62-5372 | #63-5640 | #64-5284 | #65-5256 | #66-5542 | #67-5592 | #68-5642 | #69-5586 | #70-5286 |
| #71-5371 | #72-5515 | #73-5311 | #74-5700 | #75-5370 | #76-5364 | #77-5410 | #78-5308 | #79-5508 | #80-5697 |
| #81-5636 | #82-5278 | #83-5680 | #84-5506 | #85-5379 | #86-5644 | #87-5352 | #88-5478 | #89-5667 | #90-5653 |
| #91-5382 | #92-5594 | #93-5607 | #94-5529 | #95-5259 | #96-5399 | #97-5334 | #98-5497 | #99-5297 | #100-5275 |

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5278 | #02-5645 | #03-5701 | #04-5293 | #05-5526 | #06-5686 | #07-5582 | #08-5500 | #09-5259 | #10-5570 |
| #11-5680 | #12-5538 | #13-5381 | #14-5687 | #15-5329 | #16-5452 | #17-5721 | #18-5438 | #19-5532 | #20-5429 |
| #21-5357 | #22-5382 | #23-5568 | #24-5481 | #25-5341 | #26-5401 | #27-5633 | #28-5423 | #29-5474 | #30-5345 |
| #31-5540 | #32-5590 | #33-5253 | #34-5651 | #35-5585 | #36-5402 | #37-5600 | #38-5551 | #39-5517 | #40-5335 |
| #41-5632 | #42-5644 | #43-5537 | #44-5638 | #45-5319 | #46-5398 | #47-5297 | #48-5320 | #49-5606 | #50-5413 |
| #51-5592 | #52-5643 | #53-5620 | #54-5327 | #55-5450 | #56-5536 | #57-5434 | #58-5535 | #59-5673 | #60-5326 |
| #61-5510 | #62-5390 | #63-5378 | #64-5285 | #65-5469 | #66-5300 | #67-5370 | #68-5612 | #69-5265 | #70-5344 |
| #71-5449 | #72-5463 | #73-5281 | #74-5586 | #75-5412 | #76-5668 | #77-5354 | #78-5563 | #79-5541 | #80-5698 |
| #81-5657 | #82-5251 | #83-5722 | #84-5334 | #85-5508 | #86-5676 | #87-5313 | #88-5366 | #89-5706 | #90-5386 |
| #91-5555 | #92-5383 | #93-5312 | #94-5498 | #95-5371 | #96-5270 | #97-5261 | #98-5575 | #99-5556 | #100-5379 |

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5525 | #02-5523 | #03-5498 | #04-5443 | #05-5407 | #06-5295 | #07-5588 | #08-5374 | #09-5491 | #10-5431 |
| #11-5360 | #12-5509 | #13-5537 | #14-5541 | #15-5388 | #16-5676 | #17-5293 | #18-5254 | #19-5685 | #20-5348 |
| #21-5307 | #22-5495 | #23-5283 | #24-5682 | #25-5619 | #26-5329 | #27-5693 | #28-5338 | #29-5291 | #30-5648 |
| #31-5342 | #32-5712 | #33-5710 | #34-5568 | #35-5381 | #36-5453 | #37-5473 | #38-5616 | #39-5598 | #40-5462 |
| #41-5337 | #42-5664 | #43-5600 | #44-5276 | #45-5571 | #46-5359 | #47-5420 | #48-5702 | #49-5257 | #50-5614 |
| #51-5458 | #52-5322 | #53-5279 | #54-5489 | #55-5540 | #56-5549 | #57-5327 | #58-5500 | #59-5333 | #60-5372 |
| #61-5524 | #62-5694 | #63-5410 | #64-5660 | #65-5452 | #66-5401 | #67-5380 | #68-5260 | #69-5367 | #70-5620 |
| #71-5482 | #72-5656 | #73-5573 | #74-5483 | #75-5448 | #76-5704 | #77-5596 | #78-5670 | #79-5334 | #80-5347 |
| #81-5502 | #82-5351 | #83-5688 | #84-5657 | #85-5317 | #86-5521 | #87-5385 | #88-5562 | #89-5581 | #90-5282 |
| #91-5436 | #92-5628 | #93-5496 | #94-5601 | #95-5335 | #96-5423 | #97-5692 | #98-5550 | #99-5602 | #100-5391 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 581 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5447 | #02-5679 | #03-5384 | #04-5257 | #05-5609 | #06-5700 | #07-5568 | #08-5604 | #09-5520 | #10-5461 |
| #11-5622 | #12-5254 | #13-5274 | #14-5272 | #15-5448 | #16-5308 | #17-5697 | #18-5334 | #19-5583 | #20-5338 |
| #21-5422 | #22-5511 | #23-5588 | #24-5295 | #25-5278 | #26-5327 | #27-5607 | #28-5362 | #29-5530 | #30-5628 |
| #31-5370 | #32-5456 | #33-5681 | #34-5304 | #35-5540 | #36-5692 | #37-5298 | #38-5341 | #39-5678 | #40-5506 |
| #41-5292 | #42-5369 | #43-5432 | #44-5603 | #45-5473 | #46-5403 | #47-5277 | #48-5451 | #49-5466 | #50-5269 |
| #51-5303 | #52-5418 | #53-5686 | #54-5580 | #55-5623 | #56-5491 | #57-5714 | #58-5557 | #59-5501 | #60-5523 |
| #61-5318 | #62-5632 | #63-5340 | #64-5265 | #65-5471 | #66-5717 | #67-5630 | #68-5556 | #69-5380 | #70-5392 |
| #71-5453 | #72-5400 | #73-5578 | #74-5335 | #75-5329 | #76-5629 | #77-5437 | #78-5280 | #79-5372 | #80-5719 |
| #81-5442 | #82-5716 | #83-5264 | #84-5302 | #85-5536 | #86-5634 | #87-5534 | #88-5505 | #89-5495 | #90-5661 |
| #91-5435 | #92-5675 | #93-5363 | #94-5618 | #95-5276 | #96-5316 | #97-5348 | #98-5430 | #99-5482 | #100-5406 |

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5635 | #02-5351 | #03-5597 | #04-5335 | #05-5415 | #06-5662 | #07-5510 | #08-5643 | #09-5270 | #10-5279 |
| #11-5525 | #12-5638 | #13-5542 | #14-5328 | #15-5580 | #16-5570 | #17-5679 | #18-5590 | #19-5322 | #20-5682 |
| #21-5398 | #22-5618 | #23-5506 | #24-5405 | #25-5323 | #26-5406 | #27-5386 | #28-5346 | #29-5355 | #30-5621 |
| #31-5261 | #32-5397 | #33-5484 | #34-5583 | #35-5391 | #36-5435 | #37-5260 | #38-5548 | #39-5369 | #40-5567 |
| #41-5710 | #42-5268 | #43-5646 | #44-5673 | #45-5450 | #46-5654 | #47-5540 | #48-5420 | #49-5470 | #50-5394 |
| #51-5565 | #52-5698 | #53-5257 | #54-5267 | #55-5442 | #56-5262 | #57-5258 | #58-5526 | #59-5413 | #60-5537 |
| #61-5374 | #62-5377 | #63-5404 | #64-5683 | #65-5661 | #66-5395 | #67-5560 | #68-5380 | #69-5479 | #70-5696 |
| #71-5379 | #72-5452 | #73-5584 | #74-5457 | #75-5477 | #76-5650 | #77-5610 | #78-5421 | #79-5424 | #80-5684 |
| #81-5576 | #82-5589 | #83-5543 | #84-5535 | #85-5360 | #86-5291 | #87-5547 | #88-5456 | #89-5628 | #90-5545 |
| #91-5296 | #92-5695 | #93-5603 | #94-5275 | #95-5634 | #96-5263 | #97-5344 | #98-5468 | #99-5553 | #100-5539 |

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5710 | #02-5389 | #03-5505 | #04-5680 | #05-5488 | #06-5652 | #07-5621 | #08-5571 | #09-5678 | #10-5445 |
| #11-5357 | #12-5537 | #13-5530 | #14-5267 | #15-5569 | #16-5360 | #17-5438 | #18-5399 | #19-5648 | #20-5411 |
| #21-5681 | #22-5636 | #23-5551 | #24-5507 | #25-5691 | #26-5625 | #27-5700 | #28-5464 | #29-5326 | #30-5380 |
| #31-5698 | #32-5559 | #33-5603 | #34-5557 | #35-5395 | #36-5580 | #37-5335 | #38-5309 | #39-5529 | #40-5394 |
| #41-5307 | #42-5591 | #43-5575 | #44-5587 | #45-5316 | #46-5469 | #47-5617 | #48-5418 | #49-5709 | #50-5280 |
| #51-5403 | #52-5679 | #53-5377 | #54-5279 | #55-5323 | #56-5563 | #57-5723 | #58-5714 | #59-5676 | #60-5406 |
| #61-5494 | #62-5314 | #63-5384 | #64-5702 | #65-5651 | #66-5434 | #67-5424 | #68-5504 | #69-5352 | #70-5340 |
| #71-5368 | #72-5266 | #73-5623 | #74-5294 | #75-5701 | #76-5644 | #77-5624 | #78-5333 | #79-5296 | #80-5342 |
| #81-5649 | #82-5268 | #83-5431 | #84-5574 | #85-5484 | #86-5582 | #87-5346 | #88-5446 | #89-5577 | #90-5713 |
| #91-5593 | #92-5511 | #93-5453 | #94-5339 | #95-5542 | #96-5432 | #97-5719 | #98-5454 | #99-5313 | #100-5561 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 582 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5360 | #02-5380 | #03-5278 | #04-5587 | #05-5328 | #06-5339 | #07-5431 | #08-5593 | #09-5402 | #10-5323 |
| #11-5337 | #12-5366 | #13-5520 | #14-5327 | #15-5675 | #16-5591 | #17-5647 | #18-5256 | #19-5618 | #20-5516 |
| #21-5335 | #22-5426 | #23-5439 | #24-5440 | #25-5535 | #26-5588 | #27-5625 | #28-5301 | #29-5612 | #30-5722 |
| #31-5639 | #32-5321 | #33-5443 | #34-5456 | #35-5695 | #36-5503 | #37-5257 | #38-5265 | #39-5708 | #40-5602 |
| #41-5385 | #42-5519 | #43-5423 | #44-5543 | #45-5464 | #46-5482 | #47-5378 | #48-5532 | #49-5646 | #50-5419 |
| #51-5294 | #52-5332 | #53-5576 | #54-5397 | #55-5528 | #56-5567 | #57-5692 | #58-5308 | #59-5514 | #60-5326 |
| #61-5659 | #62-5449 | #63-5608 | #64-5469 | #65-5620 | #66-5393 | #67-5724 | #68-5603 | #69-5400 | #70-5632 |
| #71-5353 | #72-5717 | #73-5374 | #74-5648 | #75-5329 | #76-5325 | #77-5470 | #78-5387 | #79-5713 | #80-5398 |
| #81-5604 | #82-5548 | #83-5616 | #84-5453 | #85-5422 | #86-5544 | #87-5595 | #88-5250 | #89-5344 | #90-5581 |
| #91-5262 | #92-5483 | #93-5389 | #94-5540 | #95-5487 | #96-5656 | #97-5669 | #98-5381 | #99-5508 | #100-5536 |

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5443 | #02-5549 | #03-5384 | #04-5434 | #05-5250 | #06-5677 | #07-5522 | #08-5460 | #09-5459 | #10-5589 |
| #11-5321 | #12-5502 | #13-5520 | #14-5430 | #15-5516 | #16-5581 | #17-5329 | #18-5438 | #19-5265 | #20-5676 |
| #21-5622 | #22-5518 | #23-5381 | #24-5415 | #25-5665 | #26-5403 | #27-5654 | #28-5624 | #29-5307 | #30-5304 |
| #31-5659 | #32-5417 | #33-5357 | #34-5642 | #35-5704 | #36-5441 | #37-5409 | #38-5411 | #39-5442 | #40-5297 |
| #41-5605 | #42-5608 | #43-5371 | #44-5397 | #45-5612 | #46-5376 | #47-5359 | #48-5695 | #49-5324 | #50-5264 |
| #51-5480 | #52-5366 | #53-5557 | #54-5638 | #55-5650 | #56-5418 | #57-5694 | #58-5494 | #59-5572 | #60-5273 |
| #61-5405 | #62-5655 | #63-5628 | #64-5394 | #65-5603 | #66-5450 | #67-5325 | #68-5422 | #69-5643 | #70-5720 |
| #71-5692 | #72-5320 | #73-5396 | #74-5708 | #75-5253 | #76-5303 | #77-5276 | #78-5544 | #79-5707 | #80-5289 |
| #81-5428 | #82-5301 | #83-5525 | #84-5440 | #85-5641 | #86-5595 | #87-5274 | #88-5455 | #89-5691 | #90-5467 |
| #91-5508 | #92-5498 | #93-5633 | #94-5620 | #95-5627 | #96-5346 | #97-5485 | #98-5399 | #99-5486 | #100-5503 |

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5434 | #02-5690 | #03-5440 | #04-5545 | #05-5453 | #06-5693 | #07-5420 | #08-5365 | #09-5476 | #10-5577 |
| #11-5594 | #12-5599 | #13-5396 | #14-5301 | #15-5707 | #16-5251 | #17-5375 | #18-5667 | #19-5338 | #20-5534 |
| #21-5430 | #22-5490 | #23-5470 | #24-5560 | #25-5503 | #26-5635 | #27-5284 | #28-5330 | #29-5668 | #30-5627 |
| #31-5288 | #32-5354 | #33-5526 | #34-5563 | #35-5474 | #36-5450 | #37-5300 | #38-5264 | #39-5575 | #40-5715 |
| #41-5655 | #42-5598 | #43-5624 | #44-5487 | #45-5568 | #46-5645 | #47-5344 | #48-5359 | #49-5456 | #50-5398 |
| #51-5340 | #52-5322 | #53-5469 | #54-5605 | #55-5292 | #56-5543 | #57-5659 | #58-5422 | #59-5533 | #60-5674 |
| #61-5555 | #62-5495 | #63-5463 | #64-5482 | #65-5525 | #66-5324 | #67-5371 | #68-5323 | #69-5499 | #70-5580 |
| #71-5500 | #72-5539 | #73-5686 | #74-5604 | #75-5441 | #76-5409 | #77-5573 | #78-5558 | #79-5615 | #80-5454 |
| #81-5619 | #82-5254 | #83-5570 | #84-5258 | #85-5252 | #86-5403 | #87-5432 | #88-5705 | #89-5378 | #90-5617 |
| #91-5412 | #92-5285 | #93-5335 | #94-5565 | #95-5466 | #96-5418 | #97-5643 | #98-5413 | #99-5394 | #100-5467 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 583 of 585

Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5655 | #02-5573 | #03-5699 | #04-5504 | #05-5665 | #06-5480 | #07-5390 | #08-5568 | #09-5477 | #10-5680 |
| #11-5316 | #12-5368 | #13-5718 | #14-5555 | #15-5427 | #16-5317 | #17-5558 | #18-5643 | #19-5475 | #20-5505 |
| #21-5336 | #22-5721 | #23-5279 | #24-5523 | #25-5335 | #26-5540 | #27-5423 | #28-5712 | #29-5451 | #30-5324 |
| #31-5651 | #32-5570 | #33-5582 | #34-5587 | #35-5262 | #36-5554 | #37-5457 | #38-5352 | #39-5622 | #40-5476 |
| #41-5511 | #42-5660 | #43-5588 | #44-5693 | #45-5691 | #46-5330 | #47-5259 | #48-5289 | #49-5350 | #50-5346 |
| #51-5724 | #52-5662 | #53-5614 | #54-5381 | #55-5659 | #56-5544 | #57-5425 | #58-5418 | #59-5375 | #60-5307 |
| #61-5403 | #62-5367 | #63-5278 | #64-5471 | #65-5510 | #66-5542 | #67-5597 | #68-5585 | #69-5357 | #70-5541 |
| #71-5577 | #72-5550 | #73-5311 | #74-5415 | #75-5459 | #76-5414 | #77-5672 | #78-5703 | #79-5652 | #80-5632 |
| #81-5455 | #82-5328 | #83-5260 | #84-5281 | #85-5282 | #86-5702 | #87-5565 | #88-5323 | #89-5393 | #90-5507 |
| #91-5560 | #92-5472 | #93-5431 | #94-5674 | #95-5441 | #96-5416 | #97-5490 | #98-5713 | #99-5432 | #100-5586 |

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5556 | #02-5597 | #03-5378 | #04-5596 | #05-5299 | #06-5640 | #07-5617 | #08-5455 | #09-5266 | #10-5424 |
| #11-5351 | #12-5563 | #13-5542 | #14-5650 | #15-5464 | #16-5587 | #17-5553 | #18-5324 | #19-5564 | #20-5261 |
| #21-5680 | #22-5406 | #23-5529 | #24-5580 | #25-5332 | #26-5662 | #27-5510 | #28-5698 | #29-5506 | #30-5585 |
| #31-5714 | #32-5469 | #33-5546 | #34-5357 | #35-5624 | #36-5456 | #37-5606 | #38-5410 | #39-5708 | #40-5311 |
| #41-5673 | #42-5592 | #43-5377 | #44-5459 | #45-5634 | #46-5614 | #47-5273 | #48-5702 | #49-5554 | #50-5639 |
| #51-5593 | #52-5631 | #53-5400 | #54-5318 | #55-5522 | #56-5514 | #57-5362 | #58-5379 | #59-5644 | #60-5674 |
| #61-5435 | #62-5434 | #63-5276 | #64-5257 | #65-5705 | #66-5392 | #67-5341 | #68-5502 | #69-5313 | #70-5337 |
| #71-5278 | #72-5446 | #73-5371 | #74-5422 | #75-5298 | #76-5486 | #77-5720 | #78-5676 | #79-5647 | #80-5601 |
| #81-5472 | #82-5451 | #83-5473 | #84-5387 | #85-5334 | #86-5621 | #87-5595 | #88-5657 | #89-5643 | #90-5695 |
| #91-5622 | #92-5577 | #93-5429 | #94-5722 | #95-5694 | #96-5573 | #97-5520 | #98-5548 | #99-5340 | #100-5543 |

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5371 | #02-5596 | #03-5401 | #04-5341 | #05-5313 | #06-5617 | #07-5648 | #08-5722 | #09-5483 | #10-5360 |
| #11-5255 | #12-5519 | #13-5708 | #14-5527 | #15-5594 | #16-5621 | #17-5495 | #18-5470 | #19-5570 | #20-5284 |
| #21-5419 | #22-5308 | #23-5549 | #24-5518 | #25-5530 | #26-5488 | #27-5276 | #28-5353 | #29-5377 | #30-5501 |
| #31-5510 | #32-5461 | #33-5632 | #34-5352 | #35-5516 | #36-5658 | #37-5532 | #38-5289 | #39-5354 | #40-5645 |
| #41-5512 | #42-5572 | #43-5347 | #44-5445 | #45-5349 | #46-5677 | #47-5274 | #48-5327 | #49-5494 | #50-5701 |
| #51-5374 | #52-5297 | #53-5607 | #54-5535 | #55-5444 | #56-5379 | #57-5622 | #58-5619 | #59-5356 | #60-5583 |
| #61-5469 | #62-5326 | #63-5424 | #64-5328 | #65-5688 | #66-5689 | #67-5663 | #68-5531 | #69-5655 | #70-5498 |
| #71-5571 | #72-5286 | #73-5671 | #74-5433 | #75-5398 | #76-5292 | #77-5651 | #78-5266 | #79-5484 | #80-5507 |
| #81-5468 | #82-5300 | #83-5720 | #84-5337 | #85-5635 | #86-5456 | #87-5355 | #88-5653 | #89-5288 | #90-5369 |
| #91-5271 | #92-5713 | #93-5309 | #94-5389 | #95-5295 | #96-5600 | #97-5466 | #98-5261 | #99-5660 | #100-5336 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5696 | #02-5467 | #03-5252 | #04-5409 | #05-5453 | #06-5548 | #07-5543 | #08-5385 | #09-5585 | #10-5637 |
| #11-5694 | #12-5575 | #13-5621 | #14-5448 | #15-5472 | #16-5465 | #17-5357 | #18-5568 | #19-5394 | #20-5279 |
| #21-5271 | #22-5629 | #23-5412 | #24-5293 | #25-5284 | #26-5302 | #27-5438 | #28-5632 | #29-5547 | #30-5457 |
| #31-5364 | #32-5617 | #33-5292 | #34-5484 | #35-5533 | #36-5352 | #37-5494 | #38-5624 | #39-5464 | #40-5551 |
| #41-5610 | #42-5411 | #43-5326 | #44-5339 | #45-5538 | #46-5317 | #47-5571 | #48-5378 | #49-5250 | #50-5628 |
| #51-5341 | #52-5682 | #53-5266 | #54-5314 | #55-5304 | #56-5684 | #57-5374 | #58-5400 | #59-5360 | #60-5636 |
| #61-5562 | #62-5377 | #63-5522 | #64-5322 | #65-5689 | #66-5663 | #67-5363 | #68-5588 | #69-5669 | #70-5654 |
| #71-5468 | #72-5336 | #73-5678 | #74-5471 | #75-5710 | #76-5591 | #77-5503 | #78-5546 | #79-5553 | #80-5272 |
| #81-5660 | #82-5276 | #83-5417 | #84-5479 | #85-5393 | #86-5370 | #87-5473 | #88-5354 | #89-5640 | #90-5298 |
| #91-5283 | #92-5528 | #93-5262 | #94-5254 | #95-5719 | #96-5607 | #97-5440 | #98-5612 | #99-5290 | #100-5397 |

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5277 | #02-5537 | #03-5654 | #04-5573 | #05-5693 | #06-5255 | #07-5627 | #08-5414 | #09-5493 | #10-5382 |
| #11-5265 | #12-5548 | #13-5499 | #14-5391 | #15-5507 | #16-5563 | #17-5522 | #18-5434 | #19-5694 | #20-5467 |
| #21-5445 | #22-5550 | #23-5538 | #24-5337 | #25-5435 | #26-5532 | #27-5665 | #28-5466 | #29-5716 | #30-5709 |
| #31-5313 | #32-5659 | #33-5513 | #34-5600 | #35-5632 | #36-5463 | #37-5554 | #38-5568 | #39-5510 | #40-5387 |
| #41-5309 | #42-5586 | #43-5282 | #44-5459 | #45-5278 | #46-5596 | #47-5472 | #48-5406 | #49-5335 | #50-5256 |
| #51-5643 | #52-5547 | #53-5676 | #54-5452 | #55-5724 | #56-5566 | #57-5388 | #58-5410 | #59-5315 | #60-5423 |
| #61-5508 | #62-5319 | #63-5331 | #64-5285 | #65-5624 | #66-5483 | #67-5293 | #68-5258 | #69-5678 | #70-5648 |
| #71-5557 | #72-5250 | #73-5386 | #74-5688 | #75-5280 | #76-5304 | #77-5701 | #78-5504 | #79-5719 | #80-5560 |
| #81-5623 | #82-5307 | #83-5691 | #84-5649 | #85-5430 | #86-5713 | #87-5349 | #88-5321 | #89-5306 | #90-5610 |
| #91-5327 | #92-5438 | #93-5675 | #94-5424 | #95-5379 | #96-5363 | #97-5428 | #98-5397 | #99-5332 | #100-5546 |

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

| | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| #01-5540 | #02-5488 | #03-5694 | #04-5511 | #05-5411 | #06-5631 | #07-5721 | #08-5416 | #09-5588 | #10-5610 |
| #11-5262 | #12-5315 | #13-5318 | #14-5699 | #15-5302 | #16-5554 | #17-5270 | #18-5497 | #19-5549 | #20-5485 |
| #21-5668 | #22-5500 | #23-5567 | #24-5353 | #25-5527 | #26-5374 | #27-5680 | #28-5412 | #29-5491 | #30-5700 |
| #31-5655 | #32-5394 | #33-5359 | #34-5666 | #35-5494 | #36-5451 | #37-5268 | #38-5442 | #39-5325 | #40-5615 |
| #41-5272 | #42-5426 | #43-5609 | #44-5355 | #45-5404 | #46-5310 | #47-5598 | #48-5377 | #49-5508 | #50-5574 |
| #51-5603 | #52-5289 | #53-5376 | #54-5407 | #55-5507 | #56-5290 | #57-5600 | #58-5425 | #59-5368 | #60-5287 |
| #61-5385 | #62-5648 | #63-5590 | #64-5361 | #65-5544 | #66-5478 | #67-5356 | #68-5410 | #69-5418 | #70-5391 |
| #71-5469 | #72-5421 | #73-5620 | #74-5667 | #75-5285 | #76-5607 | #77-5441 | #78-5330 | #79-5516 | #80-5319 |
| #81-5313 | #82-5367 | #83-5293 | #84-5384 | #85-5660 | #86-5265 | #87-5571 | #88-5324 | #89-5389 | #90-5474 |
| #91-5431 | #92-5538 | #93-5674 | #94-5557 | #95-5380 | #96-5401 | #97-5414 | #98-5550 | #99-5535 | #100-5434 |

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



575 Boulder Court
Pleasanton, California 94566, USA
Tel: 1.925.462.0304
Fax: 1.925.462.0306
www.micomlabs.com