



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

EMC TEST REPORT For FCC

Test Report No. : CTK-2013-01837
Date of Issue : 2013-12-11
Kind of Product : Tablet
Basic Model/Type No. : LPT-100SB
Variant Model/Type No. : -
Applicant : LG CNS CO., LTD.
Applicant Address : Prime Tower, #10-1, Hoehyun-dong, 2-ga, Jung-gu, Seoul, South Korea
Manufacturer : ARTVIEW
Manufacturer Address : 1027-8, Hoggie-dong, Dongan-gu, Anyang-si, Gyeonggi-do, South Korea
Contact Person : Jeong Tae-Young
Telephone : +82-2-6363-5797
Received Date : 2013-11-30
Test Data : 2013-11-30
Test Results : **In Compliance** **Not in Compliance**

The test results presented in this report relate only to the object tested.

Tested by

Lee Eun-Won
EMC Test Engineer
Date: 2013-12-11

Reviewed by

Park Young-Joon
EMC Technical Manager
Date: 2013-12-11



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea
Tel: +82-31-339-9970 Fax: +82-31-339-9855
www.e-ctk.com

REPORT REVISION HISTORY

Date	Revision	Page No
2013-12-11	Issued (CTK-2013-01837)	All

This report shall not be reproduced except in full, without the written approval of CTK Co., Ltd. This document may be altered or revised by CTK Co., Ltd. personnel only, and shall be noted in the revision section of the document. Any alteration of this document not carried out by CTK Co., Ltd. will constitute fraud and shall nullify the document.



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

TABLE OF CONTENTS

REPORT REVISION HISTORY	2
1.0 General Product Description	4
1.1 Model Differences	4
1.2 Device Modifications.....	5
1.3 EUT Configuration(s).....	6
1.4 Test Software	6
1.5 EUT Operating Mode(s)	6
1.6 Configuration	7
1.7 Calibration Details of Equipment Used for Measurement	8
1.8 Test Facility.....	8
1.9 Measurement Procedure	8
1.10 Laboratory Accreditations and Listings.....	9
1.11 Measurement Uncertainty	9
2.0 EMC Test Regulations/Standards.....	10
3.0 Results of Individual Test.....	11
3.1 Conducted Voltage Emissions of Mains ports	11
3.2 Radiated Electric Field Emissions (Below 1 GHz).....	13
3.3 Radiated Electric Field Emissions (Above 1 GHz)	15
APPENDIX A - Test Setup Photos and Configuration.....	17
Conducted Voltage Emissions of Mains Ports.....	18
Radiated Electric Field Emissions (Below 1 GHz)	19
Radiated Electric Field Emissions (Above 1 GHz).....	20
APPENDIX B – EUT Photographs	21
EUT External Photographs.....	22
EUT Internal Photographs	23
PCB.....	24



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

1.0 General Product Description



No.	ITEM	APPLICATION
1	Kind of Product	Tablet
2	Basic Model/Type No.	LPT-100SB
3	Variant Model/Type No.	-
4	Dimensions (mm)	248 (W) x 175 (H) x 19.5 (T)
5	Mobility	<input checked="" type="checkbox"/> Table-top <input type="checkbox"/> Floor-standing <input type="checkbox"/> Built-in <input type="checkbox"/> Portable
6	Maximum Clock Frequency	1 000 MHz
7	Electrical Ratings	Input: DC 5 V, 3 A
		Output: -
8	Test Voltage / Frequency	Voltage: DC 5 V, 3 A
		Frequency: -

1.1 Model Differences

Not applicable

1.2 Device Modifications

The following modifications were necessary for compliance:

	<p style="text-align: center;">— Ferrite Core</p> <table border="1"> <thead> <tr> <th>No.</th> <th>Manufacturer</th> <th>Part No</th> <th>Tune(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Steward</td> <td>HFA163090-0A2</td> <td>1</td> </tr> <tr> <td>2</td> <td>Steward</td> <td>28A0592-0A2</td> <td>0</td> </tr> <tr> <td>3</td> <td>Steward</td> <td>HFA163090-0A2</td> <td>1</td> </tr> <tr> <td>4</td> <td>TDK</td> <td>ZCAT2132-1130</td> <td>2</td> </tr> <tr> <td>5</td> <td>TDK</td> <td>ZCAT2132-1130</td> <td>2</td> </tr> </tbody> </table>	No.	Manufacturer	Part No	Tune(s)	1	Steward	HFA163090-0A2	1	2	Steward	28A0592-0A2	0	3	Steward	HFA163090-0A2	1	4	TDK	ZCAT2132-1130	2	5	TDK	ZCAT2132-1130	2
No.	Manufacturer	Part No	Tune(s)																						
1	Steward	HFA163090-0A2	1																						
2	Steward	28A0592-0A2	0																						
3	Steward	HFA163090-0A2	1																						
4	TDK	ZCAT2132-1130	2																						
5	TDK	ZCAT2132-1130	2																						
	<p style="text-align: center;">— Gasket</p> <p style="text-align: center;">— Conductive Tape</p>																								



1.3 EUT Configuration(s)

See Appendix A for individual test set-up configuration(s). The following peripheral devices and/or interface cables were connected during the measurement:

Peripheral Devices

Device	Model No.	Serial No.	Manufacturer
Switching Adapter	DSA-0151AD-05	-	Dae Van Electronics(Shen Zhen) Co., Ltd.
Notebook	LGR58	MEZ62436501	LG ELECTRONICS INC.

Cable Description

No.	From		To		Type of Cable		
	Device	I/O Port	Device	I/O Port	Length (m)	Shielded or Unshielded	Ferrite Core [Y/N]
1	EUT	USB 1	Cable	-	0.15	S	Y
2	Notebook	USB 2	Cable	-	0.2	S	Y
3	Switching Adapter	DC OUT	Cable	-	0.3	S	Y
4		AC POWER	AC MAIN	-	1.8	U	N

* Shielded or Unshielded : Unshielded=U, Shielded=S

1.4 Test Software

- EMC Test V 1.0
- Display Test Patterns - V1.5
- Ping.exe
- Not applicable


1.5 EUT Operating Mode(s)

Equipment under test was operated during the measurement under the following conditions:

- | | |
|--|--|
| <input type="checkbox"/> Standby | <input type="checkbox"/> Scrolling 'H' |
| <input type="checkbox"/> Color Bar Display | <input type="checkbox"/> Data Read/Write |
| <input type="checkbox"/> USB PLAY | <input type="checkbox"/> DVD Play |
| <input checked="" type="checkbox"/> USB Data Communication | <input checked="" type="checkbox"/> Video Play |

⇒ Because switching adapter is not included with the EUT, the test is applicable only to Radiated Electric Field Emissions.

1.6 Configuration





CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

1.7 Calibration Details of Equipment Used for Measurement

Test equipment and test accessories are calibrated on regular basis. The maximum time between calibrations is one year or what is recommended by the manufacturer, whichever is less. All test equipment calibrations are traceable to the Korea Research Institute of Standards and Science (KRISS), therefore, all test data recorded in this report is traceable to KRISS.

1.8 Test Facility

The measurement facility is located at 386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea. The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4 and CISPR Publication 22.

1.9 Measurement Procedure

Preliminary AC power line conducted emissions tests were performed shielded room. To find worst mode, several typical mode and typical cable position were tested. Final AC power line conducted emissions test was performed shielded room. (location is same as Preliminary test)

Based on the preliminary tests of the EUT, final test was proceeded worst case test mode and cable configuration.

Preliminary radiated emissions test were performed Semi-Anechoic Chamber or anechoic chamber (Distance of antenna and EUT was 3 m). To find worst mode, several typical mode and typical cable position were tested and peak level and frequency were recorded.

Final radiated emissions test was performed Semi-Anechoic Chamber. Based on the preliminary tests of the EUT, final test was proceeded worst case test mode and cable configuration.

* Measurement procedures was In accordance with ANSI C63.4-2009 7.3.3, 7.3.4, 8.3.1.1, 8.3.1.2, 8.3.2.1, 8.3.2.2



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification




CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

1.10 Laboratory Accreditations and Listings

Country	Agency	Scope of Accreditation	Registration Number	Logo
USA	FCC	FCC Part 15 & 18 EMI (Electromagnetic Interference / Emission)	805871	
JAPAN	VCCI	VCCI V-3 EMI (Electromagnetic Interference / Emission)	C-986 T-1843 R-3627 G-387	
KOREA	MSIP	EMI (Electromagnetic Interference / Emission) EMS (Electromagnetic Susceptibility / Immunity)	KR0025	

1.11 Measurement Uncertainty

Compliance of the product is based on the measured value.

However, the measurement uncertainty is included for information purposes.

The measurement uncertainties given below are based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95 %.

Measurement Type	Frequency Range	Expanded Uncertainty
Conducted Emission	150 kHz to 30 MHz	2.66 dB (C.L.: Approx. 95 %, $k=2$)
Radiated Emission	30 MHz to 1000 MHz	3.66 dB (C.L.: Approx. 95 %, $k=2$)
Radiated Emission	1 GHz Above	4.16 dB (C.L.: Approx. 95 %, $k=2$)



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

2.0 EMC Test Regulations/Standards

The tests were performed according to following regulations:

Applied standard	Title	Applied	Test Result
FCC Part 15 Subpart B <input checked="" type="checkbox"/> Class A <input type="checkbox"/> Class B	Conducted Voltage Emissions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> MET <input type="checkbox"/> NOT MET
	Radiated Electric Field Emissions	<input type="checkbox"/>	<input type="checkbox"/> MET <input type="checkbox"/> NOT MET



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

3.0 Results of Individual Test

3.1 Conducted Voltage Emissions of Mains ports

Test Date

Not Applicable

Test Location

Shielded Room

Test Equipment

Name of Equipment	Model No.	Manufacturer	Serial No.	Due Date	Applied
EMI Test Receiver	ESCI7	Rohde & Schwarz	100816	2013-12-14	<input type="checkbox"/>
LISN	ENV216	Rohde & Schwarz	101235	2014-08-02	<input type="checkbox"/>
LISN	ENV216	Rohde & Schwarz	101236	2014-08-02	<input type="checkbox"/>
EMI Test Receiver	ESR7	Rohde & Schwarz	101088	2014-08-02	<input type="checkbox"/>
LISN	ENV216	Rohde & Schwarz	101151	2014-11-08	<input type="checkbox"/>
LISN	ESH3-Z5	Rohde & Schwarz	100207	2014-11-08	<input type="checkbox"/>
EMI Test Receiver	ESCI3	Rohde & Schwarz	100032	2014-02-04	<input type="checkbox"/>
LISN	ENV216	Rohde & Schwarz	101150	2014-02-04	<input type="checkbox"/>
LISN	3825/2	EMCO	9607-2575	2014-07-12	<input type="checkbox"/>

Test Software

ESCI7 : EMC32 Ver. 8.50.0

ESR7, ESCI3 : EMC32 Ver. 8.53.0

Frequency Range of Measurement

150 kHz to 30 MHz

Instrument Setting

IF Band Width: 9 kHz

Climate Condition

Temperature:

Relative Humidity:

Atmospheric Pressure:

Test Result

The requirements are: MET NOT MET

Frequency (MHz)	Measured Data (dBµV)	Margin (dB)	Remark

The Result is calculated by using the following formula;

* Result = Limit - Margin (Result included the correction factor)

* Correction factor = Cable Loss + Insertion loss of LISN



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

Test Data



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

3.2 Radiated Electric Field Emissions (Below 1 GHz)

Test Date

2013-11-30

Test Location

10 m SAC (test distance : 10 m, 3 m)

Test Equipment

Name of Equipment	Model No.	Manufacturer	Serial No.	Due Date	Applied
EMI Test Receiver	ESCI7	Rohde & Schwarz	100814	2013-12-14	<input checked="" type="checkbox"/>
Trilog Broadband Antenna	VULB 9161 SE	SCHWARZBECK	9161-4133	2014-06-11	<input checked="" type="checkbox"/>
6dB Attenuator	DNF	Rohde & Schwarz	272.4110.50	2014-11-12	<input checked="" type="checkbox"/>
Amplifier	310	Sonoma Instrument Co.	291721	2014-03-21	<input checked="" type="checkbox"/>

Test Software

TOYO EMI software Ver. 5.1.0

Frequency Range of Measurement

30 MHz to 1 GHz

Instrument Setting

IF Band Width: 120 kHz

Climate Condition

Temperature: (23 ± 1) °C

Relative Humidity: (48 ± 1) %

Atmospheric Pressure: 99 kPa

Test Result

The requirements are: MET NOT MET

Frequency (MHz)	Measured Data (dBµV/m)	Margin (dB)	Remark
480.080	34.3	12.2	Quasi-peak

The Result is calculated by using the following formula;

* Result = Reading + Correction factor

* Correction factor = Antenna Factor + Cable Loss + 6 dB attenuator – Amp Gain




CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea
 Tel: +82-31-339-9970 Fax: +82-31-339-9855
 www.e-ctk.com

CTK Co., Ltd.
 The Prime Leader of Global Regulatory Certification

Test Data



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(uV)]	c.f [dB(1/m)]	Result QP [dB(uV/m)]	Limit QP [dB(uV/m)]	Margin QP [dB]	Height [cm]	Angle [deg]
1	54.250	V	37.8	-13.8	24.0	39.0	15.0	295.0	182.0
2	64.678	V	37.9	-15.7	22.2	39.0	16.8	195.0	104.0
3	64.799	H	39.5	-15.7	23.8	39.0	15.2	207.0	0.0
4	70.376	V	38.0	-15.8	22.2	39.0	16.8	100.0	70.0
5	360.043	H	37.5	-6.8	30.7	46.5	15.8	207.0	70.0
6	480.080	H	37.5	-3.2	34.3	46.5	12.2	207.0	331.0



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

3.3 Radiated Electric Field Emissions (Above 1 GHz)

Test Date

2013-11-30

Test Location

3 m SAC

Test Equipment

Name of Equipment	Model No.	Manufacturer	Serial No.	Due Date	Applied
EMI Test Receiver	ESU40	Rohde & Schwarz	100336	2014-06-27	<input checked="" type="checkbox"/>
Double Ridged Guide Antenna	3115	ETS-Lindgren	78895	2015-02-28	<input checked="" type="checkbox"/>
Preamplifier	8449B	Agilent Technologies	3008A02307	2014-11-08	<input checked="" type="checkbox"/>

Test Software

TOYO EMI software Ver. 5.1.0

Frequency Range of Measurement

1 GHz to 6 GHz

Instrument Setting

IF Band Width: 1 MHz

Climate Condition

Temperature: (22 ± 1) °C

Relative Humidity: (45 ± 1) %

Atmospheric Pressure: 99 kPa

Test Result

The requirements are: MET NOT MET

Frequency (MHz)	Measured Data (dBµV/m)	Margin (dB)	Remark
5 905.800	37.1	22.4	Average

The Result is calculated by using the following formula;

* Result = Reading + Correction factor

* Correction factor = Antenna Factor + Cable Loss- Amp Gain



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification


CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

Test Data



Final Result

No.	Frequency	(P)	Reading	Reading	c.f	Result	Result	Limit	Limit	Margin	Margin	Height	Angle
	[MHz]		AV	PK		AV	PK	AV	PK	AV	PK	[cm]	[°]
			[dB(µV)]	[dB(µV)]	[dB(1/m)]	[dB(µV/m)]	[dB(µV/m)]	[dB(µV/m)]	[dB(µV/m)]	[dB]	[dB]		
1	2400.000	H	19.2	45.6	5.1	24.3	50.7	59.5	79.5	35.2	28.8	100.0	239.0
2	2547.800	H	24.8	40.8	5.6	30.4	46.4	59.5	79.5	29.1	33.1	100.0	140.0
3	1991.200	V	25.9	39.0	3.5	29.4	42.5	59.5	79.5	30.1	37.0	100.0	142.0
4	5905.800	V	21.0	32.9	16.1	37.1	49.0	59.5	79.5	22.4	30.5	100.0	220.0



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

APPENDIX A - Test Setup Photos and Configuration



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

Conducted Voltage Emissions of Mains Ports

Not Applicable



CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification



CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

Radiated Electric Field Emissions (Below 1 GHz)





CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification



CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

Radiated Electric Field Emissions (Above 1 GHz)





CTK Co., Ltd.

The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

APPENDIX B – EUT Photographs



CTK Co., Ltd.
The Power Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

EUT External Photographs





CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification


CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

EUT Internal Photographs





CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification



CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

PCB





CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com






CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com







CTK Co., Ltd.
The Prime Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com





CTK Co., Ltd.
The Power Leader of Global Regulatory Certification

CTK Co., Ltd.

386-1, Ho-dong, Cheoin-gu, Yongin-si, Gyeonggi-do, 449-100, Korea

Tel: +82-31-339-9970 Fax: +82-31-339-9855

www.e-ctk.com

