

Thank you for purchasing the Bluetooth v2.0 +EDR Dongle. We hope you will enjoy the most advanced Bluetooth technology with it. The package includes a Bluetooth V2.0+EDR Dongle, which provides users a full range of Bluetooth features with computer devices. Please read the user manual to make the best use of Bluetooth v2.0 +EDR Dongle and its many features.

Package Contents

Bluetooth 2.0+EDR USB 2.0 Dongle Quick Installation Guide CD-ROM (User Manual/Driver/Utility)

Note

• The Bluetooth Utility operates under Windows XP and Windows 2000. The descriptions in the examples mainly pertain to operation under Windows XP.

Windows XP: MicrosoftR WindowsR XP Operating System Windows 2000: MicrosoftR WindowsR 2000 Operating System

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Software Installation

- **Note:** Make sure the Bluetooth USB Adapter is unplugged. To install the software, please follow the instruction below.
 - 1. Insert the Toshiba Bluetooth driver installation CD into the CD-ROM. The "InstallShield Wizard" should start automatically. If it does not load, please run the "Setup.exe" file from the CD drive.

Binetooth 2.0+EDR 1	ISB 2.0 Dongle Installer 🛛 🔀
Bluetool	th 2.0+EDR USB 2.0 Dongle
a)	Setup Driver & Tools
	Browse
S	
	Exit
TOSHIBA	

2. A setup window will pop up. Please choice language to start installation process.

Choose	Setup Language 🛛 🛛 🕅	
1	Select the language for this installation from the choices below.	
	English (United States)	
	OK Cancel	

Note: The initial window varies depending on the version of driver you are installing.

3. The Welcome window should now appear, Click "Next".

🔂 Toshiba Bluetooth Stack fo	r Apache by CSR - InstallShield Wizard	×
	Welcome to the InstallShield Wizard for Toshiba Bluetooth Stack for Apache by CSR	
	The InstallShield(R) Wizard will install Toshiba Bluetooth Stack for Apache by CSR on your computer. To continue, click Next.	
	< Back Next > Cancel	

4. Accept the terms in the license agreement thend click "Next".

🞲 Toshiba Bluetooth Stack for Apache	by CSR - Insta	allShield Wizard	×
License Agreement Please read the following license agreem	ent carefully.		
TOSHIBA CORPORATION			
End User L	icense Agree	ment	
This End User License Agreement you and TOSHIBA CORPORAT copyrighted Software provided wit	("EULA") is ION ("TOSE th this EULA.	a legal agreemer IIBA") with rega	nt between ard to the
I accept the terms in the license agreeme I do not accept the terms in the license a	ent agreement		
Instalibhield	< <u>B</u> ack	<u>N</u> ext >	Cancel

5. Click "Install" to begin the installation.

🙀 Toshiba Bluetooth Stack for Apach	e by CSR - Inst	allShield Wizard	×
Ready to Install the Program The wizard is ready to begin installation	I.		
Click Install to begin the installation.			
If you want to review or change any of exit the wizard.	your installation	settings, click Back.	Click Cancel to
InstallShield	< <u>B</u> ack	Install	Cancel

6. Installation is in process.

🙀 Toshiba B	Bluetooth Stack for Apache by CSR - InstallShield Wizard 📃 🔲 🗙
Installing The prog	Toshiba Bluetooth Stack for Apache by CSR Iram features you selected are being installed.
B	Please wait while the InstallShield Wizard installs Toshiba Bluetooth Stack for Apache by CSR. This may take several minutes.
	Status:
	Copying new files
InstallShield –	
	< <u>B</u> ack <u>N</u> ext > <u>Cancel</u>

7. Wait for the setup.



8. Plug in the EDR USB adapter and click "OK" to continue the installation.



9. Click "Finish" when the installation is completed.



10. Users will be asked to restart the system. Click "Yes" to restart the computer immediately.

