

TEST REPORT

REPORT NUMBER: I08GE4589-FCC-PART15B

ON

Type of Equipment:

Tri Band GSM 850/1800/1900 PCS handheld

cellular phone

Type of Designation: MEGA1

Manufacturer:

Ezze Mobile Tech.,Inc

ACCORDING TO

Part 15B: Radio Frequency Devices, Sep 20, 2007

China Telecommunication Technology Labs.

Month date, year Mar, 23, 2008

Signature

He Guili Director



REPORT NO.: 108GE4589-FCC-PART15B

FCC ID: RV2MEGA1

Report Date: 2008-03-23

Test Firm Name: China Telecommunication Technology Labs

Registration Number: 840587

Statement

The measurements shown in this report were made in accordance with the procedures described on test pages. All reported tests were carried out on a sample equipment to demonstrate limited compliance with FCC CFR 47 Parts 15B. The sample tested was found to comply with the requirements defined in the applied rules.



REPORT NO.: 108GE4589-FCC-PART15B

CONTENTS

1 GENERAL INFORMATION	4
1.1 Notes	4
1.2 Testers	
1.3 Testing Laboratory information	
1.4 DETAILS OF APPLICANT OR MANUFACTURER	7
2 TEST ITEM	8
2.1 General Information	8
2.2 OUTLINE OF EUT	8
2.3 Modifications Incorporated in EUT	8
2.4 EQUIPMENT CONFIGURATION	8
2.5 OTHER INFORMATION	8
3 SUMMARY OF TEST RESULTS	9
4 TEST RESULTS	10
4.1 RADIATED EMISSION	10
4.2 CONDUCTED EMISSION	14
ANNEX A EXTERNAL PHOTOS	18
ANNEX B INTERNAL PHOTOS	22
ANNEX C DEVIATIONS FROM PRESCRIBED TEST METHODS	24



REPORT NO.: 108GE4589-FCC-PART15B

1 General Information

1.1 Notes

All reported tests were carried out on a sample equipment to demonstrate limited compliance with FCC CFR 47 Parts 15B.

The test results of this test report relate exclusively to the item(s) tested as specified in section 2.

The following deviation from, additions to, or exclusions from the test specifications have been made. See Annex C.

China Telecommunication Technology Labs. (CTTL) authorizes the applicant or manufacturer (see section 1.4) to reproduce this report provided, and the test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CTTL Mr. He Guili.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. CTTL accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.



REPORT NO.: IOSGE4589-FCC-PART15B

1.2 Testers

Name: Yuan Yuan

Position: Engineer

Department: Department of EMC test

Signature: 真层

Name: Li Guoqing

Position: Engineer

Department: Department of EMC test

Signature: 李国庆

Editor of this test report:

Name: Li Guoqing

Position: Engineer

Department: Department of EMC test

Date: 2008-03-23

Signature: なりまた

Technical responsibility for area of testing:

Name: Zou Dongyi

Position: Manager

Department: Department of EMC test

Date: 2008-03-23

Signature: %3-5.43



REPORT NO.: I08GE4589-FCC-PART15B

1.3 Testing Laboratory information

1	.3.	1	Lo	ca	ti	OI	n

Name: China Telecommunication Technology Labs.

Address: No. 11, Yue Tan Nan Jie, Xi Cheng District

BEIJING

P. R. CHINA, 100083

Tel: +86 10 68094053

Fax: +86 10 68011404

Email: emc@chinattl.com

1.3.2 Details of accreditation status

Accredited by: China National Accreditation Service for Conformity

Assessment (CNAS)

Registration number: CNAS Registration No. CNAS L0570

Standard: ISO/IEC 17025: 2005

1.3.3 Test location, where different from section 1.3.1

Name: -----

Street: -----

City: -----

Country: -----

Telephone: -----

Fax:

Postcode: -----



REPORT NO.: 108GE4589-FCC-PART15B

FCC Parts 15B Equipment: MEGA1

1.4 Details of applicant or manufacturer

Dotails of appli	- Ca	or mana.	aota : 0.			
1.4.1 Applicant						
Name:	Ezze	Mobile Tech	.,Inc			
Address:	1F,	Bubmusa	Bldg.,	151-31,	Nonhyun-dong,	
	Kanç	gnam-ku, Se	oul			
Country:	Kore	а				
Telephone:	82-2	-519-7809			X	
Fax:	82-2	-519-7882			0/	
Contact:	Deril	k SEO				
Telephone:	+82-2-519-7809					
Email:	jhse	o@ezzemobi	le.com			
1.4.2 Manufacturer (if c	liffere	nt from appli	cant in s	ection 1.4.	1)	
Name:						
Address:		C,				
City:	City:					
Country:						
1.4.3 Manufactory (if di	fferen	t from applic	ant in se	ction 1.4.1)	
Name:	>					
Address:						



FCC Parts 15B
Equipment: MEGA1 REPORT NO.: I 08GE4589-FCC-PART15B

2 Test Item

2.1 General Information

Manufacturer: Ezze Mobile Tech.,Inc

Name: Tri Band GSM 850/1800/1900 PCS handheld cellular

phone

Model Number: MEGA1

Serial Number: --

Production Status: Production

Receipt date of test item: 2008-03-12

2.2 Outline of EUT

E.U.T. is a Tri Band GSM 850/1800/1900 PCS handheld cellular phone.

2.3 Modifications Incorporated in EUT

The EUT has not been modified from what is described by the brand name and unique type identification stated above.

2.4 Equipment Configuration

Equipment configuration list:

Item	Generic Description	Manufacturer	Туре	Serial No.	Remarks
Α	handset	Ezze Mobile Tech	MEGA1		None
В	adapter	Vu Fong	USB Type		None
	adaptei	Yu Feng	charger		None
С			Lithium Ion		
	battery	ZHIYIN	Rechargeable		None
			Battery		
D	Earphone	Rich star	Wire Type		None

Cables:

Item	Cable Type	Manufacturer	Length	Shield	Quantity	Remarks
1	DC cable on	Unknown	1.0 m	No	1	None
ľ	Adapter	OTIKHOWIT	1.0 111	NO	ı	None

2.5 Other Information

None.



REPORT NO.: 108GE4589-FCC-PART15B

3 Summary of Test Results

A brief summary of the tests carried out is shown as following.

	3			
Specification Clause	Name of Test	Result		
15.109	Radiated Emission	Pass		
15.107 Conducted Emission Pass				
Note: The EUT complies with the requirements of the Class B digital devices.				



REPORT NO.: 108GE4589-FCC-PART15B

4 Test Results

4.1 Radiated Emission

Specifi	cations:	15.109, AN	ISI C63.4-200	3				
Date o	f Tests	2008.03.13	2008.03.13					
Test co	onditions:	Ambient Temperature: 15°C-35°C						
		Relative Hu	umidity: 30%-6	60%				
		Air pressur	e: 86-106kPa					
Operat	ion Mode	TX on						
Test Re		Pass						
Test ed	quipment Use	d:				7		
Asset								
Number	Description	Manufacturer	Model Number	Serial Number	Cal Due	State		
7805	EMI Test Receiver	R/S	ESI26	100211	2009-01-03	Normal		
7330	Ultra Broadband Antenna	R/S	HL562	100013	2008-07-24	Normal		
7330	Double-Ridged Horn Antenna	R/S	HF906	100037	2009-01-14	Normal		
713	Fully-Anechoic Chamber	ETS	11.8m×6.5m×6 .3m	177	2010-11-17	Normal		
023	Wireless Communications Test Set	Agilent	8960(E5515C)	GB41450323	2008-06-13	Normal		
Ancilla	Ancillary Equipment used					1		
996	PC	HP	VL400	CN11205610		Normal		
0889	Printer	HP	C4254A	CNZQ326478		Normal		

Limit Lev	el Con	struction:
According	to Part	: 15.109(a).


Limits

Frequency	Field Strength	Field Strength	Measurement		
[MHz]	[µ V/m]	[dB V/m]	distance [m]		
30 -88	100	40.0	3		
88-216	150	43.5	3		
216 – 960	200	46.0	3		
Above 960	500	54.0	3		
Note: The tighter limit applies at the band edges.					



REPORT NO.: 108GE4589-FCC-PART15B

Test Configuration



The measuring distance between E.U.T and antenna is 3m.

Test Setup:

The EUT was placed in an anechoic chamber, see figure RE. The EUT is tested as tabletop EUT. The EUT is positioned on an 80cm height wood table.

The EUT is used as the peripheral equipment of the PC.

The setup is according to Figure 11a of ANSI C63.4-2003.

The test was done using an automated test system, where all test equipments were controlled by a computer.



Figure RE: Test Setup face



REPORT NO.: 108GE4589-FCC-PART15B



Figure RE: Test setup back

Test Method

During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.4-2003. The measurement was done by the automated test system.

Note: --


Test Data:

Frequency [MHz]	Level [dB µ V/m]	Limit [dBµV/m]	Antenna Height [cm]	Turntable Azimuth [degree]	Antenna Polarisation (V/H)
53.700000	31.8	40.0	256	84	VERTICAL
56.52	31.4	40.0	100	225	VERTICAL
299.760000	35.8	46.0	100	241	HORIZONTAL
366.420000	38.3	46.0	100	0	HORIZONTAL
397.500000	41.6	46.0	100	78	HORIZONTAL
720.120000	42.2	46.0	100	72	VERTICAL
Remarks:					_



REPORT NO.: 108GE4589-FCC-PART15B

Graphical Results:



Graphical results



REPORT NO.: 108GE4589-FCC-PART15B

4.2 Conducted Emission

Specif	ications:	15.107, AN	SI C63.4-2003				
Date o	f Tests	2008.03.14					
Test co	onditions:	Ambient Temperature: 15°C-35°C					
		Relative Humidity: 30%-60%					
		Air pressure	Air pressure: 86-106kPa				
Opera	tion Mode	TX on					
Test R	esults:	Pass					
Test e	quipment Use	d:			X		
Asset Number	Description	Manufacturer	Model Number	Serial Number	Cal Due	State	
7330	EMI Test Receiver	R/S	ESI40	839283/007	2009-02-03	Normal	
7330	Artificial Mains Network	R/S	ESH2-Z5	837480/002	2009-01-09	Normal	
714	Shielding Room	ETS		19003	2010-11-17	Normal	
023	Wireless Communications Test Set	Agilent	8960(E5515C)	GB41450323	2008-06-13	Normal	
Ancilla	ry Equipment	used					
996	PC	HP	VL400	CN11205610		Normal	
0889	Printer	HP	C4254A	CNZQ326478		Normal	

Limit Level Construction:

According to Part 15.107 (a)


Limits for Conducted Emission					
\(\(\)\)	Conduc	ted limit			
Frequency of Emission	[dB μ V]				
[MHz]	Quasi-peak	Average			
0.15 - 0.5	66 to 56*	56 to 46*			
0.5 - 5	56	46			
5 - 30	60	50			

^{*} Decreases with the logarithm of the frequency.



REPORT NO.: 108GE4589-FCC-PART15B

Test Configuration





REPORT NO.: 108GE4589-FCC-PART15B

Test Setup:

The EUT was placed in a shielding room, see figure CE. The EUT is positioned on an 80cm height wood table. The EUT is used as the peripheral equipment of the PC.

The setup is according to Figure 10a of ANSI C63.4-2003.

The test was done using an automated test system, where all test equipments were controlled by a computer.



Figure CE

Test Method:

During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.4-2003. The AC power line of the PC was connected to the artificial mains network then to EMI receiver. The measurement was done by the automated test system.

Note: --




REPORT NO.: I08GE4589-FCC-PART15B

Test Data:

Detector	Frequency	Level	Limit	Margin	Line	PE
(QP/AV)	(MHz)	(dBµV)	(dBµV)	(dB)		
QP	1.418000	45.7	56	10.3	L1	GND
AV	0.698000	41.0	46	5.0	L1	GND
AV	0.806000	40.1	46	5.9	L1	GND
Remarks:						•

Graphical results:



CE graphical results

TTL

FCC Parts 15B Equipment: MEGA1

REPORT NO.: 108GE4589-FCC-PART15B

Annex A External Photos



Front view with flip colse



Front view with flip open



REPORT NO.: 108GE4589-FCC-PART15B



Back view



Adaptor



REPORT NO.: 108GE4589-FCC-PART15B



Cable



Battery



REPORT NO.: 108GE4589-FCC-PART15B



Earphone

(TTL


FCC Parts 15B Equipment: MEGA1

REPORT NO.: I08GE4589-FCC-PART15B

Annex B Internal Photos



Main board (face)




Main borar (back)



REPORT NO.: I08GE4589-FCC-PART15B



Adaptor face



Adaptor back



REPORT NO.: I08GE4589-FCC-PART15B

ANNEX C Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

