

03 October 2008  
Ref: US-000226

To FCC

BABT  
Balfour House, Churchfield Road  
Walton on Thames  
Surrey, KT12 2TD  
United Kingdom  
Telephone: +44 (0)1932 251200  
Fax: +44 (0)1932 251201  
Direct Dial: +44 (0)1932 251261  
E-mail: [Vina.Kerai@babt.com](mailto:Vina.Kerai@babt.com)  
Website: [www.babt.com](http://www.babt.com)

**Overall Assessment Letter for Ezze MEGA4E**  
**FCC id: RV2MEGA4E**

I have reviewed this composite application and find it compliant. This is an application for a mobile phone supporting GSM/GPRS/EGPRS and Bluetooth. The GSM supports 850 MHz and 1900 MHz frequency range in both GSM, GPRS and EGPRS modes. Since the mobile phone also has a USB port for connection to Computers a filing for a Class B Computer peripheral has also been made. The phone additionally supports DCS 1800, however is not relevant as it is not supported in North America.

Please note the following:

- 1: The Bluetooth conducted output power is less than 12mW and the distance between the Bluetooth and GSM antennas is greater than 2.5cm and therefore, therefore simultaneous transmission SAR assessment was deemed as not being required.

The highest reported Head SAR for GSM 850 was 0.689 W/kg at 824.2 MHz in Right-hand cheek configuration. The highest reported Head SAR for PCS 1900 was 0.44 W/kg at 1850.2 MHz in left-hand cheek configuration. The highest reported Body SAR for GSM 850 was 0.681 W/kg at 836.60 MHz in handset rear facing phantom position with 15mm separation. The highest reported Body SAR for PCS 1900 was 0.477 W/kg at 1850.2 MHz in handset rear facing phantom position with 15mm separation. The worst case Body SAR configuration in each band was used to perform an additional SAR test using a headset which resulted in a maximum Body SAR level of 0.316 W/kg.

I underwent the FCC RF exposure training at FCC in April 2002 and at BABT in July 2007.

Yours sincerely



Alan Binks  
Technical Director, BABT