

# **SkyPilot Network Inc.**

## **SkyConnector Patch Antenna**

**SPN – 500-00248-01 - 5.15 to 5.35 GHz**

**SPN – 500-00249-01 - 5.5 to 5.725 GHz**

### **Antenna Patterns**

**14 April 2005**  
**SkyPilot Network Inc. Confidential**

4/14/2005

Page 1 of 4

**1.0 SkyConnector Azimuth Pattern**

The SkyConnector unit employs a panel antenna structure. The antenna azimuth beam width is approximately 30 degrees with the mean gain across the beam width at 16.5 dBi. The data and plot of antenna pattern in the azimuth direction is given in Table 1 and Figure 1 respectively.

Azimuth [Degs]	Gain [dBi]	Azimuth [Degs]	Gain [dBi]	Azimuth [Degs]	Gain [dBi]	Azimuth [Degs]	Gain [dBi]
0	17.0	90	-6.7	180	-25.7	270	-5.4
5	16.7	95	-7.4	185	-25.4	275	-4.5
10	16.3	100	-8.5	190	-30.2	280	-4.1
15	14.9	105	-8.9	195	-40.7	285	-4.7
20	12.1	110	-10.9	200	-27.0	290	-6.7
25	9.6	115	-12.5	205	-23.1	295	-8.2
30	5.5	120	-15.3	210	-18.1	300	-13.2
35	-2.0	125	-18.3	215	-15.0	305	-15.9
40	-10.7	130	-24.7	220	-16.3	310	-10.3
45	-10.4	135	-20.6	225	-18.0	315	-8.9
50	-10.2	140	-16.1	230	-25.6	320	-12.0
55	-16.6	145	-17.7	235	-21.2	325	-6.0
60	-29.6	150	-18.1	240	-13.0	330	2.1
65	-13.7	155	-21.3	245	-12.0	335	6.4
70	-9.2	160	-25.0	250	-11.7	340	10.4
75	-7.2	165	-23.8	255	-11.1	345	13.5
80	-6.7	170	-21.0	260	-8.5	350	15.8
85	-6.7	175	-26.8	265	-6.3	355	16.5

Table 1.- Skyconnector azimuth data

14 April 2005  
SkyPilot Network Inc. Confidential

4/14/2005

Page 2 of 4




Figure 1.- Skyconnector azimuth pattern

**14 April 2005**  
**SkyPilot Network Inc. Confidential**

4/14/2005

Page 3 of 4

**1.4 SkyConnector Elevation Pattern**

The elevation beam width of the SkyConnector antenna is approximately 8 degrees total. The data and plot of antenna pattern in the azimuth direction is given in Table 2 and Figure 2 respectively. Note that in Figure 2, the horizon or 0 degrees is in the vertical direction.

Angle, deg	Gain, dBi	Angle, deg	Gain, dBi	Angle, deg	Gain, dBi	Angle, deg	Gain, dBi
0	17.0	90	-15.8	180	-25.7	270	-15.9
5	13.7	95	-16.4	185	-25.3	275	-15.3
10	1.5	100	-17.0	190	-24.8	280	-14.7
15	3.3	105	-17.5	195	-24.4	285	-14.2
20	-1.8	110	-18.1	200	-23.9	290	-13.6
25	-4.4	115	-18.7	205	-23.4	295	-13.0
30	-5.1	120	-19.2	210	-22.9	300	-12.5
35	-19.2	125	-19.8	215	-22.3	305	-11.9
40	-8.2	130	-20.4	220	-21.6	310	-11.3
45	-10.7	135	-20.9	225	-21.0	315	-10.8
50	-11.3	140	-21.6	230	-20.4	320	-7.9
55	-11.9	145	-22.2	235	-19.8	325	-18.5
60	-12.4	150	-22.8	240	-19.3	330	-5.6
65	-13.0	155	-23.4	245	-18.7	335	-4.0
70	-13.6	160	-23.9	250	-18.1	340	-2.3
75	-14.1	165	-24.4	255	-17.6	345	3.5
80	-14.7	170	-24.8	260	-17.0	350	1.4
85	-15.3	175	-25.3	265	-16.4	355	12.6

Table 2.- Skyconnector elevation data




Figure 2.- Skyconnector elevation pattern

**14 April 2005**  
**SkyPilot Network Inc. Confidential**