

# **FCC RF EXPOSURE REPORT**

**FCC ID: RWO-RC30022301**

**Project No. : 1706C123**  
**Equipment : USB Wireless Dongle**  
**Model : RC30-022301**  
**Applicant : Razer Inc.**  
**Address : 201 3rd Street, Suite 900, San Francisco, CA 94103**

**According: : FCC Guidelines for Human Exposure IEEE C95.1 & KDB447498 D01**

## **B T L I N C .**

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.  
TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)
1	N/A	N/A	Printed	N/A	1.62

## GENERAL CONCLUSION:

Maximum measured transmitter power:

OutputPower (dBm)	Output Power (mW)	Limit (mW)
-2.15	0.6	10

According to FCC KDB447498 D01 V06, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and  $\leq 50$  mm

The maximum measured output peak power of this EUT is 0.6mW, less than 10mW at 5mm distance.

**Conclusion: No SAR evaluation required since transmitter power is below FCC threshold**