


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10578.0700	32.98	20.03	53.01	68.30	-15.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.26	15.16	50.42	74.00	-23.58	Peak	
2	5460.0000	28.61	15.16	43.77	54.00	-10.23	AVG	
3	5470.0000	38.47	15.19	53.66	68.30	-14.64	Peak	
4 *	5492.8000	89.64	15.25	104.89	68.30	36.59	Peak	No Limit
5	5502.1000	81.91	15.28	97.19	999.00	-901.81	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10997.5199	19.47	20.38	39.85	54.00	-14.15	AVG	
2	11000.1650	31.77	20.38	52.15	74.00	-21.85	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.87	22.06	57.93	74.00	-16.07	Peak	
2	5460.0000	24.62	22.06	46.68	54.00	-7.32	AVG	
3	5470.0000	36.80	22.09	58.89	68.30	-9.41	Peak	
4 *	5493.0000	79.95	22.17	102.12	68.30	33.82	Peak	No Limit
5	5493.9000	70.40	22.18	92.58	999.00	-906.42	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11000.7450	19.35	20.38	39.73	54.00	-14.27	AVG	
2	11000.8300	32.37	20.38	52.75	74.00	-21.25	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5582.2000	82.18	15.54	97.72	999.00	-901.28	AVG	No Limit
2 *	5584.3000	90.44	15.55	105.99	68.30	37.69	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11158.4000	19.56	20.48	40.04	54.00	-13.96	AVG	
2	11162.3550	32.09	20.48	52.57	74.00	-21.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5578.5000	79.79	22.51	102.30	68.30	34.00	Peak	No Limit
2	5578.6000	69.85	22.51	92.36	999.00	-906.64	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11158.6100	19.40	20.48	39.88	54.00	-14.12	AVG	
2	11162.0700	32.73	20.48	53.21	74.00	-20.79	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5695.1000	88.36	15.92	104.28	68.30	35.98	Peak	No Limit
2	5697.8000	80.91	15.93	96.84	999.00	-902.16	AVG	No Limit
3	5725.0000	37.88	16.02	53.90	68.30	-14.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11400.2750	19.65	20.62	40.27	54.00	-13.73	AVG	
2	11400.6750	32.97	20.62	53.59	74.00	-20.41	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5694.1000	67.43	22.97	90.40	999.00	-908.60	AVG	No Limit
2 *	5696.1000	77.23	22.98	100.21	68.30	31.91	Peak	No Limit
3	5725.0000	34.00	23.10	57.10	68.30	-11.20	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.9800	32.46	20.62	53.08	74.00	-20.92	Peak	
2 *	11401.2100	19.63	20.62	40.25	54.00	-13.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.76	15.16	51.92	74.00	-22.08	Peak	
2	5460.0000	29.44	15.16	44.60	54.00	-9.40	AVG	
3	5470.0000	39.81	15.19	55.00	68.30	-13.30	Peak	
4 *	5498.4000	87.12	15.27	102.39	68.30	34.09	Peak	No Limit
5	5500.8000	77.76	15.27	93.03	999.00	-905.97	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11017.7500	31.92	20.39	52.31	74.00	-21.69	Peak	
2 *	11020.6900	19.27	20.39	39.66	54.00	-14.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.12	22.06	57.18	74.00	-16.82	Peak	
2	5460.0000	25.05	22.06	47.11	54.00	-6.89	AVG	
3	5470.0000	36.02	22.09	58.11	68.30	-10.19	Peak	
4 *	5516.8000	76.06	22.27	98.33	68.30	30.03	Peak	No Limit
5	5518.2000	64.69	22.27	86.96	999.00	-912.04	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11017.5650	19.38	20.39	39.77	54.00	-14.23	AVG	
2	11018.4200	32.59	20.39	52.98	74.00	-21.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5534.0000	86.07	15.38	101.45	68.30	33.15	Peak	No Limit
2	5553.4000	78.21	15.45	93.66	999.00	-905.34	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11098.5250	19.45	20.44	39.89	54.00	-14.11	AVG	
2	11100.2650	33.25	20.44	53.69	74.00	-20.31	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5536.4000	75.39	22.34	97.73	68.30	29.43	Peak	No Limit
2	5565.2000	64.79	22.46	87.25	999.00	-911.75	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11097.5950	32.97	20.44	53.41	74.00	-20.59	Peak	
2 *	11101.0599	19.55	20.44	39.99	54.00	-14.01	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5663.8000	88.02	15.81	103.83	68.30	35.53	Peak	No Limit
2	5686.4000	79.66	15.89	95.55	999.00	-903.45	AVG	No Limit
3	5725.0000	35.08	16.02	51.10	68.30	-17.20	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11339.2699	32.85	20.59	53.44	74.00	-20.56	Peak	
2 *	11341.2500	19.64	20.59	40.23	54.00	-13.77	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5672.2000	72.28	22.89	95.17	68.30	26.87	Peak	No Limit
2	5678.6000	62.07	22.91	84.98	999.00	-914.02	AVG	No Limit
3	5725.0000	32.59	23.10	55.69	68.30	-12.61	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11337.5900	32.71	20.59	53.30	74.00	-20.70	Peak	
2 *	11339.2900	19.66	20.59	40.25	54.00	-13.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.82	15.16	51.98	74.00	-22.02	Peak	
2	5460.0000	29.49	15.16	44.65	54.00	-9.35	AVG	
3	5470.0000	36.72	15.19	51.91	68.30	-16.39	Peak	
4	5506.4000	73.84	15.29	89.13	999.00	-909.87	AVG	No Limit
5 *	5506.8000	82.82	15.29	98.11	68.30	29.81	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.5550	32.86	20.42	53.28	74.00	-20.72	Peak	
2 *	11061.3350	19.37	20.42	39.79	54.00	-14.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	33.90	22.06	55.96	74.00	-18.04	Peak	
2	5460.0000	25.79	22.06	47.85	54.00	-6.15	AVG	
3	5470.0000	33.36	22.09	55.45	68.30	-12.85	Peak	
4 *	5526.4000	78.29	22.31	100.60	68.30	32.30	Peak	No Limit
5	5555.2000	68.36	22.42	90.78	999.00	-908.22	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11057.6150	32.58	20.42	53.00	74.00	-21.00	Peak	
2 *	11061.3500	19.40	20.42	39.82	54.00	-14.18	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5613.2000	72.66	15.65	88.31	999.00	-910.69	AVG	No Limit
2 *	5620.0000	82.04	15.67	97.71	68.30	29.41	Peak	No Limit
3	5725.0000	34.69	16.02	50.71	68.30	-17.59	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11221.3700	33.30	20.52	53.82	74.00	-20.18	Peak	
2 *	11221.8750	19.86	20.52	40.38	54.00	-13.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5586.8000	69.55	22.55	92.10	999.00	-906.90	AVG	No Limit
2 *	5597.2000	79.09	22.59	101.68	68.30	33.38	Peak	No Limit
3	5725.0000	33.84	23.10	56.94	68.30	-11.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11218.3550	33.17	20.51	53.68	74.00	-20.32	Peak	
2 *	11222.2100	19.76	20.52	40.28	54.00	-13.72	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC160 Mode 5570MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	36.97	15.17	52.14	74.00	-21.86	peak	
2		5460.000	28.81	15.17	43.98	54.00	-10.02	AVG	
3		5470.000	34.56	15.19	49.75	68.30	-18.55	peak	
4	X	5525.200	66.61	15.35	81.96	68.30	13.66	AVG	No Limit
5	*	5556.400	75.55	15.46	91.01	68.30	22.71	peak	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC160 Mode 5570MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11139.410	19.59	20.47	40.06	54.00	-13.94	AVG	
2		11140.965	32.18	20.47	52.65	74.00	-21.35	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC160 Mode 5570MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	33.97	22.06	56.03	74.00	-17.97	peak	
2		5460.000	25.30	22.06	47.36	54.00	-6.64	AVG	
3		5470.000	34.94	22.09	57.03	68.30	-11.27	peak	
4	*	5518.000	73.97	22.27	96.24	68.30	27.94	peak	No Limit
5	X	5585.200	62.57	22.54	85.11	68.30	16.81	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC160 Mode 5570MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11139.415	33.48	20.47	53.95	74.00	-20.05	peak	
2	*	11142.495	19.50	20.47	39.97	54.00	-14.03	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.85	15.98	53.83	109.40	-55.57	Peak	
2	5725.0000	44.50	16.02	60.52	122.20	-61.68	Peak	
3 *	5749.7000	88.84	16.10	104.94	122.20	-17.26	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11487.7650	32.67	20.68	53.35	74.00	-20.65	Peak	
2 *	11488.0150	19.52	20.68	40.20	54.00	-13.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	34.18	23.06	57.24	109.40	-52.16	Peak	
2	5725.0000	35.43	23.10	58.53	122.20	-63.67	Peak	
3 *	5739.9000	78.37	23.15	101.52	122.20	-20.68	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11488.4000	32.35	20.68	53.03	74.00	-20.97	Peak	
2 *	11491.9150	19.53	20.68	40.21	54.00	-13.79	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5789.2000	89.03	16.23	105.26	122.20	-16.94	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11569.4550	19.24	20.72	39.96	54.00	-14.04	AVG	
2	11572.1100	31.99	20.72	52.71	74.00	-21.29	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5778.7000	77.70	23.31	101.01	122.20	-21.19	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11571.1400	32.18	20.72	52.90	74.00	-21.10	Peak	
2 *	11571.2550	19.38	20.72	40.10	54.00	-13.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5823.0000	88.67	16.34	105.01	122.20	-17.19	Peak	No Limit
2	5850.0000	37.28	16.43	53.71	122.20	-68.49	Peak	
3	5860.0000	35.56	16.47	52.03	109.40	-57.37	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11647.7100	19.36	20.77	40.13	54.00	-13.87	AVG	
2	11651.1100	31.96	20.77	52.73	74.00	-21.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5830.0000	77.97	23.51	101.48	122.20	-20.72	Peak	No Limit
2	5850.0000	34.10	23.59	57.69	122.20	-64.51	Peak	
3	5860.0000	34.14	23.63	57.77	109.40	-51.63	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11648.8050	32.86	20.77	53.63	74.00	-20.37	Peak	
2 *	11650.1500	19.22	20.77	39.99	54.00	-14.01	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	39.20	15.98	55.18	109.40	-54.22	Peak	
2	5725.0000	39.92	16.02	55.94	122.20	-66.26	Peak	
3 *	5743.0000	86.94	16.08	103.02	122.20	-19.18	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.0250	19.39	20.69	40.08	54.00	-13.92	AVG	
2	11509.5500	32.53	20.69	53.22	74.00	-20.78	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	34.23	23.06	57.29	109.40	-52.11	Peak	
2	5725.0000	33.13	23.10	56.23	122.20	-65.97	Peak	
3 *	5763.2000	65.37	23.25	88.62	122.20	-33.58	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11508.0750	19.31	20.69	40.00	54.00	-14.00	AVG	
2	11511.9400	32.58	20.69	53.27	74.00	-20.73	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5789.0000	86.85	16.23	103.08	122.20	-19.12	Peak	No Limit
2	5850.0000	36.33	16.43	52.76	122.20	-69.44	Peak	
3	5860.0000	35.38	16.47	51.85	109.40	-57.55	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.0950	32.95	20.73	53.68	74.00	-20.32	Peak	
2 *	11590.6200	19.23	20.73	39.96	54.00	-14.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5809.6000	66.41	23.43	89.84	122.20	-32.36	Peak	No Limit
2	5850.0000	34.11	23.59	57.70	122.20	-64.50	Peak	
3	5860.0000	33.10	23.63	56.73	109.40	-52.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.5650	32.53	20.73	53.26	74.00	-20.74	Peak	
2 *	11590.6100	19.32	20.73	40.05	54.00	-13.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	39.64	15.98	55.62	109.40	-53.78	Peak	
2	5725.0000	45.96	16.02	61.98	122.20	-60.22	Peak	
3 *	5757.8000	83.60	16.13	99.73	122.20	-22.47	Peak	No Limit
4	5850.0000	38.82	16.43	55.25	122.20	-66.95	Peak	
5	5860.0000	39.28	16.47	55.75	109.40	-53.65	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11551.5500	19.24	20.71	39.95	54.00	-14.05	AVG	
2	11551.7500	32.98	20.71	53.69	74.00	-20.31	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	35.55	23.06	58.61	109.40	-50.79	Peak	
2	5725.0000	43.10	23.10	66.20	122.20	-56.00	Peak	
3 *	5767.0000	78.47	23.26	101.73	122.20	-20.47	Peak	No Limit
4	5850.0000	33.30	23.59	56.89	122.20	-65.31	Peak	
5	5860.0000	35.98	23.63	59.61	109.40	-49.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11548.0300	19.40	20.71	40.11	54.00	-13.89	AVG	
2	11551.3400	32.14	20.71	52.85	74.00	-21.15	Peak	

TX A Mode_DUTY CYCLE

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.048 msec

T_{Total} : 2.104 msec

Duty cycle: 97.34%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 19.JUL.2018 10:31:02

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 1.912 msec

T_{Total} : 1.960 msec

Duty cycle: 97.55%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.11



Date: 19.JUL.2018 10:32:00

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

$$\text{Power} = \text{Measured power} + \text{Ducy factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX N40 Mode_DUTY CYCLE

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.905 msec

T_{Total} : 0.980 msec

Duty cycle: 92.35%

Duty Factor = $10 \log(1/Duty \ cycle)$

Duty Factor = 0.35



Date: 19.JUL.2018 10:33:04

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.980 msec

T_{Total} : 1.030 msec

Duty cycle: 95.15%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.22



Date: 19.JUL.2018 10:32:26

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 0.465 msec

T_{Total} : 0.540 msec

Duty cycle: 86.11%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.65



Date: 19.JUL.2018 10:33:35

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 0.225 msec

T_{Total} : 0.300 msec

Duty cycle: 75.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

$$\text{Duty Factor} = 1.25$$



Date: 19.JUL.2018 10:34:00

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle < 98 %, so, the output power and power density should be cacluated as Output

$$\text{Power} = \text{Measured power} + \text{Ducy factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX AC160 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.150 msec

T_{Total} : 0.195 msec

Duty cycle: 76.92%

Duty Factor = $10 \log(1/Duty \ cycle)$

Duty Factor = 1.14




Date: 19.JUL.2018 10:37:40

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

APPENDIX E - BANDWIDTH


Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	24.49	17.20
CH40	5200	25.00	17.20
CH48	5240	25.05	17.30

TX CH36



Date: 19.JUL.2018 16:29:02

TX CH40



Date: 19.JUL.2018 16:29:53

TX CH48




Date: 19.JUL.2018 16:30:44

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	24.99	18.30
CH40	5200	25.10	18.30
CH48	5240	25.05	18.30

TX CH36




Date: 19.JUL.2018 17:18:28

TX CH40



Date: 19.JUL.2018 17:19:19

TX CH48




Date: 19.JUL.2018 17:20:45

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	44.81	37.20
CH46	5230	45.40	37.20

TX CH38



Date: 19.JUL.2018 18:42:27

TX CH46




Date: 19.JUL.2018 18:43:23

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.35	17.20
CH60	5300	24.80	17.20
CH64	5320	24.99	17.20

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.




Date: 19.JUL.2018 16:31:36

TX CH60



Date: 19.JUL.2018 16:32:37

TX CH64




Date: 19.JUL.2018 16:33:26

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.30	18.20
CH60	5300	25.20	18.20
CH64	5320	25.10	18.30

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.




Date: 19.JUL.2018 17:22:07

TX CH60



Date: 19.JUL.2018 17:22:54

TX CH64




Date: 19.JUL.2018 17:23:45

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	45.19	37.20
CH62	5310	44.60	37.00


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26 dB emission bandwidth in megahertz.

TX CH54



Date: 19.JUL.2018 18:44:35

TX CH62




Date: 19.JUL.2018 18:45:42

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.75	17.20
CH116	5580	24.55	17.20
CH140	5700	24.95	17.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH100




Date: 19.JUL.2018 16:34:18

TX CH116



Date: 19.JUL.2018 16:35:10

TX CH140




Date: 19.JUL.2018 16:35:58

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.80	18.20
CH116	5580	25.06	18.20
CH140	5700	25.35	18.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH100




Date: 19.JUL.2018 17:24:35

TX CH116



Date: 19.JUL.2018 17:25:23

TX CH140




Date: 19.JUL.2018 17:26:12

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	45.00	37.00
CH110	5550	44.30	37.00
CH134	5670	45.40	37.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH102




Date: 19.JUL.2018 18:47:28

TX CH110



Date: 19.JUL.2018 18:48:39


TX CH134



Date: 19.JUL.2018 18:49:50


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.35	16.60	>=500
CH157	5785	16.50	16.60	>=500
CH165	5825	16.40	16.70	>=500

TX CH 149



Date: 19.JUL.2018 16:37:07

TX CH 157



Date: 19.JUL.2018 16:38:08


TX CH 165



Date: 19.JUL.2018 16:39:11


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.59	17.90	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.69	17.80	>=500

TX CH 149



Date: 19.JUL.2018 17:27:13

TX CH 157



Date: 19.JUL.2018 17:28:10

TX CH 165




Date: 19.JUL.2018 17:29:07

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 19.JUL.2018 18:51:04

TX CH 159




Date: 19.JUL.2018 18:52:21

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.15	18.30
CH40	5200	25.70	18.30
CH48	5240	25.00	18.30

TX CH36




Date: 19.JUL.2018 17:31:04

TX CH40



Date: 19.JUL.2018 17:31:59

TX CH48




Date: 19.JUL.2018 17:32:46

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	45.70	37.00
CH46	5230	44.70	37.20

TX CH38



Date: 19.JUL.2018 19:10:03

TX CH46




Date: 19.JUL.2018 19:11:12

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	85.59	75.20

TX CH42




Date: 20.JUL.2018 09:31:34

Test Mode: UNII-1/TX AC160 Mode_CH50

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH50	5250	165.12	153.60

TX CH50




Date: 20.JUL.2018 11:22:00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.30	18.30
CH60	5300	25.55	18.30
CH64	5320	24.70	18.30

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH52



Date: 19.JUL.2018 17:33:43

TX CH60



Date: 19.JUL.2018 17:34:30

TX CH64




Date: 19.JUL.2018 17:35:18

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	44.60	37.00
CH62	5310	44.60	37.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26 dB emission bandwidth in megahertz.

TX CH54



Date: 19.JUL.2018 19:12:24

TX CH62




Date: 19.JUL.2018 19:13:36

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	88.00	75.60

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.




Date: 20.JUL.2018 09:32:46

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.55	18.20
CH116	5580	24.89	18.20
CH140	5700	24.55	18.30


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH100




Date: 19.JUL.2018 17:36:10

TX CH116



Date: 19.JUL.2018 17:37:06

TX CH140




Date: 19.JUL.2018 17:38:06

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	45.39	37.20
CH110	5550	43.70	37.20
CH134	5670	45.90	37.00

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.




Date: 19.JUL.2018 19:14:57

TX CH110



Date: 19.JUL.2018 19:16:14

TX CH134




Date: 19.JUL.2018 19:17:27

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	88.80	75.20
CH122	5610	88.80	75.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26 dB emission bandwidth in megahertz.

TX CH106



Date: 20.JUL.2018 09:34:00

TX CH122




Date: 20.JUL.2018 09:35:16

Test Mode: UNII-2C/TX AC160 Mode_CH114

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH114	5570	165.76	154.88

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH114



Date: 20.JUL.2018 11:17:33