


802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7016G	92.13	Inf	-Inf	4.63	3	Vertical	11	1.03	-
PK	5.7024G	101.33	Inf	-Inf	4.63	3	Vertical	11	1.03	-
PK	5.7256G	64.18	68.20	-4.02	4.67	3	Vertical	11	1.03	-

802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

31/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.706G	92.11	Inf	-Inf	4.64	3	Horizontal	187	2.12	-
PK	5.7056G	101.62	Inf	-Inf	4.64	3	Horizontal	187	2.12	-
PK	5.7252G	62.37	68.20	-5.83	4.67	3	Horizontal	187	2.12	-

802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

31/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3868G	44.22	54.00	-9.78	15.17	3	Vertical	112	1.98	-
PK	11.40648G	57.63	74.00	-16.37	15.15	3	Vertical	112	1.98	-

802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.38794G	44.21	54.00	-9.79	15.17	3	Horizontal	250	2.47	-
PK	11.39976G	57.35	74.00	-16.65	15.16	3	Horizontal	250	2.47	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7426G	94.02	Inf	-Inf	4.70	3	Vertical	14	2.49	-
PK	5.571G	57.37	68.20	-10.83	4.43	3	Vertical	14	2.49	-
PK	5.7414G	102.04	Inf	-Inf	4.70	3	Vertical	14	2.49	-
PK	5.9778G	58.00	68.20	-10.20	5.07	3	Vertical	14	2.49	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7462G	92.89	Inf	-Inf	4.70	3	Horizontal	192	2.51	-
PK	5.5734G	58.17	68.20	-10.03	4.43	3	Horizontal	192	2.51	-
PK	5.7474G	101.02	Inf	-Inf	4.71	3	Horizontal	192	2.51	-
PK	5.931G	58.88	68.20	-9.32	4.99	3	Horizontal	192	2.51	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

31/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.38794G	44.21	54.00	-9.79	15.17	3	Vertical	250	2.47	-
PK	11.39976G	57.35	74.00	-16.65	15.16	3	Vertical	250	2.47	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

31/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.48784G	44.20	54.00	-9.80	15.05	3	Horizontal	257	2.13	-
PK	11.4882G	57.35	74.00	-16.65	15.05	3	Horizontal	257	2.13	-

802.11n HT20_Nss1,(MCS0)_2TX

5785MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7814G	93.61	Inf	-Inf	4.76	3	Vertical	3	2.44	-
PK	5.6002G	58.90	68.20	-9.30	4.47	3	Vertical	3	2.44	-
PK	5.7814G	102.93	Inf	-Inf	4.76	3	Vertical	3	2.44	-
PK	5.9374G	58.27	68.20	-9.93	5.00	3	Vertical	3	2.44	-

802.11n HT20_Nss1,(MCS0)_2TX

5785MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7874G	93.10	Inf	-Inf	4.77	3	Horizontal	194	2.49	-
PK	5.6254G	58.29	68.20	-9.91	4.51	3	Horizontal	194	2.49	-
PK	5.7874G	101.53	Inf	-Inf	4.77	3	Horizontal	194	2.49	-
PK	5.9302G	58.10	68.20	-10.10	4.99	3	Horizontal	194	2.49	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8262G	92.34	Inf	-Inf	4.83	3	Vertical	13	1.50	-
PK	5.6246G	57.89	68.20	-10.31	4.50	3	Vertical	13	1.50	-
PK	5.8286G	100.94	Inf	-Inf	4.84	3	Vertical	13	1.50	-
PK	5.9402G	58.00	68.20	-10.20	5.02	3	Vertical	13	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	96.27	Inf	-Inf	4.83	3	Horizontal	199	2.27	-
PK	5.615G	58.30	68.20	-9.90	4.50	3	Horizontal	199	2.27	-
PK	5.8214G	105.22	Inf	-Inf	4.82	3	Horizontal	199	2.27	-
PK	5.945G	58.46	68.20	-9.74	5.02	3	Horizontal	199	2.27	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.65666G	45.37	54.00	-8.63	14.86	3	Vertical	226	1.50	-
PK	11.6383G	58.63	74.00	-15.37	14.88	3	Vertical	226	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.65378G	45.46	54.00	-8.54	14.86	3	Horizontal	46	1.38	-
PK	11.64712G	58.22	74.00	-15.78	14.87	3	Horizontal	46	1.38	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	49.44	54.00	-4.56	3.68	3	Vertical	11	1.01	-
AV	5.2068G	89.90	Inf	-Inf	3.78	3	Vertical	11	1.01	-
PK	5.1456G	65.98	74.00	-8.02	3.67	3	Vertical	11	1.01	-
PK	5.1864G	98.76	Inf	-Inf	3.75	3	Vertical	11	1.01	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	53.72	54.00	-0.28	3.68	3	Horizontal	193	2.34	-
AV	5.1788G	92.77	Inf	-Inf	3.73	3	Horizontal	193	2.34	-
PK	5.1476G	69.11	74.00	-4.89	3.68	3	Horizontal	193	2.34	-
PK	5.1776G	101.71	Inf	-Inf	3.73	3	Horizontal	193	2.34	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.3827G	45.48	54.00	-8.52	14.36	3	Vertical	192	2.54	-
PK	10.37604G	57.27	74.00	-16.73	14.35	3	Vertical	192	2.54	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.3707G	58.10	74.00	-15.90	14.34	3	Horizontal	112	1.59	-
AV	10.37676G	45.55	54.00	-8.45	14.35	3	Horizontal	112	1.59	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	45.22	54.00	-8.78	3.68	3	Vertical	11	1.06	-
AV	5.2472G	91.22	Inf	-Inf	3.86	3	Vertical	11	1.06	-
PK	5.1376G	56.95	74.00	-17.05	3.66	3	Vertical	11	1.06	-
PK	5.2476G	99.47	Inf	-Inf	3.86	3	Vertical	11	1.06	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	45.22	54.00	-8.78	3.68	3	Horizontal	194	2.54	-
AV	5.2408G	93.38	Inf	-Inf	3.85	3	Horizontal	194	2.54	-
PK	5.146G	57.16	74.00	-16.84	3.68	3	Horizontal	194	2.54	-
PK	5.2392G	102.18	Inf	-Inf	3.84	3	Horizontal	194	2.54	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.45808G	45.52	54.00	-8.48	14.51	3	Vertical	131	2.90	-
PK	10.47188G	58.47	74.00	-15.53	14.54	3	Vertical	131	2.90	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.4531G	45.55	54.00	-8.45	14.50	3	Horizontal	124	1.50	-
PK	10.44812G	57.83	74.00	-16.17	14.49	3	Horizontal	124	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2872G	90.93	Inf	-Inf	3.94	3	Vertical	0	1.06	-
AV	5.356G	46.35	54.00	-7.65	4.06	3	Vertical	0	1.06	-
PK	5.2868G	99.06	Inf	-Inf	3.93	3	Vertical	0	1.06	-
PK	5.3532G	57.56	74.00	-16.44	4.05	3	Vertical	0	1.06	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2792G	93.61	Inf	-Inf	3.92	3	Horizontal	196	2.37	-
AV	5.3624G	46.54	54.00	-7.46	4.07	3	Horizontal	196	2.37	-
PK	5.2768G	102.78	Inf	-Inf	3.92	3	Horizontal	196	2.37	-
PK	5.3576G	57.88	74.00	-16.12	4.06	3	Horizontal	196	2.37	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5526G	46.01	54.00	-7.99	14.71	3	Vertical	264	2.13	-
PK	10.52998G	58.60	74.00	-15.40	14.66	3	Vertical	264	2.13	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

31/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.55422G	45.94	54.00	-8.06	14.71	3	Horizontal	50	2.96	-
PK	10.53034G	57.90	74.00	-16.10	14.66	3	Horizontal	50	2.96	-

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3116G	89.19	Inf	-Inf	3.98	3	Vertical	11	1.11	-
AV	5.3508G	50.53	54.00	-3.47	4.05	3	Vertical	11	1.11	-
PK	5.3144G	97.63	Inf	-Inf	3.99	3	Vertical	11	1.11	-
PK	5.3528G	65.35	74.00	-8.65	4.05	3	Vertical	11	1.11	-

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2932G	92.07	Inf	-Inf	3.95	3	Horizontal	195	2.15	-
AV	5.3504G	53.21	54.00	-0.79	4.05	3	Horizontal	195	2.15	-
PK	5.2952G	101.09	Inf	-Inf	3.95	3	Horizontal	195	2.15	-
PK	5.350005G	71.47	74.00	-2.53	4.05	3	Horizontal	195	2.15	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	48.29	54.00	-5.71	4.25	3	Vertical	11	1.08	-
AV	5.5008G	91.36	Inf	-Inf	4.32	3	Vertical	11	1.08	-
PK	5.4596G	62.29	74.00	-11.71	4.25	3	Vertical	11	1.08	-
PK	5.464G	64.74	68.20	-3.46	4.26	3	Vertical	11	1.08	-
PK	5.5008G	100.24	Inf	-Inf	4.32	3	Vertical	11	1.08	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	47.10	54.00	-6.90	4.25	3	Horizontal	201	2.31	-
AV	5.5272G	91.64	Inf	-Inf	4.36	3	Horizontal	201	2.31	-
PK	5.4584G	59.46	74.00	-14.54	4.25	3	Horizontal	201	2.31	-
PK	5.4684G	67.86	68.20	-0.34	4.26	3	Horizontal	201	2.31	-
PK	5.506G	100.24	Inf	-Inf	4.33	3	Horizontal	201	2.31	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.03236G	45.55	54.00	-8.45	15.58	3	Vertical	0	2.26	-
PK	11.0206G	57.52	74.00	-16.48	15.60	3	Vertical	0	2.26	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02798G	45.41	54.00	-8.59	15.59	3	Horizontal	227	1.55	-
PK	11.01682G	57.56	74.00	-16.44	15.60	3	Horizontal	227	1.55	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4524G	46.39	54.00	-7.61	4.23	3	Vertical	1	1.01	-
AV	5.5676G	90.39	Inf	-Inf	4.42	3	Vertical	1	1.01	-
PK	5.4568G	58.02	74.00	-15.98	4.24	3	Vertical	1	1.01	-
PK	5.4604G	58.00	68.20	-10.20	4.25	3	Vertical	1	1.01	-
PK	5.548G	98.48	Inf	-Inf	4.39	3	Vertical	1	1.01	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4524G	46.08	54.00	-7.92	4.23	3	Horizontal	199	2.28	-
AV	5.5548G	91.19	Inf	-Inf	4.40	3	Horizontal	199	2.28	-
PK	5.4524G	57.79	74.00	-16.21	4.23	3	Horizontal	199	2.28	-
PK	5.4696G	57.78	68.20	-10.42	4.26	3	Horizontal	199	2.28	-
PK	5.5344G	99.60	Inf	-Inf	4.37	3	Horizontal	199	2.28	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1117G	46.34	54.00	-7.66	15.49	3	Vertical	98	1.49	-
PK	11.10552G	58.54	74.00	-15.46	15.50	3	Vertical	98	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.11446G	46.29	54.00	-7.71	15.49	3	Horizontal	166	2.75	-
PK	11.11398G	58.38	74.00	-15.62	15.49	3	Horizontal	166	2.75	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6874G	90.44	Inf	-Inf	4.61	3	Vertical	358	1.00	-
PK	5.6676G	98.57	Inf	-Inf	4.58	3	Vertical	358	1.00	-
PK	5.7282G	61.00	68.20	-7.20	4.67	3	Vertical	358	1.00	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6754G	92.38	Inf	-Inf	4.59	3	Horizontal	199	2.22	-
PK	5.6754G	101.04	Inf	-Inf	4.59	3	Horizontal	199	2.22	-
PK	5.736G	61.98	68.20	-6.22	4.68	3	Horizontal	199	2.22	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3277G	45.60	54.00	-8.40	15.24	3	Vertical	110	1.50	-
PK	11.33748G	58.02	74.00	-15.98	15.23	3	Vertical	110	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.32992G	45.49	54.00	-8.51	15.24	3	Horizontal	251	1.75	-
PK	11.3481G	58.21	74.00	-15.79	15.22	3	Horizontal	251	1.75	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7598G	90.39	Inf	-Inf	4.73	3	Vertical	181	1.01	-
PK	5.515G	58.68	68.20	-9.52	4.35	3	Vertical	181	1.01	-
PK	5.7406G	99.47	Inf	-Inf	4.69	3	Vertical	181	1.01	-
PK	5.9446G	59.34	68.20	-8.86	5.02	3	Vertical	181	1.01	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

30/08/2018







Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7718G	92.67	Inf	-Inf	4.74	3	Horizontal	200	2.23	-
PK	5.5738G	58.90	68.20	-9.30	4.43	3	Horizontal	200	2.23	-
PK	5.7718G	101.39	Inf	-Inf	4.74	3	Horizontal	200	2.23	-
PK	5.9878G	59.29	68.20	-8.91	5.08	3	Horizontal	200	2.23	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

30/08/2018




- Lim.PK 
- PK 
- Lim.AV 
- AV 

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.50502G	44.74	54.00	-9.26	15.03	3	Vertical	46	1.50	-
PK	11.5187G	56.59	74.00	-17.41	15.02	3	Vertical	46	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.50658G	44.76	54.00	-9.24	15.03	3	Horizontal	232	1.46	-
PK	11.51522G	57.23	74.00	-16.77	15.02	3	Horizontal	232	1.46	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.807G	90.55	Inf	-Inf	4.80	3	Vertical	4	1.50	-
PK	5.4974G	58.15	68.20	-10.05	4.32	3	Vertical	4	1.50	-
PK	5.8058G	98.73	Inf	-Inf	4.80	3	Vertical	4	1.50	-
PK	5.933G	59.59	68.20	-8.61	5.00	3	Vertical	4	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8046G	93.40	Inf	-Inf	4.80	3	Horizontal	199	2.29	-
PK	5.6474G	59.17	68.20	-9.03	4.55	3	Horizontal	199	2.29	-
PK	5.7854G	102.39	Inf	-Inf	4.77	3	Horizontal	199	2.29	-
PK	5.9846G	58.31	68.20	-9.89	5.07	3	Horizontal	199	2.29	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.59462G	45.64	54.00	-8.36	14.93	3	Vertical	44	1.10	-
PK	11.5879G	57.51	74.00	-16.49	14.94	3	Vertical	44	1.10	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

30/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.59702G	45.47	54.00	-8.53	14.93	3	Horizontal	358	1.50	-
PK	11.6032G	57.59	74.00	-16.41	14.92	3	Horizontal	358	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

23/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.142G	47.98	54.00	-6.02	3.67	3	Vertical	360	2.42	-
AV	5.245G	85.78	Inf	-Inf	3.86	3	Vertical	360	2.42	-
AV	5.352G	47.58	54.00	-6.42	4.05	3	Vertical	360	2.42	-
PK	5.008G	57.16	74.00	-16.84	3.42	3	Vertical	360	2.42	-
PK	5.246G	93.43	Inf	-Inf	3.86	3	Vertical	360	2.42	-
PK	5.433G	57.08	74.00	-16.92	4.20	3	Vertical	360	2.42	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

23/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	53.23	54.00	-0.77	3.68	3	Horizontal	210	2.42	-
AV	5.233G	87.96	Inf	-Inf	3.83	3	Horizontal	210	2.42	-
AV	5.356G	46.55	54.00	-7.45	4.06	3	Horizontal	210	2.42	-
PK	5.145G	64.10	74.00	-9.90	3.67	3	Horizontal	210	2.42	-
PK	5.206G	95.80	Inf	-Inf	3.78	3	Horizontal	210	2.42	-
PK	5.358G	57.45	74.00	-16.55	4.06	3	Horizontal	210	2.42	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

23/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41802G	46.30	54.00	-7.70	14.43	3	Vertical	25	1.65	-
PK	10.4131G	57.75	74.00	-16.25	14.42	3	Vertical	25	1.65	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

23/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41754G	46.00	54.00	-8.00	14.43	3	Horizontal	321	2.01	-
PK	10.42606G	57.15	74.00	-16.85	14.45	3	Horizontal	321	2.01	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.056G	47.35	54.00	-6.65	3.51	3	Vertical	4	1.13	-
AV	5.297G	86.36	Inf	-Inf	3.95	3	Vertical	4	1.13	-
AV	5.361G	51.81	54.00	-2.19	4.07	3	Vertical	4	1.13	-
PK	5.126G	57.09	74.00	-16.91	3.64	3	Vertical	4	1.13	-
PK	5.3G	93.47	Inf	-Inf	3.96	3	Vertical	4	1.13	-
PK	5.381G	61.00	74.00	-13.00	4.11	3	Vertical	4	1.13	-
PK	5.54G	57.61	68.20	-10.59	4.39	3	Vertical	4	1.13	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

24/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	47.02	54.00	-6.98	3.68	3	Horizontal	196	2.40	-
AV	5.271G	87.37	Inf	-Inf	3.90	3	Horizontal	196	2.40	-
AV	5.351G	53.51	54.00	-0.49	4.05	3	Horizontal	196	2.40	-
PK	5.108G	56.55	74.00	-17.45	3.60	3	Horizontal	196	2.40	-
PK	5.314G	95.35	Inf	-Inf	3.99	3	Horizontal	196	2.40	-
PK	5.351G	64.15	74.00	-9.85	4.05	3	Horizontal	196	2.40	-
PK	5.506G	56.56	68.20	-11.64	4.33	3	Horizontal	196	2.40	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

24/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58774G	46.81	54.00	-7.19	14.78	3	Vertical	183	1.50	-
PK	10.56938G	57.86	74.00	-16.14	14.74	3	Vertical	183	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5671G	46.73	54.00	-7.27	14.74	3	Horizontal	129	1.26	-
PK	10.56668G	58.50	74.00	-15.50	14.74	3	Horizontal	129	1.26	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

23/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.452G	50.16	54.00	-3.84	4.23	3	Vertical	10	1.02	-
AV	5.548G	87.98	Inf	-Inf	4.39	3	Vertical	10	1.02	-
PK	5.326G	56.31	68.20	-11.89	4.01	3	Vertical	10	1.02	-
PK	5.446G	62.15	74.00	-11.85	4.23	3	Vertical	10	1.02	-
PK	5.469G	66.98	68.20	-1.22	4.26	3	Vertical	10	1.02	-
PK	5.548G	97.52	Inf	-Inf	4.39	3	Vertical	10	1.02	-
PK	5.728G	56.14	68.20	-12.06	4.67	3	Vertical	10	1.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

23/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	47.36	54.00	-6.64	4.24	3	Horizontal	253	1.49	-
AV	5.553G	82.93	Inf	-Inf	4.40	3	Horizontal	253	1.49	-
PK	5.285G	55.82	68.20	-12.38	3.93	3	Horizontal	253	1.49	-
PK	5.456G	59.63	74.00	-14.37	4.24	3	Horizontal	253	1.49	-
PK	5.468G	61.09	68.20	-7.11	4.26	3	Horizontal	253	1.49	-
PK	5.552G	93.28	Inf	-Inf	4.40	3	Horizontal	253	1.49	-
PK	5.759G	56.51	68.20	-11.69	4.72	3	Horizontal	253	1.49	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

23/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.07416G	46.71	54.00	-7.29	15.53	3	Vertical	310	1.75	-
PK	11.06774G	58.05	74.00	-15.95	15.54	3	Vertical	310	1.75	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

23/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.07266G	46.61	54.00	-7.39	15.54	3	Horizontal	303	2.68	-
PK	11.06174G	57.68	74.00	-16.32	15.55	3	Horizontal	303	2.68	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.429G	44.86	54.00	-9.14	4.19	3	Vertical	10	1.08	-
AV	5.617G	86.31	Inf	-Inf	4.50	3	Vertical	10	1.08	-
PK	5.459995G	56.63	74.00	-17.37	4.25	3	Vertical	10	1.08	-
PK	5.468G	55.33	68.20	-12.87	4.26	3	Vertical	10	1.08	-
PK	5.616G	95.68	Inf	-Inf	4.50	3	Vertical	10	1.08	-
PK	5.838G	57.50	68.20	-10.70	4.85	3	Vertical	10	1.08	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

24/08/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.439G	44.87	54.00	-9.13	4.21	3	Horizontal	193	1.50	-
AV	5.621G	82.96	Inf	-Inf	4.50	3	Horizontal	193	1.50	-
PK	5.45G	56.05	74.00	-17.95	4.23	3	Horizontal	193	1.50	-
PK	5.463G	55.64	68.20	-12.56	4.26	3	Horizontal	193	1.50	-
PK	5.58G	92.44	Inf	-Inf	4.44	3	Horizontal	193	1.50	-
PK	5.781G	56.77	68.20	-11.43	4.75	3	Horizontal	193	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

24/08/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.21742G	47.21	54.00	-6.79	15.37	3	Vertical	340	1.50	-
PK	11.22012G	57.90	74.00	-16.10	15.36	3	Vertical	340	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.2131G	47.00	54.00	-7.00	15.37	3	Horizontal	47	1.50	-
PK	11.21148G	58.55	74.00	-15.45	15.37	3	Horizontal	47	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7534G	87.13	Inf	-Inf	4.72	3	Vertical	5	1.02	-
PK	5.5722G	57.67	68.20	-10.53	4.43	3	Vertical	5	1.02	-
PK	5.7546G	95.83	Inf	-Inf	4.72	3	Vertical	5	1.02	-
PK	5.9406G	58.95	68.20	-9.25	5.02	3	Vertical	5	1.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8086G	87.95	Inf	-Inf	4.80	3	Horizontal	212	2.40	-
PK	5.529G	58.15	68.20	-10.05	4.36	3	Horizontal	212	2.40	-
PK	5.8098G	96.83	Inf	-Inf	4.81	3	Horizontal	212	2.40	-
PK	5.9646G	58.73	68.20	-9.47	5.05	3	Horizontal	212	2.40	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

24/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.56266G	46.05	54.00	-7.95	14.97	3	Vertical	172	2.14	-
PK	11.56428G	57.38	74.00	-16.62	14.97	3	Vertical	172	2.14	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

24/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.54982G	46.01	54.00	-7.99	14.98	3	Horizontal	346	1.50	-
PK	11.54148G	57.85	74.00	-16.15	14.99	3	Horizontal	346	1.50	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
1	Pass	PK	4.80299G	45.94	54.00	-8.06	2.07	3	Horizontal	237	1.26	-
2	Pass	AV	10.36876G	45.62	54.00	-8.38	12.66	3	Horizontal	50	1.28	-



Radiation-above 1GHz_Mode 1

12/09/2018




Lim.PK
 PK
 Lim.AV
 AV

Type	Freq [Hz]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Factor [dB]	Dist [m]	Condition	Azimuth [°]	Height [m]	Comments
AV	4.80478G	33.74	54.00	-20.26	2.08	3	Vertical	124	1.48	-
AV	4.82456G	35.01	54.00	-18.99	2.13	3	Vertical	184	3.00	-
PK	4.80459G	45.63	74.00	-28.37	2.08	3	Vertical	124	1.48	-
PK	4.82466G	46.70	74.00	-27.30	2.13	3	Vertical	184	3.00	-



Radiation-above 1GHz_Mode 1

12/09/2018



Legend for the graph:

- Lim.PK: Red line with a downward-pointing triangle
- PK: Blue line with an upward-pointing triangle
- Lim.AV: Purple line with a downward-pointing triangle
- AV: Purple line with an upward-pointing triangle

Type	Freq [Hz]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Factor [dB]	Dist [m]	Condition	Azimuth [°]	Height [m]	Comments
AV	4.806G	23.85	54.00	-30.15	2.08	3	Horizontal	237	1.26	-
AV	4.82247G	32.36	54.00	-21.64	2.13	3	Horizontal	116	1.55	-
PK	4.80299G	45.94	54.00	-8.06	2.07	3	Horizontal	237	1.26	-
PK	4.82417G	46.24	74.00	-27.76	2.13	3	Horizontal	116	1.55	-

