


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	24.40	18.10
CH60	5300	24.69	18.00
CH64	5320	24.30	18.10


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH52




Date: 16.MAR.2018 16:17:11

TX CH60



Date: 16.MAR.2018 16:18:07

TX CH64




Date: 16.MAR.2018 16:19:55

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	44.00	37.00
CH62	5310	44.00	36.80


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26 dB emission bandwidth in megahertz.

TX CH54



Date: 16.MAR.2018 16:47:13

TX CH62




Date: 16.MAR.2018 16:48:29

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	85.59	75.20

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH58




Date: 16.MAR.2018 16:59:27

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.15	18.00
CH116	5580	24.10	18.00
CH140	5700	24.75	18.00


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH100




Date: 16.MAR.2018 16:20:57

TX CH116



Date: 16.MAR.2018 16:22:16

TX CH140




Date: 16.MAR.2018 16:23:34

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	44.90	37.00
CH110	5550	44.19	36.80
CH134	5670	45.10	37.00


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH102




Date: 16.MAR.2018 16:49:46

TX CH110



Date: 16.MAR.2018 16:51:11

TX CH134




Date: 16.MAR.2018 16:52:58

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	88.20	75.20
CH122	5610	87.20	75.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26 dB emission bandwidth in megahertz.

TX CH106



Date: 16.MAR.2018 17:00:34

TX CH122




Date: 16.MAR.2018 17:02:04

Test Mode: UNII-2C/TX AC160 Mode_CH114

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH114	5570	165.12	153.60

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26 dB emission bandwidth in megahertz.

TX CH114




Date: 21.MAR.2018 16:46:34

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.80	>=500
CH157	5785	17.70	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149




Date: 16.MAR.2018 16:24:55

TX CH 157



Date: 16.MAR.2018 16:26:10

TX CH 165




Date: 16.MAR.2018 16:27:23

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.39	36.40	>=500

TX CH 151



Date: 16.MAR.2018 16:54:31

TX CH 159




Date: 16.MAR.2018 16:56:05

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.40	75.20	>=500

TX CH 155



Date: 16.MAR.2018 17:03:21

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.21	0.10	15.31	22.30	0.17
CH40	5200	15.71	0.10	15.81	22.30	0.17
CH48	5240	15.27	0.10	15.37	22.30	0.17

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.51	0.10	15.61	22.30	0.68
CH40	5200	15.66	0.10	15.76	22.30	0.68
CH48	5240	15.35	0.10	15.45	22.30	0.68

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.47	22.30	0.17
CH40	5200	18.80	22.30	0.17
CH48	5240	18.42	22.30	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.22	0.11	15.33	22.30	0.17
CH40	5200	15.56	0.11	15.67	22.30	0.17
CH48	5240	15.73	0.11	15.84	22.30	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.43	0.11	15.54	22.30	0.17
CH40	5200	15.68	0.11	15.79	22.30	0.17
CH48	5240	15.76	0.11	15.87	22.30	0.17

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.45	22.30	0.17
CH40	5200	18.74	22.30	0.17
CH48	5240	18.87	22.30	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.15	0.32	14.47	22.30	0.17
CH46	5230	14.43	0.32	14.75	22.30	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.61	0.32	14.93	22.30	0.17
CH46	5230	14.18	0.32	14.50	22.30	0.17

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.72	22.30	0.17
CH46	5230	17.64	22.30	0.17

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.49	0.10	15.59	22.30	0.17
CH60	5300	15.25	0.10	15.35	22.30	0.17
CH64	5320	15.61	0.10	15.71	22.30	0.17

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.34	0.10	15.44	22.30	0.17
CH60	5300	15.17	0.10	15.27	22.30	0.17
CH64	5320	15.59	0.10	15.69	22.30	0.17

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.53	22.30	0.17
CH60	5300	18.32	22.30	0.17
CH64	5320	18.71	22.30	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.88	0.11	15.99	22.30	0.17
CH60	5300	15.44	0.11	15.55	22.30	0.17
CH64	5320	15.60	0.11	15.71	22.30	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.86	0.11	15.97	22.30	0.17
CH60	5300	15.57	0.11	15.68	22.30	0.17
CH64	5320	15.46	0.11	15.57	22.30	0.17

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.99	22.30	0.17
CH60	5300	18.63	22.30	0.17
CH64	5320	18.65	22.30	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.36	0.32	14.68	22.30	0.17
CH62	5310	14.26	0.32	14.58	22.30	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.42	0.32	14.74	22.30	0.17
CH62	5310	14.23	0.32	14.55	22.30	0.17

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.72	22.30	0.17
CH62	5310	17.58	22.30	0.17

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.18	0.10	15.28	22.30	0.17
CH116	5580	15.35	0.10	15.45	22.30	0.17
CH140	5700	15.57	0.10	15.67	22.30	0.17

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.86	0.10	15.96	22.30	0.17
CH116	5580	15.82	0.10	15.92	22.30	0.17
CH140	5700	15.45	0.10	15.55	22.30	0.17

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.64	22.30	0.17
CH116	5580	18.70	22.30	0.17
CH140	5700	18.62	22.30	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.34	0.11	15.45	22.30	0.17
CH116	5580	15.17	0.11	15.28	22.30	0.17
CH140	5700	15.51	0.11	15.62	22.30	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.75	0.11	15.86	22.30	0.17
CH116	5580	15.48	0.11	15.59	22.30	0.17
CH140	5700	15.41	0.11	15.52	22.30	0.17

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.67	22.30	0.17
CH116	5580	18.45	22.30	0.17
CH140	5700	18.58	22.30	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.66	0.32	14.98	22.30	0.17
CH110	5550	14.69	0.32	15.01	22.30	0.17
CH134	5670	14.77	0.32	15.09	22.30	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.54	0.32	14.86	22.30	0.17
CH110	5550	14.74	0.32	15.06	22.30	0.17
CH134	5670	14.36	0.32	14.68	22.30	0.17

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.93	22.30	0.17
CH110	5550	18.05	22.30	0.17
CH134	5670	17.90	22.30	0.17

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.23	0.10	15.33	28.30	0.68
CH157	5785	15.41	0.10	15.51	28.30	0.68
CH165	5825	15.53	0.10	15.63	28.30	0.68

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.15	0.10	15.25	28.30	0.68
CH157	5785	15.69	0.10	15.79	28.30	0.68
CH165	5825	15.81	0.10	15.91	28.30	0.68

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.30	28.30	0.68
CH157	5785	18.66	28.30	0.68
CH165	5825	18.78	28.30	0.68

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.18	0.11	15.29	28.30	0.68
CH157	5785	15.03	0.11	15.14	28.30	0.68
CH165	5825	15.07	0.11	15.18	28.30	0.68

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.48	0.11	15.59	28.30	0.68
CH157	5785	15.56	0.11	15.67	28.30	0.68
CH165	5825	15.69	0.11	15.80	28.30	0.68

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.45	28.30	0.68
CH157	5785	18.42	28.30	0.68
CH165	5825	18.51	28.30	0.68

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.28	0.32	14.60	28.30	0.68
CH159	5795	14.18	0.32	14.50	28.30	0.68

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.47	0.32	14.79	28.30	0.68
CH159	5795	14.84	0.32	15.16	28.30	0.68

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.71	28.30	0.68
CH159	5795	17.85	28.30	0.68

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.68	0.22	15.90	22.30	0.17
CH40	5200	15.53	0.22	15.75	22.30	0.17
CH48	5240	15.48	0.22	15.70	22.30	0.17

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.70	0.22	15.92	22.30	0.17
CH40	5200	15.67	0.22	15.89	22.30	0.17
CH48	5240	15.62	0.22	15.84	22.30	0.17

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.92	22.30	0.17
CH40	5200	18.83	22.30	0.17
CH48	5240	18.78	22.30	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.53	0.70	15.23	22.30	0.17
CH46	5230	14.72	0.70	15.42	22.30	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.75	0.70	15.45	22.30	0.17
CH46	5230	14.62	0.70	15.32	22.30	0.17

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.35	22.30	0.17
CH46	5230	18.38	22.30	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.33	1.35	13.68	22.30	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.55	1.35	13.90	22.30	0.17

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.80	22.30	0.17

Test Mode: UNII-1/TX AC160 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	10.67	0.63	11.30	22.30	0.17

Test Mode: UNII-1/TX AC160 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	10.98	0.63	11.61	22.30	0.17

Test Mode: UNII-1/TX AC160 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	14.47	22.30	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.44	0.22	15.66	22.30	0.17
CH60	5300	15.65	0.22	15.87	22.30	0.17
CH64	5320	15.37	0.22	15.59	22.30	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.83	0.22	16.05	22.30	0.17
CH60	5300	15.52	0.22	15.74	22.30	0.17
CH64	5320	15.71	0.22	15.93	22.30	0.17

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.87	22.30	0.17
CH60	5300	18.82	22.30	0.17
CH64	5320	18.77	22.30	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.63	0.70	15.33	22.30	0.17
CH62	5310	14.74	0.70	15.44	22.30	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.43	0.70	15.13	22.30	0.17
CH62	5310	14.23	0.70	14.93	22.30	0.17

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	18.24	22.30	0.17
CH62	5310	18.20	22.30	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.28	1.35	13.63	22.30	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.61	1.35	13.96	22.30	0.17

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	16.81	22.30	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.68	0.22	15.90	22.30	0.17
CH116	5580	15.88	0.22	16.10	22.30	0.17
CH140	5700	15.77	0.22	15.99	22.30	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.59	0.22	15.81	22.30	0.17
CH116	5580	15.81	0.22	16.03	22.30	0.17
CH140	5700	15.42	0.22	15.64	22.30	0.17

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.87	22.30	0.17
CH116	5580	19.08	22.30	0.17
CH140	5700	18.83	22.30	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.71	0.70	15.41	22.30	0.17
CH110	5550	14.34	0.70	15.04	22.30	0.17
CH134	5670	14.78	0.70	15.48	22.30	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.49	0.70	15.19	22.30	0.17
CH110	5550	14.64	0.70	15.34	22.30	0.17
CH134	5670	14.88	0.70	15.58	22.30	0.17

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	18.31	22.30	0.17
CH110	5550	18.20	22.30	0.17
CH134	5670	18.54	22.30	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.43	1.35	13.78	22.30	0.17
CH122	5610	12.74	1.35	14.09	22.30	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.81	1.35	14.16	22.30	0.17
CH122	5610	12.51	1.35	13.86	22.30	0.17

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.98	22.30	0.17
CH122	5610	16.99	22.30	0.17

Test Mode: UNII-2C/TX AC160 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	10.61	0.63	11.24	22.30	0.17

Test Mode: UNII-2C/TX AC160 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	10.87	0.63	11.50	22.30	0.17

Test Mode: UNII-2C/TX AC160 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	14.39	22.30	0.17

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.67	0.22	15.89	28.30	0.68
CH157	5785	15.45	0.22	15.67	28.30	0.68
CH165	5825	15.65	0.22	15.87	28.30	0.68

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.31	0.22	15.53	28.30	0.68
CH157	5785	15.89	0.22	16.11	28.30	0.68
CH165	5825	15.63	0.22	15.85	28.30	0.68

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.72	28.30	0.68
CH157	5785	18.91	28.30	0.68
CH165	5825	18.87	28.30	0.68

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.31	0.70	15.01	28.30	0.68
CH159	5795	14.63	0.70	15.33	28.30	0.68

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.44	0.70	15.14	28.30	0.68
CH159	5795	14.79	0.70	15.49	28.30	0.68

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.09	28.30	0.68
CH159	5795	18.42	28.30	0.68

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.49	1.35	13.84	28.30	0.68

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.83	1.35	14.18	28.30	0.68


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.02	28.30	0.68

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.51	0.10	5.61	9.30
CH40	5200	5.66	0.10	5.76	9.30
CH48	5240	5.92	0.10	6.02	9.30




Date: 13.APR.2018 20:59:49

CH40



Date: 13.APR.2018 21:00:38


CH48



Date: 13.APR.2018 21:00:56


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.76	0.10	5.86	9.30
CH40	5200	5.48	0.10	5.58	9.30
CH48	5240	5.48	0.10	5.58	9.30




Date: 13.APR.2018 20:51:13

CH40



Date: 13.APR.2018 20:51:41

CH48




Date: 13.APR.2018 20:52:21

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.70	9.30
CH40	5200	8.63	9.30
CH48	5240	8.77	9.30


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.11	0.11	5.22	9.30
CH40	5200	5.29	0.11	5.40	9.30
CH48	5240	5.61	0.11	5.72	9.30




Date: 13.APR.2018 21:17:50

CH40



Date: 13.APR.2018 21:18:15

CH48




Date: 13.APR.2018 21:18:28

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.40	0.11	5.51	9.30
CH40	5200	5.12	0.11	5.23	9.30
CH48	5240	5.24	0.11	5.35	9.30

CH36




Date: 13.APR.2018 21:07:29

CH40



Date: 13.APR.2018 21:07:52

CH48



Date: 13.APR.2018 21:08:07


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.38	9.30
CH40	5200	8.33	9.30
CH48	5240	8.55	9.30

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.49	0.32	3.81	9.30
CH46	5230	3.14	0.32	3.46	9.30

CH38



Date: 16.MAR.2018 16:30:41

CH46




Date: 16.MAR.2018 16:32:01

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.74	0.32	4.06	9.30
CH46	5230	3.23	0.32	3.55	9.30

CH38



Date: 16.MAR.2018 18:52:56

CH46




Date: 16.MAR.2018 18:53:57

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.95	9.30
CH46	5230	6.52	9.30


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.94	0.10	6.04	9.30
CH60	5300	5.63	0.10	5.73	9.30
CH64	5320	5.48	0.10	5.58	9.30




Date: 13.APR.2018 21:01:16

CH60



Date: 13.APR.2018 21:01:30


CH64



Date: 13.APR.2018 21:01:45


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.48	0.10	5.58	9.30
CH60	5300	5.18	0.10	5.28	9.30
CH64	5320	5.18	0.10	5.28	9.30




Date: 13.APR.2018 20:52:53

CH60



Date: 13.APR.2018 20:53:16

CH64



Date: 13.APR.2018 20:54:13


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.78	9.30
CH60	5300	8.48	9.30
CH64	5320	8.40	9.30

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.50	0.11	5.61	9.30
CH60	5300	5.24	0.11	5.35	9.30
CH64	5320	5.04	0.11	5.15	9.30

CH52




Date: 13.APR.2018 21:18:42

CH60



Date: 13.APR.2018 21:19:00


CH64



Date: 13.APR.2018 21:19:21


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.18	0.11	5.29	9.30
CH60	5300	5.02	0.11	5.13	9.30
CH64	5320	4.94	0.11	5.05	9.30




Date: 13.APR.2018 21:08:26

CH60



Date: 13.APR.2018 21:14:14

CH64



Date: 13.APR.2018 21:14:30


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.47	9.30
CH60	5300	8.25	9.30
CH64	5320	8.11	9.30

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.27	0.32	3.59	9.30
CH62	5310	3.12	0.32	3.44	9.30

CH54



Date: 16.MAR.2018 16:33:35

CH62




Date: 16.MAR.2018 16:35:11

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.48	0.32	3.80	9.30
CH62	5310	3.28	0.32	3.60	9.30

CH54



Date: 16.MAR.2018 18:55:18

CH62



Date: 16.MAR.2018 18:56:48


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.71	9.30
CH62	5310	6.53	9.30

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.82	0.10	4.92	9.30
CH116	5580	5.67	0.10	5.77	9.30
CH140	5700	6.04	0.10	6.14	9.30

CH100




Date: 13.APR.2018 21:02:00

CH116



Date: 13.APR.2018 21:02:14

CH140




Date: 13.APR.2018 21:02:41

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.97	0.10	6.07	9.30
CH116	5580	6.07	0.10	6.17	9.30
CH140	5700	5.86	0.10	5.96	9.30

CH100




Date: 13.APR.2018 20:55:29

CH116



Date: 13.APR.2018 20:56:14

CH140



Date: 13.APR.2018 20:57:18


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.49	9.30
CH116	5580	8.94	9.30
CH140	5700	9.01	9.30

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.52	0.11	4.63	9.30
CH116	5580	5.19	0.11	5.30	9.30
CH140	5700	5.69	0.11	5.80	9.30

CH100




Date: 13.APR.2018 21:19:47

CH116



Date: 13.APR.2018 21:21:04

CH140




Date: 13.APR.2018 21:21:26

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.73	0.11	5.84	9.30
CH116	5580	5.91	0.11	6.02	9.30
CH140	5700	5.64	0.11	5.75	9.30

CH100




Date: 13.APR.2018 21:14:48

CH116



Date: 13.APR.2018 21:15:08

CH140



Date: 13.APR.2018 21:15:32


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.29	9.30
CH116	5580	8.69	9.30
CH140	5700	8.79	9.30

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.90	0.32	3.22	9.30
CH110	5550	3.11	0.32	3.43	9.30
CH134	5670	2.70	0.32	3.02	9.30

CH102




Date: 16.MAR.2018 16:36:35

CH110



Date: 16.MAR.2018 16:37:55

CH134




Date: 16.MAR.2018 16:39:15

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.91	0.32	4.23	9.30
CH110	5550	4.33	0.32	4.65	9.30
CH134	5670	4.13	0.32	4.45	9.30

CH102




Date: 16.MAR.2018 18:58:29

CH110



Date: 16.MAR.2018 19:00:15

CH134



Date: 16.MAR.2018 19:01:47


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.76	9.30
CH110	5550	7.09	9.30
CH134	5670	6.80	9.30

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.73	0.10	4.83	28.30
CH157	5785	5.17	0.10	5.27	28.30
CH165	5825	5.03	0.10	5.13	28.30

TX CH149




Date: 16.MAR.2018 15:45:17

TX CH157



Date: 16.MAR.2018 15:46:59

TX CH165




Date: 16.MAR.2018 15:48:10

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.78	0.10	4.88	28.30
CH157	5785	4.70	0.10	4.80	28.30
CH165	5825	5.04	0.10	5.14	28.30

TX CH149




Date: 16.MAR.2018 17:42:38

TX CH157



Date: 16.MAR.2018 17:44:39

TX CH165



Date: 19.MAR.2018 09:44:43


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.87	28.30
CH157	5785	8.05	28.30
CH165	5825	8.15	28.30

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.36	0.11	4.47	28.30
CH157	5785	4.86	0.11	4.97	28.30
CH165	5825	4.66	0.11	4.77	28.30

TX CH149




Date: 16.MAR.2018 16:05:37

TX CH157



Date: 16.MAR.2018 16:06:59

TX CH165




Date: 16.MAR.2018 16:08:06

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.89	0.11	4.00	28.30
CH157	5785	3.73	0.11	3.84	28.30
CH165	5825	3.64	0.11	3.75	28.30

TX CH149




Date: 16.MAR.2018 17:57:35

TX CH157



Date: 16.MAR.2018 17:58:43

TX CH165



Date: 16.MAR.2018 17:59:46


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.25	28.30
CH157	5785	7.45	28.30
CH165	5825	7.30	28.30

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.39	0.32	0.71	28.30
CH159	5795	0.78	0.32	1.10	28.30

TX CH151



Date: 16.MAR.2018 16:40:48

TX CH159




Date: 16.MAR.2018 16:42:12

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.10	0.32	1.42	28.30
CH159	5795	1.09	0.32	1.41	28.30

TX CH151



Date: 16.MAR.2018 19:03:24

TX CH159




Date: 16.MAR.2018 19:05:35

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.09	28.30
CH159	5795	4.27	28.30


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.12	0.22	5.34	15.30
CH40	5200	5.18	0.22	5.40	15.30
CH48	5240	5.55	0.22	5.77	15.30




Date: 13.APR.2018 21:28:27

CH40



Date: 13.APR.2018 21:29:03


CH48



Date: 13.APR.2018 21:29:19


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.26	0.22	5.48	15.30
CH40	5200	5.07	0.22	5.29	15.30
CH48	5240	5.09	0.22	5.31	15.30




Date: 13.APR.2018 21:24:09

CH40



Date: 13.APR.2018 21:24:32

CH48



Date: 13.APR.2018 21:24:49


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.42	9.30
CH40	5200	8.35	9.30
CH48	5240	8.55	9.30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.84	0.70	4.54	9.30
CH46	5230	3.37	0.70	4.07	9.30

CH38



Date: 16.MAR.2018 16:43:37

CH46




Date: 16.MAR.2018 16:46:08

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.20	0.70	4.90	9.30
CH46	5230	3.62	0.70	4.32	9.30

CH38



Date: 16.MAR.2018 19:07:56

CH46




Date: 16.MAR.2018 19:09:06

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.73	9.30
CH46	5230	7.21	9.30

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.37	1.35	-0.02	9.30



Date: 16.MAR.2018 16:58:09

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.60	1.35	0.75	9.30




Date: 19.MAR.2018 09:21:59

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.39	9.30

Test Mode: UNII-1/TX AC160 Mode_CH50_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	-1.23	0.63	-0.60	9.30



Date: 21.MAR.2018 17:11:58

Test Mode: UNII-1/TX AC160 Mode_CH50_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	-1.61	0.63	-0.98	9.30




Date: 21.MAR.2018 17:10:52

Test Mode: UNII-1/TX AC160 Mode_CH50_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	2.23	9.30


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.56	0.22	5.78	9.30
CH60	5300	5.23	0.22	5.45	9.30
CH64	5320	5.05	0.22	5.27	9.30




Date: 13.APR.2018 21:29:59

CH60



Date: 13.APR.2018 21:30:18


CH64



Date: 13.APR.2018 21:30:34


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.13	0.22	5.35	9.30
CH60	5300	4.82	0.22	5.04	9.30
CH64	5320	4.88	0.22	5.10	9.30




Date: 13.APR.2018 21:25:02

CH60



Date: 13.APR.2018 21:25:47

CH64



Date: 13.APR.2018 21:26:10


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.58	9.30
CH60	5300	8.26	9.30
CH64	5320	8.19	9.30

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.55	0.70	4.25	9.30
CH62	5310	3.49	0.70	4.19	9.30

CH54



Date: 16.MAR.2018 16:47:25

CH62




Date: 16.MAR.2018 16:48:41

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.50	0.70	5.20	9.30
CH62	5310	4.31	0.70	5.01	9.30

CH54



Date: 16.MAR.2018 19:10:31

CH62




Date: 16.MAR.2018 19:11:48

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.76	9.30
CH62	5310	7.63	9.30

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.41	1.35	-0.06	9.30



Date: 16.MAR.2018 16:59:39

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.49	1.35	0.86	9.30



Date: 19.MAR.2018 09:23:25


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.43	9.30

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.50	0.22	5.72	9.30
CH116	5580	5.22	0.22	5.44	9.30
CH140	5700	5.63	0.22	5.85	9.30

CH100




Date: 13.APR.2018 21:30:56

CH116



Date: 13.APR.2018 21:31:16

CH140



Date: 13.APR.2018 21:31:40