


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.66	0.22	5.88	9.30
CH116	5580	5.75	0.22	5.97	9.30
CH140	5700	5.51	0.22	5.73	9.30

CH100




Date: 13.APR.2018 21:26:33

CH116



Date: 13.APR.2018 21:26:56

CH140



Date: 13.APR.2018 21:27:15


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.81	9.30
CH116	5580	8.72	9.30
CH140	5700	8.80	9.30

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.28	0.70	3.98	9.30
CH110	5550	3.37	0.70	4.07	9.30
CH134	5670	3.05	0.70	3.75	9.30

CH102




Date: 16.MAR.2018 16:49:58

CH110



Date: 16.MAR.2018 16:51:23

CH134




Date: 16.MAR.2018 16:53:09

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.00	0.70	4.70	9.30
CH110	5550	4.25	0.70	4.95	9.30
CH134	5670	4.06	0.70	4.76	9.30

CH102




Date: 16.MAR.2018 19:13:48

CH110



Date: 16.MAR.2018 19:15:04

CH134



Date: 16.MAR.2018 19:16:16


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.37	9.30
CH110	5550	7.54	9.30
CH134	5670	7.29	9.30

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.70	1.35	-0.35	9.30
CH122	5610	-1.29	1.35	0.06	9.30

CH106



Date: 16.MAR.2018 17:00:46

CH122




Date: 16.MAR.2018 17:02:16

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.06	1.35	1.41	9.30
CH122	5610	-0.01	1.35	1.34	9.30

CH106



Date: 19.MAR.2018 09:16:24

CH122




Date: 19.MAR.2018 09:18:07

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.63	9.30
CH122	5610	3.76	9.30

Test Mode: UNII-2C/TX AC160 Mode_ CH114_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-0.91	0.63	-0.28	9.30




Date: 21.MAR.2018 16:52:29

Test Mode: UNII-2C/TX AC160 Mode_CH114_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-1.95	0.63	-1.32	9.30

CH114




Date: 21.MAR.2018 16:55:23

Test Mode: UNII-2C/TX AC160 Mode_ CH114_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	2.24	9.30


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.66	0.22	3.88	28.30
CH157	5785	4.66	0.22	4.88	28.30
CH165	5825	4.06	0.22	4.28	28.30




Date: 16.MAR.2018 16:25:04

TX CH157



Date: 16.MAR.2018 16:26:19

TX CH165




Date: 16.MAR.2018 16:27:31

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.54	0.22	4.76	28.30
CH157	5785	4.48	0.22	4.70	28.30
CH165	5825	4.33	0.22	4.55	28.30

TX CH149




Date: 16.MAR.2018 18:48:48

TX CH157



Date: 16.MAR.2018 18:50:07

TX CH165



Date: 16.MAR.2018 18:51:17


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.35	28.30
CH157	5785	7.80	28.30
CH165	5825	7.43	28.30

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.21	0.70	0.91	28.30
CH159	5795	0.53	0.70	1.23	28.30

TX CH151



Date: 16.MAR.2018 16:54:42

TX CH159




Date: 16.MAR.2018 16:56:17

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.06	0.70	0.76	28.30
CH159	5795	1.08	0.70	1.78	28.30

TX CH151



Date: 19.MAR.2018 09:09:33

TX CH159



Date: 19.MAR.2018 09:11:12


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.85	28.30
CH159	5795	4.52	28.30

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.33	1.35	-2.98	28.30


TX CH155



Date: 16.MAR.2018 17:03:33

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.15	1.35	-1.80	28.30



Date: 19.MAR.2018 09:20:00

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.66	28.30

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0000
120	5180.0000
108	5180.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0000
5	5180.0000
15	5180.0000
25	5180.0000
35	5180.0000
45	5180.0000
50	5180.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0008
120	5260.0012
108	5260.0012
Max. Deviation (MHz)	0.0012
Max. Deviation (ppm)	0.2281

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0012
5	5260.0012
15	5260.0016
25	5260.0016
35	5260.0016
45	5260.0016
50	5260.0016
Max. Deviation (MHz)	0.0016
Max. Deviation (ppm)	0.3042

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0008
120	5500.0012
108	5500.0012
Max. Deviation (MHz)	0.0012
Max. Deviation (ppm)	0.2182

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0016
5	5500.0016
15	5500.0016
25	5500.0016
35	5500.0016
45	5500.0016
50	5500.0016
Max. Deviation (MHz)	0.0016
Max. Deviation (ppm)	0.2909

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0024
120	5745.0012
108	5745.0012
Max. Deviation (MHz)	0.0024
Max. Deviation (ppm)	0.4178

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0012
5	5745.0012
15	5745.0012
25	5745.0012
35	5745.0012
45	5745.0012
50	5745.0012
Max. Deviation (MHz)	0.0012
Max. Deviation (ppm)	0.2089