

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<FPWB-A014BBKZ>

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5146.000	57.67	15.34	42.33	74.00	-16.33	100	160	Peak	Horizontal	
2	5180.000	103.89	61.36	42.53	68.20	35.69	100	160	Peak	Horizontal	
3	5443.500	56.07	13.20	42.87	74.00	-17.93	100	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5185.500	57.05	14.67	42.38	74.00	-16.95	305	178	Peak	Vertical	
2	5180.000	99.88	57.35	42.53	68.20	31.68	305	178	Peak	Vertical	
3	5390.000	56.23	13.21	43.02	74.00	-17.77	305	178	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1		5149.500	44.22	1.89	42.33	54.00	-9.78		100	160	Average	Horizontal	
2	*	5180.000	93.78	51.25	42.53	54.00	39.78		100	160	Average	Horizontal	
3		5370.500	43.84	1.00	42.54	54.00	-10.16		100	160	Average	Horizontal	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.500	55.85	13.50	42.35	74.00	-18.15	118	157	Peak	Horizontal	
2	5200.000	105.70	61.04	42.66	68.20	35.50	118	157	Peak	Horizontal	
3	5405.500	57.25	14.17	43.08	74.00	-16.75	118	157	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5084.000	56.25	13.87	42.38	74.00	-17.75	303	175	Peak	Vertical	
2	5200.000	100.53	57.87	42.66	68.20	32.33	303	175	Peak	Vertical	
3	5409.000	56.13	13.87	43.06	74.00	-17.87	303	175	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.500	43.67	1.34	42.33	54.00	-10.33	118	157	Average	Horizontal		
2	5200.000	94.27	51.61	42.66	54.00	40.27	118	157	Average	Horizontal		
3	5375.000	43.70	0.81	42.89	54.00	-10.30	118	157	Average	Horizontal		

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5122.500	43.29	0.92	42.37	54.00	-10.71	303	175	Average	Vertical		
2	5200.000	91.24	48.58	42.66	54.00	37.24	303	175	Average	Vertical		
3	5381.500	43.53	0.59	42.94	54.00	-10.47	303	175	Average	Vertical		

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	55.87	13.54	42.33	68.20	-12.33	124	162	Peak	Horizontal	
2	5240.000	104.90	63.43	42.37	68.20	36.68	124	162	Peak	Horizontal	
3	5367.000	56.16	13.34	42.82	74.00	-17.84	124	162	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.500	56.21	13.84	42.37	74.00	-17.79	284	170	Peak	Vertical	
2	5240.000	101.43	59.06	42.37	68.20	33.23	284	170	Peak	Vertical	
3	5372.500	56.70	13.84	42.86	74.00	-17.30	284	170	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.000	43.44	1.09	42.35	54.00	-10.56	124	162	Average	Horizontal		
2	5240.000	94.92	52.45	42.37	54.00	-40.82	124	162	Average	Horizontal		
3	5363.000	44.10	1.32	42.78	54.00	-9.90	124	162	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.500	43.34	0.99	42.35	54.00	-10.66	284	170	Average	Vertical		
2	5240.000	92.11	49.74	42.37	54.00	-30.11	284	170	Average	Vertical		
3	5390.000	43.70	0.68	43.02	54.00	-10.30	284	170	Average	Vertical		


802.11n HT20

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.500	59.48	17.07	42.33	74.00	-14.68	103	168	Peak	Horizontal	
2	* 5180.000	103.57	61.04	42.53	68.28	35.37	103	168	Peak	Horizontal	
3	5418.500	56.34	13.33	43.01	74.00	-17.66	103	168	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.500	57.48	15.07	42.33	74.00	-16.68	307	176	Peak	Vertical	
2	* 5180.000	101.13	58.68	42.53	68.28	32.93	307	176	Peak	Vertical	
3	5415.500	56.88	13.85	43.03	74.00	-17.12	307	176	Peak	Vertical	

802.11n HT20


CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5083.500	56.73	14.35	42.38	74.00	-17.27	174	159	Peak	Horizontal	
2 *	5200.000	103.83	61.17	42.66	68.20	35.63	174	159	Peak	Horizontal	
3	5397.500	57.00	13.92	43.08	74.00	-17.00	174	159	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.500	56.47	14.09	42.38	74.00	-17.53	286	177	Peak	Vertical	
2 *	5200.000	101.18	58.52	42.66	68.20	32.98	286	177	Peak	Vertical	
3	5436.000	56.66	13.75	42.91	74.00	-17.34	286	177	Peak	Vertical	

802.11n HT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.000	43.92	1.55	42.37	54.00	-10.08	174	159	Average	Horizontal	
2 *	5200.000	93.86	51.20	42.66	54.00	39.86	174	159	Average	Horizontal	
3	5398.500	44.00	0.91	43.09	54.00	-10.00	174	159	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.500	43.50	1.11	42.39	54.00	-10.50	286	177	Average	Vertical	
2 *	5200.000	91.98	49.32	42.66	54.00	37.98	286	177	Average	Vertical	
3	5403.000	43.79	0.70	43.09	54.00	-10.21	286	177	Average	Vertical	

802.11n HT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4933.500	55.98	13.91	42.07	74.00	-18.02	360	114	Peak	Horizontal	
2 *	5240.000	104.37	62.00	42.37	68.20	36.17	360	114	Peak	Horizontal	
3	5401.000	56.23	13.14	43.09	74.00	-17.77	360	114	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5031.500	56.48	14.21	42.19	74.00	-17.60	284	178	Peak	Vertical	
2 *	5240.000	102.33	59.96	42.37	68.20	34.13	284	178	Peak	Vertical	
3	5403.500	56.84	13.75	43.09	74.00	-17.16	284	178	Peak	Vertical	

802.11n HT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.500	43.39	1.04	42.35	54.00	-10.61	360	114	Average	Horizontal	
2 *	5240.000	94.18	51.81	42.37	54.00	40.18	360	114	Average	Horizontal	
3	5406.000	43.70	0.63	43.07	54.00	-10.30	360	114	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.500	43.24	0.88	42.36	54.00	-10.76	284	178	Average	Vertical	
2 *	5240.000	92.68	50.19	42.37	54.00	38.55	284	178	Average	Vertical	
3	5398.000	43.62	0.54	43.08	54.00	-10.38	284	178	Average	Vertical	


802.11n HT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	64.62	22.29	42.33	68.28	-3.58	255	136 Peak	Horizontal	
2	* 5190.000	104.50	62.31	42.59	68.28	36.78	255	136 Peak	Horizontal	
3	5353.000	57.08	14.39	42.69	74.00	-16.92	255	136 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.500	57.24	14.91	42.33	74.00	-16.76	321	175 Peak	Vertical	
2	* 5190.000	99.12	56.53	42.59	68.28	30.92	321	175 Peak	Vertical	
3	5368.500	56.61	13.78	42.83	74.00	-17.39	321	175 Peak	Vertical	

802.11n HT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	52.15	9.82	42.33	54.00	-1.85	255	136	Average	Horizontal	
2 *	5190.000	94.59	52.10	42.59	54.00	40.59	255	136	Average	Horizontal	
3	5396.500	44.08	1.01	43.07	54.00	-9.92	255	136	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	45.47	3.14	42.33	54.00	-8.53	321	175	Average	Vertical	
2 *	5190.000	99.00	46.41	42.59	54.00	35.00	321	175	Average	Vertical	
3	5397.000	43.54	0.46	43.08	54.00	-10.46	321	175	Average	Vertical	


802.11n HT40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5149.500	58.33	16.00	42.33	74.00	-15.67	255	136	Peak	Horizontal	
2 * 5230.000	105.54	63.10	42.44	68.20	37.34	255	136	Peak	Horizontal	
3 5384.000	58.20	15.24	42.96	74.00	-15.80	255	136	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5128.500	56.46	14.11	42.35	74.00	-17.54	285	175	Peak	Vertical	
2 * 5230.000	99.18	56.74	42.44	68.20	30.98	285	175	Peak	Vertical	
3 5383.000	56.66	13.71	42.95	74.00	-17.34	285	175	Peak	Vertical	

802.11n HT40

CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.500	43.74	1.41	42.33	54.00	-10.26	255	136	Average	Horizontal	
2	5230.000	94.54	52.10	42.44	54.00	40.54	255	136	Average	Horizontal	
3	5402.000	44.49	1.39	43.10	54.00	-9.51	255	136	Average	Horizontal	

CH 46 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.500	43.70	1.35	42.35	54.00	-10.30	285	175	Average	Vertical	
2	5230.000	89.27	46.83	42.44	54.00	35.27	285	175	Average	Vertical	
3	5387.500	44.11	1.11	43.00	54.00	-9.89	285	175	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.000	55.71	13.38	42.33	74.00	-18.29	110	160	Peak	Horizontal	
2	5260.000	104.68	62.26	42.42	68.29	36.48	110	160	Peak	Horizontal	
3	5363.500	56.46	13.67	42.79	74.00	-17.54	110	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.000	55.63	13.25	42.38	74.00	-18.37	329	171	Peak	Vertical	
2	5260.000	101.00	59.38	42.42	68.29	33.69	329	171	Peak	Vertical	
3	5406.000	56.86	13.79	43.07	74.00	-17.14	329	171	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5141.000	43.58	1.24	42.34	54.00	-10.42	110	160	Average	Horizontal	
2	5269.000	95.14	52.72	42.42	54.00	41.14	110	160	Average	Horizontal	
3	5375.500	43.98	1.69	42.89	54.00	-10.02	110	160	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.500	43.35	1.00	42.35	54.00	-10.65	329	171	Average	Vertical	
2	5269.000	91.98	49.48	42.42	54.00	37.98	329	171	Average	Vertical	
3	5417.000	43.48	0.46	43.02	54.00	-10.52	329	171	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5098.500	56.67	14.28	42.39	74.00	-17.33	113	158	Peak	Horizontal	
2	5300.000	104.73	61.89	42.83	68.99	36.53	113	158	Peak	Horizontal	
3	5354.000	56.70	14.60	42.70	74.00	-17.30	113	158	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.000	55.90	13.54	42.36	74.00	-18.10	324	173	Peak	Vertical	
2	5300.000	103.47	60.54	42.93	68.20	35.27	324	173	Peak	Vertical	
3	5355.000	56.41	13.70	42.71	74.00	-17.59	324	173	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.000	43.34	0.98	42.36	54.00	-10.66	113	158	Average	Horizontal		
2	5300.000	95.15	52.22	42.93	54.00	41.15	113	158	Average	Horizontal		
3	5372.000	44.10	1.24	42.86	54.00	-9.90	113	158	Average	Horizontal		

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.000	43.62	1.27	42.35	54.00	-10.38	324	173	Average	Vertical		
2	5300.000	93.78	50.85	42.93	54.00	39.78	324	173	Average	Vertical		
3	5398.500	43.71	0.62	43.09	54.00	-10.29	324	173	Average	Vertical		

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5139.000	56.91	14.57	42.34	74.00	-17.09	104	163	Peak	Horizontal		
2	5330.000	104.93	62.10	42.83	68.29	36.73	104	163	Peak	Horizontal		
3	5351.500	57.86	15.18	42.68	74.00	-16.14	104	163	Peak	Horizontal		

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5107.500	55.83	13.44	42.39	74.00	-18.17	322	174	Peak	Vertical		
2	5330.000	103.50	60.67	42.83	68.20	35.30	322	174	Peak	Vertical		
3	5455.500	57.00	14.13	42.87	74.00	-17.00	322	174	Peak	Vertical		

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.000	43.56	1.23	42.33	54.00	-10.44	104	163	Average	Horizontal		
2	5330.000	95.21	52.38	42.83	54.00	-41.21	104	163	Average	Horizontal		
3	5350.500	44.85	2.18	42.67	54.00	-9.15	104	163	Average	Horizontal		

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.000	43.46	1.11	42.35	54.00	-10.54	322	174	Average	Vertical		
2	5330.000	94.41	51.58	42.83	54.00	-40.41	322	174	Average	Vertical		
3	5353.000	44.16	1.47	42.69	54.00	-9.84	322	174	Average	Vertical		


802.11n HT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5102.500	55.88	13.50	42.38	74.00	-18.12	100	162	Peak	Horizontal	
2 *	5200.000	103.26	60.64	42.62	68.20	35.06	100	162	Peak	Horizontal	
3	5415.500	56.53	13.50	43.03	74.00	-17.47	100	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5038.500	55.84	13.58	42.26	74.00	-18.16	268	172	Peak	Vertical	
2 *	5200.000	101.03	58.61	42.42	68.20	32.83	268	172	Peak	Vertical	
3	5385.500	55.94	12.97	42.97	74.00	-18.06	268	172	Peak	Vertical	

802.11n HT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.500	43.53	1.18	42.35	54.00	-10.47	100	162	Average	Horizontal	
2 *	5260.000	94.20	51.76	42.42	54.00	40.20	100	162	Average	Horizontal	
3	5389.500	43.72	0.70	43.02	54.00	-10.28	100	162	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.500	43.29	0.94	42.35	54.00	-10.71	268	172	Average	Vertical	
2 *	5260.000	91.72	49.30	42.42	54.00	37.72	268	172	Average	Vertical	
3	5403.500	43.54	0.45	43.09	54.00	-10.46	268	172	Average	Vertical	

802.11n HT20

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.000	56.13	13.76	42.37	74.00	-17.87	114	312	Peak	Horizontal	
2 *	5300.000	103.70	60.77	42.93	68.20	35.50	114	312	Peak	Horizontal	
3	5398.000	56.69	13.61	43.08	74.00	-17.31	114	312	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5076.000	55.68	13.31	42.37	74.00	-18.32	279	170	Peak	Vertical	
2 *	5300.000	102.71	59.78	42.93	68.20	34.51	279	170	Peak	Vertical	
3	5430.500	56.46	13.51	42.95	74.00	-17.54	279	170	Peak	Vertical	

802.11n HT20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5129.500	43.18	0.83	42.35	54.00	-10.82	114	312	Average	Horizontal	
2 *	5300.000	94.11	51.18	42.93	54.00	40.11	114	312	Average	Horizontal	
3	5390.000	44.10	1.17	42.93	54.00	-9.90	114	312	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.000	43.32	0.97	42.35	54.00	-10.68	279	170	Average	Vertical	
2 *	5300.000	93.30	50.37	42.93	54.00	39.30	279	170	Average	Vertical	
3	5390.000	43.57	0.55	43.02	54.00	-10.43	279	170	Average	Vertical	


802.11n HT20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4933.000	55.45	13.38	42.07	74.00	-18.55	100	304	Peak	Horizontal	
2 * 5320.000	103.67	60.84	42.83	68.20	35.47	100	304	Peak	Horizontal	
3 5446.000	56.11	13.25	42.86	74.00	-17.89	100	304	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5114.500	55.49	13.12	42.37	74.00	-18.51	264	178	Peak	Vertical	
2 * 5320.000	103.00	60.17	42.83	68.20	34.80	264	178	Peak	Vertical	
3 5391.500	56.15	13.12	43.03	74.00	-17.85	264	178	Peak	Vertical	

802.11an HT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.500	43.42	1.07	42.35	54.00	-10.58	100	304	Average	Horizontal	
2 *	5320.000	94.22	51.39	42.83	54.00	40.22	100	304	Average	Horizontal	
3	5350.000	44.66	1.99	42.67	54.00	-9.34	100	304	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.500	43.11	0.74	42.37	54.00	-10.89	264	178	Average	Vertical	
2 *	5320.000	93.37	50.54	42.83	54.00	39.37	264	178	Average	Vertical	
3	5350.000	43.68	1.01	42.67	54.00	-10.32	264	178	Average	Vertical	


802.11n HT40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.000	56.15	13.82	42.33	74.00	-17.85	248	136 Peak	Horizontal	
2	5270.000	105.38	62.83	42.55	68.20	37.18	248	136 Peak	Horizontal	
3	5455.000	57.43	14.56	42.87	74.00	-16.57	248	136 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.000	55.79	13.44	42.35	74.00	-18.21	297	176 Peak	Vertical	
2	5270.000	100.28	57.74	42.55	68.20	32.09	297	176 Peak	Vertical	
3	5395.000	56.37	13.31	43.06	74.00	-17.63	297	176 Peak	Vertical	

802.11n HT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.500	43.64	1.31	42.33	54.00	-10.36	248	136	Average	Horizontal	
2 *	5270.000	94.64	52.09	42.55	54.00	40.64	248	136	Average	Horizontal	
3	5350.000	44.97	2.30	42.67	54.00	-9.03	248	136	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.500	43.69	1.34	42.35	54.00	-10.31	297	176	Average	Vertical	
2 *	5270.000	90.16	47.61	42.55	54.00	36.16	297	176	Average	Vertical	
3	5416.500	44.01	0.99	43.02	54.00	-9.99	297	176	Average	Vertical	


802.11n HT40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5101.000	56.00	13.61	42.39	74.00	-18.00	302	133	Peak	Horizontal	
2	* 5310.000	103.20	60.52	42.68	68.20	35.00	302	133	Peak	Horizontal	
3	! 5350.000	62.75	20.08	42.67	68.20	-5.45	302	133	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.500	56.44	14.11	42.33	74.00	-17.56	322	172	Peak	Vertical	
2	* 5310.000	99.74	56.86	42.88	68.20	31.54	322	172	Peak	Vertical	
3	! 5351.000	59.64	16.96	42.68	74.00	-14.36	322	172	Peak	Vertical	

802.11n HT40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.000	43.59	1.23	42.36	54.00	-10.41	302	133	Average	Horizontal	
2 *	5310.000	93.12	50.24	42.88	54.00	39.12	302	133	Average	Horizontal	
3 †	5350.000	48.46	5.79	42.67	54.00	-5.54	302	133	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.500	43.55	1.22	42.33	54.00	-10.45	322	172	Average	Vertical	
2 *	5310.000	99.48	46.60	42.88	54.00	35.48	322	172	Average	Vertical	
3	5350.000	47.03	4.36	42.67	54.00	-6.97	322	172	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.000	57.62	14.55	43.07	74.00	-16.38	114	161 Peak	Horizontal	
2	5465.500	57.59	14.66	42.93	68.20	-10.61	114	161 Peak	Horizontal	
3	* 5500.000	105.74	62.56	43.18	68.20	37.54	114	161 Peak	Horizontal	
4	6928.500	60.56	15.81	44.75	68.20	-7.64	114	161 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.000	56.52	13.49	43.03	74.00	-17.48	305	176 Peak	Vertical	
2	5465.500	56.69	13.75	42.94	68.20	-11.51	305	176 Peak	Vertical	
3	* 5500.000	103.46	60.28	43.18	68.20	35.26	305	176 Peak	Vertical	
4	6951.500	60.77	16.00	44.77	68.20	-7.43	305	176 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.000	44.60	1.69	42.91	54.00	-9.40	114	161	Average	Horizontal	
2 *	5500.000	95.59	52.41	43.18	54.00	41.59	114	161	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.500	43.87	0.97	42.90	54.00	-10.13	305	176	Average	Vertical	
2 *	5500.000	93.83	50.65	43.18	54.00	39.83	305	176	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5402.000	57.91	14.81	43.10	74.00	-16.09		128	160	Peak	Horizontal	
2	5463.000	56.83	13.90	42.93	68.20	-11.37		128	160	Peak	Horizontal	
3	5580.000	104.67	61.56	43.11	68.20	36.47		128	160	Peak	Horizontal	
4	6894.500	60.84	16.11	44.73	68.20	-7.36		128	160	Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.000	57.15	14.30	42.85	74.00	-16.85		298	173	Peak	Vertical	
2	5462.000	55.36	12.44	42.92	68.20	-12.84		298	173	Peak	Vertical	
3	5580.000	104.61	61.50	43.11	68.20	36.41		298	173	Peak	Vertical	
4	6916.000	59.96	15.22	44.74	68.20	-8.24		298	173	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.000	44.19	1.10	43.09	54.00	-9.81	128	160	Average	Horizontal	
2	5580.000	95.80	52.69	43.11	54.00	41.80	128	160	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5437.000	43.95	1.04	42.91	54.00	-10.05	298	173	Average	Vertical	
2	5580.000	95.80	51.97	43.11	54.00	41.80	298	173	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5402.000	56.21	13.11	43.30	74.00	-17.79	132	160 Peak	Horizontal	
2	5464.000	55.69	12.76	42.93	68.20	-12.51	132	160 Peak	Horizontal	
3	5700.000	105.67	62.55	43.12	68.20	37.47	132	160 Peak	Horizontal	
4	5725.000	64.62	21.29	43.33	68.20	-3.58	132	160 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5393.500	56.30	13.25	43.05	74.00	-17.70	301	172 Peak	Vertical	
2	5462.500	54.79	11.86	42.93	68.20	-13.41	301	172 Peak	Vertical	
3	5700.000	102.48	59.36	43.12	68.20	34.28	301	172 Peak	Vertical	
4	6918.500	61.14	16.39	44.75	68.20	-7.06	301	172 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5411.500	44.13	1.09	43.04	54.00	-9.87	132	160	Average	Horizontal		
2 * 5708.000	95.58	52.46	43.12	54.00	41.58	132	160	Average	Horizontal		

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5407.500	44.23	1.16	43.07	54.00	-9.77	301	172	Average	Vertical		
2 * 5708.000	92.90	49.78	43.12	54.00	38.98	301	172	Average	Vertical		


802.11n HT20

CH 100 (Horizontal) Peak


CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.000	43.92	1.01	42.91	54.00	-10.08	100	160	Average	Horizontal	
2 *	5500.000	94.74	51.56	43.18	54.00	40.74	100	160	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.000	43.61	0.52	43.09	54.00	-10.39	306	171	Average	Vertical	
2 *	5500.000	94.57	51.39	43.18	54.00	40.57	306	171	Average	Vertical	


802.11n HT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.500	57.23	14.20	43.03	74.00	-16.77	105	162	Peak	Horizontal	
2	5469.000	55.49	12.53	42.96	68.20	-12.71	105	162	Peak	Horizontal	
3	* 5580.000	104.88	61.77	43.11	68.20	36.68	105	162	Peak	Horizontal	
4	6940.000	60.46	15.70	44.76	68.20	-7.74	105	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.500	56.49	13.41	43.08	74.00	-17.51	100	138	Peak	Vertical	
2	5462.000	56.04	13.12	42.92	68.20	-12.16	100	138	Peak	Vertical	
3	* 5580.000	101.23	58.12	43.11	68.20	33.03	100	138	Peak	Vertical	
4	6905.000	60.58	15.84	44.74	68.20	-7.62	100	138	Peak	Vertical	

802.11n HT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5404.500	43.73	0.65	43.08	54.00	-10.27	105	162	Average	Horizontal	
2 * 5580.000	94.61	51.50	43.11	54.00	40.61	105	162	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5406.500	43.52	0.45	43.07	54.00	-10.48	100	138	Average	Vertical	
2 * 5580.000	90.75	47.64	43.11	54.00	36.75	100	138	Average	Vertical	


802.11n HT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5393.500	56.72	13.67	43.05	74.00	-17.28	109	163	Peak	Horizontal	
2	5467.000	57.43	14.48	42.95	68.20	-10.77	109	163	Peak	Horizontal	
3 *	5790.000	105.52	62.40	43.12	68.20	37.32	109	163	Peak	Horizontal	
4 !	5725.000	65.17	21.84	43.33	68.20	-3.03	109	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5407.000	57.06	13.99	43.07	74.00	-16.94	287	170	Peak	Vertical	
2	5465.500	55.16	12.22	42.94	68.20	-13.04	287	170	Peak	Vertical	
3 *	5790.000	105.57	62.45	43.12	68.20	37.37	287	170	Peak	Vertical	
4 !	5725.000	66.28	22.95	43.33	68.20	-1.92	287	170	Peak	Vertical	

802.11n HT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5381.000	43.86	0.92	42.94	54.00	-10.14	109	163	Average	Horizontal	
2 * 5700.000	95.35	52.23	43.12	54.00	41.35	109	163	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5375.500	43.47	0.58	42.89	54.00	-10.53	287	170	Average	Vertical	
2 * 5700.000	95.27	52.15	43.12	54.00	41.27	287	170	Average	Vertical	


802.11n HT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5468.000	59.14	16.23	42.91	68.20	-9.06	247	136	Peak	Horizontal	
2	5468.500	65.88	22.92	42.96	68.20	-2.32	247	136	Peak	Horizontal	
3	5510.000	105.80	62.62	43.18	68.20	37.60	247	136	Peak	Horizontal	
4	6968.000	60.58	15.76	44.82	68.20	-7.62	247	136	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.500	56.13	13.18	42.95	74.80	-17.67	306	174	Peak	Vertical	
2	5469.500	61.14	18.17	42.97	68.20	-7.06	306	174	Peak	Vertical	
3	5510.000	102.03	58.85	43.18	68.20	33.83	306	174	Peak	Vertical	
4	6889.000	60.04	15.31	44.73	68.20	-8.16	306	174	Peak	Vertical	

802.11an HT40


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5357.000	56.77	14.04	42.73	74.00	-17.23	100	164	Peak	Horizontal	
2	5467.000	55.92	12.97	42.95	68.20	-12.28	100	164	Peak	Horizontal	
3 *	5550.000	102.57	59.36	43.21	68.20	34.37	100	164	Peak	Horizontal	
4	6914.500	60.99	16.25	44.74	68.20	-7.21	100	164	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.000	56.22	13.23	42.99	74.00	-17.78	100	139	Peak	Vertical	
2	5470.000	56.09	13.12	42.97	68.20	-12.11	100	139	Peak	Vertical	
3 *	5550.000	99.00	55.79	43.21	68.20	30.80	100	139	Peak	Vertical	
4	7000.000	59.89	14.99	44.90	68.20	-0.31	100	139	Peak	Vertical	

802.11an HT40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.500	44.35	1.32	43.03	54.00	-9.65	100	164 Average	Horizontal	
2	5550.000	92.00	48.79	43.21	54.00	38.00	100	164 Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.000	44.01	0.91	43.10	54.00	-9.99	100	139 Average	Vertical	
2	5550.000	88.97	45.76	43.21	54.00	34.97	100	139 Average	Vertical	


802.11n HT40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5389.000	56.26	13.25	43.01	74.00	-17.74	100	163	Peak	Horizontal	
2	5463.500	56.58	13.65	42.93	68.20	-11.62	100	163	Peak	Horizontal	
3	* 5670.000	102.73	59.57	43.16	68.20	34.53	100	163	Peak	Horizontal	
4	6905.000	60.53	15.79	44.74	68.20	-7.67	100	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5414.500	56.84	13.02	43.82	74.00	-17.96	101	176	Peak	Vertical	
2	5465.000	55.16	12.22	42.94	68.20	-13.04	101	176	Peak	Vertical	
3	* 5670.000	99.18	56.02	43.16	68.20	30.98	101	176	Peak	Vertical	
4	6877.500	60.65	15.93	44.72	68.20	-7.55	101	176	Peak	Vertical	

802.11n HT40


CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mask

U-NII-2C&3


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5393.000	57.21	14.17	43.04	74.00	-16.79	138	159 Peak	Horizontal	
2	5465.500	55.60	12.66	42.94	68.20	-12.68	138	159 Peak	Horizontal	
3	5720.000	106.27	62.98	43.29	122.20	-15.93	138	159 Peak	Horizontal	
4	5850.500	57.16	13.64	43.52	121.06	-63.90	138	159 Peak	Horizontal	
5	5862.000	57.92	14.34	43.58	108.84	-50.92	138	159 Peak	Horizontal	
6	5924.500	57.81	13.98	43.83	68.57	-10.76	138	159 Peak	Horizontal	
7	5997.000	58.86	14.84	44.02	68.20	-9.34	138	159 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5375.500	57.33	14.44	42.80	74.00	-16.67	285	186 Peak	Vertical	
2	5465.500	55.56	12.62	42.94	68.20	-12.64	285	186 Peak	Vertical	
3	5720.000	103.28	59.99	43.29	122.20	-18.92	285	186 Peak	Vertical	
4	5850.500	56.69	13.17	43.52	121.06	-64.37	285	186 Peak	Vertical	
5	5873.500	58.73	15.10	43.63	105.62	-46.89	285	186 Peak	Vertical	
6	5921.000	58.16	14.35	43.81	71.15	-12.99	285	186 Peak	Vertical	
7	5984.500	57.97	13.98	43.99	68.20	-10.23	285	186 Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5393.000	44.11	1.07	43.04	54.00	-9.89	138	159	Average	Horizontal	
2	* 5720.000	95.95	52.66	43.29	54.00	41.95	138	159	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.000	44.04	0.95	43.09	54.00	-9.96	285	186	Average	Vertical	
2	* 5720.000	92.06	49.57	43.29	54.00	38.86	285	186	Average	Vertical	


802.11n HT20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.500	57.61	14.59	43.02	74.00	-16.39	113	161	Peak	Horizontal	
2	5469.500	56.18	13.21	42.97	68.20	-12.02	113	161	Peak	Horizontal	
3	5720.000	104.92	61.63	43.29	122.20	-17.28	113	161	Peak	Horizontal	
4	5853.000	56.44	12.90	43.54	115.36	-58.92	113	161	Peak	Horizontal	
5	5873.000	57.50	13.87	43.63	105.76	-48.26	113	161	Peak	Horizontal	
6	5916.000	57.66	13.86	43.80	74.84	-17.18	113	161	Peak	Horizontal	
7	5928.500	59.22	15.38	43.84	68.20	-8.98	113	161	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5383.000	56.06	13.11	42.95	74.00	-17.94	315	173	Peak	Vertical	
2	5462.000	55.00	12.16	42.82	68.20	-13.12	315	173	Peak	Vertical	
3	5720.000	102.05	58.76	43.29	122.20	-20.15	315	173	Peak	Vertical	
4	5854.500	57.04	13.49	43.55	111.94	-54.90	315	173	Peak	Vertical	
5	5872.000	56.59	12.96	43.63	106.04	-49.45	315	173	Peak	Vertical	
6	5881.000	57.30	13.63	43.67	100.74	-43.44	315	173	Peak	Vertical	
7	5965.000	57.82	13.88	43.94	68.20	-10.38	315	173	Peak	Vertical	

802.11n HT20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.500	43.67	0.59	43.08	54.00	-10.33	113	161	Average	Horizontal	
2 *	5720.000	94.98	51.69	43.29	54.00	40.98	113	161	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5392.500	43.66	0.62	43.04	54.00	-10.34	315	173	Average	Vertical	
2 *	5720.000	92.57	49.28	43.29	54.00	38.57	315	173	Average	Vertical	


802.11n HT40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5393.000	56.88	13.76	43.04	74.00	-17.20	100	165	Peak	Horizontal	
2	5464.000	56.83	13.10	42.93	68.20	-12.17	100	165	Peak	Horizontal	
3	5710.000	103.39	68.19	43.20	122.20	-18.81	100	165	Peak	Horizontal	
4	5853.500	56.57	13.03	43.54	114.22	-57.65	100	165	Peak	Horizontal	
5	5868.000	57.38	13.69	43.61	107.16	-49.86	100	165	Peak	Horizontal	
6	5882.000	58.21	14.53	43.68	100.00	-41.79	100	165	Peak	Horizontal	
7	5964.000	58.27	14.34	43.93	68.20	-9.93	100	165	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5391.000	56.89	13.06	43.83	74.00	-17.91	386	162	Peak	Vertical	
2	5461.000	55.10	12.18	42.92	68.20	-13.10	386	162	Peak	Vertical	
3	5710.000	100.37	57.17	43.20	122.20	-21.83	386	162	Peak	Vertical	
4	5853.000	55.82	12.28	43.54	115.36	-59.54	386	162	Peak	Vertical	
5	5861.000	56.66	13.09	43.57	109.12	-52.46	386	162	Peak	Vertical	
6	5883.000	57.34	13.66	43.68	99.26	-41.92	386	162	Peak	Vertical	
7	5947.000	57.21	13.33	43.88	68.20	-10.99	386	162	Peak	Vertical	

802.11n HT40

CH 142 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5386.000	44.25	1.27	42.98	54.00	-9.75	100	165	Average	Horizontal	
2 *	5710.000	93.23	50.03	43.20	54.00	39.23	100	165	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5389.000	44.20	1.19	43.01	54.00	-9.80	386	162	Average	Vertical	
2 *	5710.000	89.63	46.43	43.20	54.00	35.63	386	162	Average	Vertical	