



**802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80664G	49.66	68.20	-18.54	21.57	3	Vertical	166	1.50	-	28.09	39.82	14.20	32.45
PK	13.8092G	63.14	88.20	-25.06	21.57	3	Vertical	166	1.50	-	41.57	39.83	14.20	32.46


**802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80536G	49.55	68.20	-18.65	21.57	3	Horizontal	0	1.50	-	27.98	39.82	14.20	32.45
PK	13.80128G	63.10	88.20	-25.10	21.54	3	Horizontal	0	1.50	-	41.56	39.80	14.19	32.45

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9958G	91.33	Inf	-Inf	11.04	3	Vertical	245	1.06	-	80.29	35.08	10.49	34.53
AV	7.1902G	50.92	68.20	-17.28	12.14	3	Vertical	245	1.06	-	38.78	36.14	10.51	34.51
PK	6.9982G	102.66	Inf	-Inf	11.06	3	Vertical	245	1.06	-	91.60	35.09	10.50	34.53
PK	7.1774G	62.77	88.20	-25.43	12.06	3	Vertical	245	1.06	-	50.71	36.06	10.51	34.51


802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9942G	90.80	Inf	-Inf	11.04	3	Horizontal	0	1.11	-	79.76	35.08	10.49	34.53
AV	7.1942G	50.96	68.20	-17.24	12.17	3	Horizontal	0	1.11	-	38.79	36.17	10.51	34.51
PK	6.9918G	103.36	Inf	-Inf	11.02	3	Horizontal	0	1.11	-	92.34	35.07	10.48	34.53
PK	7.167G	63.45	88.20	-24.75	12.00	3	Horizontal	0	1.11	-	51.45	36.00	10.51	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97808G	50.39	68.20	-17.81	22.11	3	Vertical	209	1.50	-	28.28	40.33	14.31	32.53
PK	13.97288G	63.71	88.20	-24.49	22.09	3	Vertical	209	1.50	-	41.62	40.32	14.30	32.53


802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97584G	50.51	68.20	-17.69	22.10	3	Horizontal	95	1.50	-	28.41	40.33	14.30	32.53
PK	14.00968G	63.59	88.20	-24.61	22.19	3	Horizontal	95	1.50	-	41.40	40.42	14.32	32.55

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0974G	91.20	Inf	-Inf	11.66	3	Vertical	244	1.00	-	79.54	35.68	10.50	34.52
AV	7.1958G	51.05	68.20	-17.15	12.17	3	Vertical	244	1.00	-	38.88	36.17	10.51	34.51
PK	7.1022G	102.71	Inf	-Inf	11.70	3	Vertical	244	1.00	-	91.01	35.71	10.51	34.52
PK	7.2414G	63.25	88.20	-24.95	12.32	3	Vertical	244	1.00	-	50.93	36.28	10.55	34.51


802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	90.95	Inf	-Inf	11.66	3	Horizontal	204	1.00	-	79.29	35.68	10.50	34.52
AV	7.206G	51.25	68.20	-16.95	12.22	3	Horizontal	204	1.00	-	39.03	36.21	10.52	34.51
PK	7.089G	103.32	Inf	-Inf	11.61	3	Horizontal	204	1.00	-	91.71	35.63	10.50	34.52
PK	7.149G	63.55	88.20	-24.65	11.89	3	Horizontal	204	1.00	-	51.66	35.90	10.51	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20736G	49.87	68.20	-18.33	22.50	3	Vertical	213	1.50	-	27.37	40.91	14.39	32.80
PK	14.19448G	63.22	88.20	-24.98	22.47	3	Vertical	213	1.50	-	40.75	40.88	14.38	32.79


802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1804G	49.94	68.20	-18.26	22.45	3	Horizontal	293	2.75	-	27.49	40.84	14.38	32.77
PK	14.17784G	63.31	88.20	-24.89	22.45	3	Horizontal	293	2.75	-	40.86	40.83	14.38	32.76

802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1144G	84.59	Inf	-Inf	11.75	3	Vertical	270	2.97	-	72.84	35.76	10.51	34.52
AV	7.1255G	66.89	68.20	-1.31	11.79	3	Vertical	270	2.97	-	55.10	35.80	10.51	34.52
PK	7.1136G	94.00	Inf	-Inf	11.74	3	Vertical	270	2.97	-	82.26	35.75	10.51	34.52
PK	7.1255G	78.67	88.20	-9.53	11.79	3	Vertical	270	2.97	-	66.88	35.80	10.51	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1162G	86.02	Inf	-Inf	11.75	3	Horizontal	195	2.88	-	74.27	35.76	10.51	34.52
AV	7.1255G	67.26	68.20	-0.94	11.79	3	Horizontal	195	2.88	-	55.47	35.80	10.51	34.52
PK	7.1174G	94.82	Inf	-Inf	11.76	3	Horizontal	195	2.88	-	83.06	35.77	10.51	34.52
PK	7.1255G	78.30	88.20	-9.90	11.79	3	Horizontal	195	2.88	-	66.51	35.80	10.51	34.52


802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2276G	51.85	68.20	-16.35	22.52	3	Vertical	132	2.89	-	29.33	40.96	14.39	32.83
PK	14.23G	65.41	88.20	-22.79	22.52	3	Vertical	132	2.89	-	42.89	40.96	14.39	32.83

802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2134G	51.84	68.20	-16.36	22.51	3	Horizontal	360	1.82	-	29.33	40.93	14.39	32.81
PK	14.2254G	65.02	88.20	-23.18	22.52	3	Horizontal	360	1.82	-	42.50	40.95	14.39	32.82


802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9116G	47.68	68.20	-20.52	7.90	3	Vertical	270	1.00	-	39.78	32.50	9.61	34.21
AV	5.9662G	92.04	Inf	-Inf	7.93	3	Vertical	270	1.00	-	84.11	32.50	9.65	34.22
PK	5.8792G	58.39	88.20	-29.81	7.79	3	Vertical	270	1.00	-	50.60	32.42	9.58	34.21
PK	5.9632G	104.53	Inf	-Inf	7.93	3	Vertical	270	1.00	-	96.60	32.50	9.65	34.22


802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.05	68.20	-20.15	7.90	3	Horizontal	360	1.00	-	40.15	32.50	9.62	34.22
AV	5.9674G	93.11	Inf	-Inf	7.93	3	Horizontal	360	1.00	-	85.18	32.50	9.65	34.22
PK	5.914G	59.65	88.20	-28.55	7.90	3	Horizontal	360	1.00	-	51.75	32.50	9.61	34.21
PK	5.9596G	103.34	Inf	-Inf	7.93	3	Horizontal	360	1.00	-	95.41	32.50	9.65	34.22

802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94504G	42.59	54.00	-11.41	17.52	3	Vertical	165	2.19	-	25.07	38.79	13.03	34.30
PK	11.94608G	54.58	74.00	-19.42	17.52	3	Vertical	165	2.19	-	37.06	38.79	13.03	34.30


802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94464G	42.57	54.00	-11.43	17.52	3	Horizontal	158	1.38	-	25.05	38.79	13.03	34.30
PK	11.93592G	55.11	74.00	-18.89	17.49	3	Horizontal	158	1.38	-	37.62	38.77	13.02	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	46.78	68.20	-21.42	7.83	3	Vertical	267	1.00	-	38.95	32.45	9.59	34.21
AV	6.165G	93.63	Inf	-Inf	8.27	3	Vertical	267	1.00	-	85.36	32.69	9.81	34.23
PK	5.9226G	58.04	88.20	-30.16	7.90	3	Vertical	267	1.00	-	50.14	32.50	9.62	34.22
PK	6.1626G	102.67	Inf	-Inf	8.26	3	Vertical	267	1.00	-	94.41	32.68	9.81	34.23


802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8698G	46.77	68.20	-21.43	7.75	3	Horizontal	360	1.00	-	39.02	32.38	9.58	34.21
AV	6.1638G	93.09	Inf	-Inf	8.26	3	Horizontal	360	1.00	-	84.83	32.68	9.81	34.23
PK	5.8926G	58.07	88.20	-30.13	7.85	3	Horizontal	360	1.00	-	50.22	32.47	9.59	34.21
PK	6.1734G	103.36	Inf	-Inf	8.33	3	Horizontal	360	1.00	-	95.03	32.74	9.82	34.23

**802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34552G	43.40	54.00	-10.60	17.83	3	Vertical	277	1.20	-	25.57	38.72	13.27	34.16
PK	12.33696G	55.62	74.00	-18.38	17.85	3	Vertical	277	1.20	-	37.77	38.75	13.26	34.16


**802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34936G	43.47	54.00	-10.53	17.81	3	Horizontal	278	1.50	-	25.66	38.70	13.27	34.16
PK	12.3492G	55.97	74.00	-18.03	17.81	3	Horizontal	278	1.50	-	38.16	38.70	13.27	34.16

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8554G	46.76	68.20	-21.44	7.67	3	Vertical	266	1.07	-	39.09	32.32	9.56	34.21
AV	6.4074G	94.32	Inf	-Inf	9.38	3	Vertical	266	1.07	-	84.94	33.53	10.10	34.25
PK	5.8986G	57.64	88.20	-30.56	7.88	3	Vertical	266	1.07	-	49.76	32.49	9.60	34.21
PK	6.405G	104.51	Inf	-Inf	9.37	3	Vertical	266	1.07	-	95.14	33.52	10.10	34.25


802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8794G	46.78	68.20	-21.42	7.79	3	Horizontal	359	1.15	-	38.99	32.42	9.58	34.21
AV	6.4074G	92.67	Inf	-Inf	9.38	3	Horizontal	359	1.15	-	83.29	33.53	10.10	34.25
PK	5.8482G	57.80	88.20	-30.40	7.64	3	Horizontal	359	1.15	-	50.16	32.29	9.56	34.21
PK	6.405G	103.06	Inf	-Inf	9.37	3	Horizontal	359	1.15	-	93.69	33.52	10.10	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80848G	43.93	68.20	-24.27	18.96	3	Vertical	166	1.48	-	24.97	38.90	13.56	33.50
PK	12.81168G	55.79	88.20	-32.41	18.98	3	Vertical	166	1.48	-	36.81	38.90	13.57	33.49


802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8104G	43.83	68.20	-24.37	18.96	3	Horizontal	2	1.00	-	24.87	38.90	13.56	33.50
PK	12.80912G	56.34	88.20	-31.86	18.96	3	Horizontal	2	1.00	-	37.38	38.90	13.56	33.50

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	46.62	68.20	-21.58	7.89	3	Vertical	264	1.07	-	38.73	32.50	9.60	34.21
AV	6.445G	93.71	Inf	-Inf	9.54	3	Vertical	264	1.07	-	84.17	33.68	10.12	34.26
PK	5.8954G	57.22	88.20	-30.98	7.87	3	Vertical	264	1.07	-	49.35	32.48	9.60	34.21
PK	6.4474G	105.60	Inf	-Inf	9.55	3	Vertical	264	1.07	-	96.05	33.69	10.12	34.26


802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	46.92	68.20	-21.28	7.81	3	Horizontal	1	2.96	-	39.11	32.43	9.59	34.21
AV	6.445G	93.71	Inf	-Inf	9.54	3	Horizontal	1	2.96	-	84.17	33.68	10.12	34.26
PK	5.869G	57.32	88.20	-30.88	7.75	3	Horizontal	1	2.96	-	49.57	32.38	9.58	34.21
PK	6.4426G	104.11	Inf	-Inf	9.53	3	Horizontal	1	2.96	-	94.58	33.67	10.12	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8864G	43.74	68.20	-24.46	19.16	3	Vertical	205	1.50	-	24.58	38.90	13.61	33.35
PK	12.8736G	56.34	88.20	-31.86	19.12	3	Vertical	205	1.50	-	37.22	38.90	13.60	33.38


802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87016G	43.67	68.20	-24.53	19.12	3	Horizontal	275	1.50	-	24.55	38.90	13.60	33.38
PK	12.9096G	56.57	88.20	-31.63	19.22	3	Horizontal	275	1.50	-	37.35	38.90	13.63	33.31

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9222G	47.01	68.20	-21.19	7.90	3	Vertical	249	1.00	-	39.11	32.50	9.62	34.22
AV	6.4878G	93.11	Inf	-Inf	9.73	3	Vertical	249	1.00	-	83.38	33.85	10.14	34.26
AV	7.185G	51.37	68.20	-16.83	12.11	3	Vertical	249	1.00	-	39.26	36.11	10.51	34.51
PK	5.8998G	57.82	88.20	-30.38	7.89	3	Vertical	249	1.00	-	49.93	32.50	9.60	34.21
PK	6.4878G	102.20	Inf	-Inf	9.73	3	Vertical	249	1.00	-	92.47	33.85	10.14	34.26
PK	7.1542G	61.45	88.20	-26.75	11.93	3	Vertical	249	1.00	-	49.52	35.93	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.869G	46.69	68.20	-21.51	7.75	3	Horizontal	0	1.00	-	38.94	32.38	9.58	34.21
AV	6.485G	94.97	Inf	-Inf	9.71	3	Horizontal	0	1.00	-	85.26	33.84	10.13	34.26
AV	7.1738G	51.54	68.20	-16.66	12.04	3	Horizontal	0	1.00	-	39.50	36.04	10.51	34.51
PK	5.8634G	58.00	88.20	-30.20	7.71	3	Horizontal	0	1.00	-	50.29	32.35	9.57	34.21
PK	6.4822G	103.87	Inf	-Inf	9.70	3	Horizontal	0	1.00	-	94.17	33.83	10.13	34.26
PK	7.1486G	62.06	88.20	-26.14	11.88	3	Horizontal	0	1.00	-	50.18	35.89	10.51	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98992G	43.83	68.20	-24.37	19.42	3	Vertical	302	1.50	-	24.41	38.90	13.68	33.16
PK	12.95736G	56.51	88.20	-31.69	19.34	3	Vertical	302	1.50	-	37.17	38.90	13.66	33.22


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97864G	43.85	68.20	-24.35	19.39	3	Horizontal	245	2.55	-	24.46	38.90	13.67	33.18
PK	12.98312G	56.06	88.20	-32.14	19.40	3	Horizontal	245	2.55	-	36.66	38.90	13.67	33.17

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	46.87	68.20	-21.33	7.85	3	Vertical	246	1.00	-	39.02	32.47	9.59	34.21
AV	6.525G	94.07	Inf	-Inf	9.93	3	Vertical	246	1.00	-	84.14	34.05	10.15	34.27
AV	7.225G	51.50	68.20	-16.70	12.28	3	Vertical	246	1.00	-	39.22	36.25	10.54	34.51
PK	5.923G	57.23	88.20	-30.97	7.90	3	Vertical	246	1.00	-	49.33	32.50	9.62	34.22
PK	6.525G	103.05	Inf	-Inf	9.93	3	Vertical	246	1.00	-	93.12	34.05	10.15	34.27
PK	7.1746G	62.03	88.20	-26.17	12.05	3	Vertical	246	1.00	-	49.98	36.05	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8586G	46.82	68.20	-21.38	7.69	3	Horizontal	5	1.00	-	39.13	32.33	9.57	34.21
AV	6.5278G	93.89	Inf	-Inf	9.94	3	Horizontal	5	1.00	-	83.95	34.07	10.15	34.28
AV	7.2166G	51.74	68.20	-16.46	12.25	3	Horizontal	5	1.00	-	39.49	36.23	10.53	34.51
PK	5.8866G	57.65	88.20	-30.55	7.83	3	Horizontal	5	1.00	-	49.82	32.45	9.59	34.21
PK	6.5278G	105.79	Inf	-Inf	9.94	3	Horizontal	5	1.00	-	95.85	34.07	10.15	34.28
PK	7.169G	62.41	88.20	-25.79	12.01	3	Horizontal	5	1.00	-	50.40	36.01	10.51	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04072G	43.96	68.20	-24.24	19.50	3	Vertical	282	2.07	-	24.46	38.86	13.71	33.07
PK	13.04312G	56.92	88.20	-31.28	19.50	3	Vertical	282	2.07	-	37.42	38.86	13.71	33.07


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03504G	43.99	68.20	-24.21	19.49	3	Horizontal	360	1.50	-	24.50	38.86	13.71	33.08
PK	13.03168G	56.77	88.20	-31.43	19.49	3	Horizontal	360	1.50	-	37.28	38.87	13.71	33.09

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5674G	91.14	Inf	-Inf	10.07	3	Vertical	257	1.50	-	81.07	34.20	10.17	34.30
AV	7.1458G	51.19	68.20	-17.01	11.87	3	Vertical	257	1.50	-	39.32	35.88	10.51	34.52
PK	6.5698G	101.66	Inf	-Inf	10.07	3	Vertical	257	1.50	-	91.59	34.20	10.17	34.30
PK	7.1602G	62.22	88.20	-25.98	11.96	3	Vertical	257	1.50	-	50.26	35.96	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	93.64	Inf	-Inf	10.07	3	Horizontal	4	1.01	-	83.57	34.20	10.17	34.30
AV	7.1602G	51.18	68.20	-17.02	11.96	3	Horizontal	4	1.01	-	39.22	35.96	10.51	34.51
PK	6.5602G	103.78	Inf	-Inf	10.07	3	Horizontal	4	1.01	-	93.71	34.20	10.16	34.29
PK	7.1338G	62.30	88.20	-25.90	11.83	3	Horizontal	4	1.01	-	50.47	35.84	10.51	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11032G	44.17	68.20	-24.03	19.60	3	Vertical	360	1.50	-	24.57	38.80	13.76	32.96
PK	13.12024G	56.11	88.20	-32.09	19.62	3	Vertical	360	1.50	-	36.49	38.80	13.76	32.94


802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1332G	43.85	68.20	-24.35	19.65	3	Horizontal	180	1.50	-	24.20	38.80	13.77	32.92
PK	13.12512G	55.95	88.20	-32.25	19.63	3	Horizontal	180	1.50	-	36.32	38.80	13.76	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.685G	94.63	Inf	-Inf	10.01	3	Vertical	295	1.11	-	84.62	34.23	10.14	34.36
AV	7.163G	51.50	68.20	-16.70	11.98	3	Vertical	295	1.11	-	39.52	35.98	10.51	34.51
PK	6.683G	103.46	Inf	-Inf	10.01	3	Vertical	295	1.11	-	93.45	34.23	10.14	34.36
PK	7.179G	61.89	88.20	-26.31	12.07	3	Vertical	295	1.11	-	49.82	36.07	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	93.31	Inf	-Inf	10.01	3	Horizontal	360	1.26	-	83.30	34.23	10.14	34.36
AV	7.161G	51.39	68.20	-16.81	11.97	3	Horizontal	360	1.26	-	39.42	35.97	10.51	34.51
PK	6.687G	102.86	Inf	-Inf	10.01	3	Horizontal	360	1.26	-	92.85	34.23	10.14	34.36
PK	7.179G	62.17	88.20	-26.03	12.07	3	Horizontal	360	1.26	-	50.10	36.07	10.51	34.51

**802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3816G	44.81	54.00	-9.19	20.83	3	Vertical	43	1.50	-	23.98	39.41	13.93	32.51
PK	13.38736G	57.05	74.00	-16.95	20.87	3	Vertical	43	1.50	-	36.18	39.44	13.93	32.50


**802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37744G	44.98	54.00	-9.02	20.79	3	Horizontal	230	1.50	-	24.19	39.39	13.92	32.52
PK	13.38592G	56.80	74.00	-17.20	20.85	3	Horizontal	230	1.50	-	35.95	39.43	13.93	32.51

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8464G	92.25	Inf	-Inf	10.22	3	Vertical	248	1.13	-	82.03	34.49	10.18	34.45
AV	7.188G	51.68	68.20	-16.52	12.13	3	Vertical	248	1.13	-	39.55	36.13	10.51	34.51
PK	6.8464G	103.69	Inf	-Inf	10.22	3	Vertical	248	1.13	-	93.47	34.49	10.18	34.45
PK	7.1908G	62.03	88.20	-26.17	12.14	3	Vertical	248	1.13	-	49.89	36.14	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8422G	91.76	Inf	-Inf	10.20	3	Horizontal	205	1.14	-	81.56	34.47	10.17	34.44
AV	7.1852G	51.71	68.20	-16.49	12.11	3	Horizontal	205	1.14	-	39.60	36.11	10.51	34.51
PK	6.845G	101.90	Inf	-Inf	10.20	3	Horizontal	205	1.14	-	91.70	34.48	10.17	34.45
PK	7.1824G	62.96	88.20	-25.24	12.09	3	Horizontal	205	1.14	-	50.87	36.09	10.51	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70856G	49.59	68.20	-18.61	21.43	3	Vertical	177	1.50	-	28.16	39.71	14.13	32.41
PK	13.69264G	62.16	88.20	-26.04	21.42	3	Vertical	177	1.50	-	40.74	39.70	14.12	32.40


802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69496G	49.62	68.20	-18.58	21.42	3	Horizontal	28	2.99	-	28.20	39.70	14.13	32.41
PK	13.68216G	61.98	88.20	-26.22	21.42	3	Horizontal	28	2.99	-	40.56	39.70	14.12	32.40

802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	93.04	Inf	-Inf	10.49	3	Vertical	247	1.04	-	82.55	34.70	10.26	34.47
AV	7.1902G	51.57	68.20	-16.63	12.14	3	Vertical	247	1.04	-	39.43	36.14	10.51	34.51
PK	6.8864G	103.69	Inf	-Inf	10.51	3	Vertical	247	1.04	-	93.18	34.72	10.26	34.47
PK	7.2182G	63.46	88.20	-24.74	12.26	3	Vertical	247	1.04	-	51.20	36.24	10.53	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.885G	91.10	Inf	-Inf	10.50	3	Horizontal	360	1.21	-	80.60	34.71	10.26	34.47
AV	7.1552G	51.45	68.20	-16.75	11.93	3	Horizontal	360	1.21	-	39.52	35.93	10.51	34.51
PK	6.885G	100.47	Inf	-Inf	10.50	3	Horizontal	360	1.21	-	89.97	34.71	10.26	34.47
PK	7.1972G	62.77	88.20	-25.43	12.18	3	Horizontal	360	1.21	-	50.59	36.18	10.51	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78208G	49.94	68.20	-18.26	21.52	3	Vertical	0	1.44	-	28.42	39.78	14.18	32.44
PK	13.76264G	62.05	88.20	-26.15	21.49	3	Vertical	0	1.44	-	40.56	39.76	14.17	32.44


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78096G	50.22	68.20	-17.98	21.52	3	Horizontal	4	1.50	-	28.70	39.78	14.18	32.44
PK	13.79G	62.33	88.20	-25.87	21.53	3	Horizontal	4	1.50	-	40.80	39.79	14.19	32.45

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9238G	92.94	Inf	-Inf	10.70	3	Vertical	247	1.01	-	82.24	34.85	10.34	34.49
AV	7.2178G	51.67	68.20	-16.53	12.26	3	Vertical	247	1.01	-	39.41	36.24	10.53	34.51
PK	6.9238G	104.04	Inf	-Inf	10.70	3	Vertical	247	1.01	-	93.34	34.85	10.34	34.49
PK	7.1998G	63.01	88.20	-25.19	12.20	3	Vertical	247	1.01	-	50.81	36.20	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	92.87	Inf	-Inf	10.70	3	Horizontal	203	1.03	-	82.17	34.85	10.34	34.49
AV	7.195G	51.68	68.20	-16.52	12.17	3	Horizontal	203	1.03	-	39.51	36.17	10.51	34.51
PK	6.9202G	104.90	Inf	-Inf	10.68	3	Horizontal	203	1.03	-	94.22	34.84	10.33	34.49
PK	7.2106G	62.91	88.20	-25.29	12.23	3	Horizontal	203	1.03	-	50.68	36.22	10.52	34.51

**802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8472G	51.21	68.20	-16.99	21.69	3	Vertical	10	1.50	-	29.52	39.94	14.22	32.47
PK	13.8664G	63.24	88.20	-24.96	21.76	3	Vertical	10	1.50	-	41.48	40.00	14.24	32.48


**802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86032G	51.15	68.20	-17.05	21.73	3	Horizontal	171	1.10	-	29.42	39.98	14.23	32.48
PK	13.84632G	63.63	88.20	-24.57	21.69	3	Horizontal	171	1.10	-	41.94	39.94	14.22	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0062G	93.45	Inf	-Inf	11.11	3	Vertical	248	1.00	-	82.34	35.14	10.50	34.53
AV	7.1406G	51.99	68.20	-16.21	11.85	3	Vertical	248	1.00	-	40.14	35.86	10.51	34.52
PK	7.0032G	103.83	Inf	-Inf	11.09	3	Vertical	248	1.00	-	92.74	35.12	10.50	34.53
PK	7.1514G	63.10	88.20	-25.10	11.91	3	Vertical	248	1.00	-	51.19	35.91	10.51	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0074G	93.00	Inf	-Inf	11.11	3	Horizontal	201	1.00	-	81.89	35.14	10.50	34.53
AV	7.1304G	51.47	68.20	-16.73	11.81	3	Horizontal	201	1.00	-	39.66	35.82	10.51	34.52
PK	6.9978G	103.78	Inf	-Inf	11.06	3	Horizontal	201	1.00	-	92.72	35.09	10.50	34.53
PK	7.1538G	62.43	88.20	-25.77	11.92	3	Horizontal	201	1.00	-	50.51	35.92	10.51	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99064G	51.38	68.20	-16.82	22.14	3	Vertical	55	2.64	-	29.24	40.37	14.31	32.54
PK	14.00904G	63.41	88.20	-24.79	22.19	3	Vertical	55	2.64	-	41.22	40.42	14.32	32.55


802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99104G	51.24	68.20	-16.96	22.14	3	Horizontal	185	1.50	-	29.10	40.37	14.31	32.54
PK	13.99688G	64.34	88.20	-23.86	22.17	3	Horizontal	185	1.50	-	42.17	40.39	14.32	32.54

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0862G	93.83	Inf	-Inf	11.60	3	Vertical	300	1.02	-	82.23	35.62	10.50	34.52
AV	7.2218G	51.76	68.20	-16.44	12.26	3	Vertical	300	1.02	-	39.50	36.24	10.53	34.51
PK	7.0814G	104.65	Inf	-Inf	11.57	3	Vertical	300	1.02	-	93.08	35.59	10.50	34.52
PK	7.235G	63.67	88.20	-24.53	12.30	3	Vertical	300	1.02	-	51.37	36.27	10.54	34.51


802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	92.29	Inf	-Inf	11.60	3	Horizontal	0	1.02	-	80.69	35.62	10.50	34.52
AV	7.196G	51.92	68.20	-16.28	12.18	3	Horizontal	0	1.02	-	39.74	36.18	10.51	34.51
PK	7.0772G	102.71	Inf	-Inf	11.54	3	Horizontal	0	1.02	-	91.17	35.56	10.50	34.52
PK	7.1414G	63.81	88.20	-24.39	11.86	3	Horizontal	0	1.02	-	51.95	35.87	10.51	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1688G	50.62	68.20	-17.58	22.43	3	Vertical	282	1.66	-	28.19	40.81	14.37	32.75
PK	14.18576G	62.79	88.20	-25.41	22.47	3	Vertical	282	1.66	-	40.32	40.86	14.38	32.77


802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17248G	50.73	68.20	-17.47	22.43	3	Horizontal	303	1.50	-	28.30	40.82	14.37	32.76
PK	14.17912G	62.58	88.20	-25.62	22.45	3	Horizontal	303	1.50	-	40.13	40.84	14.38	32.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	52.50	68.20	-15.70	7.90	3	Vertical	252	1.16	-	44.60	32.50	9.62	34.22
AV	5.985G	95.95	Inf	-Inf	7.95	3	Vertical	252	1.16	-	88.00	32.50	9.67	34.22
PK	5.923G	61.67	88.20	-26.53	7.90	3	Vertical	252	1.16	-	53.77	32.50	9.62	34.22
PK	5.968G	105.12	Inf	-Inf	7.93	3	Vertical	252	1.16	-	97.19	32.50	9.65	34.22


802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.93	68.20	-13.27	7.90	3	Horizontal	348	1.00	-	47.03	32.50	9.62	34.22
AV	5.992G	96.12	Inf	-Inf	7.95	3	Horizontal	348	1.00	-	88.17	32.50	9.67	34.22
PK	5.912G	64.65	88.20	-23.55	7.90	3	Horizontal	348	1.00	-	56.75	32.50	9.61	34.21
PK	5.995G	106.47	Inf	-Inf	7.96	3	Horizontal	348	1.00	-	98.51	32.50	9.68	34.22

802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97224G	45.14	54.00	-8.86	17.56	3	Vertical	155	2.57	-	27.58	38.84	13.04	34.32
PK	11.94952G	56.38	74.00	-17.62	17.53	3	Vertical	155	2.57	-	38.85	38.80	13.03	34.30


802.11ax HEW80_Nss1,(MCS0)_2TX
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98776G	44.63	54.00	-9.37	17.60	3	Horizontal	204	3.00	-	27.03	38.88	13.04	34.32
PK	11.96408G	55.16	74.00	-18.84	17.55	3	Horizontal	204	3.00	-	37.61	38.83	13.03	34.31

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	47.98	68.20	-20.22	7.90	3	Vertical	244	1.32	-	40.08	32.50	9.62	34.22
AV	6.145G	97.08	Inf	-Inf	8.15	3	Vertical	244	1.32	-	88.93	32.58	9.80	34.23
PK	5.911G	58.80	88.20	-29.40	7.90	3	Vertical	244	1.32	-	50.90	32.50	9.61	34.21
PK	6.1426G	104.63	Inf	-Inf	8.13	3	Vertical	244	1.32	-	96.50	32.57	9.79	34.23


802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	48.16	68.20	-20.04	7.81	3	Horizontal	360	1.03	-	40.35	32.43	9.59	34.21
AV	6.1498G	98.50	Inf	-Inf	8.17	3	Horizontal	360	1.03	-	90.33	32.60	9.80	34.23
PK	5.8846G	57.46	88.20	-30.74	7.82	3	Horizontal	360	1.03	-	49.64	32.44	9.59	34.21
PK	6.1378G	107.31	Inf	-Inf	8.11	3	Horizontal	360	1.03	-	99.20	32.55	9.79	34.23

**802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.25816G	45.10	54.00	-8.90	17.91	3	Vertical	348	1.50	-	27.19	38.90	13.21	34.20
PK	12.3244G	55.47	74.00	-18.53	17.89	3	Vertical	348	1.50	-	37.58	38.80	13.26	34.17


**802.11ax HEW80_Nss1,(MCS0)_2TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29224G	45.18	54.00	-8.82	17.96	3	Horizontal	344	1.64	-	27.22	38.90	13.24	34.18
PK	12.2964G	55.51	74.00	-18.49	17.96	3	Horizontal	344	1.64	-	37.55	38.90	13.24	34.18

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	49.72	68.20	-18.48	7.73	3	Vertical	244	1.23	-	41.99	32.37	9.57	34.21
AV	6.385G	98.15	Inf	-Inf	9.30	3	Vertical	244	1.23	-	88.85	33.47	10.08	34.25
PK	5.9242G	59.22	88.20	-28.98	7.90	3	Vertical	244	1.23	-	51.32	32.50	9.62	34.22
PK	6.385G	105.73	Inf	-Inf	9.30	3	Vertical	244	1.23	-	96.43	33.47	10.08	34.25


802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	51.68	68.20	-16.52	7.90	3	Horizontal	360	2.77	-	43.78	32.50	9.62	34.22
AV	6.3898G	96.99	Inf	-Inf	9.32	3	Horizontal	360	2.77	-	87.67	33.48	10.09	34.25
PK	5.9218G	60.24	88.20	-27.96	7.90	3	Horizontal	360	2.77	-	52.34	32.50	9.62	34.22
PK	6.3826G	107.33	Inf	-Inf	9.30	3	Horizontal	360	2.77	-	98.03	33.47	10.08	34.25

**802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7956G	45.46	68.20	-22.74	18.92	3	Vertical	40	1.50	-	26.54	38.88	13.56	33.52
PK	12.79928G	56.26	88.20	-31.94	18.94	3	Vertical	40	1.50	-	37.32	38.90	13.56	33.52


**802.11ax HEW80_Nss1,(MCS0)_2TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8052G	45.23	68.20	-22.97	18.95	3	Horizontal	344	1.50	-	26.28	38.90	13.56	33.51
PK	12.79288G	56.33	88.20	-31.87	18.88	3	Horizontal	344	1.50	-	37.45	38.86	13.55	33.53

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8574G	48.39	68.20	-19.81	7.69	3	Vertical	254	1.41	-	40.70	32.33	9.57	34.21
AV	6.465G	96.30	Inf	-Inf	9.63	3	Vertical	254	1.41	-	86.67	33.76	10.13	34.26
AV	7.1398G	52.97	68.20	-15.23	11.85	3	Vertical	254	1.41	-	41.12	35.86	10.51	34.52
PK	5.9162G	57.73	88.20	-30.47	7.90	3	Vertical	254	1.41	-	49.83	32.50	9.61	34.21
PK	6.465G	101.85	Inf	-Inf	9.63	3	Vertical	254	1.41	-	92.22	33.76	10.13	34.26
PK	7.1622G	62.01	88.20	-26.19	11.97	3	Vertical	254	1.41	-	50.04	35.97	10.51	34.51


802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	48.31	68.20	-19.89	7.84	3	Horizontal	0	1.01	-	40.47	32.46	9.59	34.21
AV	6.4678G	97.27	Inf	-Inf	9.64	3	Horizontal	0	1.01	-	87.63	33.77	10.13	34.26
AV	7.1594G	52.81	68.20	-15.39	11.96	3	Horizontal	0	1.01	-	40.85	35.96	10.51	34.51
PK	5.9078G	58.17	88.20	-30.03	7.90	3	Horizontal	0	1.01	-	50.27	32.50	9.61	34.21
PK	6.4594G	106.71	Inf	-Inf	9.60	3	Horizontal	0	1.01	-	97.11	33.74	10.12	34.26
PK	7.1398G	61.99	88.20	-26.21	11.85	3	Horizontal	0	1.01	-	50.14	35.86	10.51	34.52

**802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96744G	45.63	68.20	-22.57	19.36	3	Vertical	100	1.50	-	26.27	38.90	13.66	33.20
PK	12.95304G	55.64	88.20	-32.56	19.33	3	Vertical	100	1.50	-	36.31	38.90	13.66	33.23

**802.11ax HEW80_Nss1,(MCS0)_2TX
6465MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92248G	45.29	68.20	-22.91	19.25	3	Horizontal	63	1.01	-	26.04	38.90	13.64	33.29
PK	12.94728G	56.60	88.20	-31.60	19.31	3	Horizontal	63	1.01	-	37.29	38.90	13.65	33.24

802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	48.18	68.20	-20.02	7.90	3	Vertical	244	2.90	-	40.28	32.50	9.61	34.21
AV	6.545G	96.40	Inf	-Inf	10.05	3	Vertical	244	2.90	-	86.35	34.17	10.16	34.28
AV	7.1694G	53.06	68.20	-15.14	12.02	3	Vertical	244	2.90	-	41.04	36.02	10.51	34.51
PK	5.9122G	57.59	88.20	-30.61	7.90	3	Vertical	244	2.90	-	49.69	32.50	9.61	34.21
PK	6.5254G	103.85	Inf	-Inf	9.93	3	Vertical	244	2.90	-	93.92	34.05	10.15	34.27
PK	7.1918G	62.70	88.20	-25.50	12.15	3	Vertical	244	2.90	-	50.55	36.15	10.51	34.51

802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.873G	48.31	68.20	-19.89	7.76	3	Horizontal	0	2.25	-	40.55	32.39	9.58	34.21
AV	6.545G	98.77	Inf	-Inf	10.05	3	Horizontal	0	2.25	-	88.72	34.17	10.16	34.28
AV	7.1834G	53.09	68.20	-15.11	12.10	3	Horizontal	0	2.25	-	40.99	36.10	10.51	34.51
PK	5.887G	57.71	88.20	-30.49	7.83	3	Horizontal	0	2.25	-	49.88	32.45	9.59	34.21
PK	6.5478G	106.32	Inf	-Inf	10.06	3	Horizontal	0	2.25	-	96.26	34.19	10.16	34.29
PK	7.2254G	62.58	88.20	-25.62	12.28	3	Horizontal	0	2.25	-	50.30	36.25	10.54	34.51

802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1108G	45.82	68.20	-22.38	19.60	3	Vertical	165	2.97	-	26.22	38.80	13.76	32.96
PK	13.05736G	56.30	88.20	-31.90	19.51	3	Vertical	165	2.97	-	36.79	38.84	13.72	33.05


802.11ax HEW80_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10776G	45.94	68.20	-22.26	19.59	3	Horizontal	340	1.50	-	26.35	38.80	13.75	32.96
PK	13.06776G	56.38	88.20	-31.82	19.53	3	Horizontal	340	1.50	-	36.85	38.83	13.73	33.03

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.625G	96.93	Inf	-Inf	10.09	3	Vertical	272	1.24	-	86.84	34.25	10.17	34.33
AV	7.1362G	52.95	68.20	-15.25	11.83	3	Vertical	272	1.24	-	41.12	35.84	10.51	34.52
PK	6.6202G	105.15	Inf	-Inf	10.09	3	Vertical	272	1.24	-	95.06	34.24	10.17	34.32
PK	7.2178G	62.81	88.20	-25.39	12.26	3	Vertical	272	1.24	-	50.55	36.24	10.53	34.51


802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6178G	96.17	Inf	-Inf	10.09	3	Horizontal	0	2.83	-	86.08	34.24	10.17	34.32
AV	7.1554G	52.93	68.20	-15.27	11.93	3	Horizontal	0	2.83	-	41.00	35.93	10.51	34.51
PK	6.637G	104.18	Inf	-Inf	10.10	3	Horizontal	0	2.83	-	94.08	34.27	10.16	34.33
PK	7.2082G	62.75	88.20	-25.45	12.23	3	Horizontal	0	2.83	-	50.52	36.22	10.52	34.51

**802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.26936G	45.90	54.00	-8.10	20.10	3	Vertical	154	1.50	-	25.80	38.94	13.86	32.70
PK	13.26408G	56.90	74.00	-17.10	20.07	3	Vertical	154	1.50	-	36.83	38.93	13.85	32.71


**802.11ax HEW80_Nss1,(MCS0)_2TX
6625MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25048G	46.08	54.00	-7.92	20.01	3	Horizontal	0	1.50	-	26.07	38.90	13.84	32.73
PK	13.28088G	56.79	74.00	-17.21	20.14	3	Horizontal	0	1.50	-	36.65	38.96	13.86	32.68

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.705G	97.09	Inf	-Inf	9.97	3	Vertical	294	1.13	-	87.12	34.21	10.13	34.37
AV	7.199G	53.46	68.20	-14.74	12.19	3	Vertical	294	1.13	-	41.27	36.19	10.51	34.51
PK	6.703G	105.80	Inf	-Inf	9.97	3	Vertical	294	1.13	-	95.83	34.21	10.13	34.37
PK	7.185G	62.33	88.20	-25.87	12.11	3	Vertical	294	1.13	-	50.22	36.11	10.51	34.51


802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.705G	96.74	Inf	-Inf	9.97	3	Horizontal	202	1.00	-	86.77	34.21	10.13	34.37
AV	7.149G	52.90	68.20	-15.30	11.89	3	Horizontal	202	1.00	-	41.01	35.90	10.51	34.52
PK	6.703G	105.69	Inf	-Inf	9.97	3	Horizontal	202	1.00	-	95.72	34.21	10.13	34.37
PK	7.149G	62.68	88.20	-25.52	11.89	3	Horizontal	202	1.00	-	50.79	35.90	10.51	34.52

**802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39352G	46.97	54.00	-7.03	20.91	3	Vertical	49	2.52	-	26.06	39.47	13.93	32.49
PK	13.38344G	57.04	74.00	-16.96	20.84	3	Vertical	49	2.52	-	36.20	39.42	13.93	32.51


**802.11ax HEW80_Nss1,(MCS0)_2TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38168G	46.66	54.00	-7.34	20.83	3	Horizontal	281	1.50	-	25.83	39.41	13.93	32.51
PK	13.39976G	57.21	74.00	-16.79	20.96	3	Horizontal	281	1.50	-	36.25	39.50	13.94	32.48

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.785G	95.67	Inf	-Inf	9.98	3	Vertical	274	1.24	-	85.69	34.30	10.09	34.41
AV	7.161G	53.03	68.20	-15.17	11.97	3	Vertical	274	1.24	-	41.06	35.97	10.51	34.51
PK	6.785G	102.32	Inf	-Inf	9.98	3	Vertical	274	1.24	-	92.34	34.30	10.09	34.41
PK	7.1418G	61.91	88.20	-26.29	11.86	3	Vertical	274	1.24	-	50.05	35.87	10.51	34.52


802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.785G	95.31	Inf	-Inf	9.98	3	Horizontal	198	1.13	-	85.33	34.30	10.09	34.41
AV	7.1402G	52.65	68.20	-15.55	11.85	3	Horizontal	198	1.13	-	40.80	35.86	10.51	34.52
PK	6.7802G	104.02	Inf	-Inf	9.98	3	Horizontal	198	1.13	-	94.04	34.30	10.09	34.41
PK	7.177G	62.42	88.20	-25.78	12.06	3	Horizontal	198	1.13	-	50.36	36.06	10.51	34.51

**802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.53912G	46.79	68.20	-21.41	21.27	3	Vertical	229	1.50	-	25.52	39.58	14.03	32.34
PK	13.60568G	58.31	88.20	-29.89	21.40	3	Vertical	229	1.50	-	36.91	39.70	14.07	32.37


**802.11ax HEW80_Nss1,(MCS0)_2TX
6785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59272G	47.04	68.20	-21.16	21.39	3	Horizontal	89	1.50	-	25.65	39.69	14.06	32.36
PK	13.54248G	58.18	88.20	-30.02	21.27	3	Horizontal	89	1.50	-	36.91	39.58	14.03	32.34

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.865G	92.93	Inf	-Inf	10.35	3	Vertical	283	2.93	-	82.58	34.59	10.22	34.46
AV	7.1786G	53.04	68.20	-15.16	12.07	3	Vertical	283	2.93	-	40.97	36.07	10.51	34.51
PK	6.8608G	102.15	Inf	-Inf	10.32	3	Vertical	283	2.93	-	91.83	34.56	10.21	34.45
PK	7.208G	62.96	88.20	-25.24	12.23	3	Vertical	283	2.93	-	50.73	36.22	10.52	34.51


802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.865G	93.63	Inf	-Inf	10.35	3	Horizontal	360	2.07	-	83.28	34.59	10.22	34.46
AV	7.215G	52.87	68.20	-15.33	12.25	3	Horizontal	360	2.07	-	40.62	36.23	10.53	34.51
PK	6.8552G	102.09	Inf	-Inf	10.28	3	Horizontal	360	2.07	-	91.81	34.53	10.20	34.45
PK	7.1954G	62.43	88.20	-25.77	12.17	3	Horizontal	360	2.07	-	50.26	36.17	10.51	34.51

802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7652G	51.58	68.20	-16.62	21.50	3	Vertical	214	1.50	-	30.08	39.77	14.17	32.44
PK	13.762G	62.46	88.20	-25.74	21.49	3	Vertical	214	1.50	-	40.97	39.76	14.17	32.44


802.11ax HEW80_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75144G	51.57	68.20	-16.63	21.48	3	Horizontal	352	1.25	-	30.09	39.75	14.16	32.43
PK	13.73064G	61.72	88.20	-26.48	21.46	3	Horizontal	352	1.25	-	40.26	39.73	14.15	32.42

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.945G	94.94	Inf	-Inf	10.77	3	Vertical	300	1.01	-	84.17	34.89	10.38	34.50
AV	7.1958G	53.12	68.20	-15.08	12.17	3	Vertical	300	1.01	-	40.95	36.17	10.51	34.51
PK	6.9366G	104.17	Inf	-Inf	10.74	3	Vertical	300	1.01	-	93.43	34.87	10.37	34.50
PK	7.227G	63.96	88.20	-24.24	12.28	3	Vertical	300	1.01	-	51.68	36.25	10.54	34.51


802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9462G	95.41	Inf	-Inf	10.78	3	Horizontal	360	1.11	-	84.63	34.89	10.39	34.50
AV	7.2438G	53.40	68.20	-14.80	12.33	3	Horizontal	360	1.11	-	41.07	36.29	10.55	34.51
PK	6.9438G	106.91	Inf	-Inf	10.77	3	Horizontal	360	1.11	-	96.14	34.89	10.38	34.50
PK	7.1394G	63.00	88.20	-25.20	11.85	3	Horizontal	360	1.11	-	51.15	35.86	10.51	34.52

**802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.91432G	52.72	68.20	-15.48	21.91	3	Vertical	173	1.50	-	30.81	40.14	14.27	32.50
PK	13.89736G	63.12	88.20	-25.08	21.85	3	Vertical	173	1.50	-	41.27	40.09	14.25	32.49


**802.11ax HEW80_Nss1,(MCS0)_2TX
6945MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86328G	52.80	68.20	-15.40	21.74	3	Horizontal	0	1.00	-	31.06	39.99	14.23	32.48
PK	13.88632G	63.65	88.20	-24.55	21.82	3	Horizontal	0	1.00	-	41.83	40.06	14.25	32.49

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.025G	95.18	Inf	-Inf	11.22	3	Vertical	268	3.00	-	83.96	35.25	10.50	34.53
AV	7.1594G	52.77	68.20	-15.43	11.96	3	Vertical	268	3.00	-	40.81	35.96	10.51	34.51
PK	7.0208G	103.49	Inf	-Inf	11.19	3	Vertical	268	3.00	-	92.30	35.22	10.50	34.53
PK	7.1264G	62.69	88.20	-25.51	11.80	3	Vertical	268	3.00	-	50.89	35.81	10.51	34.52


802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.025G	94.74	Inf	-Inf	11.22	3	Horizontal	360	2.32	-	83.52	35.25	10.50	34.53
AV	7.1528G	53.08	68.20	-15.12	11.92	3	Horizontal	360	2.32	-	41.16	35.92	10.51	34.51
PK	7.0178G	102.76	Inf	-Inf	11.18	3	Horizontal	360	2.32	-	91.58	35.21	10.50	34.53
PK	7.1546G	62.62	88.20	-25.58	11.93	3	Horizontal	360	2.32	-	50.69	35.93	10.51	34.51

**802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.08376G	52.64	68.20	-15.56	22.27	3	Vertical	221	1.50	-	30.37	40.57	14.35	32.65
PK	14.01656G	63.39	88.20	-24.81	22.20	3	Vertical	221	1.50	-	41.19	40.43	14.33	32.56

**802.11ax HEW80_Nss1,(MCS0)_2TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05512G	52.43	68.20	-15.77	22.24	3	Horizontal	63	1.50	-	30.19	40.51	14.34	32.61
PK	14.03208G	63.07	88.20	-25.13	22.21	3	Horizontal	63	1.50	-	40.86	40.46	14.33	32.58

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.4162G	-15.45	6.3657G	-62.20	-55.45	-6.75	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.1642G	-14.85	6.229G	-59.11	-54.85	-4.26	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.3874G	-10.65	6.2506G	-55.74	-50.65	-5.09	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.4774G	-16.69	6.43G	-62.45	-56.65	-5.80	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.4824G	-13.32	6.4246G	-58.07	-53.32	-4.75	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.5426G	-10.67	6.401G	-55.15	-50.67	-4.48	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.8762G	-18.86	6.9249G	-61.95	-58.86	-3.09	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.8476G	-15.45	6.9446G	-57.60	-55.45	-2.15	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.8682G	-12.31	6.9882G	-53.86	-52.31	-1.55	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.9963G	-18.90	6.9576G	-61.56	-58.90	-2.66	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	7.0032G	-14.43	6.9458G	-57.17	-54.36	-2.81	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.947G	-14.86	6.823G	-55.55	-54.86	-0.69	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9562G	-15.50	6.0019G	-63.26	-55.50	-7.76	1
5955MHz	Pass	5.9546G	-14.93	5.9966G	-62.35	-54.93	-7.42	2
6175MHz	Pass	6.1737G	-15.30	6.2163G	-62.88	-55.30	-7.58	1
6175MHz	Pass	6.1738G	-13.88	6.2219G	-62.41	-53.88	-8.53	2
6415MHz	Pass	6.4162G	-15.45	6.3657G	-62.20	-55.45	-6.75	1
6415MHz	Pass	6.4162G	-14.83	6.3675G	-62.18	-54.83	-7.35	2
6435MHz	Pass	6.4337G	-15.94	6.385G	-62.36	-55.94	-6.42	1
6435MHz	Pass	6.4338G	-15.15	6.393G	-62.52	-55.15	-7.37	2
6475MHz	Pass	6.4774G	-16.69	6.43G	-62.45	-56.65	-5.80	1
6475MHz	Pass	6.4762G	-15.41	6.4342G	-62.48	-55.41	-7.07	2
6515MHz	Pass	6.5137G	-15.94	6.5582G	-62.75	-55.94	-6.81	1
6515MHz	Pass	6.5133G	-13.83	6.5562G	-62.42	-53.83	-8.59	2
6535MHz	Pass	6.5375G	-17.57	6.5836G	-62.59	-57.57	-5.02	1
6535MHz	Pass	6.5362G	-15.06	6.5792G	-62.32	-55.06	-7.26	2
6695MHz	Pass	6.6925G	-18.78	6.7444G	-62.50	-58.78	-3.72	1
6695MHz	Pass	6.696G	-14.56	6.7332G	-62.56	-54.56	-8.00	2
6855MHz	Pass	6.8537G	-18.58	6.8051G	-62.16	-57.32	-4.84	1
6855MHz	Pass	6.8562G	-12.93	6.819G	-61.80	-52.93	-8.87	2
6875MHz	Pass	6.8762G	-18.86	6.9249G	-61.95	-58.86	-3.09	1
6875MHz	Pass	6.8763G	-14.17	6.8381G	-61.58	-54.17	-7.41	2
6895MHz	Pass	6.8962G	-18.32	6.9444G	-61.28	-58.32	-2.96	1
6895MHz	Pass	6.8962G	-14.59	6.9429G	-61.16	-54.59	-6.57	2
6995MHz	Pass	6.9963G	-18.90	6.9576G	-61.56	-58.90	-2.66	1
6995MHz	Pass	6.9955G	-13.86	6.9507G	-61.03	-53.86	-7.17	2
7095MHz	Pass	7.0927G	-19.36	7.0468G	-62.84	-59.36	-3.48	1
7095MHz	Pass	7.0962G	-14.47	7.0486G	-62.05	-54.47	-7.58	2
7115MHz	Pass	7.1143G	-18.67	7.0703G	-64.26	-58.67	-5.59	1
7115MHz	Pass	7.1165G	-13.95	7.0791G	-62.02	-53.95	-8.07	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9624G	-13.35	6.0254G	-59.17	-53.35	-5.82	1
5965MHz	Pass	5.9624G	-12.26	6.029G	-58.30	-52.26	-6.04	2
6165MHz	Pass	6.1642G	-14.85	6.229G	-59.11	-54.85	-4.26	1
6165MHz	Pass	6.1624G	-12.98	6.2286G	-58.72	-52.98	-5.74	2
6405MHz	Pass	6.402G	-12.39	6.3426G	-58.16	-52.39	-5.77	1
6405MHz	Pass	6.4062G	-11.15	6.343G	-58.44	-51.15	-7.29	2
6445MHz	Pass	6.4442G	-12.57	6.385G	-58.08	-52.57	-5.51	1
6445MHz	Pass	6.4474G	-11.47	6.3812G	-58.14	-51.47	-6.67	2
6485MHz	Pass	6.4824G	-13.32	6.4246G	-58.07	-53.32	-4.75	1
6485MHz	Pass	6.4834G	-10.83	6.5526G	-58.36	-50.83	-7.53	2
6525MHz	Pass	6.5258G	-12.69	6.4348G	-57.44	-52.69	-4.75	1
6525MHz	Pass	6.5258G	-10.23	6.5886G	-58.12	-50.23	-7.89	2
6565MHz	Pass	6.5666G	-14.09	6.5048G	-58.63	-54.09	-4.54	1
6565MHz	Pass	6.5658G	-10.85	6.5016G	-58.74	-50.85	-7.89	2
6685MHz	Pass	6.6842G	-15.12	6.7818G	-58.39	-55.12	-3.27	1
6685MHz	Pass	6.6876G	-10.09	6.746G	-58.43	-50.09	-8.34	2
6845MHz	Pass	6.8476G	-15.45	6.9446G	-57.60	-55.45	-2.15	1
6845MHz	Pass	6.8478G	-9.55	6.9442G	-57.47	-49.55	-7.92	2
6885MHz	Pass	6.8842G	-14.57	6.97G	-57.04	-54.57	-2.47	1
6885MHz	Pass	6.8876G	-9.01	6.9526G	-56.78	-49.01	-7.77	2
6925MHz	Pass	6.9272G	-13.88	6.9892G	-56.75	-53.88	-2.87	1
6925MHz	Pass	6.9238G	-9.06	6.9926G	-56.51	-49.06	-7.45	2
7005MHz	Pass	7.0032G	-14.43	6.9458G	-57.17	-54.36	-2.81	1
7005MHz	Pass	7.0074G	-9.04	6.9458G	-56.85	-48.92	-7.93	2
7085MHz	Pass	7.0842G	-12.23	6.9936G	-57.56	-52.23	-5.33	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7085MHz	Pass	7.086G	-8.66	7.0222G	-57.00	-48.66	-8.34	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9814G	-9.40	6.1058G	-55.52	-49.40	-6.12	1
5985MHz	Pass	5.983G	-8.81	6.1082G	-56.39	-48.81	-7.58	2
6145MHz	Pass	6.13861G	-10.51	6.2654G	-56.08	-50.50	-5.58	1
6145MHz	Pass	6.143G	-9.35	6.2682G	-55.83	-49.35	-6.48	2
6385MHz	Pass	6.3874G	-10.65	6.2506G	-55.74	-50.65	-5.09	1
6385MHz	Pass	6.3826G	-9.37	6.2582G	-55.30	-49.37	-5.93	2
6465MHz	Pass	6.4638G	-9.63	6.3406G	-55.00	-49.63	-5.37	1
6465MHz	Pass	6.4666G	-8.31	6.339G	-54.96	-48.31	-6.65	2
6545MHz	Pass	6.5426G	-10.67	6.401G	-55.15	-50.67	-4.48	1
6545MHz	Pass	6.5498G	-7.06	6.4242G	-55.23	-47.06	-8.17	2
6625MHz	Pass	6.6274G	-10.44	6.8094G	-55.24	-50.44	-4.80	1
6625MHz	Pass	6.621G	-7.71	6.8026G	-55.29	-47.71	-7.58	2
6705MHz	Pass	6.7074G	-11.41	6.567G	-55.08	-51.41	-3.67	1
6705MHz	Pass	6.707G	-6.47	6.831G	-54.58	-46.47	-8.11	2
6785MHz	Pass	6.7826G	-15.44	6.9818G	-57.96	-55.44	-2.52	1
6785MHz	Pass	6.79099G	-9.39	6.9834G	-57.26	-49.39	-7.87	2
6865MHz	Pass	6.8682G	-12.31	6.9882G	-53.86	-52.31	-1.55	1
6865MHz	Pass	6.8602G	-5.99	6.9922G	-53.61	-45.99	-7.62	2
6945MHz	Pass	6.947G	-14.86	6.823G	-55.55	-54.86	-0.69	1
6945MHz	Pass	6.9482G	-9.21	6.823G	-54.73	-49.21	-5.52	2
7025MHz	Pass	7.0278G	-14.20	6.857G	-55.69	-54.20	-1.49	1
7025MHz	Pass	7.0282G	-9.77	6.9042G	-55.06	-49.77	-5.29	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

23/02/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9562G	-15.50	6.0019G	-63.26	-55.50	-7.76	1
5.9546G	-14.93	5.9966G	-62.35	-54.93	-7.42	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

18/01/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1737G	-15.30	6.2163G	-62.88	-55.30	-7.58	1
6.1738G	-13.88	6.2219G	-62.41	-53.88	-8.53	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

18/01/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

23/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

18/01/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

18/01/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0927G	-19.36	7.0468G	-62.84	-59.36	-3.48	1
7.0962G	-14.47	7.0486G	-62.05	-54.47	-7.58	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

18/01/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1143G	-18.67	7.0703G	-64.26	-58.67	-5.59	1
7.1165G	-13.95	7.0791G	-62.02	-53.95	-8.07	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

23/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

18/01/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

23/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

23/02/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

23/02/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4824G	-13.32	6.4246G	-58.07	-53.32	-4.75	1
6.4834G	-10.83	6.5526G	-58.36	-50.83	-7.53	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TnomVnom

23/02/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5258G	-12.69	6.4348G	-57.44	-52.69	-4.75	1
6.5258G	-10.23	6.5886G	-58.12	-50.23	-7.89	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

23/02/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5666G	-14.09	6.5048G	-58.63	-54.09	-4.54	1
6.5658G	-10.85	6.5016G	-58.74	-50.85	-7.89	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

23/02/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6842G	-15.12	6.7818G	-58.39	-55.12	-3.27	1
6.6876G	-10.09	6.746G	-58.43	-50.09	-8.34	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

23/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TnomVnom

23/02/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

23/02/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9272G	-13.88	6.9892G	-56.75	-53.88	-2.87	1
6.9238G	-9.06	6.9926G	-56.51	-49.06	-7.45	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

23/02/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0032G	-14.43	6.9458G	-57.17	-54.36	-2.81	1
7.0074G	-9.04	6.9458G	-56.85	-48.92	-7.93	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

23/02/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0842G	-12.23	6.9936G	-57.56	-52.23	-5.33	1
7.086G	-8.66	7.0222G	-57.00	-48.66	-8.34	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

23/02/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9814G	-9.40	6.1058G	-55.52	-49.40	-6.12	1
5.983G	-8.81	6.1082G	-56.39	-48.81	-7.58	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

18/01/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

18/01/2022



802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

23/02/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4638G	-9.63	6.3406G	-55.00	-49.63	-5.37	1
6.4666G	-8.31	6.339G	-54.96	-48.31	-6.65	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TnomVnom

23/02/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5426G	-10.67	6.401G	-55.15	-50.67	-4.48	1
6.5498G	-7.06	6.4242G	-55.23	-47.06	-8.17	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

23/02/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6274G	-10.44	6.8094G	-55.24	-50.44	-4.80	1
6.621G	-7.71	6.8026G	-55.29	-47.71	-7.58	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

23/02/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7074G	-11.41	6.567G	-55.08	-51.41	-3.67	1
6.707G	-6.47	6.831G	-54.58	-46.47	-8.11	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

18/01/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TnomVnom

23/02/2022



802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

18/01/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.947G	-14.86	6.823G	-55.55	-54.86	-0.69	1
6.9482G	-9.21	6.823G	-54.73	-49.21	-5.52	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

18/01/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0278G	-14.20	6.857G	-55.69	-54.20	-1.49	1
7.0282G	-9.77	6.9042G	-55.06	-49.77	-5.29	2



Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	53	20	6215	Center	6215	-68.35	Stop Transmission	10	100	90	Pass
						-69.35	Stop & with beacon	-			
						-70.35	Start Transmission	-			
6	101	20	6455	Center	6455	-68.35	Stop Transmission	10	100	90	Pass
						-69.35	Stop & with beacon	-			
						-70.35	Start Transmission	-			
7	149	20	6695	Center	6695	-66.77	Stop Transmission	10	100	90	Pass
						-68.77	Stop & with beacon	-			
						-69.77	Start Transmission	-			
8	213	20	7015	Center	7075	-71.78	Stop Transmission	10	100	90	Pass
						-72.78	Stop & with beacon	-			
						-73.78	Start Transmission	-			



Contention Based protocol 802.11ax HEW80											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	55	80	6225	Low edge	6190	-67.35	Stop Transmission	10	100	90	Pass
						-68.35	Stop & with beacon	-			
						-69.35	Start Transmission	-			
				Center	6225	-67.35	Stop Transmission	10	100	90	Pass
						-68.35	Stop & with beacon	-			
						-69.35	Start Transmission	-			
				High edge	6260	-72.35	Stop Transmission	10	100	90	Pass
						-73.35	Stop & with beacon	-			
						-74.35	Start Transmission	-			
6	103	80	6465	Low edge	6430	-69.35	Stop Transmission	10	100	90	Pass
						-70.35	Stop & with beacon	-			
						-71.35	Start Transmission	-			
				Center	6465	-65.35	Stop Transmission	10	100	90	Pass
						-66.35	Stop & with beacon	-			
						-67.35	Start Transmission	-			
				High edge	6500	-71.35	Stop Transmission	10	100	90	Pass
						-72.35	Stop & with beacon	-			
						-73.35	Start Transmission	-			
7	151	80	6705	Low edge	6670	-68.77	Stop Transmission	10	100	90	Pass
						-69.77	Stop & with beacon	-			
						-70.77	Start Transmission	-			
				Center	6705	-64.77	Stop Transmission	10	100	90	Pass
						-65.77	Stop & with beacon	-			
						-66.77	Start Transmission	-			
				High edge	6740	-72.77	Stop Transmission	10	100	90	Pass
						-73.77	Stop & with beacon	-			
						-74.77	Start Transmission	-			
8	215	80	7025	Low edge	6990	-71.78	Stop Transmission	10	100	90	Pass
						-72.78	Stop & with beacon	-			
						-73.78	Start Transmission	-			
				Center	7025	-68.78	Stop Transmission	10	100	90	Pass
						-69.78	Stop & with beacon	-			
						-70.78	Start Transmission	-			
				High edge	7060	-75.78	Stop Transmission	10	100	90	Pass
						-76.78	Stop & with beacon	-			
						-77.78	Start Transmission	-			




Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefterence frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Center							
5	53	20	6215	Center	6215	-64	-68.35	-65	-69.35	-66	-70.35
6	101	20	6455	Center	6455	-64	-68.35	-65	-69.35	-66	-70.35
7	149	20	6695	Center	6695	-61	-66.77	-63	-68.77	-64	-69.77
8	213	20	7015	Center	7015	-66	-71.78	-67	-72.78	-68	-73.78


Contention Based protocol 802.11ax HEW80											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefterence frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
				Low edge	High edge						
5	55	80	6225	Low edge	6190	-63	-67.35	-64	-68.35	-65	-69.35
				Center	6225	-63	-67.35	-64	-68.35	-65	-69.35
				High edge	6260	-68	-72.35	-69	-73.35	-70	-74.35
6	103	80	6465	Low edge	6430	-65	-69.35	-66	-70.35	-67	-71.35
				Center	6465	-61	-65.35	-62	-66.35	-63	-67.35
				High edge	6500	-67	-71.35	-68	-72.35	-69	-73.35
7	151	80	6705	Low edge	6670	-63	-68.77	-64	-69.77	-65	-70.77
				Center	6705	-59	-64.77	-60	-65.77	-61	-66.77
				High edge	6740	-67	-72.77	-68	-73.77	-69	-74.77
8	215	80	7025	Low edge	6990	-66	-71.78	-67	-72.78	-68	-73.78
				Center	7025	-63	-68.78	-64	-69.78	-65	-70.78
				High edge	7060	-70	-75.78	-71	-76.78	-72	-77.78



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz






Bandwidth 20MHz: Traffic Loading Plot - 6695MHz




Bandwidth 20MHz: Traffic Loading Plot - 7015MHz






Bandwidth 80MHz: Traffic Loading Plot - 6225MHz




Bandwidth 80MHz: Traffic Loading Plot - 6465MHz








Bandwidth 80MHz: Traffic Loading Plot - 6705MHz



Bandwidth 80MHz: Traffic Loading Plot - 7025MHz




1. Incumbent signal (AWGN) Plot






Frequency (MHz): 6695 MHz



Date: 10.FEB.2022 04:40:54

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 10.FEB.2022 04:43:03

AWGN Bandwidth: 10MHz




Frequency (MHz): 6190 MHz



Date: 10.FEB.2022 04:44:45

AWGN Bandwidth: 10MHz

Frequency (MHz): 6225 MHz




Date: 10.FEB.2022 04:46:17

AWGN Bandwidth: 10MHz




Frequency (MHz): 6260 MHz



Date: 10.FEB.2022 04:48:19

AWGN Bandwidth: 10MHz

Frequency (MHz): 6430 MHz




Date: 10.FEB.2022 04:50:20

AWGN Bandwidth: 10MHz




Frequency (MHz): 6465 MHz



Date: 10.FEB.2022 04:51:08

AWGN Bandwidth: 10MHz

Frequency (MHz): 6500 MHz




Date: 10.FEB.2022 04:52:03

AWGN Bandwidth: 10MHz




Frequency (MHz): 6670 MHz



Date: 10.FEB.2022 04:52:46

AWGN Bandwidth: 10MHz

Frequency (MHz): 6705 MHz




Date: 10.FEB.2022 04:53:28

AWGN Bandwidth: 10MHz




Frequency (MHz): 6740 MHz



Date: 10.FEB.2022 04:54:16

AWGN Bandwidth: 10MHz

Frequency (MHz): 6990 MHz




Date: 10.FEB.2022 04:54:59

AWGN Bandwidth: 10MHz




Frequency (MHz): 7025 MHz



Date: 10.FEB.2022 04:57:19

AWGN Bandwidth: 10MHz

Frequency (MHz): 7060 MHz




Date: 10.FEB.2022 04:58:01


AWGN Bandwidth: 10MHz



2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 149 ; Incumbent signal 6695 MHz



Date: 10.FEB.2022 06:22:07

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz




Date: 10.FEB.2022 06:23:45

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 55 ; Incumbent signal 6190 MHz



Date: 10.FEB.2022 08:53:20

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 55 ; Incumbent signal 6225 MHz




Date: 10.FEB.2022 08:54:42

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 55 ; Incumbent signal 6260 MHz



Date: 10.FEB.2022 09:06:16

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 103 ; Incumbent signal 6430 MHz




Date: 10.FEB.2022 09:16:07

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 103 ; Incumbent signal 6465 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 103 ; Incumbent signal 6500 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 151 ; Incumbent signal 6670 MHz



Date: 10.FEB.2022 09:21:38

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 151 ; Incumbent signal 6705 MHz




Date: 10.FEB.2022 09:23:17

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 151 ; Incumbent signal 6740 MHz



Date: 10.FEB.2022 09:24:47

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 215 ; Incumbent signal 6990 MHz




Date: 10.FEB.2022 09:26:39

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Test CH 215 ; Incumbent signal 7025 MHz



Date: 10.FEB.2022 09:28:03

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 215 ; Incumbent signal 7060 MHz



Date: 10.FEB.2022 09:29:33


Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Contention Based Protocol Threshold Level Verify Plot


Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)



Date: 10.FEB.2022 06:12:33


Frequency (MHz): 6215 MHz (Threshold Level: -65dBm)



Date: 10.FEB.2022 06:13:29



Frequency (MHz): 6215 MHz (Threshold Level: -66 dBm)




Date: 10.FEB.2022 06:11:52

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 80


Frequency (MHz): 6190 MHz (Threshold Level: -63dBm)



Date: 10.FEB.2022 08:53:20




Frequency (MHz): 6190 MHz (Threshold Level: -64dBm)



Date: 10.FEB.2022 08:52:56


Frequency (MHz): 6190 MHz (Threshold Level: -65dBm)



Date: 10.FEB.2022 08:52:31




Frequency (MHz): 6225 MHz (Threshold Level: -63dBm)



Date: 10.FEB.2022 08:54:42


Frequency (MHz): 6225 MHz (Threshold Level: -64dBm)



Date: 10.FEB.2022 08:55:41



Frequency (MHz): 6225 MHz (Threshold Level: -65 dBm)




Date: 10.FEB.2022 08:56:15

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 80


Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)



Date: 10.FEB.2022 09:06:16




Frequency (MHz): 6260 MHz (Threshold Level: -69dBm)



Date: 10.FEB.2022 09:12:41

Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)



Date: 10.FEB.2022 09:13:17



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.175051G	8.1974	20	1	5 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.174981G	3.0361	20	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.174983G	2.7325	20	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.174981G	3.0361	20	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174985G	2.4288	20	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.175049G	7.8937	20	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.175047G	7.5901	20	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.175051G	8.1974	20	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.175043G	6.9829	20	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.175043G	6.9829	20	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.175049G	7.8937	20	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.175043G	6.9829	20	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.175045G	7.2865	20	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.175G	0	20	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.175002G	0.3036	20	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.174998G	0.3036	20	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.174994G	0.9108	20	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.174994G	0.9108	20	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	20	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	20	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.174996G	0.6072	20	1	10 min

Freq. Stability	Abbreviation	Remark
TnomVnom	Tnom	20°C
TminVmax	Tmin	-10°C
TminVmin	Tmax	80°C
TmaxVmax	Vnom	3.3V
TmaxVmin	Vmin	2.8V
	Vmax	3.7V