


802.11n HT40

CH 142 (Horizontal)

CH 142 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 11428.00 | 47.39 | 48.75 | -1.36 | 74.00 | -26.61 | 100 | 268 | Peak | Horizontal |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 11428.00 | 47.93 | 49.29 | -1.36 | 74.00 | -26.07 | 400 | 297 | Peak | Vertical |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|

802.11ac VHT80

CH 106 (Horizontal)



CH 106 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------------|--------|-------|-------|--------|--------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 11860.00 | 45.09 | 47.21 | -2.12 | 74.00 | -28.91 | 235 | 0 Peak | Horizontal | |

| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 11860.00 | 45.87 | 47.99 | -2.12 | 74.00 | -28.13 | 100 | 66 Peak | Vertical | |

802.11ac VHT80

CH 122 (Horizontal)


CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 11220.00 | 45.70 | 47.48 | -1.78 | 74.00 | -28.30 | 100 | 239 | Peak | Horizontal |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|



| 1 | 11220.00 | 45.25 | 47.03 | -1.78 | 74.00 | -28.75 | 300 | 290 | Peak | Vertical |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|


802.11ac VHT80

CH 138 (Horizontal)

CH 138 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 11380.00 | 47.73 | 49.15 | -1.42 | 74.00 | -26.27 | 400 | 184 | Peak | Horizontal |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|------------|




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 11380.00 | 45.98 | 47.32 | -1.42 | 74.00 | -28.10 | 100 | 350 | Peak | Vertical |
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|
|---|----------|-------|-------|-------|-------|--------|-----|-----|------|----------|

U-NII-3



802.11a

CH 157 (Horizontal)


CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 46.97 | 48.11 | -1.14 | 54.00 | -7.03 | 100 | 230 Average | Horizontal |
| 2 | 11570.00 | 61.67 | 62.61 | -1.14 | 74.00 | -12.33 | 100 | 230 Peak | Horizontal |



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 45.65 | 46.79 | -1.14 | 54.00 | -8.35 | 107 | 287 Average | Vertical |
| 2 | 11570.00 | 59.78 | 60.92 | -1.14 | 74.00 | -14.22 | 107 | 287 Peak | Vertical |


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11650.00 | 48.34 | 49.28 | -0.94 | 54.00 | -5.66 | 100 | 229 Average | Horizontal |
| 2 | 11650.00 | 62.55 | 63.49 | -0.94 | 74.00 | -11.45 | 100 | 229 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11650.00 | 46.43 | 47.37 | -0.94 | 54.00 | -7.57 | 119 | 297 Average | Vertical |
| 2 | 11650.00 | 60.65 | 61.59 | -0.94 | 74.00 | -13.35 | 119 | 297 Peak | Vertical |



802.11n HT20

CH 157 (Horizontal)



CH 157 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 45.08 | 46.22 | -1.14 | 54.00 | -8.92 | 109 | 228 Average | Horizontal |
| 2 | 11570.00 | 59.43 | 60.57 | -1.14 | 74.00 | -14.57 | 109 | 228 Peak | Horizontal |

| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11570.00 | 44.06 | 45.20 | -1.14 | 54.00 | -9.94 | 113 | 287 Average | Vertical |
| 2 | 11570.00 | 58.89 | 60.03 | -1.14 | 74.00 | -15.11 | 113 | 287 Peak | Vertical |


802.11n HT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11650.00 | 47.48 | 48.34 | -0.94 | 54.00 | -6.60 | 187 | 228 Average | Horizontal |
| 2 | 11650.00 | 61.67 | 62.61 | -0.94 | 74.00 | -12.33 | 187 | 228 Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11650.00 | 44.41 | 45.35 | -0.94 | 54.00 | -9.59 | 117 | 296 Average | Vertical |
| 2 | 11650.00 | 61.06 | 62.00 | -0.94 | 74.00 | -12.94 | 117 | 296 Peak | Vertical |

802.11n HT40

CH 151 (Horizontal)



CH 151 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11510.00 | 39.50 | 40.74 | -1.24 | 54.00 | -14.50 | 100 | 229 Average | Horizontal |
| 2 | 11510.00 | 53.99 | 55.23 | -1.24 | 74.00 | -20.01 | 100 | 229 Peak | Horizontal |

| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|-------|--------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11510.00 | 38.49 | 39.73 | -1.24 | 54.00 | -15.51 | 116 | 288 Average | Vertical |
| 2 | 11510.00 | 52.61 | 53.85 | -1.24 | 74.00 | -21.39 | 116 | 288 Peak | Vertical |


802.11n HT40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11590.00 | 48.87 | 41.97 | -1.10 | 54.00 | -13.13 | 228 | 194 Average | Horizontal |
| 2 | 11590.00 | 53.00 | 54.10 | -1.10 | 74.00 | -21.00 | 228 | 194 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11590.00 | 48.89 | 41.19 | -1.10 | 54.00 | -13.91 | 286 | 310 Average | Vertical |
| 2 | 11590.00 | 52.77 | 53.87 | -1.10 | 74.00 | -21.23 | 286 | 310 Peak | Vertical |

802.11ac VHT80

CH 155 (Horizontal)



CH 155 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|---------|------------|------|
| Level | Line | Line | cm | deg | | | |
| Factor | dB/m | dB | | | | | |
| dBuV | dB/m | dB | cm | deg | | | |
| 42.87 | 54.00 | -12.30 | 100 | 213 | Average | Horizontal | |
| 54.00 | 74.00 | -21.17 | 100 | 213 | Peak | Horizontal | |

| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|---------|-----------|------|
| Level | Line | Line | cm | deg | | | |
| Factor | dB/m | dB | | | | | |
| dBuV | dB/m | dB | cm | deg | | | |
| 42.45 | 54.00 | -12.72 | 300 | 310 | Average | Vertical | |
| 53.64 | 74.00 | -21.53 | 300 | 310 | Peak | Vertical | |

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ac80

CH 42 (Horizontal)

CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 48.33 | 22.48 | 30.14 | -7.74 | 40.00 | -17.60 | 200 | 62 QP | Horizontal |
| 2 | 141.65 | 26.78 | 34.40 | -7.62 | 43.50 | -16.72 | 200 | 275 QP | Horizontal |
| 3 | 231.47 | 29.56 | 38.14 | -8.58 | 46.00 | -16.44 | 400 | 138 QP | Horizontal |
| 4 | 311.98 | 32.69 | 38.86 | -6.17 | 46.00 | -13.31 | 100 | 91 QP | Horizontal |
| 5 | 406.46 | 36.31 | 40.56 | -4.25 | 46.00 | -9.69 | 100 | 136 QP | Horizontal |
| 6 | 844.90 | 32.86 | 30.31 | 2.55 | 46.00 | -13.14 | 100 | 172 QP | Horizontal |




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 48.33 | 27.59 | 35.33 | -7.74 | 40.00 | -12.41 | 200 | 39 QP | Vertical |
| 2 | 141.55 | 23.72 | 31.36 | -7.64 | 43.50 | -19.78 | 100 | 335 QP | Vertical |
| 3 | 233.70 | 27.57 | 36.06 | -8.49 | 46.00 | -18.43 | 300 | 18 QP | Vertical |
| 4 | 308.97 | 28.99 | 35.22 | -6.23 | 46.00 | -17.01 | 200 | 266 QP | Vertical |
| 5 | 404.23 | 36.42 | 40.65 | -4.23 | 46.00 | -9.58 | 100 | 154 QP | Vertical |
| 6 | 844.99 | 32.43 | 29.88 | 2.55 | 46.00 | -13.57 | 200 | 13 QP | Vertical |

U-NII-2A
802.11ac80
CH 58 (Horizontal)
CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 136.89 | 27.50 | 35.31 | -7.81 | 43.50 | -16.00 | 200 | 100 QP | Horizontal |
| 2 | 214.79 | 27.48 | 37.30 | -9.82 | 43.50 | -16.02 | 100 | 234 QP | Horizontal |
| 3 | 311.79 | 32.67 | 38.84 | -6.17 | 46.00 | -13.33 | 300 | 260 QP | Horizontal |
| 4 | 408.98 | 36.47 | 40.72 | -4.25 | 46.00 | -9.53 | 100 | 220 QP | Horizontal |
| 5 | 711.81 | 30.43 | 30.02 | 0.41 | 46.00 | -15.57 | 200 | 92 QP | Horizontal |
| 6 | 864.01 | 32.39 | 29.62 | 2.77 | 46.00 | -13.61 | 300 | 288 QP | Horizontal |



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 54.35 | 28.09 | 36.06 | -7.97 | 40.00 | -11.91 | 300 | 308 QP | Vertical |
| 2 | 229.82 | 27.37 | 36.04 | -8.67 | 46.00 | -18.63 | 100 | 32 QP | Vertical |
| 3 | 309.55 | 29.51 | 35.72 | -6.21 | 46.00 | -16.49 | 400 | 261 QP | Vertical |
| 4 | 403.84 | 37.75 | 41.98 | -4.23 | 46.00 | -8.25 | 100 | 157 QP | Vertical |
| 5 | 516.46 | 29.36 | 32.05 | -2.69 | 46.00 | -16.64 | 200 | 149 QP | Vertical |
| 6 | 829.28 | 32.72 | 30.37 | 2.35 | 46.00 | -13.28 | 200 | 102 QP | Vertical |

U-NII-3


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 141.55 | 26.64 | 34.28 | -7.64 | 43.50 | -16.86 | 300 | 100 QP | Horizontal |
| 2 | 230.01 | 28.40 | 37.05 | -8.65 | 46.00 | -17.60 | 100 | 124 QP | Horizontal |
| 3 | 316.15 | 31.99 | 38.09 | -6.10 | 46.00 | -14.01 | 200 | 270 QP | Horizontal |
| 4 | 408.30 | 38.64 | 42.90 | -4.26 | 46.00 | -7.36 | 100 | 231 QP | Horizontal |
| 5 | 645.47 | 29.50 | 30.09 | -0.59 | 46.00 | -16.50 | 100 | 128 QP | Horizontal |
| 6 | 921.62 | 33.45 | 29.58 | 3.87 | 46.00 | -12.55 | 100 | 269 QP | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 55.90 | 29.93 | 37.93 | -8.00 | 40.00 | -10.07 | 200 | 21 QP | Vertical |
| 2 | 230.11 | 27.54 | 36.19 | -8.65 | 46.00 | -18.46 | 100 | 39 QP | Vertical |
| 3 | 311.79 | 28.55 | 34.72 | -6.17 | 46.00 | -17.45 | 200 | 187 QP | Vertical |
| 4 | 397.82 | 36.36 | 40.57 | -4.21 | 46.00 | -9.64 | 100 | 175 QP | Vertical |
| 5 | 606.08 | 28.35 | 29.51 | -1.16 | 46.00 | -17.65 | 400 | 321 QP | Vertical |
| 6 | 898.20 | 32.98 | 29.59 | 3.31 | 46.00 | -13.10 | 100 | 317 QP | Vertical |

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1


802.11ac80

CH 42 (Open) 9kHz ~ 150kHz

CH 42 (Open) 150kHz ~ 30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 80.73 | 4.14 | 76.59 | 127.26 | -46.53 | 100 | 106 QP | Open |
| 2 | 0.03 | 69.21 | 1.05 | 68.16 | 117.38 | -48.17 | 100 | 319 QP | Open |
| 3 | 0.07 | 61.70 | -0.09 | 61.79 | 111.25 | -49.55 | 100 | 83 QP | Open |
| 4 | 0.09 | 56.18 | -2.72 | 58.90 | 108.75 | -52.57 | 100 | 69 QP | Open |
| 5 | 0.11 | 54.44 | -2.47 | 56.91 | 106.91 | -52.47 | 100 | 193 QP | Open |
| 6 | 0.13 | 52.86 | -2.95 | 55.81 | 105.08 | -52.22 | 100 | 59 QP | Open |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.26 | 63.24 | 12.74 | 50.50 | 99.39 | -36.15 | 100 | 275 QP | Open |
| 2 | 3.12 | 47.85 | 10.96 | 36.89 | 69.50 | -21.65 | 100 | 197 QP | Open |
| 3 | 7.59 | 48.30 | 11.00 | 37.30 | 69.50 | -21.20 | 100 | 147 QP | Open |
| 4 | 11.45 | 50.83 | 12.76 | 38.07 | 69.50 | -18.67 | 100 | 26 QP | Open |
| 5 | 19.37 | 50.20 | 12.70 | 37.50 | 69.50 | -19.30 | 100 | 231 QP | Open |
| 6 | 26.91 | 52.83 | 12.15 | 40.68 | 69.50 | -16.67 | 100 | 266 QP | Open |


802.11ac80

CH 42 (Close) 9kHz ~ 150kHz

CH 42 (Close) 150kHz ~ 30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 82.78 | 5.31 | 77.47 | 128.18 | -45.40 | 100 | 181 QP | Close |
| 2 | 0.03 | 71.51 | 2.12 | 69.39 | 118.53 | -47.02 | 100 | 139 QP | Close |
| 3 | 0.05 | 62.83 | -0.41 | 63.24 | 112.85 | -50.02 | 100 | 19 QP | Close |
| 4 | 0.08 | 58.69 | -0.66 | 59.35 | 109.09 | -50.40 | 100 | 28 QP | Close |
| 5 | 0.11 | 53.66 | -3.14 | 56.80 | 106.71 | -53.05 | 100 | 310 QP | Close |
| 6 | 0.14 | 52.05 | -3.69 | 55.74 | 104.97 | -52.92 | 100 | 69 QP | Close |




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.31 | 63.07 | 14.49 | 48.58 | 97.91 | -34.84 | 100 | 93 QP | Close |
| 2 | 5.76 | 48.28 | 11.66 | 36.62 | 69.50 | -21.22 | 100 | 301 QP | Close |
| 3 | 12.79 | 52.25 | 14.27 | 37.98 | 69.50 | -17.25 | 100 | 304 QP | Close |
| 4 | 17.79 | 50.64 | 13.02 | 37.62 | 69.50 | -18.86 | 100 | 89 QP | Close |
| 5 | 22.89 | 51.73 | 12.93 | 38.80 | 69.50 | -17.77 | 100 | 94 QP | Close |
| 6 | 26.75 | 54.08 | 13.47 | 40.61 | 69.50 | -15.42 | 100 | 171 QP | Close |

U-NII-2A




802.11ac80

CH 58 (Close) 9kHz ~ 150kHz

CH 58 (Close) 150kHz ~ 30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|--------|--------|------|--------|-----------|------|
| dBuV/m | dBuV | dBuV/m | dB | cm | deg | | | |
| 80.35 | 4.04 | 76.31 | 126.69 | -46.34 | 100 | 204 QP | Close | |
| 69.83 | 1.61 | 67.42 | 116.61 | -47.58 | 100 | 96 QP | Close | |
| 59.42 | -1.54 | 60.96 | 110.46 | -51.04 | 100 | 321 QP | Close | |
| 56.71 | -0.94 | 57.65 | 107.85 | -51.14 | 100 | 296 QP | Close | |
| 53.18 | -3.22 | 56.40 | 106.02 | -52.84 | 100 | 282 QP | Close | |
| 52.70 | -2.86 | 55.56 | 104.70 | -52.00 | 100 | 304 QP | Close | |




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|-------|--------|------|--------|-----------|------|
| dBuV/m | dBuV | dBuV/m | dB | cm | deg | | | |
| 65.09 | 14.08 | 51.01 | 99.00 | -34.71 | 100 | 195 QP | Close | |
| 48.55 | 12.02 | 36.53 | 69.50 | -20.95 | 100 | 333 QP | Close | |
| 52.51 | 14.45 | 38.06 | 69.50 | -16.99 | 100 | 186 QP | Close | |
| 50.57 | 13.02 | 37.55 | 69.50 | -18.93 | 100 | 0 QP | Close | |
| 52.83 | 13.57 | 39.26 | 69.50 | -16.67 | 100 | 256 QP | Close | |
| 54.08 | 13.33 | 40.75 | 69.50 | -15.42 | 100 | 138 QP | Close | |

U-NII-2C
802.11ac80
CH 106 (Open) 9kHz ~ 150kHz
CH 106 (Open) 150kHz ~ 30MHz

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | PoI/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 82.07 | 5.10 | 76.97 | 127.77 | -45.70 | 100 | 210 QP | Open |
| 2 | 0.03 | 70.46 | 0.95 | 69.51 | 119.63 | -48.17 | 100 | 200 QP | Open |
| 3 | 0.05 | 62.88 | -0.38 | 63.26 | 112.87 | -49.99 | 100 | 185 QP | Open |
| 4 | 0.08 | 58.78 | -1.13 | 59.91 | 109.54 | -50.76 | 100 | 219 QP | Open |
| 5 | 0.11 | 54.37 | -2.58 | 56.95 | 106.99 | -52.62 | 100 | 141 QP | Open |
| 6 | 0.14 | 52.63 | -2.86 | 55.49 | 104.60 | -51.97 | 100 | 264 QP | Open |


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | PoI/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.21 | 65.16 | 12.61 | 52.55 | 101.17 | -36.01 | 100 | 297 QP | Open |
| 2 | 3.03 | 50.56 | 13.04 | 36.92 | 69.50 | -18.04 | 100 | 92 QP | Open |
| 3 | 9.30 | 50.08 | 12.15 | 37.93 | 69.50 | -19.42 | 100 | 261 QP | Open |
| 4 | 16.13 | 50.51 | 12.78 | 37.73 | 69.50 | -18.99 | 100 | 233 QP | Open |
| 5 | 21.92 | 51.18 | 12.83 | 38.35 | 69.50 | -18.32 | 100 | 43 QP | Open |
| 6 | 28.28 | 55.07 | 13.75 | 41.32 | 69.50 | -14.43 | 100 | 271 QP | Open |


802.11ac80

CH 106 (Close) 9kHz ~ 150kHz

CH 106 (Close) 150kHz ~ 30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 81.23 | 5.14 | 76.09 | 126.28 | -45.05 | 100 | 242 QP | Close |
| 2 | 0.04 | 67.28 | 0.92 | 66.36 | 115.61 | -48.33 | 100 | 326 QP | Close |
| 3 | 0.08 | 58.38 | -2.11 | 60.49 | 110.04 | -51.66 | 100 | 218 QP | Close |
| 4 | 0.10 | 54.95 | -2.17 | 57.12 | 107.32 | -52.37 | 100 | 132 QP | Close |
| 5 | 0.13 | 52.78 | -3.26 | 56.04 | 105.43 | -52.65 | 100 | 234 QP | Close |
| 6 | 0.14 | 53.30 | -2.14 | 55.44 | 104.53 | -51.23 | 100 | 125 QP | Close |







TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.23 | 66.33 | 14.55 | 51.78 | 100.46 | -34.13 | 100 | 9 QP | Close |
| 2 | 3.51 | 49.48 | 12.69 | 36.79 | 69.50 | -28.02 | 100 | 219 QP | Close |
| 3 | 9.34 | 50.31 | 12.37 | 37.94 | 69.50 | -19.19 | 100 | 291 QP | Close |
| 4 | 14.34 | 49.81 | 11.95 | 37.86 | 69.50 | -19.69 | 100 | 155 QP | Close |
| 5 | 20.58 | 49.87 | 12.14 | 37.73 | 69.50 | -19.63 | 100 | 276 QP | Close |
| 6 | 26.15 | 52.94 | 12.61 | 40.33 | 69.50 | -16.56 | 100 | 6 QP | Close |

U-NII-3

| 802.11a | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------------------------|-------|-------|--------|--------|------|--------|-----------|-----------|------|-----|--------|------|------|--------|----|----|-----|--|--|---|-------|------|-------|--------|--------|-----|-----|----|------|---|-------|------|-------|--------|--------|-----|---|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|---|-------|-------|-------|--------|--------|-----|----|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|---|------|-------|------|-------|------|------|------|--------|-----------|------|-----|--------|------|------|--------|----|----|-----|--|--|---|-------|------|-------|--------|--------|-----|-----|----|------|---|-------|------|-------|--------|--------|-----|---|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|---|-------|-------|-------|--------|--------|-----|----|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|---|-------|-------|-------|--------|--------|-----|-----|----|------|
| CH 165 (Open) 9kHz ~ 150kHz | CH 165 (Open) 150kHz ~ 30MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2021-08-21</div>  <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>81.63</td><td>4.44</td><td>77.19</td><td>127.95</td><td>-46.32</td><td>100</td><td>219</td><td>QP</td><td>Open</td></tr> <tr><td>2</td><td>73.26</td><td>2.47</td><td>70.79</td><td>119.57</td><td>-46.41</td><td>100</td><td>2</td><td>QP</td><td>Open</td></tr> <tr><td>3</td><td>61.54</td><td>-1.44</td><td>62.98</td><td>112.54</td><td>-51.00</td><td>100</td><td>193</td><td>QP</td><td>Open</td></tr> <tr><td>4</td><td>56.58</td><td>-2.45</td><td>59.03</td><td>108.84</td><td>-52.26</td><td>100</td><td>26</td><td>QP</td><td>Open</td></tr> <tr><td>5</td><td>54.02</td><td>-2.57</td><td>56.59</td><td>106.34</td><td>-52.32</td><td>100</td><td>178</td><td>QP</td><td>Open</td></tr> <tr><td>6</td><td>52.89</td><td>-2.66</td><td>55.55</td><td>104.69</td><td>-51.80</td><td>100</td><td>110</td><td>QP</td><td>Open</td></tr> </tbody> </table> | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | 1 | 81.63 | 4.44 | 77.19 | 127.95 | -46.32 | 100 | 219 | QP | Open | 2 | 73.26 | 2.47 | 70.79 | 119.57 | -46.41 | 100 | 2 | QP | Open | 3 | 61.54 | -1.44 | 62.98 | 112.54 | -51.00 | 100 | 193 | QP | Open | 4 | 56.58 | -2.45 | 59.03 | 108.84 | -52.26 | 100 | 26 | QP | Open | 5 | 54.02 | -2.57 | 56.59 | 106.34 | -52.32 | 100 | 178 | QP | Open | 6 | 52.89 | -2.66 | 55.55 | 104.69 | -51.80 | 100 | 110 | QP | Open | <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2021-08-21</div>  <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>81.63</td><td>4.44</td><td>77.19</td><td>127.95</td><td>-46.32</td><td>100</td><td>219</td><td>QP</td><td>Open</td></tr> <tr><td>2</td><td>73.26</td><td>2.47</td><td>70.79</td><td>119.57</td><td>-46.41</td><td>100</td><td>2</td><td>QP</td><td>Open</td></tr> <tr><td>3</td><td>61.54</td><td>-1.44</td><td>62.98</td><td>112.54</td><td>-51.00</td><td>100</td><td>193</td><td>QP</td><td>Open</td></tr> <tr><td>4</td><td>56.58</td><td>-2.45</td><td>59.03</td><td>108.84</td><td>-52.26</td><td>100</td><td>26</td><td>QP</td><td>Open</td></tr> <tr><td>5</td><td>54.02</td><td>-2.57</td><td>56.59</td><td>106.34</td><td>-52.32</td><td>100</td><td>178</td><td>QP</td><td>Open</td></tr> <tr><td>6</td><td>52.89</td><td>-2.66</td><td>55.55</td><td>104.69</td><td>-51.80</td><td>100</td><td>110</td><td>QP</td><td>Open</td></tr> </tbody> </table> | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | 1 | 81.63 | 4.44 | 77.19 | 127.95 | -46.32 | 100 | 219 | QP | Open | 2 | 73.26 | 2.47 | 70.79 | 119.57 | -46.41 | 100 | 2 | QP | Open | 3 | 61.54 | -1.44 | 62.98 | 112.54 | -51.00 | 100 | 193 | QP | Open | 4 | 56.58 | -2.45 | 59.03 | 108.84 | -52.26 | 100 | 26 | QP | Open | 5 | 54.02 | -2.57 | 56.59 | 106.34 | -52.32 | 100 | 178 | QP | Open | 6 | 52.89 | -2.66 | 55.55 | 104.69 | -51.80 | 100 | 110 | QP | Open |
| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 81.63 | 4.44 | 77.19 | 127.95 | -46.32 | 100 | 219 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 73.26 | 2.47 | 70.79 | 119.57 | -46.41 | 100 | 2 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 61.54 | -1.44 | 62.98 | 112.54 | -51.00 | 100 | 193 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 56.58 | -2.45 | 59.03 | 108.84 | -52.26 | 100 | 26 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 54.02 | -2.57 | 56.59 | 106.34 | -52.32 | 100 | 178 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 52.89 | -2.66 | 55.55 | 104.69 | -51.80 | 100 | 110 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 81.63 | 4.44 | 77.19 | 127.95 | -46.32 | 100 | 219 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 73.26 | 2.47 | 70.79 | 119.57 | -46.41 | 100 | 2 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 61.54 | -1.44 | 62.98 | 112.54 | -51.00 | 100 | 193 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 56.58 | -2.45 | 59.03 | 108.84 | -52.26 | 100 | 26 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 54.02 | -2.57 | 56.59 | 106.34 | -52.32 | 100 | 178 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 52.89 | -2.66 | 55.55 | 104.69 | -51.80 | 100 | 110 | QP | Open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


802.11a

CH 165 (Close) 9kHz ~ 150kHz

CH 165 (Close) 150kHz ~ 30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | PoI/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 81.15 | 4.00 | 77.15 | 127.92 | -46.76 | 100 | 340 QP | Close |
| 2 | 0.04 | 69.95 | 2.54 | 67.41 | 116.60 | -46.65 | 100 | 330 QP | Close |
| 3 | 0.06 | 62.59 | 0.19 | 62.40 | 111.89 | -49.30 | 100 | 94 QP | Close |
| 4 | 0.09 | 57.00 | -1.23 | 58.23 | 108.26 | -51.26 | 100 | 145 QP | Close |
| 5 | 0.12 | 53.68 | -2.84 | 56.52 | 106.22 | -52.54 | 100 | 165 QP | Close |
| 6 | 0.13 | 54.25 | -1.52 | 55.77 | 105.02 | -50.77 | 100 | 180 QP | Close |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | PoI/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.25 | 63.80 | 13.04 | 50.76 | 99.59 | -35.79 | 100 | 326 QP | Close |
| 2 | 5.76 | 49.86 | 13.24 | 36.62 | 69.50 | -19.64 | 100 | 284 QP | Close |
| 3 | 12.30 | 52.01 | 13.99 | 38.02 | 69.50 | -17.49 | 100 | 30 QP | Close |
| 4 | 16.91 | 50.65 | 12.97 | 37.68 | 69.50 | -18.85 | 100 | 143 QP | Close |
| 5 | 21.43 | 51.72 | 13.60 | 38.12 | 69.50 | -17.78 | 100 | 63 QP | Close |
| 6 | 25.93 | 52.70 | 12.47 | 40.23 | 69.50 | -16.80 | 100 | 0 QP | Close |

Mains Conducted Emission, (150kHz ~ 30MHz)

