


Electric Vehicle Remote System

Communicating with Mobile Via WiFi





Technical Presentation


- Systematic requirements
- Solutions

© 2008, Leopold Kostal GmbH & Co. KG. Contents and presentation are protected world-wide. Any kind of using, copying etc. is prohibited without prior permission. All rights - incl. Industrial property rights - are reserved.









Systematic requirements

科世达-华阳

EV Remote Mobile Side:

- EV Charge
- A/C
- Car Status
- Car Control
- Car Finder
- Theft Alarm
- Setting



EV Charge---Timer, Auto, Manual



AC Charge---Timer, Manual



Car Status---Lamp, Door, Hazard



Car Control---Lock/Unlock, Customized





Car Finder---Lamp, Horn, Map




Theft Alarm---Alarm, Sensor setting

	maximum size
ANT-ECU	
Or	
Station ECU	$60 \text{mm} \times 50 \text{mm} \times 25 \text{mm}$





- Systematic requirements
- Solutions



FCC and IC statement

This device complies with Part 15 of the FCC Rules. Its operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by Kostal would void the user's authority to operate the product.

NOTE: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this

- product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

Radiofrequency radiation exposure Information:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of [20] cm between the radiator and your body. This transmitter must not be co - located or operating in conjunction with any other antenna or transmitter.

Cet équipement est conforme aux limites d'exposition aux radiofr équences d'élinies par Industrie Canada pour un environnement non contrôl é Cet équipement doit être install éet utilis é avec un minimum de 20 cm de distance entre le dispositif et l'utilisateur ou des tiers.

NOTICE:

Changes or modifications made to this equipment not expressly approved by (manufacturer name) may void the FCC authorization to operate this equipment.

This product complies with Industry Canada. IC: RSS - 210 This product is approved in accordance to R&TTE directive transmitter.

IC NOTICE

This device complies with Industry Canada licence - exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autoris ée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radio dectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.