

Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5300	78.6	18.77	97.37	N/A	N/A	PK
	@	5300	70.2	18.77	88.97	N/A	N/A	AVG
		5373.9	41.07	19.14	60.21	74	-13.79	PK
		5452.5	29.42	19.53	48.95	54	-5.05	AVG
	*	10600	29.38	18.04	47.42	68.2	-20.78	PK
Vertical	@	5300	97.44	18.77	116.21	N/A	N/A	PK
	@	5300	87.92	18.77	106.69	N/A	N/A	AVG
		5350.2	33.55	19.01	52.56	54	-1.44	AVG
		5354.1	43.82	19.04	62.86	74	-11.14	PK
	*	10600	28.78	18.04	46.82	68.2	-21.38	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5320	77.46	18.86	96.32	N/A	N/A	PK
	@	5320	68.84	18.86	87.7	N/A	N/A	AVG
		5457.3	29.52	19.55	49.07	54	-4.93	AVG
		5458.8	39.9	19.57	59.47	74	-14.53	PK
	*	10640	28.93	18.03	46.96	74	-27.04	PK
Vertical	@	5320	95.13	18.86	113.99	N/A	N/A	PK
	@	5320	86.68	18.86	105.54	N/A	N/A	AVG
		5350.5	46.45	19.01	65.46	74	-8.54	PK
		5350.5	34.36	19.01	53.37	54	-0.63	AVG
	*	10640	29.34	18.03	47.37	74	-26.63	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5447.6	39.89	19.5	59.39	74	-14.61	PK
		5457.75	29.44	19.55	48.99	54	-5.01	AVG
		5467.9	40.1	19.61	59.71	68.2	-8.49	PK
	@	5500	76.39	19.77	96.16	N/A	N/A	PK
	@	5500	68.79	19.77	88.56	N/A	N/A	AVG
	*	11000	30.11	18.41	48.52	74	-25.48	PK
Vertical		5458.1	43.45	19.56	63.01	74	-10.99	PK
		5459.15	31.73	19.57	51.3	54	-2.7	AVG
		5469.65	47.22	19.62	66.84	68.2	-1.36	PK
	@	5500	94.08	19.77	113.85	N/A	N/A	PK
	@	5500	86.21	19.77	105.98	N/A	N/A	AVG
	*	11000	30.25	18.41	48.66	74	-25.34	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5440.95	41.02	19.47	60.49	74	-13.51	PK
		5458.8	29.45	19.57	49.02	54	-4.98	AVG
		5469.3	40.14	19.62	59.76	68.2	-8.44	PK
	@	5580	81.74	19.76	101.5	N/A	N/A	PK
	@	5580	73.65	19.76	93.41	N/A	N/A	AVG
		5735.65	41.68	20.07	61.75	68.2	-6.45	PK
	*	11160	28.82	18.47	47.29	74	-26.71	PK
Vertical		5444.1	40.88	19.5	60.38	74	-13.62	PK
		5458.1	31.37	19.56	50.93	54	-3.07	AVG
		5464.4	40.6	19.59	60.19	68.2	-8.01	PK
	@	5580	97.68	19.76	117.44	N/A	N/A	PK
	@	5580	91.79	19.76	111.55	N/A	N/A	AVG
		5728.65	41.21	20	61.21	68.2	-6.99	PK
	*	11160	30.65	18.47	49.12	74	-24.88	PK

**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1





Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5458.8	29.42	19.57	48.99	54	-5.01	AVG
	@	5700	74.15	19.73	93.88	N/A	N/A	PK
	@	5700	64.7	19.73	84.43	N/A	N/A	AVG
		5746.5	40.71	20.16	60.87	68.2	-7.33	PK
	*	11400	29.71	18.85	48.56	74	-25.44	PK
Vertical		5455.65	29.59	19.54	49.13	54	-4.87	AVG
	@	5700	92.48	19.73	112.21	N/A	N/A	PK
	@	5700	82.11	19.73	101.84	N/A	N/A	AVG
		5725.15	48.11	19.96	68.07	68.2	-0.13	PK
	*	11400	30.18	18.85	49.03	74	-24.97	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1







Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	11440	28.91	19.06	47.97	74	-26.03	PK
Vertical	*	11440	29.31	19.06	48.37	74	-25.63	PK







Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5590	41.2	19.73	60.93	68.2	-7.27	PK
		5699	40.89	19.73	60.62	104.46	-43.84	PK
	@	5745	79.31	20.15	99.46	N/A	N/A	PK
	@	5745	69.85	20.15	90	N/A	N/A	AVG
	*	11490	29.29	19.33	48.62	74	-25.38	PK
Vertical		5602.5	41.09	19.71	60.8	68.2	-7.4	PK
		5695.5	49.59	19.72	69.31	101.88	-32.57	PK
	@	5745	99.25	20.15	119.4	N/A	N/A	PK
	@	5745	87.15	20.15	107.3	N/A	N/A	AVG
	*	11490	29.82	19.33	49.15	74	-24.85	PK

**TX, 802.11ax(HE20) (Ch 149)**
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ax(HE20) (Ch 149)**
**Radiated Spurious Emission, Vertical**

**TX, 802.11ax(HE20) (Ch 149)**
**Band Edge (Peak), Horizontal**

**TX, 802.11ax(HE20) (Ch 149)**
**Band Edge (Peak), Vertical**






Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5549.5	42.42	19.83	62.25	68.2	-5.95	PK
		5692	40.7	19.72	60.42	99.3	-38.88	PK
	@	5785	79.38	20.45	99.83	N/A	N/A	PK
	@	5785	70.98	20.45	91.43	N/A	N/A	AVG
		5875	42.13	20.8	62.93	105.2	-42.27	PK
		6016	41.34	20.99	62.33	68.2	-5.87	PK
	*	11570	28.84	19.07	47.91	74	-26.09	PK
Vertical		5649	46.89	19.67	66.56	68.2	-1.64	PK
		5700	55.61	19.73	75.34	105.2	-29.86	PK
	@	5785	96.02	20.45	116.47	N/A	N/A	PK
	@	5785	85.99	20.45	106.44	N/A	N/A	AVG
		5875	52.23	20.8	73.03	105.2	-32.17	PK
		5925	44.33	20.96	65.29	68.2	-2.91	PK
	*	11570	29.25	19.07	48.32	74	-25.68	PK



Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5825	78.3	20.58	98.88	N/A	N/A	PK
	@	5825	69.16	20.58	89.74	N/A	N/A	AVG
		5889.5	40.85	20.91	61.76	94.44	-32.68	PK
		5954	41.11	20.95	62.06	68.2	-6.14	PK
	*	11650	29.13	18.83	47.96	74	-26.04	PK
Vertical	@	5825	97.65	20.58	118.23	N/A	N/A	PK
	@	5825	86.52	20.58	107.1	N/A	N/A	AVG
		5876.5	45.9	20.81	66.71	104.09	-37.38	PK
		5953.5	40.71	20.95	61.66	68.2	-6.54	PK
	*	11650	28.7	18.83	47.53	74	-26.47	PK

**TX, 802.11ax(HE20) (Ch 165)**
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ax(HE20) (Ch 165)**
**Radiated Spurious Emission, Vertical**

**TX, 802.11ax(HE20) (Ch 165)**
**Band Edge (Peak), Horizontal**

**TX, 802.11ax(HE20) (Ch 165)**
**Band Edge (Peak), Vertical**


Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5057.05	31.59	19.13	50.72	54	-3.28	AVG
		5077.35	42.51	19.28	61.79	74	-12.21	PK
	@	5190	70.37	19.29	89.66	N/A	N/A	PK
	@	5190	59.64	19.29	78.93	N/A	N/A	AVG
	*	10380	31.32	17.61	48.93	68.2	-19.27	PK
Vertical		5148.05	44.05	19.4	63.45	74	-10.55	PK
		5149.8	33.41	19.4	52.81	54	-1.19	AVG
	@	5190	86.37	19.29	105.66	N/A	N/A	PK
	@	5190	74.78	19.29	94.07	N/A	N/A	AVG
	*	10380	31.29	17.61	48.9	68.2	-19.3	PK

**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1





Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5063.35	31.58	19.18	50.76	54	-3.24	AVG
		5081.2	42.99	19.31	62.3	74	-11.7	PK
	@	5230	78.39	19.05	97.44	N/A	N/A	PK
	@	5230	65.45	19.05	84.5	N/A	N/A	AVG
	*	10460	30.66	17.87	48.53	68.2	-19.67	PK
Vertical		5147.35	46.11	19.41	65.52	74	-8.48	PK
		5149.8	32.77	19.4	52.17	54	-1.83	AVG
	@	5230	92.7	19.05	111.75	N/A	N/A	PK
	@	5230	81.54	19.05	100.59	N/A	N/A	AVG
	*	10460	31.52	17.87	49.39	68.2	-18.81	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5270	75.76	18.85	94.61	N/A	N/A	PK
	@	5270	67.34	18.85	86.19	N/A	N/A	AVG
		5437.2	40.34	19.46	59.8	74	-14.2	PK
		5454	29.5	19.54	49.04	54	-4.96	AVG
	*	10540	31.52	18.01	49.53	68.2	-18.67	PK
Vertical	@	5270	93.6	18.85	112.45	N/A	N/A	PK
	@	5270	83.45	18.85	102.3	N/A	N/A	AVG
		5350.8	32.79	19.01	51.8	54	-2.2	AVG
		5366.1	42.5	19.09	61.59	74	-12.41	PK
	*	10540	30.65	18.01	48.66	68.2	-19.54	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5310	68.32	18.81	87.13	N/A	N/A	PK
	@	5310	60.95	18.81	79.76	N/A	N/A	AVG
		5442	29.76	19.48	49.24	54	-4.76	AVG
		5453.7	40.01	19.53	59.54	74	-14.46	PK
	*	10620	30.72	18.04	48.76	74	-25.24	PK
Vertical	@	5310	86.37	18.81	105.18	N/A	N/A	PK
	@	5310	78.35	18.81	97.16	N/A	N/A	AVG
		5351.1	42.62	19.01	61.63	74	-12.37	PK
		5351.7	33.65	19.02	52.67	54	-1.33	AVG
	*	10620	30.52	18.04	48.56	74	-25.44	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5423.8	39.5	19.39	58.89	74	-15.11	PK
		5451.1	29.76	19.52	49.28	54	-4.72	AVG
		5464.4	39.47	19.59	59.06	68.2	-9.14	PK
	@	5510	68.88	19.78	88.66	N/A	N/A	PK
	@	5510	59.3	19.78	79.08	N/A	N/A	AVG
	*	11020	30.52	18.42	48.94	74	-25.06	PK
Vertical		5459.5	41.32	19.57	60.89	74	-13.11	PK
		5459.85	32.68	19.57	52.25	54	-1.75	AVG
		5469.65	44.35	19.62	63.97	68.2	-4.23	PK
	@	5510	85.8	19.78	105.58	N/A	N/A	PK
	@	5510	77.93	19.78	97.71	N/A	N/A	AVG
	*	11020	31.15	18.42	49.57	74	-24.43	PK

**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1





Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5433.25	39.75	19.43	59.18	74	-14.82	PK
		5456	29.57	19.54	49.11	54	-4.89	AVG
		5468.95	39.23	19.62	58.85	68.2	-9.35	PK
	@	5550	72.25	19.83	92.08	N/A	N/A	PK
	@	5550	65.92	19.83	85.75	N/A	N/A	AVG
		5725.85	40.76	19.97	60.73	68.2	-7.47	PK
	*	11100	30.34	18.45	48.79	74	-25.21	PK
Vertical		5431.85	40.62	19.43	60.05	74	-13.95	PK
		5457.05	31.79	19.55	51.34	54	-2.66	AVG
		5468.95	43.28	19.62	62.9	68.2	-5.3	PK
	@	5550	91	19.83	110.83	N/A	N/A	PK
	@	5550	82.48	19.83	102.31	N/A	N/A	AVG
		5737.4	41.53	20.08	61.61	68.2	-6.59	PK
	*	11100	31.78	18.45	50.23	74	-23.77	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5433.6	29.86	19.43	49.29	54	-4.71	AVG
	@	5670	74.51	19.69	94.2	N/A	N/A	PK
	@	5670	66.3	19.69	85.99	N/A	N/A	AVG
		5730.4	41.04	20.01	61.05	68.2	-7.15	PK
	*	11340	30.24	18.58	48.82	74	-25.18	PK
Vertical		5458.1	30.67	19.56	50.23	54	-3.77	AVG
	@	5670	90.67	19.69	110.36	N/A	N/A	PK
	@	5670	82.69	19.69	102.38	N/A	N/A	AVG
		5727.25	47.32	19.99	67.31	68.2	-0.89	PK
	*	11340	30.03	18.58	48.61	74	-25.39	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1







Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	11420	31.32	18.95	50.27	74	-23.73	PK
Vertical	*	11420	31.6	18.95	50.55	74	-23.45	PK







Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5616	41.09	19.69	60.78	68.2	-7.42	PK
		5699	41.9	19.73	61.63	104.46	-42.83	PK
	@	5755	78.28	20.22	98.5	N/A	N/A	PK
	@	5755	66.73	20.22	86.95	N/A	N/A	AVG
	*	11510	29.93	19.34	49.27	74	-24.73	PK
Vertical		5637.5	45.87	19.67	65.54	68.2	-2.66	PK
		5698	54.21	19.72	73.93	103.73	-29.8	PK
	@	5755	93.4	20.22	113.62	N/A	N/A	PK
	@	5755	84.22	20.22	104.44	N/A	N/A	AVG
	*	11510	29.6	19.34	48.94	74	-25.06	PK

**TX, 802.11ax(HE40) (Ch 151)**
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ax(HE40) (Ch 151)**
**Radiated Spurious Emission, Vertical**

**TX, 802.11ax(HE40) (Ch 151)**
**Band Edge (Peak), Horizontal**

**TX, 802.11ax(HE40) (Ch 151)**
**Band Edge (Peak), Vertical**


Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5795	76.77	20.52	97.29	N/A	N/A	PK
	@	5795	68.1	20.52	88.62	N/A	N/A	AVG
		5896	41.01	20.95	61.96	89.62	-27.66	PK
		5933	41.36	20.95	62.31	68.2	-5.89	PK
	*	11590	31.05	18.99	50.04	74	-23.96	PK
Vertical	@	5795	93.35	20.52	113.87	N/A	N/A	PK
	@	5795	84	20.52	104.52	N/A	N/A	AVG
		5875	50.95	20.8	71.75	105.2	-33.45	PK
		5971	41.01	20.96	61.97	68.2	-6.23	PK
	*	11590	29.94	18.99	48.93	74	-25.07	PK

**TX, 802.11ax(HE40) (Ch 159)**
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ax(HE40) (Ch 159)**
**Radiated Spurious Emission, Vertical**

**TX, 802.11ax(HE40) (Ch 159)**
**Band Edge (Peak), Horizontal**

**TX, 802.11ax(HE40) (Ch 159)**
**Band Edge (Peak), Vertical**




Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5105.7	42.74	19.44	62.18	74	-11.82	PK
		5117.25	31.32	19.44	50.76	54	-3.24	AVG
	@	5210	68.94	19.18	88.12	N/A	N/A	PK
	@	5210	59.07	19.18	78.25	N/A	N/A	AVG
	*	10420	31.01	17.76	48.77	68.2	-19.43	PK
Vertical		5149.45	44.55	19.4	63.95	74	-10.05	PK
		5149.8	33.88	19.4	53.28	54	-0.72	AVG
	@	5210	83.98	19.18	103.16	N/A	N/A	PK
	@	5210	74.2	19.18	93.38	N/A	N/A	AVG
	*	10420	31.27	17.76	49.03	68.2	-19.17	PK

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1