



Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2412MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2389.888	28.20	31.06	59.26	74.00	-14.74	peak	
2		2389.888	12.47	31.06	43.53	54.00	-10.47	AVG	
3	X	2412.000	76.05	31.14	107.19	74.00	33.19	peak	No Limit
4	*	2412.000	65.76	31.14	96.90	54.00	42.90	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2412MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.000	59.57	-11.37	48.20	74.00	-25.80	peak	
2	*	4824.000	46.03	-11.37	34.66	54.00	-19.34	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2412MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	19.58	31.06	50.64	74.00	-23.36	peak	
2		2390.000	6.99	31.06	38.05	54.00	-15.95	AVG	
3	X	2412.000	70.82	31.14	101.96	74.00	27.96	peak	No Limit
4	*	2412.000	60.40	31.14	91.54	54.00	37.54	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2412MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.000	54.45	-11.37	43.08	74.00	-30.92	peak	
2	*	4824.000	43.68	-11.37	32.31	54.00	-21.69	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2437MHz


**Vertical**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2437.000	78.83	31.23	110.06	74.00	36.06	peak	No Limit
2	*	2437.000	68.71	31.23	99.94	54.00	45.94	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2437MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.000	66.46	-11.29	55.17	74.00	-18.83	peak	
2	*	4874.000	51.55	-11.29	40.26	54.00	-13.74	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2437MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2437.000	75.99	31.23	107.22	74.00	33.22	peak	No Limit
2	*	2437.000	65.64	31.23	96.87	54.00	42.87	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2437MHz

### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.000	57.41	-11.29	46.12	74.00	-27.88	peak	
2	*	4874.000	45.56	-11.29	34.27	54.00	-19.73	AVG	



Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2462MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2462.000	76.51	31.33	107.84	74.00	33.84	peak	No Limit
2	*	2462.000	66.61	31.33	97.94	54.00	43.94	AVG	No Limit
3		2483.500	29.70	31.41	61.11	74.00	-12.89	peak	
4		2483.500	16.04	31.41	47.45	54.00	-6.55	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2462MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.000	58.39	-11.22	47.17	74.00	-26.83	peak	
2	*	4924.000	46.92	-11.22	35.70	54.00	-18.30	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2462MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2462.000	71.32	31.33	102.65	74.00	28.65	peak	No Limit
2	*	2462.000	61.51	31.33	92.84	54.00	38.84	AVG	No Limit
3		2483.500	24.49	31.41	55.90	74.00	-18.10	peak	
4		2483.500	10.57	31.41	41.98	54.00	-12.02	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2462MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.000	55.27	-11.22	44.05	74.00	-29.95	peak	
2	*	4924.000	43.97	-11.22	32.75	54.00	-21.25	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2467MHz


**Vertical**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2467.000	74.90	31.35	106.25	74.00	32.25	peak	No Limit
2	*	2467.000	65.09	31.35	96.44	54.00	42.44	AVG	No Limit
3		2484.404	33.53	31.42	64.95	74.00	-9.05	peak	
4		2484.404	19.39	31.42	50.81	54.00	-3.19	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2467MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4934.000	55.23	-11.21	44.02	74.00	-29.98	peak	
2	*	4934.000	43.34	-11.21	32.13	54.00	-21.87	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2467MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2467.000	70.14	31.35	101.49	74.00	27.49	peak	No Limit
2	*	2467.000	59.87	31.35	91.22	54.00	37.22	AVG	No Limit
3		2483.500	30.15	31.41	61.56	74.00	-12.44	peak	
4		2483.500	16.84	31.41	48.25	54.00	-5.75	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2467MHz

**Horizontal**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4934.000	54.56	-11.21	43.35	74.00	-30.65	peak	
2	*	4934.000	43.24	-11.21	32.03	54.00	-21.97	AVG	



Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2472MHz


**Vertical**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2472.000	62.20	31.37	93.57	74.00	19.57	peak	No Limit
2	*	2472.000	52.14	31.37	83.51	54.00	29.51	AVG	No Limit
3		2483.533	30.34	31.41	61.75	74.00	-12.25	peak	
4		2483.533	16.96	31.41	48.37	54.00	-5.63	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2472MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4944.000	55.31	-11.19	44.12	74.00	-29.88	peak	
2	*	4944.000	43.46	-11.19	32.27	54.00	-21.73	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2472MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2472.000	56.54	31.37	87.91	74.00	13.91	peak	No Limit
2	*	2472.000	46.69	31.37	78.06	54.00	24.06	AVG	No Limit
3		2483.665	27.60	31.41	59.01	74.00	-14.99	peak	
4		2483.665	14.66	31.41	46.07	54.00	-7.93	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M Mode 2472MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4944.000	55.18	-11.19	43.99	74.00	-30.01	peak	
2	*	4944.000	43.32	-11.19	32.13	54.00	-21.87	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2422MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2386.872	30.79	31.05	61.84	74.00	-12.16	peak	
2		2386.872	16.32	31.05	47.37	54.00	-6.63	AVG	
3	X	2422.000	71.06	31.18	102.24	74.00	28.24	peak	No Limit
4	*	2422.000	60.96	31.18	92.14	54.00	38.14	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2422MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.000	56.14	-11.34	44.80	74.00	-29.20	peak	
2	*	4844.000	43.17	-11.34	31.83	54.00	-22.17	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2422MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2389.320	27.42	31.06	58.48	74.00	-15.52	peak	
2		2389.320	14.24	31.06	45.30	54.00	-8.70	AVG	
3	X	2422.000	65.64	31.18	96.82	74.00	22.82	peak	No Limit
4	*	2422.000	56.20	31.18	87.38	54.00	33.38	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2422MHz

**Horizontal**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.000	56.12	-11.34	44.78	74.00	-29.22	peak	
2	*	4844.000	42.99	-11.34	31.65	54.00	-22.35	AVG	



Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2437MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2389.520	39.16	31.06	70.22	74.00	-3.78	peak	
2		2389.520	19.55	31.06	50.61	54.00	-3.39	AVG	
3	X	2437.000	78.43	31.23	109.66	74.00	35.66	peak	No Limit
4	*	2437.000	68.63	31.23	99.86	54.00	45.86	AVG	No Limit
5		2483.500	37.38	31.41	68.79	74.00	-5.21	peak	
6		2483.500	21.11	31.41	52.52	54.00	-1.48	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2437MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.000	58.35	-11.29	47.06	74.00	-26.94	peak	
2 *	4874.000	45.94	-11.29	34.65	54.00	-19.35	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2437MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2386.720	27.02	31.05	58.07	74.00	-15.93	peak	
2		2386.720	14.36	31.05	45.41	54.00	-8.59	AVG	
3	X	2437.000	72.29	31.23	103.52	74.00	29.52	peak	No Limit
4	*	2437.000	62.36	31.23	93.59	54.00	39.59	AVG	No Limit
5		2483.516	31.93	31.41	63.34	74.00	-10.66	peak	
6		2483.516	17.35	31.41	48.76	54.00	-5.24	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2437MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.000	57.37	-11.29	46.08	74.00	-27.92	peak	
2	*	4874.000	45.19	-11.29	33.90	54.00	-20.10	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2452MHz


**Vertical**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2452.000	70.73	31.30	102.03	74.00	28.03	peak	No Limit
2	*	2452.000	61.06	31.30	92.36	54.00	38.36	AVG	No Limit
3		2499.871	35.76	31.47	67.23	74.00	-6.77	peak	
4		2499.871	16.92	31.47	48.39	54.00	-5.61	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2452MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4904.000	57.78	-11.24	46.54	74.00	-27.46	peak	
2 *	4904.000	44.19	-11.24	32.95	54.00	-21.05	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2452MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2452.000	64.62	31.30	95.92	74.00	21.92	peak	No Limit
2	*	2452.000	55.08	31.30	86.38	54.00	32.38	AVG	No Limit
3		2490.144	28.69	31.43	60.12	74.00	-13.88	peak	
4		2490.144	14.69	31.43	46.12	54.00	-7.88	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2452MHz

### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.000	57.12	-11.24	45.88	74.00	-28.12	peak	
2	*	4904.000	44.22	-11.24	32.98	54.00	-21.02	AVG	



Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2457MHz


**Vertical**



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2457.000	71.53	31.31	102.84	74.00	28.84	peak	No Limit
2	*	2457.000	61.30	31.31	92.61	54.00	38.61	AVG	No Limit
3		2483.573	37.91	31.41	69.32	74.00	-4.68	peak	
4		2483.573	17.61	31.41	49.02	54.00	-4.98	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2457MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4914.000	56.36	-11.23	45.13	74.00	-28.87	peak	
2	*	4914.000	43.44	-11.23	32.21	54.00	-21.79	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2457MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2457.000	64.36	31.31	95.67	74.00	21.67	peak	No Limit
2	*	2457.000	55.00	31.31	86.31	54.00	32.31	AVG	No Limit
3		2483.500	32.35	31.41	63.76	74.00	-10.24	peak	
4		2483.500	14.87	31.41	46.28	54.00	-7.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2457MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4914.000	56.61	-11.23	45.38	74.00	-28.62	peak	
2	*	4914.000	43.33	-11.23	32.10	54.00	-21.90	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2462MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2462.000	59.93	31.33	91.26	74.00	17.26	peak	No Limit
2	*	2462.000	50.64	31.33	81.97	54.00	27.97	AVG	No Limit
3		2483.500	29.23	31.41	60.64	74.00	-13.36	peak	
4		2483.500	15.82	31.41	47.23	54.00	-6.77	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2462MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.000	55.21	-11.22	43.99	74.00	-30.01	peak	
2	*	4924.000	42.97	-11.22	31.75	54.00	-22.25	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2462MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2462.000	53.89	31.33	85.22	74.00	11.22	peak	No Limit
2	*	2462.000	44.18	31.33	75.51	54.00	21.51	AVG	No Limit
3		2483.731	28.08	31.41	59.49	74.00	-14.51	peak	
4		2483.731	14.86	31.41	46.27	54.00	-7.73	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M Mode 2462MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.000	55.18	-11.22	43.96	74.00	-30.04	peak	
2	*	4924.000	42.86	-11.22	31.64	54.00	-22.36	AVG	