


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	69.25	37.66	106.91	74.00	32.91	peak	No Limit
2	*	5260.000	60.88	37.66	98.54	54.00	44.54	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10520.00	56.03	2.00	58.03	68.20	-10.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5260.000	56.87	37.66	94.53	74.00	20.53	peak	No Limit
2	*	5260.000	48.56	37.66	86.22	54.00	32.22	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10520.00	52.08	2.00	54.08	68.20	-14.12	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	68.73	37.70	106.43	74.00	32.43	peak	No Limit
2	*	5300.000	60.34	37.70	98.04	54.00	44.04	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	10600.10	53.01	2.14	55.15	74.00	-18.85	peak	
2 *	10600.10	40.44	2.14	42.58	54.00	-11.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5300.000	56.49	37.70	94.19	74.00	20.19	peak	No Limit
2	*	5300.000	48.26	37.70	85.96	54.00	31.96	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10600.10	51.67	2.14	53.81	74.00	-20.19	peak	
2	*	10600.10	39.90	2.14	42.04	54.00	-11.96	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	68.16	37.72	105.88	74.00	31.88	peak	No Limit
2	*	5320.000	59.70	37.72	97.42	54.00	43.42	AVG	No Limit
3		5350.000	28.58	37.76	66.34	74.00	-7.66	peak	
4		5350.000	12.21	37.76	49.97	54.00	-4.03	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10640.00	51.46	2.22	53.68	74.00	-20.32	peak	
2	*	10640.00	40.18	2.22	42.40	54.00	-11.60	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	57.17	37.72	94.89	74.00	20.89	peak	No Limit
2	*	5320.000	48.48	37.72	86.20	54.00	32.20	AVG	No Limit
3		5350.000	20.47	37.76	58.23	74.00	-15.77	peak	
4		5350.000	5.05	37.76	42.81	54.00	-11.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10640.00	51.10	2.22	53.32	74.00	-20.68	peak	
2	*	10640.00	39.64	2.22	41.86	54.00	-12.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5260.000	69.49	37.66	107.15	74.00	33.15	peak	No Limit
2	*	5260.000	61.20	37.66	98.86	54.00	44.86	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10520.00	55.91	2.00	57.91	68.20	-10.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5260.000	57.72	37.66	95.38	74.00	21.38	peak	No Limit
2	*	5260.000	48.93	37.66	86.59	54.00	32.59	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10520.00	51.97	2.00	53.97	68.20	-14.23	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	69.21	37.70	106.91	74.00	32.91	peak	No Limit
2	*	5300.000	60.43	37.70	98.13	54.00	44.13	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10600.10	52.93	2.14	55.07	74.00	-18.93	peak	
2	*	10600.10	40.32	2.14	42.46	54.00	-11.54	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5300.000	57.31	37.70	95.01	74.00	21.01	peak	No Limit
2	*	5300.000	48.96	37.70	86.66	54.00	32.66	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5300MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10600.10	51.87	2.14	54.01	74.00	-19.99	peak	
2	*	10600.10	39.98	2.14	42.12	54.00	-11.88	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	68.83	37.72	106.55	74.00	32.55	peak	No Limit
2	*	5320.000	60.18	37.72	97.90	54.00	43.90	AVG	No Limit
3		5350.000	27.70	37.76	65.46	74.00	-8.54	peak	
4		5350.000	11.94	37.76	49.70	54.00	-4.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10640.00	51.24	2.22	53.46	74.00	-20.54	peak	
2	*	10640.00	40.04	2.22	42.26	54.00	-11.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	56.89	37.72	94.61	74.00	20.61	peak	No Limit
2	*	5320.000	48.41	37.72	86.13	54.00	32.13	AVG	No Limit
3		5350.240	19.44	37.76	57.20	74.00	-16.80	peak	
4		5350.240	5.46	37.76	43.22	54.00	-10.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10640.00	51.28	2.22	53.50	74.00	-20.50	peak	
2	*	10640.00	39.69	2.22	41.91	54.00	-12.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	66.25	37.67	103.92	74.00	29.92	peak	No Limit
2	*	5270.000	57.73	37.67	95.40	54.00	41.40	AVG	No Limit
3		5350.000	22.23	37.76	59.99	74.00	-14.01	peak	
4		5350.000	8.98	37.76	46.74	54.00	-7.26	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10540.00	51.47	2.04	53.51	68.20	-14.69	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	53.67	37.67	91.34	74.00	17.34	peak	No Limit
2	*	5270.000	45.59	37.67	83.26	54.00	29.26	AVG	No Limit
3		5350.780	15.77	37.76	53.53	74.00	-20.47	peak	
4		5350.780	4.51	37.76	42.27	54.00	-11.73	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10540.00	51.23	2.04	53.27	68.20	-14.93	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	62.90	37.72	100.62	74.00	26.62	peak	No Limit
2	*	5310.000	54.24	37.72	91.96	54.00	37.96	AVG	No Limit
3		5350.000	24.74	37.76	62.50	74.00	-11.50	peak	
4		5350.000	10.92	37.76	48.68	54.00	-5.32	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10620.00	51.48	2.18	53.66	74.00	-20.34	peak	
2	*	10620.00	39.26	2.18	41.44	54.00	-12.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	50.99	37.72	88.71	74.00	14.71	peak	No Limit
2	*	5310.000	42.87	37.72	80.59	54.00	26.59	AVG	No Limit
3		5353.000	17.92	37.76	55.68	74.00	-18.32	peak	
4		5353.000	4.14	37.76	41.90	54.00	-12.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		10620.00	51.10	2.18	53.28	74.00	-20.72	peak	
2	*	10620.00	39.14	2.18	41.32	54.00	-12.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.580	16.14	37.54	53.68	74.00	-20.32	peak	
2		5149.580	4.74	37.54	42.28	54.00	-11.72	AVG	
3	X	5290.000	60.54	37.69	98.23	74.00	24.23	peak	No Limit
4	*	5290.000	51.76	37.69	89.45	54.00	35.45	AVG	No Limit
5		5350.000	26.18	37.76	63.94	74.00	-10.06	peak	
6		5350.000	15.01	37.76	52.77	54.00	-1.23	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10580.00	51.65	2.11	53.76	68.20	-14.44	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5140.480	14.61	37.53	52.14	74.00	-21.86	peak	
2		5140.480	3.99	37.53	41.52	54.00	-12.48	AVG	
3	X	5290.000	48.38	37.69	86.07	74.00	12.07	peak	No Limit
4	*	5290.000	40.05	37.69	77.74	54.00	23.74	AVG	No Limit
5		5350.660	16.71	37.76	54.47	74.00	-19.53	peak	
6		5350.660	7.29	37.76	45.05	54.00	-8.95	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	*	10580.00	51.14	2.11	53.25	68.20	-14.95	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5459.450	16.24	37.88	54.12	74.00	-19.88	peak	
2	5459.450	5.49	37.88	43.37	54.00	-10.63	AVG	
3	5466.660	24.68	37.88	62.56	68.20	-5.64	peak	
4 X	5500.000	66.25	37.92	104.17	74.00	30.17	peak	No Limit
5 *	5500.000	58.08	37.92	96.00	54.00	42.00	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	11000.00	52.59	2.85	55.44	74.00	-18.56	peak	
2 *	11000.00	40.06	2.85	42.91	54.00	-11.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5452.960	15.85	37.87	53.72	74.00	-20.28	peak	
2		5452.960	3.51	37.87	41.38	54.00	-12.62	AVG	
3		5468.840	18.00	37.89	55.89	68.20	-12.31	peak	
4	X	5500.000	54.26	37.92	92.18	74.00	18.18	peak	No Limit
5	*	5500.000	46.26	37.92	84.18	54.00	30.18	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11000.00	52.44	2.85	55.29	74.00	-18.71	peak	
2	*	11000.00	40.01	2.85	42.86	54.00	-11.14	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5600MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5600.000	67.28	38.19	105.47	74.00	31.47	peak	No Limit
2	*	5600.000	58.95	38.19	97.14	54.00	43.14	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5600MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11200.00	52.15	3.08	55.23	74.00	-18.77	peak	
2	*	11200.00	39.88	3.08	42.96	54.00	-11.04	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5600MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	X	5600.000	55.43	38.19	93.62	74.00	19.62	peak	No Limit
2	*	5600.000	46.93	38.19	85.12	54.00	31.12	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5600MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11200.00	51.78	3.08	54.86	74.00	-19.14	peak	
2	*	11200.00	39.84	3.08	42.92	54.00	-11.08	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5700.000	66.28	38.46	104.74	74.00	30.74	peak	No Limit
2	*	5700.000	57.80	38.46	96.26	54.00	42.26	AVG	No Limit
3		5726.000	23.75	38.53	62.28	68.20	-5.92	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	11400.00	52.33	3.30	55.63	74.00	-18.37	peak	
2 *	11400.00	40.60	3.30	43.90	54.00	-10.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5700.000	54.98	38.46	93.44	74.00	19.44	peak	No Limit
2	*	5700.000	46.23	38.46	84.69	54.00	30.69	AVG	No Limit
3		5727.850	16.28	38.54	54.82	68.20	-13.38	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	11400.00	52.10	3.30	55.40	74.00	-18.60	peak	
2 *	11400.00	40.19	3.30	43.49	54.00	-10.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5720MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5452.710	15.55	37.87	53.42	74.00	-20.58	peak	
2	5452.710	2.89	37.87	40.76	54.00	-13.24	AVG	
3	5466.990	15.89	37.88	53.77	68.20	-14.43	peak	
4 X	5720.000	69.60	38.52	108.12	74.00	34.12	peak	No Limit
5 *	5720.000	59.63	38.52	98.15	54.00	44.15	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5720MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11440.00	52.91	3.35	56.26	74.00	-17.74	peak	
2 *	11440.00	40.34	3.35	43.69	54.00	-10.31	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5720MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5435.670	14.80	37.85	52.65	74.00	-21.35	peak	
2	5435.670	3.11	37.85	40.96	54.00	-13.04	AVG	
3	5461.680	14.83	37.88	52.71	68.20	-15.49	peak	
4 X	5720.000	54.14	38.52	92.66	74.00	18.66	peak	No Limit
5 *	5720.000	44.61	38.52	83.13	54.00	29.13	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5720MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11440.00	52.32	3.35	55.67	74.00	-18.33	peak	
2	*	11440.00	40.31	3.35	43.66	54.00	-10.34	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5459.780	17.92	37.88	55.80	74.00	-18.20	peak	
2		5459.780	6.23	37.88	44.11	54.00	-9.89	AVG	
3		5469.340	25.78	37.89	63.67	68.20	-4.53	peak	
4	X	5500.000	66.31	37.92	104.23	74.00	30.23	peak	No Limit
5	*	5500.000	58.34	37.92	96.26	54.00	42.26	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11000.00	52.63	2.85	55.48	74.00	-18.52	peak	
2	*	11000.00	40.08	2.85	42.93	54.00	-11.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5459.340	15.85	37.88	53.73	74.00	-20.27	peak	
2	5459.340	3.60	37.88	41.48	54.00	-12.52	AVG	
3	5469.790	18.25	37.89	56.14	68.20	-12.06	peak	
4 X	5500.000	54.71	37.92	92.63	74.00	18.63	peak	No Limit
5 *	5500.000	46.47	37.92	84.39	54.00	30.39	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11000.00	52.14	2.85	54.99	74.00	-19.01	peak	
2	*	11000.00	40.01	2.85	42.86	54.00	-11.14	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5600MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	X	5600.000	68.59	38.19	106.78	74.00	32.78	peak	No Limit
2	*	5600.000	60.05	38.19	98.24	54.00	44.24	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5600MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11200.00	53.05	3.08	56.13	74.00	-17.87	peak	
2	*	11200.00	39.82	3.08	42.90	54.00	-11.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5600MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5600.000	56.27	38.19	94.46	74.00	20.46	peak	No Limit
2	*	5600.000	47.66	38.19	85.85	54.00	31.85	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5600MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11200.00	51.76	3.08	54.84	74.00	-19.16	peak	
2	*	11200.00	39.71	3.08	42.79	54.00	-11.21	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5700.000	66.91	38.46	105.37	74.00	31.37	peak	No Limit
2	*	5700.000	58.04	38.46	96.50	54.00	42.50	AVG	No Limit
3		5728.375	24.39	38.55	62.94	68.20	-5.26	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11400.00	51.86	3.30	55.16	74.00	-18.84	peak	
2	*	11400.00	40.33	3.30	43.63	54.00	-10.37	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	X	5700.000	55.18	38.46	93.64	74.00	19.64	peak	No Limit
2	*	5700.000	47.07	38.46	85.53	54.00	31.53	AVG	No Limit
3		5728.200	17.31	38.55	55.86	68.20	-12.34	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11400.00	51.33	3.30	54.63	74.00	-19.37	peak	
2	*	11400.00	40.08	3.30	43.38	54.00	-10.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5720MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5433.810	15.94	37.85	53.79	74.00	-20.21	peak	
2	5433.810	3.18	37.85	41.03	54.00	-12.97	AVG	
3	5468.880	15.13	37.89	53.02	68.20	-15.18	peak	
4 X	5720.000	69.45	38.52	107.97	74.00	33.97	peak	No Limit
5 *	5720.000	59.64	38.52	98.16	54.00	44.16	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5720MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11440.00	52.30	3.35	55.65	74.00	-18.35	peak	
2	*	11440.00	40.44	3.35	43.79	54.00	-10.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5720MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5459.610	15.25	37.88	53.13	74.00	-20.87	peak	
2		5459.610	3.07	37.88	40.95	54.00	-13.05	AVG	
3		5463.380	15.13	37.88	53.01	68.20	-15.19	peak	
4	X	5720.000	54.54	38.52	93.06	74.00	19.06	peak	No Limit
5	*	5720.000	44.99	38.52	83.51	54.00	29.51	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5720MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11440.00	52.07	3.35	55.42	74.00	-18.58	peak	
2	*	11440.00	40.29	3.35	43.64	54.00	-10.36	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5458.450	18.55	37.88	56.43	74.00	-17.57	peak	
2		5458.450	4.67	37.88	42.55	54.00	-11.45	AVG	
3		5467.980	24.36	37.88	62.24	68.20	-5.96	peak	
4	X	5510.000	59.72	37.95	97.67	74.00	23.67	peak	No Limit
5	*	5510.000	51.55	37.95	89.50	54.00	35.50	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11020.00	52.07	2.87	54.94	74.00	-19.06	peak	
2	*	11020.00	40.44	2.87	43.31	54.00	-10.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5441.050	14.00	37.85	51.85	74.00	-22.15	peak	
2		5441.050	3.90	37.85	41.75	54.00	-12.25	AVG	
3		5463.640	15.68	37.88	53.56	68.20	-14.64	peak	
4	X	5510.000	48.20	37.95	86.15	74.00	12.15	peak	No Limit
5	*	5510.000	39.54	37.95	77.49	54.00	23.49	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11020.00	51.26	2.87	54.13	74.00	-19.87	peak	
2	*	11020.00	40.26	2.87	43.13	54.00	-10.87	AVG	