



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5590MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5590.000	64.79	38.16	102.95	74.00	28.95	peak	No Limit
2	*	5590.000	56.53	38.16	94.69	54.00	40.69	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5590MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11180.00	52.42	3.06	55.48	74.00	-18.52	peak	
2	*	11180.00	40.47	3.06	43.53	54.00	-10.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5590MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5590.000	53.54	38.16	91.70	74.00	17.70	peak	No Limit
2	*	5590.000	45.06	38.16	83.22	54.00	29.22	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5590MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11180.00	51.43	3.06	54.49	74.00	-19.51	peak	
2	*	11180.00	40.24	3.06	43.30	54.00	-10.70	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5670.000	64.40	38.38	102.78	74.00	28.78	peak	No Limit
2	*	5670.000	55.88	38.38	94.26	54.00	40.26	AVG	No Limit
3		5728.870	24.62	38.55	63.17	68.20	-5.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11340.00	51.66	3.23	54.89	74.00	-19.11	peak	
2	*	11340.00	40.35	3.23	43.58	54.00	-10.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	X	5670.000	52.52	38.38	90.90	74.00	16.90	peak	No Limit
2	*	5670.000	44.03	38.38	82.41	54.00	28.41	AVG	No Limit
3		5728.645	15.36	38.55	53.91	68.20	-14.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11340.00	50.92	3.23	54.15	74.00	-19.85	peak	
2	*	11340.00	40.24	3.23	43.47	54.00	-10.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5710MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5449.860	15.79	37.87	53.66	74.00	-20.34	peak	
2		5449.860	3.50	37.87	41.37	54.00	-12.63	AVG	
3		5461.450	16.31	37.88	54.19	68.20	-14.01	peak	
4	X	5710.000	67.03	38.50	105.53	74.00	31.53	peak	No Limit
5	*	5710.000	57.45	38.50	95.95	54.00	41.95	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5710MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11420.00	53.11	3.33	56.44	74.00	-17.56	peak	
2 *	11420.00	40.38	3.33	43.71	54.00	-10.29	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5710MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5446.560	15.49	37.86	53.35	74.00	-20.65	peak	
2		5446.560	3.40	37.86	41.26	54.00	-12.74	AVG	
3		5466.790	15.18	37.88	53.06	68.20	-15.14	peak	
4	X	5710.000	51.69	38.50	90.19	74.00	16.19	peak	No Limit
5	*	5710.000	42.23	38.50	80.73	54.00	26.73	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5710MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11420.00	52.16	3.33	55.49	74.00	-18.51	peak	
2	*	11420.00	40.33	3.33	43.66	54.00	-10.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5458.960	19.79	37.88	57.67	74.00	-16.33	peak	
2		5458.960	9.28	37.88	47.16	54.00	-6.84	AVG	
3		5467.990	25.98	37.88	63.86	68.20	-4.34	peak	
4	X	5530.000	57.94	38.00	95.94	74.00	21.94	peak	No Limit
5	*	5530.000	49.41	38.00	87.41	54.00	33.41	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11060.00	52.01	2.92	54.93	74.00	-19.07	peak	
2	*	11060.00	40.53	2.92	43.45	54.00	-10.55	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5444.400	14.96	37.86	52.82	74.00	-21.18	peak	
2		5444.400	4.63	37.86	42.49	54.00	-11.51	AVG	
3		5462.720	16.26	37.88	54.14	68.20	-14.06	peak	
4	X	5530.000	45.29	38.00	83.29	74.00	9.29	peak	No Limit
5	*	5530.000	37.24	38.00	75.24	54.00	21.24	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11060.00	51.98	2.92	54.90	74.00	-19.10	peak	
2	*	11060.00	40.39	2.92	43.31	54.00	-10.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5459.400	17.56	37.88	55.44	74.00	-18.56	peak	
2		5459.400	6.62	37.88	44.50	54.00	-9.50	AVG	
3		5469.550	20.98	37.89	58.87	68.20	-9.33	peak	
4	X	5610.000	61.65	38.22	99.87	74.00	25.87	peak	No Limit
5	*	5610.000	53.13	38.22	91.35	54.00	37.35	AVG	No Limit
6		5725.170	22.41	38.53	60.94	68.20	-7.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11220.00	52.24	3.10	55.34	74.00	-18.66	peak	
2	*	11220.00	40.69	3.10	43.79	54.00	-10.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5453.550	14.20	37.87	52.07	74.00	-21.93	peak	
2		5453.550	4.42	37.87	42.29	54.00	-11.71	AVG	
3		5460.420	15.62	37.88	53.50	68.20	-14.70	peak	
4	X	5610.000	49.88	38.22	88.10	74.00	14.10	peak	No Limit
5	*	5610.000	41.52	38.22	79.74	54.00	25.74	AVG	No Limit
6		5725.180	16.08	38.53	54.61	68.20	-13.59	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		11220.00	51.74	3.10	54.84	74.00	-19.16	peak	
2	*	11220.00	40.59	3.10	43.69	54.00	-10.31	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5690MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5458.260	17.01	37.87	54.88	74.00	-19.12	peak	
2		5458.260	3.80	37.87	41.67	54.00	-12.33	AVG	
3		5461.830	17.98	37.88	55.86	68.20	-12.34	peak	
4	X	5690.000	64.57	38.43	103.00	74.00	29.00	peak	No Limit
5	*	5690.000	54.74	38.43	93.17	54.00	39.17	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5690MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11380.00	52.29	3.28	55.57	74.00	-18.43	peak	
2	*	11380.00	41.04	3.28	44.32	54.00	-9.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5690MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5440.140	15.01	37.85	52.86	74.00	-21.14	peak	
2	5440.140	3.72	37.85	41.57	54.00	-12.43	AVG	
3	5466.600	15.13	37.88	53.01	68.20	-15.19	peak	
4 X	5690.000	49.54	38.43	87.97	74.00	13.97	peak	No Limit
5 *	5690.000	40.17	38.43	78.60	54.00	24.60	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5690MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11380.00	52.12	3.28	55.40	74.00	-18.60	peak	
2 *	11380.00	40.84	3.28	44.12	54.00	-9.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-3/ TX A Mode 5720MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5720.000	69.60	38.52	108.12	110.80	-2.68	peak	No Limit
2	*	5720.000	59.63	38.52	98.15	54.00	44.15	AVG	No Limit
3		5854.725	16.06	38.89	54.95	111.43	-56.48	peak	
4		5870.060	15.25	38.92	54.17	106.58	-52.41	peak	
5		5899.900	15.46	39.01	54.47	86.73	-32.26	peak	
6		5934.975	16.01	39.11	55.12	68.20	-13.08	peak	


Orthogonal Axis :	X
Test Mode :	UNII-3/ TX A Mode 5720MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5720.000	54.14	38.52	92.66	110.80	-18.14	peak	No Limit
2 *	5720.000	44.61	38.52	83.13	54.00	29.13	AVG	No Limit
3	5852.145	16.10	38.87	54.97	117.31	-62.34	peak	
4	5870.400	15.04	38.92	53.96	106.49	-52.53	peak	
5	5911.800	15.90	39.04	54.94	77.94	-23.00	peak	
6	5933.175	15.00	39.10	54.10	68.20	-14.10	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5645.655	17.25	38.31	55.56	68.20	-12.64	peak	
2	5696.850	21.15	38.45	59.60	102.87	-43.27	peak	
3	5719.620	28.56	38.52	67.08	110.69	-43.61	peak	
4	5721.830	35.27	38.52	73.79	114.97	-41.18	peak	
5	5745.000	65.90	38.58	104.48	122.20	-17.72	peak	No Limit
6 *	5745.000	57.70	38.58	96.28	54.00	42.28	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11490.00	51.87	3.40	55.27	74.00	-18.73	peak	
2 *	11490.00	39.57	3.40	42.97	54.00	-11.03	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5645.765	17.28	38.31	55.59	68.20	-12.61	peak	
2		5651.450	15.52	38.33	53.85	69.27	-15.42	peak	
3		5716.080	18.32	38.51	56.83	109.70	-52.87	peak	
4		5724.725	22.72	38.53	61.25	121.57	-60.32	peak	
5		5745.000	54.62	38.58	93.20	122.20	-29.00	peak	No Limit
6	*	5745.000	46.33	38.58	84.91	54.00	30.91	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	51.69	3.40	55.09	74.00	-18.91	peak	
2	*	11490.00	39.32	3.40	42.72	54.00	-11.28	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5695.830	15.62	38.45	54.07	102.11	-48.04	peak	
2	5712.660	16.42	38.50	54.92	108.74	-53.82	peak	
3	5722.750	20.40	38.53	58.93	117.07	-58.14	peak	
4	5785.000	68.00	38.70	106.70	122.20	-15.50	peak	No Limit
5 *	5785.000	59.62	38.70	98.32	54.00	44.32	AVG	No Limit
6	5854.215	17.42	38.89	56.31	112.59	-56.28	peak	
7	5859.460	15.92	38.90	54.82	109.55	-54.73	peak	
8	5881.350	16.66	38.96	55.62	100.50	-44.88	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	52.24	3.28	55.52	74.00	-18.48	peak	
2	*	11570.00	39.78	3.28	43.06	54.00	-10.94	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5687.730	16.13	38.43	54.56	96.12	-41.56	peak	
2	5711.580	16.89	38.50	55.39	108.44	-53.05	peak	
3	5722.680	16.73	38.53	55.26	116.91	-61.65	peak	
4	5785.000	56.70	38.70	95.40	122.20	-26.80	peak	No Limit
5 *	5785.000	48.28	38.70	86.98	54.00	32.98	AVG	No Limit
6	5854.160	17.05	38.89	55.94	112.72	-56.78	peak	
7	5873.540	15.94	38.94	54.88	105.61	-50.73	peak	
8	5876.590	15.41	38.94	54.35	104.02	-49.67	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	52.04	3.28	55.32	74.00	-18.68	peak	
2	*	11570.00	39.56	3.28	42.84	54.00	-11.16	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5825.000	66.83	38.80	105.63	122.20	-16.57	peak	No Limit
2	*	5825.000	58.48	38.80	97.28	54.00	43.28	AVG	No Limit
3		5850.405	32.66	38.87	71.53	121.28	-49.75	peak	
4		5856.480	25.54	38.89	64.43	110.39	-45.96	peak	
5		5887.050	15.96	38.97	54.93	96.28	-41.35	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	51.67	3.13	54.80	74.00	-19.20	peak	
2	*	11650.00	39.78	3.13	42.91	54.00	-11.09	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5825.000	55.58	38.80	94.38	122.20	-27.82	peak	No Limit
2	*	5825.000	46.91	38.80	85.71	54.00	31.71	AVG	No Limit
3		5852.550	22.88	38.87	61.75	116.39	-54.64	peak	
4		5856.280	16.36	38.89	55.25	110.44	-55.19	peak	
5		5916.700	15.24	39.06	54.30	74.34	-20.04	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	51.61	3.13	54.74	74.00	-19.26	peak	
2	*	11650.00	39.65	3.13	42.78	54.00	-11.22	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-3/ TX N20 Mode 5720MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5720.000	69.45	38.52	107.97	110.80	-2.83	peak	No Limit
2 *	5720.000	59.64	38.52	98.16	54.00	44.16	AVG	No Limit
3	5853.835	16.69	38.89	55.58	113.46	-57.88	peak	
4	5857.300	15.14	38.89	54.03	110.16	-56.13	peak	
5	5903.850	15.73	39.02	54.75	83.81	-29.06	peak	
6	5933.850	14.87	39.10	53.97	68.20	-14.23	peak	


Orthogonal Axis :	X
Test Mode :	UNII-3/ TX N20 Mode 5720MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5720.000	54.54	38.52	93.06	110.80	-17.74	peak	No Limit
2	*	5720.000	44.99	38.52	83.51	54.00	29.51	AVG	No Limit
3		5851.275	16.72	38.87	55.59	119.29	-63.70	peak	
4		5865.560	15.01	38.91	53.92	107.84	-53.92	peak	
5		5923.600	15.33	39.07	54.40	69.23	-14.83	peak	
6		5990.775	14.94	39.26	54.20	68.20	-14.00	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5647.280	16.85	38.32	55.17	68.20	-13.03	peak	
2		5691.550	20.14	38.44	58.58	98.95	-40.37	peak	
3		5719.500	31.41	38.52	69.93	110.66	-40.73	peak	
4		5724.335	35.44	38.53	73.97	120.68	-46.71	peak	
5		5745.000	66.18	38.58	104.76	122.20	-17.44	peak	No Limit
6	*	5745.000	57.66	38.58	96.24	54.00	42.24	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	50.54	3.40	53.94	74.00	-20.06	peak	
2	*	11490.00	39.20	3.40	42.60	54.00	-11.40	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5647.805	17.22	38.33	55.55	68.20	-12.65	peak	
2		5678.000	15.10	38.40	53.50	88.92	-35.42	peak	
3		5717.960	16.47	38.51	54.98	110.23	-55.25	peak	
4		5722.835	23.39	38.53	61.92	117.26	-55.34	peak	
5		5745.000	55.08	38.58	93.66	122.20	-28.54	peak	No Limit
6	*	5745.000	46.41	38.58	84.99	54.00	30.99	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	50.49	3.40	53.89	74.00	-20.11	peak	
2	*	11490.00	39.13	3.40	42.53	54.00	-11.47	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5687.775	16.37	38.43	54.80	96.15	-41.35	peak	
2	5718.160	18.08	38.51	56.59	110.28	-53.69	peak	
3	5723.800	17.86	38.53	56.39	119.46	-63.07	peak	
4	5785.000	68.14	38.70	106.84	122.20	-15.36	peak	No Limit
5 *	5785.000	59.75	38.70	98.45	54.00	44.45	AVG	No Limit
6	5852.945	19.23	38.88	58.11	115.49	-57.38	peak	
7	5860.880	15.42	38.90	54.32	109.15	-54.83	peak	
8	5879.650	15.47	38.96	54.43	101.76	-47.33	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	51.86	3.28	55.14	74.00	-18.86	peak	
2	*	11570.00	40.36	3.28	43.64	54.00	-10.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV	Limit dBuV	Over dB	Detector	Comment
1	5689.950	15.63	38.43	54.06	97.76	-43.70	peak	
2	5705.700	16.24	38.48	54.72	106.80	-52.08	peak	
3	5720.415	16.97	38.52	55.49	111.75	-56.26	peak	
4	5785.000	56.35	38.70	95.05	122.20	-27.15	peak	No Limit
5 *	5785.000	48.26	38.70	86.96	54.00	32.96	AVG	No Limit
6	5852.070	16.93	38.87	55.80	117.48	-61.68	peak	
7	5862.940	15.84	38.91	54.75	108.58	-53.83	peak	
8	5881.840	15.92	38.96	54.88	100.14	-45.26	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	50.97	3.28	54.25	74.00	-19.75	peak	
2	*	11570.00	39.86	3.28	43.14	54.00	-10.86	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5825.000	66.19	38.80	104.99	122.20	-17.21	peak	No Limit
2	*	5825.000	58.11	38.80	96.91	54.00	42.91	AVG	No Limit
3		5851.085	33.32	38.87	72.19	119.73	-47.54	peak	
4		5858.240	23.72	38.89	62.61	109.89	-47.28	peak	
5		5880.550	15.78	38.96	54.74	101.09	-46.35	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	52.42	3.13	55.55	74.00	-18.45	peak	
2	*	11650.00	40.19	3.13	43.32	54.00	-10.68	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5825.000	55.12	38.80	93.92	122.20	-28.28	peak	No Limit
2	*	5825.000	46.48	38.80	85.28	54.00	31.28	AVG	No Limit
3		5852.370	22.28	38.87	61.15	116.80	-55.65	peak	
4		5859.300	15.32	38.89	54.21	109.60	-55.39	peak	
5		5915.950	15.00	39.06	54.06	74.90	-20.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	51.66	3.13	54.79	74.00	-19.21	peak	
2	*	11650.00	39.60	3.13	42.73	54.00	-11.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-3/ TX N40 Mode 5710MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5710.000	67.03	38.50	105.53	108.00	-2.47	peak	No Limit
2	*	5710.000	57.45	38.50	95.95	54.00	41.95	AVG	No Limit
3		5852.430	20.35	38.87	59.22	116.66	-57.44	peak	
4		5861.840	18.19	38.91	57.10	108.88	-51.78	peak	
5		5910.000	15.67	39.04	54.71	79.27	-24.56	peak	
6		5960.230	15.16	39.18	54.34	68.20	-13.86	peak	


Orthogonal Axis :	X
Test Mode :	UNII-3/ TX N40 Mode 5710MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5710.000	51.69	38.50	90.19	108.00	-17.81	peak	No Limit
2 *	5710.000	42.23	38.50	80.73	54.00	26.73	AVG	No Limit
3	5852.095	16.39	38.87	55.26	117.42	-62.16	peak	
4	5866.540	15.06	38.92	53.98	107.57	-53.59	peak	
5	5891.100	15.34	38.99	54.33	93.25	-38.92	peak	
6	5961.465	14.85	39.18	54.03	68.20	-14.17	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5688.930	21.58	38.43	60.01	97.01	-37.00	peak	
2	5709.500	25.73	38.49	64.22	107.86	-43.64	peak	
3	5724.925	32.01	38.53	70.54	122.03	-51.49	peak	
4	5755.000	59.54	38.62	98.16	122.20	-24.04	peak	No Limit
5 *	5755.000	51.38	38.62	90.00	54.00	36.00	AVG	No Limit
6	5850.060	18.49	38.87	57.36	122.06	-64.70	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	51.65	3.40	55.05	74.00	-18.95	peak	
2	*	11510.00	39.79	3.40	43.19	54.00	-10.81	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5655.540	15.61	38.34	53.95	72.30	-18.35	peak	
2		5712.780	16.76	38.50	55.26	108.78	-53.52	peak	
3		5724.810	20.32	38.53	58.85	121.77	-62.92	peak	
4		5755.000	48.21	38.62	86.83	122.20	-35.37	peak	No Limit
5	*	5755.000	40.07	38.62	78.69	54.00	24.69	AVG	No Limit
6		5850.285	17.17	38.87	56.04	121.55	-65.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	51.45	3.40	54.85	74.00	-19.15	peak	
2	*	11510.00	39.67	3.40	43.07	54.00	-10.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5697.945	23.16	38.46	61.62	103.68	-42.06	peak	
2		5717.900	23.90	38.51	62.41	110.21	-47.80	peak	
3		5724.875	27.30	38.53	65.83	121.92	-56.09	peak	
4		5795.000	65.18	38.72	103.90	122.20	-18.30	peak	No Limit
5	*	5795.000	56.34	38.72	95.06	54.00	41.06	AVG	No Limit
6		5852.830	28.45	38.88	67.33	115.75	-48.42	peak	
7		5856.900	22.69	38.89	61.58	110.27	-48.69	peak	
8		5880.040	17.81	38.96	56.77	101.47	-44.70	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	51.71	3.25	54.96	74.00	-19.04	peak	
2	*	11590.00	40.43	3.25	43.68	54.00	-10.32	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5696.385	17.04	38.45	55.49	102.52	-47.03	peak	
2	5715.600	16.75	38.50	55.25	109.57	-54.32	peak	
3	5723.995	18.25	38.53	56.78	119.91	-63.13	peak	
4	5795.000	53.32	38.72	92.04	122.20	-30.16	peak	No Limit
5 *	5795.000	44.87	38.72	83.59	54.00	29.59	AVG	No Limit
6	5854.110	18.78	38.89	57.67	112.83	-55.16	peak	
7	5861.760	15.48	38.91	54.39	108.91	-54.52	peak	
8	5879.920	15.80	38.96	54.76	101.56	-46.80	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	51.56	3.25	54.81	74.00	-19.19	peak	
2	*	11590.00	40.13	3.25	43.38	54.00	-10.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-3/ TX AC80 Mode 5690MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5690.000	64.57	38.43	103.00	97.83	5.17	peak	No Limit
2	*	5690.000	54.74	38.43	93.17	54.00	39.17	AVG	No Limit
3		5850.230	20.56	38.87	59.43	121.68	-62.25	peak	
4		5861.760	17.98	38.91	56.89	108.91	-52.02	peak	
5		5890.050	16.99	38.98	55.97	94.03	-38.06	peak	
6		5935.950	15.09	39.11	54.20	68.20	-14.00	peak	

Orthogonal Axis :	X
Test Mode :	UNII-3/ TX AC80 Mode 5690MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5690.000	49.54	38.43	87.97	97.83	-9.86	peak	No Limit
2	*	5690.000	40.17	38.43	78.60	54.00	24.60	AVG	No Limit
3		5853.830	16.46	38.89	55.35	113.47	-58.12	peak	
4		5858.040	14.96	38.89	53.85	109.95	-56.10	peak	
5		5922.400	14.91	39.07	53.98	70.12	-16.14	peak	
6		5945.425	14.65	39.13	53.78	68.20	-14.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		5647.150	16.99	38.32	55.31	68.20	-12.89	peak	
2		5686.150	20.52	38.43	58.95	94.95	-36.00	peak	
3		5718.900	26.67	38.52	65.19	110.49	-45.30	peak	
4		5724.940	28.75	38.53	67.28	122.06	-54.78	peak	
5		5775.000	55.75	38.67	94.42	122.20	-27.78	peak	No Limit
6	*	5775.000	47.00	38.67	85.67	54.00	31.67	AVG	No Limit
7		5850.585	20.96	38.87	59.83	120.87	-61.04	peak	
8		5860.260	17.21	38.90	56.11	109.33	-53.22	peak	
9		5877.450	16.09	38.94	55.03	103.39	-48.36	peak	
10		5954.350	16.25	39.16	55.41	68.20	-12.79	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.00	51.16	3.32	54.48	74.00	-19.52	peak	
2	*	11550.00	40.26	3.32	43.58	54.00	-10.42	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1	5643.175	15.34	38.31	53.65	68.20	-14.55	peak	
2	5675.750	15.88	38.40	54.28	87.26	-32.98	peak	
3	5713.280	16.65	38.50	55.15	108.92	-53.77	peak	
4	5724.530	18.14	38.53	56.67	121.13	-64.46	peak	
5	5775.000	44.59	38.67	83.26	122.20	-38.94	peak	No Limit
6 *	5775.000	35.81	38.67	74.48	54.00	20.48	AVG	No Limit
7	5853.440	17.51	38.89	56.40	114.36	-57.96	peak	
8	5869.640	15.33	38.92	54.25	106.70	-52.45	peak	
9	5877.800	14.54	38.94	53.48	103.13	-49.65	peak	
10	5949.350	14.77	39.14	53.91	68.20	-14.29	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.00	50.51	3.32	53.83	74.00	-20.17	peak	
2	*	11550.00	40.16	3.32	43.48	54.00	-10.52	AVG	