



Test report No. : 4790371368-US-R2-V0  
Page : 1 of 269  
Issued date : 2022/11/9  
FCC ID : RYK-WPEQ268AXB

## RADIO TEST REPORT

**Product** : Wi-Fi 6E BT Half Min PCIe Module  
**Model Name** : WPEQ-268AXI(BT)  
**Series Model** : WPEQ-268AX(BT)  
**FCC ID** : RYK-WPEQ268AXB  
**Test Regulation** : FCC 47 CFR Part 15 Subpart E (Section 15.407)  
**Received Date** : 2022/4/18  
**Test Date** : 2022/4/29 ~ 2022/6/13  
**Issued Date** : 2022/11/9

**Applicant** : SparkLAN Communications, Inc.  
5F, No. 199, Ruihu St., Neihu Dist., Taipei City 114067,  
Taiwan

**Issued By** : Underwriters Laboratories Taiwan Co., Ltd.  
Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd.,  
Zhudong Township, Hsinchu County, Taiwan



The results reported herein have been performed in accordance with the laboratory's terms of accreditation. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report are responsible of the test sample(s) provided by the client only and are not to be used to indicate applicability to other similar products.

### **Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan  
Telephone :+886-2-7737-3000  
Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0





## Table of Contents

<b>1. Attestation of Test Results .....</b>	<b>4</b>
<b>2. Summary of Test Results .....</b>	<b>5</b>
<b>3. Test Methodology and Reference Procedures.....</b>	<b>6</b>
<b>4. Facilities and Accreditation.....</b>	<b>6</b>
<b>5. Measurement Uncertainty .....</b>	<b>7</b>
<b>6. Equipment under Test .....</b>	<b>8</b>
6.1. Description of EUT.....	8
6.2. Channel List.....	11
6.3. Test Condition.....	15
6.4. Description of Available Antennas.....	16
6.5. Test Mode Applicability and Tested Channel Detail.....	17
6.6. Duty cycle .....	22
<b>7. Test Equipment.....</b>	<b>24</b>
<b>8. Description of Test Setup.....</b>	<b>26</b>
<b>9. Test Results.....</b>	<b>27</b>
9.1. 26dB Bandwidth .....	27
9.2. Occupied Bandwidth.....	54
9.3. Transmit Power Measurement .....	81
9.4. Power Spectral Density.....	90
9.5. Frequency Stability .....	107
9.6. Radiated Spurious Emission .....	109
9.7. AC Power Line Conducted Emission .....	232
9.8. In-Band Emission (Mask) Measurement .....	236
9.9. Contention Based Protocol Measurement.....	258

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



## 1. Attestation of Test Results

**APPLICANT:** SparkLAN Communications, Inc.  
5F, No. 199, Ruihu St., Neihu Dist., Taipei City 114067, Taiwan

**MANUFACTURER:** SparkLAN Communications, Inc.  
5F, No. 199, Ruihu St., Neihu Dist., Taipei City 114067, Taiwan

**EUT DESCRIPTION:** Wi-Fi 6E BT Half Min PCIe Module

**BRAND:** SparkLAN

**MODEL:** WPEQ-268AXI(BT)

**SERIES MODEL:** WPEQ-268AX(BT)

**SAMPLE STAGE:** Engineering Verification Test sample

**DATE of TESTED:** 2022/4/29 ~ 2022/6/13

APPLICABLE STANDARDS	
STANDARD	Test Results
FCC 47 CFR PART 15 Subpart E (Section 15.407)	PASS

Underwriters Laboratories Taiwan Co., Ltd. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by Underwriters Laboratories Taiwan Co., Ltd. based on interpretations and/or observations of test results. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

**Note:** The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by Underwriters Laboratories Taiwan Co., Ltd. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by Underwriters Laboratories Taiwan Co., Ltd. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Prepared By:

Cindy Hsin  
Project Handler

Date : 2022/11/9

Approved and Authorized By:

Kent Liu  
Senior Laboratory Engineer

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan  
Telephone : +886-2-7737-3000  
Facsimile (FAX) : +886-3-583-7948



## 2. Summary of Test Results

Summary of Test Results		
FCC Clause	Test Items	Result
15.407(b)(8)	AC Power Conducted Emissions	PASS
15.407(b)(5)(8)	Radiated Emissions	PASS
15.407(b)(6)	In-Band Emission (Mask)	PASS
15.407(a)(4/5/6/7/8)	Max Average Transmit Power	PASS
15.407(a)(10)	Emission Bandwidth Measurement	PASS
15.407(a)(4/5/6/7/8)	Peak Power Spectral Density	PASS
15.407 (d)(6)	Contention-based Protocol.	PASS
15.407(g)	Frequency Stability	PASS
15.407(a)(7)(8)	Dual Client- Proper Power Adjustment	PASS
15.407(d)(5)	Operational restrictions for 6 GHz U-NII devices	PASS
15.203	Antenna Requirement	PASS

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



### 3. Test Methodology and Reference Procedures

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2, KDB 789033 D02 General UNII Test Procedure New Rules v02r01, KDB414788 D01 Radiated Test Site v01r01, ANSI C63.10-2013, KDB 987594 D02 U-NII 6 GHz EMC Measurement v01r01 and KDB 662911 D01 Multiple Transmitter Output v02r01.

### 4. Facilities and Accreditation

<b>Test Location</b>	Underwriters Laboratories Taiwan Co., Ltd.
<b>Address</b>	Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan
<b>Accreditation Certificate</b>	Underwriters Laboratories Taiwan Co., Ltd. is accredited by TAF, Laboratory Code 3398.

#### **Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948



## 5. Measurement Uncertainty

For statement of conformity, accuracy method (Section 8.2.4 and 8.2.5 of ISO Guide 98-4) was applied as decision rule for measurement in this test report.

The following uncertainties have been calculated to provide a confidence level of 95 % using a coverage factor  $k=2$ .

Measurement	Frequency	Uncertainty
Conducted disturbance at mains terminals ports	150kHz ~ 30MHz	$\pm 2.9$ dB
RF Conducted	9 kHz - 40GHz	$\pm 2.4$ dB
Radiated disturbance below 30MHz	9 kHz - 30 MHz	$\pm 1.9$ dB
Radiated disturbance below 1 GHz	30MHz ~ 1GHz	$\pm 5.8$ dB
Radiated disturbance above 1 GHz	1GHz ~ 40GHz	$\pm 4.8$ dB

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



## 6. Equipment under Test

### 6.1. Description of EUT

<b>Product</b>	Wi-Fi 6E BT Half Min PCIe Module	
<b>Brand Name</b>	SparkLAN	
<b>Model Name</b>	WPEQ-268AXI(BT)	
<b>Series Model</b>	WPEQ-268AX(BT)	
<b>Operating Frequency</b>	5.935 ~ 6.415GHz, 6.435 ~ 6.525GHz, 6.525 ~ 6.875GHz, 6.875 ~ 7.115GHz	
<b>Modulation</b>	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK	
<b>Transfer Rate</b>	802.11a: up to 54 Mbps 802.11ax: up to MCS11	
<b>Number of Channel</b>	5925 ~ 6425MHz	25 for 802.11a, 802.11ax (HE20)
		12 for 802.11ax (HE40)
		6 for 802.11ax (HE80)
		3 for 802.11ax (HE160)
	6425 ~ 6525MHz	5 for 802.11a,802.11ax (HE20)
		3 for 802.11ax (HE40)
		2 for 802.11ax (HE80)
		1 for 802.11ax (HE160)
	6525 ~ 6855MHz	17 for 802.11a,802.11ax (HE20)
		8 for 802.11ax (HE40)
		3 for 802.11ax (HE80)
		1 for 802.11ax (HE160)
	6875 ~ 7125MHz	13 for 802.11a,802.11ax (HE20)
		6 for 802.11ax (HE40)
		3 for 802.11ax (HE80)
		2 for 802.11ax (HE160)

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0





<b>Maximum Output Power</b>	<b>Non-Beamforming mode:</b> 5925 ~ 6425MHz: 11.63 dBm 6425 ~ 6525MHz: 10.93 dBm 6525 ~ 6875MHz: 10.92 dBm 6875 ~ 7125MHz: 10.82 dBm
	<b>Beamforming mode:</b> 5925 ~ 6425MHz: 11.56 dBm 6425 ~ 6525MHz: 10.87 dBm 6525 ~ 6875MHz: 10.85 dBm 6875 ~ 7125MHz: 10.65 dBm
<b>Normal Voltage</b>	3.3 Vdc
<b>Sample ID</b>	4862912

Note:

- The models difference table as below:

Model	Difference
WPEQ-268AXI(BT)	Operating Temp -40~+75°C
WPEQ-268AX(BT)	Operating Temp -10~+65°C

- The EUT incorporates a MIMO function. Physically, the EUT provides two completed transmitters and two receivers.

Modulation Mode	Tx,Rx Function
802.11a	2TX,2RX
802.11ax (HE20)	2TX,2RX
802.11ax (HE40)	2TX,2RX
802.11ax (HE80)	2TX,2RX
802.11ax (HE160)	2TX,2RX

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948



3. The EUT contains following accessory devices.

Product	Brand	Model	Description
Antenna 1	SparkLAN	AD-506AX	-
Antenna 2	SparkLAN	AD-501AX	-
Antenna 3	SparkLAN	AD-312N	-
Antenna 4	SparkLAN	AD-509AX	-
Antenna 5	SparkLAN	AD-103AG	-
Antenna 6	SparkLAN	AD-302N	-
Antenna 7	SparkLAN	AD-303N	-
Antenna 8	SparkLAN	AD-315N	-
Antenna 9	SparkLAN	AD-507AX	-
Antenna 10	SparkLAN	AD-508AX	-
I-PEX Cable	SparkLAN	N/A	RP-SMA to I-PEX

4. The above EUT information is declared by manufacturer and for more detailed features description, please refer the manufacturer's or user's manual.

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



## 6.2. Channel List

### FOR 5925 ~ 6425MHz (U-NII-5 band)

25 channels are provided for 802.11a, 802.11ax (HE20):

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
2	5935 MHz	25	6075 MHz	49	6195 MHz	73	6315 MHz
1	5955 MHz	29	6095 MHz	53	6215 MHz	77	6335 MHz
5	5975 MHz	33	6115 MHz	57	6235 MHz	81	6355 MHz
9	5995 MHz	37	6135 MHz	61	6255 MHz	85	6375 MHz
13	6015 MHz	41	6155 MHz	65	6275 MHz	89	6395 MHz
17	6035 MHz	45	6175 MHz	69	6295 MHz	93	6415 MHz
21	6055 MHz	-	-	-	-	-	-

12 channels are provided for 802.11ax (HE40):

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
3	5965 MHz	27	6085 MHz	51	6205 MHz	75	6325 MHz
11	6005 MHz	35	6125 MHz	59	6245 MHz	83	6365 MHz
19	6045 MHz	43	6165 MHz	67	6285 MHz	91	6405 MHz

6 channels are provided for 802.11ax (HE80):

Channel	Frequency	Channel	Frequency	Channel	Frequency
7	5985 MHz	39	6145 MHz	71	6305 MHz
23	6065 MHz	55	6225 MHz	87	6385 MHz

3 channels are provided for 802.11ax (HE160):

Channel	Frequency	Channel	Frequency	Channel	Frequency
15	6025 MHz	47	6185 MHz	79	6345 MHz

## Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948



**FOR 6425 ~ 6525MHz (U-NII-6 band)**

5 channels are provided for 802.11a, 802.11ax (HE20):

Channel	Frequency	Channel	Frequency	Channel	Frequency
97	6435 MHz	105	6475 MHz	113	6515 MHz
101	6455 MHz	109	6495 MHz	-	-

3 channels are provided for 802.11ax (HE40):

Channel	Frequency	Channel	Frequency	Channel	Frequency
99	6445 MHz	107	6485 MHz	*115	6525 MHz

2 channels are provided for 802.11ax (HE80):

Channel	Frequency	Channel	Frequency
103	6465 MHz	*119	6545 MHz

1 channel is provided for 802.11ax (HE160):

Channel	Frequency
*111	6505 MHz



**FOR 6525 ~ 6875MHz (U-NII-7 band)**

17 channels are provided for 802.11a, 802.11ax (HE20):

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
117	6535 MHz	137	6635 MHz	153	6715 MHz	169	6795 MHz
121	6555 MHz	141	6655 MHz	157	6735 MHz	173	6815 MHz
125	6575 MHz	145	6675 MHz	161	6755 MHz	177	6835 MHz
129	6595 MHz	149	6695 MHz	165	6775 MHz	181	6855 MHz
133	6615 MHz	-	-	-	-	-	-

8 channels are provided for 802.11ax (HE40):

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
123	6565 MHz	139	6645 MHz	155	6725 MHz	171	6805 MHz
131	6605 MHz	147	6685 MHz	163	6765 MHz	179	6845 MHz

3 channels are provided for 802.11ax (HE80):

Channel	Frequency	Channel	Frequency	Channel	Frequency
135	6625 MHz	151	6705 MHz	167	6785 MHz

1 channel is provided for 802.11ax (HE160):

Channel	Frequency
143	6665 MHz



**FOR 6875 ~ 7125MHz (U-NII-8 band):**

13 channels are provided for 802.11a, 802.11ax (HE20):

Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
*185	6875 MHz	201	6955 MHz	213	7015 MHz	225	7075 MHz
189	6895 MHz	205	6975 MHz	217	7035 MHz	229	7095 MHz
193	6915 MHz	209	6995 MHz	221	7055 MHz	233	7115 MHz
197	6935 MHz	-	-	-	-	-	-

6 channels are provided for 802.11ax (HE40):

Channel	Frequency	Channel	Frequency	Channel	Frequency
*187	6885 MHz	203	6965 MHz	219	7045 MHz
195	6925 MHz	211	7005 MHz	227	7085 MHz

3 channels are provided for 802.11ax (HE80):

Channel	Frequency	Channel	Frequency	Channel	Frequency
*183	6865 MHz	199	6945 MHz	215	7025 MHz

2 channels are provided for 802.11ax (HE160):

Channel	Frequency	Channel	Frequency
*175	6825 MHz	207	6985 MHz

Note: \* mean this's straddle channel.



### 6.3. Test Condition

Test Item	Test Site No.	Environmental Condition	Input Power	Test Date	Tested by
Antenna Port Conducted Measurement	SR4	23~26°C/ 60~65%RH	3.3Vdc	2022/04/29~ 2022/06/13	Mike Cai
Radiated Spurious Emission	966-2	23~26°C/ 60~65%RH	3.3Vdc	2022/04/29~ 2022/05/24	Mike Cai
AC power Line Conducted Emission	SR1	23~26°C/ 60~65%RH	120Vac/60Hz	2022/05/24~ 2022/05/24	Mike Cai

FCC Test Firm Registration Number: 498077

### Sample Calculation:

#### Antenna Port Conducted Measurement:

- Where relevant, the follow sample calculation is provided:  
Result Value (dBm) = Reading Value (dBm) + Attenuator Factor (dB) + Cable Loss (dB).  
Example: Result Value (10dBm) = Reading Value (-2dBm) + Attenuator Factor (10dB) + Cable Loss(2dB).  
\*Test plot only shown the “Result Value”.

#### Radiated Spurious Emission:

- Where relevant, the follow sample calculation is provided:  
Result Value (dBuV/m) = Reading Value (dBuV) + Correction Factor (dB/m).  
Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Loss (dB) - Preamp Factor (dB).  
Example: Result Value (34.5dBuV/m) = Reading Value (40.1dBm) + Antenna Factor (18.7dB/m) + Cable Loss (4.2dB) - Preamp Factor (28.5dB).

#### AC power Line Conducted Emission:

- Where relevant, the follow sample calculation is provided:  
Result Value (dBuV) = Reading Value (dBuV) + Correction Factor (dB).  
Correction Factor (dB) = Insertion loss(dB) + Cable loss(dB).  
Example: Result Value (53.7dBuV) = Reading Value (35.1dBm) + Insertion loss(18.1dB) + Cable loss(0.5dB).

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan  
Telephone :+886-2-7737-3000  
Facsimile (FAX ) :+886-3-583-7948



#### 6.4. Description of Available Antennas

Ant. No.	Transmitter Circuit	Brand Name	Model Name	Ant. Type	Frequency Band (MHz)	Maximum Gain (dBi)	Remark
1	Chain (0)+(1)	SparkLAN	AD-506AX	Dipole	2400~2483	2.65	I-PEX
					5150~5250	4.35	
					5250~5350	4.35	
					5470~5725	4.35	
					5725~5850	4.81	
					5925~6425	4.98	
					6425~6525	4.85	
					6525~6875	4.79	
					6875~7125	4.82	
2	Chain (0)+(1)	SparkLAN	AD-501AX	Dipole	2400~2483	3.7	RP-SMA
					5150~5850	5	
					5925~7125	5	
4	Chain (0)+(1)	SparkLAN	AD-509AX	Dipole	2400~2483	3.7	I-PEX
					5150~5850	5	
					5925~7125	5	
9	Chain (0)+(1)	SparkLAN	AD-507AX	Dipole	2400~2483	2.67	I-PEX
					5150~5250	4.35	
					5250~5350	3.83	
					5470~5725	4.7	
					5725~5850	4.87	
					5925~6425	4.91	
					6425~6525	4.85	
					6525~6875	4.94	
					6875~7125	4.94	
10	Chain (0)+(1)	SparkLAN	AD-508AX	Dipole	2400~2483	2.67	I-PEX
					5150~5250	4.35	
					5250~5350	3.83	
					5470~5725	4.7	
					5725~5850	4.87	
					5925~6425	4.91	
					6425~6525	4.85	
					6525~6875	4.94	
					6875~7125	4.94	

- Note: 1. The above antenna information was provided from customer and for more detailed features description, please refer the manufacturer's specification or user's manual.  
2. For above antenna connector type: RP-SMA need to be combined with I-PEX cable.

#### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan  
Telephone :+886-2-7737-3000  
Facsimile (FAX ) :+886-3-583-7948





## 6.5. Test Mode Applicability and Tested Channel Detail

- The fundamental of the dipole antenna was investigated in two orthogonal (lay and stand), it was determined that stand mode was worst-case. Therefore, all final radiated testing was performed with the dipole antenna in stand mode.
- For AC power line conducted emissions, the pre-scan has been determined by AC power 120Vac/60Hz (worst case)
- The antennas AD-501AX has the highest gain, the following conducted tests are all carried out using this antenna.
- The antennas AD-501AX/ AD-509AX has the same type and same gain, therefore, the highest fundamental was determined antenna AD-501AX worst-case, the Antenna AD-501AX was selected for the final radiated testing.
- For Antenna Port Conducted Measurement, this item includes all test value of each mode, but only includes spectrum plot of worst value of each mode.
- For below 30MHz testing, investigation was done on three antenna orientations (parallel, perpendicular, and ground-parallel), parallel and perpendicular are the worst orientations, therefore testing was performed on these two orientations only.
- For below 1 GHz radiated emission and AC power line conducted emission have performed all modes of operation were investigated and the worst-case emissions are reported.
- Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates and antenna ports (if EUT with antenna diversity architecture).

### **Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



**Non-Beamforming mode:**

Test Item	Mode	Modulation Technology	Modulation Type	Available Channel	Test Channel	Data Rate
Radiated Emissions (Above 1GHz)	802.11a	5955-6415	OFDM	1 to 93	1, 45, 93	6Mbps
	802.11ax20		OFDMA	1 to 93	1, 45, 93	HE0
	802.11ax40			3 to 91	3, 43, 91	HE0
	802.11ax80			7 to 87	7, 39, 87	HE0
	802.11ax160			15 to 79	15,47,79	HE0
	802.11a	6435-6515	OFDM	97 to 113	97, 105, 113	6Mbps
	802.11ax20		OFDMA	97 to 113	97, 105, 113	HE0
	802.11ax40			99 to 115	99, 107, 115	HE0
	802.11ax80			103 to 119	103, 119	HE0
	802.11ax160			111	111	HE0
	802.11a	6535-6875	OFDM	117 to 181	117, 149, 181	6Mbps
	802.11ax20		OFDMA	117 to 181	117, 149, 181	HE0
	802.11ax40			123 to 179	123, 155, 179	HE0
	802.11ax80			135 to 167	135, 151, 167	HE0
	802.11ax160			143	143	HE0
	802.11a	6875-7115	OFDM	185 to 233	185, 209, 229, 233	6Mbps
	802.11ax20		OFDMA	185 to 233	185, 209, 229, 233	HE0
	802.11ax40			187 to 227	187, 211, 227	HE0
	802.11ax80			183 to 215	183, 199, 215	HE0
	802.11ax160			175 to 207	175, 207	HE0
Radiated Emissions (Below 1GHz)	802.11ax160	5955-6415	OFDMA	15 to 79	15	HE0
AC Power Line Conducted Emission	802.11ax160	5955-6415	OFDMA	15 to 79	15	HE0

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



Test Item	Mode	Modulation Technology	Modulation Type	Available Channel	Test Channel	Data Rate
Antenna Port Conducted Measurement	802.11a	5955-6415	OFDM	1 to 93	1, 45, 93	6Mbps
	802.11ax20		OFDMA	1 to 93	1, 45, 93	HE0
	802.11ax40			3 to 91	3, 43, 91	HE0
	802.11ax80			7 to 87	7, 39, 87	HE0
	802.11ax160			15 to 79	15,47,79	HE0
	802.11a	6435-6515		OFDM	97 to 113	97, 105, 113
	802.11ax20		OFDMA	97 to 113	97, 105, 113	HE0
	802.11ax40			99 to 115	99, 107, 115	HE0
	802.11ax80			103 to 119	103, 119	HE0
	802.11ax160			111	111	HE0
	802.11a	6535-6875		OFDM	117 to 181	117, 149, 181
	802.11ax20		OFDMA	117 to 181	117, 149, 181	HE0
	802.11ax40			123 to 179	123, 155, 179	HE0
	802.11ax80			135 to 167	135, 151, 167	HE0
	802.11ax160			143	143	HE0
	802.11a	6875-7115		OFDM	185 to 233	185, 209, 229, 233
	802.11ax20		OFDMA	185 to 233	185, 209, 229, 233	HE0
	802.11ax40			187 to 227	187, 211, 227	HE0
	802.11ax80			183 to 215	183, 199, 215	HE0
	802.11ax160			175 to 207	175, 207	HE0
Contention Based Protocol Measurement	802.11ax20	5955-6415		OFDMA	1 to 93	45
	802.11ax160		47		47	HE0
	802.11ax20	6435-6515	OFDMA	97 to 113	97	HE0
	802.11ax160			111	111	HE0
	802.11ax20	6535-6875	OFDMA	117 to 181	145	HE0
	802.11ax160			143	143	HE0
	802.11ax20	6875-7115	OFDMA	185 to 233	193	HE0
	802.11ax160			207	207	HE0

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948



Test Item	Mode	Modulation Technology	Modulation Type	Available Channel	Test Channel	Data Rate
Conducted Emissions (Above 1GHz)	802.11a	5955-6415	OFDM	1 to 93	1, 45, 93	6Mbps
	802.11ax20		OFDMA	1 to 93	1, 45, 93	HE0
	802.11ax40			3 to 91	3, 43, 91	HE0
	802.11ax80			7 to 87	7, 39, 87	HE0
	802.11ax160			15 to 79	15,47,79	HE0
	802.11a	6435-6515	OFDM	97 to 113	97, 105, 113	6Mbps
	802.11ax20		OFDMA	97 to 113	97, 105, 113	HE0
	802.11ax40			99 to 115	99, 107, 115	HE0
	802.11ax80			103 to 119	103, 119	HE0
	802.11ax160			111	111	HE0
	802.11a	6535-6875	OFDM	117 to 181	117, 149, 181	6Mbps
	802.11ax20		OFDMA	117 to 181	117, 149, 181	HE0
	802.11ax40			123 to 179	123, 155, 179	HE0
	802.11ax80			135 to 167	135, 151, 167	HE0
	802.11ax160			143	143	HE0
	802.11a	6875-7115	OFDM	185 to 233	185, 209, 229, 233	6Mbps
	802.11ax20		OFDMA	185 to 233	185, 209, 229, 233	HE0
	802.11ax40			187 to 227	187, 211, 227	HE0
	802.11ax80			183 to 215	183, 199, 215	HE0
	802.11ax160			175 to 207	175, 207	HE0
Conducted Emissions (Below 1GHz)	802.11ax160	5955-6415	OFDMA	15 to 79	15	HE0

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



**Beamforming mode:**

Test Item	Mode	Modulation Technology	Modulation Type	Available Channel	Test Channel	Data Rate
Antenna Port Conducted Measurement	802.11ax20	5955-6415	OFDMA	1 to 93	1, 45, 93	HE0
	802.11ax40			3 to 91	3, 43, 91	HE0
	802.11ax80			7 to 87	7, 39, 87	HE0
	802.11ax160			15 to 79	15,47,79	HE0
	802.11ax20	6435-6515	OFDMA	97 to 113	97, 105, 113	HE0
	802.11ax40			99 to 115	99, 107, 115	HE0
	802.11ax80			103 to 119	103, 119	HE0
	802.11ax160			111	111	HE0
	802.11ax20	6535-6875	OFDMA	117 to 181	117, 149, 181	HE0
	802.11ax40			123 to 179	123, 155, 179	HE0
	802.11ax80			135 to 167	135, 151, 167	HE0
	802.11ax160			143 to 175	143,175	HE0
	802.11ax20	6875-7115	OFDMA	185 to 233	185, 209, 229, 233	HE0
	802.11ax40			187 to 227	187, 211, 227	HE0
	802.11ax80			183 to 215	183, 199, 215	HE0
	802.11ax160			207	207	HE0

\*Note : The worse spurious emissions test and maximum output power was found in Non-Beamforming mode. Therefore Beamforming mode only the test data of the RF output power were recorded in this report.

**Simultaneously transmission condition:**

Condition	Technology	
1	WLAN (2.4GHz)	WLAN (6GHz)
2	BT-GFSK	WLAN (6GHz)

Note: The emission of the simultaneous operation has been evaluated and no non-compliance was found.

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948



## 6.6. Duty cycle

Mode	On Time(ms)	On+Off Time(ms)	Duty Cycle	Duty Factor(dB)	VBW(for AV at Freq above 1GHz)
802.11a	1.97	1.995	0.987	N/A	10Hz
802.11ax(HE20)	5.34	5.378	0.993	N/A	10Hz
802.11ax(HE40)	4.77	4.845	0.985	N/A	10Hz
802.11ax(HE80)	2.51	2.565	0.979	0.094	510Hz
802.11ax(HE160)	2.2	2.225	0.989	N/A	10Hz


### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0





## 7. Test Equipment

Test Equipment List					
Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Expired date
Radiated Spurious Emission					
Spectrum Analyzer	Keysight	N9010A	MY56070827	2021/11/9	2022/11/8
EMI Test Receiver	Rohde & Schwarz	ESR7	101754	2021/12/10	2022/12/9
Loop Antenna	ETS lindgren	6502	00213440	2021/12/23	2022/12/22
Trilog-Broadband Antenna with 5dB Attenuator	Schwarzbeck & EMCI	VULB 9168 & N-6-05	774 & AT-N0538	2022/2/8	2023/2/7
Horn Antenna (1-18 GHz)	Schwarzbeck	BBHA 9120 D	01690	2021/12/13	2022/12/12
Horn Antenna (18-40 GHz)	Schwarzbeck	BBHA 9170	781	2021/12/17	2022/12/16
Preamplifier (30-1000 MHz)	EMCI	EMC330E	980405	2021/6/8	2022/6/7
Preamplifier (1-18 GHz)	EMCI	EMC051835BE	980406	2022/2/16	2023/2/15
Preamplifier (18-40GHz)	EMCI	EMC184040SEE	980426	2021/5/19	2022/5/18
				2022/5/17	2023/5/16
Cables	Hanyitek	K1K50-UP0264-K1K50-2500	170214-4 & 170425-2	2021/12/3	2022/12/2
Cables	Hanyitek	K1K50-UP0264-K1K50-2500	170214-1 & 170214-2	2021/12/3	2022/12/2

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0





Test report No. : 4790371368-US-R2-V0  
Page : 25 of 269  
Issued date : 2022/11/9  
FCC ID : RYK-WPEQ268AXB

Test Equipment List					
Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Expired date
Antenna Port Conducted Measurement					
Spectrum Analyzer	Keysight	N9010A	MY56070834	2021/10/29	2022/10/28
Attenuator	EMCI	EMC-40ATK2W10	17002	2021/12/13	2022/12/12
USB Power Sensor	Anritsu	MA24408A	12031	2022/3/23	2023/3/22
Temperature & Humidity Test Chamber	GIANT FORCE	GTH-150-40-CP-AR	MAA1701-010	2022/3/11	2023/3/10
AC power Line Conducted Emission					
EMI Test Receiver	Rohde & Schwarz	ESR7	101753	2021/11/15	2022/11/14
Two-Line V-Network	Rohde & Schwarz	ENV216	102136	2021/8/30	2022/8/29
Impuls-Begrenzer Pulse Limiter	Rohde & Schwarz	ESH3-Z2	102219-Qt	2021/8/26	2022/8/25
Cables	TITAN	CFD200	T0732ACFD20 020A300-1	2022/3/16	2023/3/15
Contention Based Protocol Measurement					
Spectrum Analyzer	Keysight	N9010A	MY56070834	2021/10/29	2022/10/28
Signal Generator	Keysight	N5182B	MY57300028	2021/11/14	2022/11/13

UL Software		
Description	Name	Version
Radiated measurement	e3	6.191211 (V6)
Conducted measurement	RF Conducted Test Tools	ver 2.4.0.620b
AC power Line Conducted Emission	EZ_EMG	UL-3A1.2

### Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0988 / 1.0



## 8. Description of Test Setup


### Support Equipment

ID	Equipment	Brand Name	Model Name	S/N	Remark
A	Laptop	Dell	Latitude E6430	2MMN3X1	Provide by lab
B	Mini PCI-E to ExpressCard board	N/A	N/A	N/A	Provide by lab

### Test Setup

Controlled using a bespoke application (QSPR\_Version 5.0-00197) on a test Notebook. The application was used to enable a continuous transmission mode and to select the test channels, data rates, modulation schemes and power setting as required.

### Setup Diagram for Test



-----  
**Under Table**

-----  
**Remote Site**

### **Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0988 / 1.0




## 9. Test Results

### 9.1. 26dB Bandwidth

#### Test procedure

- Set RBW = approximately 1% of the emission bandwidth.
- Set the VBW > RBW.
- Detector = Peak.
- Trace mode = max hold.
- Measure the maximum width of the emission that is 26 dB down from the peak of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

#### Test Setup



The loss between RF output port of the EUT and the input port of the Spectrum Analyzer has been taken into consideration.



### Test Data

Mode	CH	Freq (MHz)	26dB BW (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
802.11a	2	5935	19.07	18.893	320	Pass
	1	5955	19.709	18.761	320	Pass
	45	6175	18.815	18.99	320	Pass
	93	6415	19.083	19.144	320	Pass
	97	6435	18.792	18.674	320	Pass
	105	6475	19.254	18.712	320	Pass
	113	6515	18.642	18.706	320	Pass
	117	6535	18.806	18.777	320	Pass
	149	6695	19	18.921	320	Pass
	181	6855	19.294	18.72	320	Pass
	185	6875	18.818	19.066	320	Pass
	209	6995	19.013	18.925	320	Pass
	229	7095	18.92	18.986	320	Pass
	233	7115	18.893	18.893	320	Pass


### **Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0










**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948





**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948



Mode	CH	Freq (MHz)	26dB BW (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
802.11ax(HE20)	2	5935	20.734	20.609	320	Pass
	1	5955	20.396	20.574	320	Pass
	45	6175	20.658	20.79	320	Pass
	93	6415	20.573	20.59	320	Pass
	97	6435	20.865	20.425	320	Pass
	105	6475	20.341	20.437	320	Pass
	113	6515	20.283	20.525	320	Pass
	117	6535	20.515	20.765	320	Pass
	149	6695	20.606	20.687	320	Pass
	181	6855	20.567	20.377	320	Pass
	185	6875	20.653	20.491	320	Pass
	209	6995	20.509	20.837	320	Pass
	229	7095	20.143	20.558	320	Pass
	233	7115	20.301	20.504	320	Pass


**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000


Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0










**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948



**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948



Mode	CH	Freq (MHz)	26dB BW (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
802.11ax(HE40)	3	5965	40.348	40.749	320	Pass
	43	6165	40.216	40.117	320	Pass
	91	6405	40.556	40.595	320	Pass
	99	6445	40.134	39.709	320	Pass
	107	6485	40.152	40.006	320	Pass
	115	6525	40.155	39.558	320	Pass
	123	6565	39.989	40.956	320	Pass
	155	6725	39.902	39.897	320	Pass
	179	6845	40.167	40.125	320	Pass
	187	6885	39.949	39.728	320	Pass
	211	7005	40.32	40.452	320	Pass
	227	7085	40.033	40.086	320	Pass

**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0






**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948





**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948







Mode	CH	Freq (MHz)	26dB BW (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
802.11ax(HE80)	7	5985	81.183	80.647	320	Pass
	39	6145	81.2	80.308	320	Pass
	87	6385	82.13	80.295	320	Pass
	103	6465	81.392	81.457	320	Pass
	119	6545	81.853	81.307	320	Pass
	135	6625	81.337	82.208	320	Pass
	151	6705	81.068	81.754	320	Pass
	167	6785	81.399	83.313	320	Pass
	183	6865	81.646	82.14	320	Pass
	199	6945	81.408	82.137	320	Pass
	215	7025	81.227	80.447	320	Pass


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0




**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0988 / 1.0




**Underwriters Laboratories Taiwan Co., Ltd.**


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948









Mode	CH	Freq (MHz)	26dB BW (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
802.11ax(HE160)	15	6025	163.427	166.253	320	Pass
	47	6185	163.756	163.677	320	Pass
	79	6345	163.025	163.461	320	Pass
	111	6505	163.159	163.419	320	Pass
	143	6665	162.364	163.595	320	Pass
	175	6825	164.979	163.215	320	Pass
	207	6985	164.673	164.103	320	Pass

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: 17-EM-F0988 / 1.0