




Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.840	68.42	-3.77	64.65	74.00	-9.35	100	340	peak
2	2389.840	52.15	-3.77	48.38	54.00	-5.62	100	340	AVG



Band Edges (IEEE 802.11b mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.665	73.91	-3.27	70.64	74.00	-3.36	100	218	peak
2	2483.665	55.17	-3.27	51.90	54.00	-2.10	100	218	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.533	70.43	-3.27	67.16	74.00	-6.84	100	34	peak
2	2483.533	55.08	-3.27	51.81	54.00	-2.19	100	34	AVG



Band Edges (IEEE 802.11g mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.760	76.68	-3.77	72.91	74.00	-1.09	100	244	peak
2	2389.760	54.60	-3.77	50.83	54.00	-3.17	100	244	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2390.000	71.13	-3.77	67.36	74.00	-6.64	100	189	peak
2	2390.000	50.18	-3.77	46.41	54.00	-7.59	100	189	AVG



Band Edges (IEEE 802.11g mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.533	75.30	-3.27	72.03	74.00	-1.97	100	277	peak
2	2483.533	50.89	-3.27	47.62	54.00	-6.38	100	277	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.979	67.64	-3.27	64.37	74.00	-9.63	100	42	peak
2	2483.979	47.55	-3.27	44.28	54.00	-9.72	100	42	AVG



Band Edges (IEEE 802.11n HT 20 MHz mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2390.000	76.32	-3.77	72.55	74.00	-1.45	100	209	peak
2	2390.000	53.10	-3.77	49.33	54.00	-4.67	100	209	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.280	67.97	-3.78	64.19	74.00	-9.81	100	306	peak
2	2389.280	49.65	-3.78	45.87	54.00	-8.13	100	306	AVG



Band Edges (IEEE 802.11n HT 20 MHz mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2484.077	75.57	-3.27	72.30	74.00	-1.70	100	247	peak
2	2484.077	52.93	-3.27	49.66	54.00	-4.34	100	247	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.747	71.32	-3.27	68.05	74.00	-5.95	100	57	peak
2	2483.747	52.82	-3.27	49.55	54.00	-4.45	100	57	AVG



Band Edges (IEEE 802.11n HT 40 MHz mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2386.720	75.23	-3.80	71.43	74.00	-2.57	100	71	peak
2	2386.720	56.63	-3.80	52.83	54.00	-1.17	100	71	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2390.000	71.44	-3.77	67.67	74.00	-6.33	100	103	peak
2	2390.000	56.03	-3.77	52.26	54.00	-1.74	100	103	AVG



Band Edges (IEEE 802.11n HT 40 MHz mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.880	74.75	-3.27	71.48	74.00	-2.52	100	204	peak
2	2483.880	54.79	-3.27	51.52	54.00	-2.48	100	204	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2485.975	69.94	-3.25	66.69	74.00	-7.31	100	60	peak
2	2485.975	53.03	-3.25	49.78	54.00	-4.22	100	60	AVG



For Dipole Antenna

Band Edges (IEEE 802.11b mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2390.000	66.08	-3.77	62.31	74.00	-11.69	100	200	peak
2	2390.000	52.62	-3.77	48.85	54.00	-5.15	100	200	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.760	70.52	-3.77	66.75	74.00	-7.25	100	240	peak
2	2389.760	55.45	-3.77	51.68	54.00	-2.32	100	240	AVG



Band Edges (IEEE 802.11b mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.500	65.93	-3.27	62.66	74.00	-11.34	100	291	peak
2	2483.500	52.86	-3.27	49.59	54.00	-4.41	100	291	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2484.028	67.87	-3.27	64.60	74.00	-9.40	100	302	peak
2	2484.028	54.59	-3.27	51.32	54.00	-2.68	100	302	AVG



Band Edges (IEEE 802.11g mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.840	70.78	-3.77	67.01	74.00	-6.99	100	335	peak
2	2389.840	49.44	-3.77	45.67	54.00	-8.33	100	335	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.680	74.94	-3.77	71.17	74.00	-2.83	100	9	peak
2	2389.680	53.60	-3.77	49.83	54.00	-4.17	100	9	AVG



Band Edges (IEEE 802.11g mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.615	63.61	-3.27	60.34	74.00	-13.66	100	303	peak
2	2483.615	44.10	-3.27	40.83	54.00	-13.17	100	303	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.780	71.94	-3.27	68.67	74.00	-5.33	100	148	peak
2	2483.780	51.47	-3.27	48.20	54.00	-5.80	100	148	AVG



Band Edges (IEEE 802.11n HT 20 MHz mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.680	66.48	-3.77	62.71	74.00	-11.29	100	107	peak
2	2389.680	46.70	-3.77	42.93	54.00	-11.07	100	107	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2389.360	76.21	-3.78	72.43	74.00	-1.57	100	155	peak
2	2389.360	54.26	-3.78	50.48	54.00	-3.52	100	155	AVG



Band Edges (IEEE 802.11n HT 20 MHz mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2484.012	68.76	-3.27	65.49	74.00	-8.51	100	152	peak
2	2484.012	47.10	-3.27	43.83	54.00	-10.17	100	152	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2483.582	75.49	-3.27	72.22	74.00	-1.78	100	34	peak
2	2483.582	52.83	-3.27	49.56	54.00	-4.44	100	34	AVG



Band Edges (IEEE 802.11n HT 40 MHz mode / CH Low)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2386.560	61.03	-3.80	57.23	74.00	-16.77	100	141	peak
2	2386.560	47.26	-3.80	43.46	54.00	-10.54	100	141	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2386.160	74.25	-3.80	70.45	74.00	-3.55	100	0	peak
2	2386.160	56.33	-3.80	52.53	54.00	-1.47	100	0	AVG



Band Edges (IEEE 802.11n HT 40 MHz mode / CH High)


Polarity: Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2485.827	63.03	-3.25	59.78	74.00	-14.22	100	118	peak
2	2485.827	47.01	-3.25	43.76	54.00	-10.24	100	118	AVG



Polarity: Horizontal




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2484.704	75.37	-3.26	72.11	74.00	-1.89	100	111	peak
2	2484.704	55.23	-3.26	51.97	54.00	-2.03	100	111	AVG



Test Plot


Conducted Band Edges (IEEE 802.11b mode / CH Low)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2399.0000	-31.25	-8.98	-22.27
2	2414.0000	11.02	-8.98	20.00




Conducted Band Edges (IEEE 802.11b mode / CH High)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2460.5000	13.30	-6.70	20.00
2	2487.0000	-41.85	-6.70	-35.15




Conducted Band Edges (IEEE 802.11g mode / CH Low)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2398.8750	-31.05	-15.62	-15.43
2	2410.7500	4.38	-15.62	20.00




Conducted Band Edges (IEEE 802.11g mode / CH High)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2460.7500	4.52	-15.48	20.00
2	2483.6250	-45.40	-15.48	-29.92




Conducted Band Edges (IEEE 802.11n HT 20 MHz mode / CH Low / chain 0)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2399.7500	-27.52	-13.61	-13.91
2	2410.7500	6.39	-13.61	20.00




Conducted Band Edges (IEEE 802.11n HT 20 MHz mode / CH High / chain 0)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2463.2500	4.90	-15.10	20.00
2	2484.8750	-43.33	-15.10	-28.23




Conducted Band Edges (IEEE 802.11n HT 20 MHz mode / CH Low / chain 1)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2398.1250	-24.94	-13.64	-11.30
2	2410.7500	6.36	-13.64	20.00




Conducted Band Edges (IEEE 802.11n HT 20 MHz mode / CH High / chain 1)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2460.7500	4.69	-15.31	20.00
2	2483.8750	-38.94	-15.31	-23.63



Conducted Band Edges (IEEE 802.11n HT 40 MHz mode / CH Low / chain 0)



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2400.0000	-38.39	-22.83	-15.56
2	2419.5000	-2.83	-22.83	20.00