




N77(80M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N77(80M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N77(80M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N77(80M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N77(90M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N77(90M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N77(90M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N77(90M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N77(100M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N77(100M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N77(100M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N77(100M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	CP-OFDM QPSK	1@0	see graph	---
77	30	10	647000	3705.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	CP-OFDM QPSK	1@0	see graph	---
77	30	10	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	CP-OFDM QPSK	1@0	see graph	---
77	30	10	665000	3975.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	CP-OFDM QPSK	1@0	see graph	---
77	30	50	648334	3725.01	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	CP-OFDM QPSK	1@0	see graph	---
77	30	50	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	CP-OFDM QPSK	1@0	see graph	---
77	30	50	663666	3954.99	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	see graph	---
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	see graph	PASS

77	30	100	656000	3840.0	CP-OFDM QPSK	1@0	see graph	---
77	30	100	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	1@0	see graph	---
77	30	100	662000	3930.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	1@0	see graph	PASS


N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH




N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_Mid_CH



N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH



N77(100M)_CP- OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	CP-OFDM QPSK	24@0	see graph	PASS
77	30	10	665000	3975.0	CP-OFDM QPSK	1@23	see graph	PASS
77	30	10	665000	3975.0	CP-OFDM QPSK	24@0	see graph	PASS
77	30	50	648334	3725.01	CP-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	CP-OFDM QPSK	133@0	see graph	PASS
77	30	50	663666	3954.99	CP-OFDM QPSK	1@132	see graph	PASS
77	30	50	663666	3954.99	CP-OFDM QPSK	133@0	see graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	273@0	see graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	273@0	see graph	PASS

N77(10M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_CP- OFDM_QPSK_Outer_Full_Low_CH




N77(10M)_CP- OFDM_QPSK_Edge_1RB_Right_High_CH




N77(10M)_CP- OFDM_QPSK_Outer_Full_High_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_CP- OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PA SS




N77(50M)_CP-
OFDM_QPSK_Outer_Full_Low_CH




N77(50M)_CP-
OFDM_QPSK_Edge_1RB_Right_High_CH




N77(50M)_CP-
OFDM_QPSK_Outer_Full_High_CH




N77(100M)_CP-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_CP-
OFDM_QPSK_Outer_Full_Low_CH



N77(100M)_CP-
OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_CP- OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Zhaohui Liang	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test and record in the report.

SA n2 / NR 20MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3741	-52.11	-13	-39.11	-64.37	2.64	14.90	H
	5613	-51.39	-13	-38.39	-63.25	2.94	14.80	H
	7488	-51.99	-13	-38.99	-61.76	3.39	13.16	H
	3741	-54.29	-13	-41.29	-66.55	2.64	14.90	V
	5613	-49.59	-13	-36.59	-61.45	2.94	14.80	V
	7488	-52.23	-13	-39.23	-62.00	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_13A_n2A / LTE 10MHz + NR 20MHz / QPSK / ANT0(LTE) & ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3741	-55.72	-13	-42.72	-67.98	2.64	14.90	H
	5613	-54.27	-13	-41.27	-66.13	2.94	14.80	H
	7488	-52.08	-13	-39.08	-61.85	3.39	13.16	H
	3741	-56.07	-13	-43.07	-68.33	2.64	14.90	V
	5613	-55.05	-13	-42.05	-66.91	2.94	14.80	V
	7488	-51.99	-13	-38.99	-61.76	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n5 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-58.43	-13	-45.43	-61.67	1.11	6.50	H
	2480	-58.20	-13	-45.20	-60.82	1.43	6.20	H
	3312	-57.32	-13	-44.32	-61.76	1.71	8.30	H
	1656	-61.23	-13	-48.23	-64.47	1.11	6.50	V
	2480	-54.98	-13	-41.98	-57.60	1.43	6.20	V
	3312	-59.60	-13	-46.60	-64.04	1.71	8.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_48A_n5A / LTE 10MHz + NR 20MHz / QPSK / ANT1(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-60.93	-13	-47.93	-64.17	1.11	6.50	H
	2480	-57.89	-13	-44.89	-60.51	1.43	6.20	H
	3312	-58.59	-13	-45.59	-63.03	1.71	8.30	H
	1656	-57.64	-13	-44.64	-60.88	1.11	6.50	V
	2480	-53.61	-13	-40.61	-56.23	1.43	6.20	V
	3312	-59.47	-13	-46.47	-63.91	1.71	8.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n66 / NR 40MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-52.92	-13	-39.92	-63.66	2.604	13.34	H
	5178	-40.28	-13	-27.28	-50.79	3.011	13.52	H
	6912	-53.66	-13	-40.66	-63.86	3.271	13.47	H
	3453	-55.27	-13	-42.27	-66.01	2.604	13.34	V
	5178	-45.09	-13	-32.09	-55.60	3.011	13.52	V
	6912	-54.20	-13	-41.20	-64.40	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_13A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT0(LTE) & ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-56.60	-13	-43.60	-67.34	2.604	13.34	H
	5175	-54.83	-13	-41.83	-65.34	3.011	13.52	H
	6915	-53.98	-13	-40.98	-64.18	3.271	13.47	H
	3450	-57.77	-13	-44.77	-68.51	2.604	13.34	V
	5175	-55.00	-13	-42.00	-65.51	3.011	13.52	V
	6915	-54.09	-13	-41.09	-64.29	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_2A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT1(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-48.28	-13	-35.28	-59.02	2.604	13.34	H
	5181	-38.78	-13	-25.78	-49.29	3.011	13.52	H
	6912	-53.90	-13	-40.90	-64.10	3.271	13.47	H
	3453	-44.73	-13	-31.73	-55.47	2.604	13.34	V
	5181	-35.51	-13	-22.51	-46.02	3.011	13.52	V
	6912	-53.60	-13	-40.60	-63.80	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n77 / NR 100MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	7584	-39.46	-13	-26.46	-49.94	2.76	13.24	H
	11376	-55.80	-13	-42.80	-65.39	3.42	13.01	H
	15180	-58.77	-13	-45.77	-68.38	3.83	13.44	H
	7584	-42.48	-13	-29.48	-52.92	2.80	13.24	V
	11376	-59.36	-13	-46.36	-68.91	3.46	13.01	V
	15180	-58.18	-13	-45.18	-67.74	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_13A_n77A / LTE 10MHz + NR 100MHz / QPSK / ANT0(LTE) & ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	7590	-62.75	-13	-49.75	-73.23	2.76	13.24	H
	11388	-60.66	-13	-47.66	-70.25	3.42	13.01	H
	15180	-59.35	-13	-46.35	-68.96	3.83	13.44	H
	7590	-62.86	-13	-49.86	-73.30	2.80	13.24	V
	11388	-60.83	-13	-47.83	-70.38	3.46	13.01	V
	15180	-59.49	-13	-46.49	-69.05	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n77 UL MIMO / NR 100MHz / QPSK / ANT1(NR) & ANT2(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	7590	-63.15	-13	-50.15	-73.63	2.76	13.24	H
	11388	-60.90	-13	-47.90	-70.49	3.42	13.01	H
	15180	-60.14	-13	-47.14	-69.75	3.83	13.44	H
	7590	-63.07	-13	-50.07	-73.51	2.80	13.24	V
	11388	-60.85	-13	-47.85	-70.40	3.46	13.01	V
	15180	-60.16	-13	-47.16	-69.72	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.