


Appendix C: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_BLE

Band Edges, 2.31GHz ~ 2.9GHz




BLE_1M

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2369.94 | 40.91 | 3.39 | 37.52 | 54.00 | -13.09 | 316 | 105 Average | Horizontal |
| 2 * | 2402.00 | 100.88 | 63.28 | 37.62 | 54.00 | 46.88 | 316 | 105 Average | Horizontal |
| 3 | 2636.27 | 41.03 | 2.84 | 38.19 | 54.00 | -12.97 | 316 | 105 Average | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2369.94 | 39.82 | 2.54 | 37.28 | 54.00 | -14.18 | 100 | 103 Average | Vertical |
| 2 * | 2402.00 | 97.30 | 59.98 | 37.32 | 54.00 | 43.30 | 100 | 103 Average | Vertical |
| 3 | 2649.96 | 41.13 | 3.23 | 37.90 | 54.00 | -12.87 | 100 | 103 Average | Vertical |


BLE_1M

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | cm | deg | | | |
| 1 | 2332.66 | 53.93 | 16.52 | 37.41 | 74.00 | -20.07 | 129 | 153 | Peak | Horizontal | | |
| 2 * | 2488.00 | 104.87 | 67.28 | 37.59 | 74.00 | 30.87 | 129 | 153 | Peak | Horizontal | | |
| 3 | 2483.81 | 58.39 | 20.82 | 37.57 | 74.00 | -15.61 | 129 | 153 | Peak | Horizontal | | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | cm | deg | | | |
| 1 | 2365.46 | 53.98 | 16.71 | 37.27 | 74.00 | -20.02 | 128 | 104 | Peak | Vertical | | |
| 2 * | 2488.00 | 102.56 | 64.87 | 37.69 | 74.00 | 28.56 | 128 | 104 | Peak | Vertical | | |
| 3 | 2483.58 | 56.59 | 18.88 | 37.71 | 74.00 | -17.41 | 128 | 104 | Peak | Vertical | | |


BLE_1M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|---------|------------|------|
| 1 | 2352.01 | 40.38 | 2.92 | 37.46 | 54.00 | -13.62 | 129 | 153 | Average | Horizontal | |
| 2 * | 2480.00 | 97.88 | 60.29 | 37.59 | 54.00 | 43.88 | 129 | 153 | average | Horizontal | |
| 3 | 2483.46 | 42.22 | 4.64 | 37.58 | 54.00 | -11.78 | 129 | 153 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|---------|-----------|------|
| 1 | 2351.89 | 39.74 | 2.48 | 37.26 | 54.00 | -14.26 | 128 | 104 | Average | Vertical | |
| 2 * | 2480.00 | 95.85 | 58.16 | 37.69 | 54.00 | 41.85 | 128 | 104 | Average | Vertical | |
| 3 | 2483.58 | 41.57 | 3.86 | 37.71 | 54.00 | -12.43 | 128 | 104 | Average | Vertical | |


BLE_2M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.77 | 55.31 | 17.73 | 37.58 | 74.00 | -18.69 | 317 | 103 | Peak | Horizontal | |
| 2 * | 2482.00 | 107.88 | 70.28 | 37.62 | 74.00 | 33.88 | 317 | 103 | Peak | Horizontal | |
| 3 | 2486.76 | 55.77 | 18.21 | 37.56 | 74.00 | -18.23 | 317 | 103 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2385.76 | 53.11 | 15.81 | 37.30 | 74.00 | -20.89 | 100 | 105 | Peak | Vertical | |
| 2 * | 2482.00 | 104.37 | 67.85 | 37.32 | 74.00 | 30.37 | 100 | 105 | Peak | Vertical | |
| 3 | 2823.65 | 55.21 | 17.00 | 38.21 | 74.00 | -18.79 | 100 | 105 | Peak | Vertical | |


BLE_2M

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.65 | 48.63 | 3.05 | 37.58 | 54.00 | -13.37 | 317 | 103 Average | Horizontal |
| 2 * | 2482.00 | 96.51 | 58.89 | 37.62 | 54.00 | 42.51 | 317 | 103 Average | Horizontal |
| 3 | 2638.51 | 41.05 | 2.86 | 38.19 | 54.00 | -12.95 | 317 | 103 Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2390.00 | 39.73 | 2.43 | 37.30 | 54.00 | -14.27 | 100 | 105 Average | Vertical |
| 2 * | 2482.00 | 93.64 | 56.32 | 37.32 | 54.00 | 39.64 | 100 | 105 Average | Vertical |
| 3 | 2794.86 | 40.91 | 2.75 | 38.16 | 54.00 | -13.09 | 100 | 105 Average | Vertical |



BLE_2M

High Channel (Horizontal) Peak

High Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2372.38 | 53.34 | 15.82 | 37.52 | 74.00 | -20.66 | 100 | 76 | Peak | Horizontal | | |
| 2 * | 2480.00 | 103.54 | 65.95 | 37.59 | 74.00 | 29.54 | 100 | 76 | Peak | Horizontal | | |
| 3 | 2483.58 | 59.75 | 22.17 | 37.58 | 74.00 | -14.25 | 100 | 76 | Peak | Horizontal | | |

| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2357.32 | 53.14 | 15.88 | 37.26 | 74.00 | -20.86 | 378 | 200 | Peak | Vertical | | |
| 2 * | 2480.00 | 103.23 | 65.54 | 37.69 | 74.00 | 29.23 | 378 | 200 | Peak | Vertical | | |
| 3 | 2483.46 | 60.59 | 22.88 | 37.71 | 74.00 | -13.41 | 378 | 200 | Peak | Vertical | | |


BLE_2M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2352.01 | 39.91 | 2.45 | 37.46 | 54.00 | -14.09 | 100 | 76 | Average | Horizontal | |
| 2 * | 2480.00 | 92.74 | 55.15 | 37.59 | 54.00 | 38.74 | 100 | 76 | average | Horizontal | |
| 3 | 2483.46 | 44.54 | 6.96 | 37.58 | 54.00 | -9.46 | 100 | 76 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2352.01 | 39.97 | 2.71 | 37.26 | 54.00 | -14.03 | 378 | 200 | Average | Vertical | |
| 2 * | 2480.00 | 92.36 | 54.67 | 37.69 | 54.00 | 38.36 | 378 | 200 | Average | Vertical | |
| 3 | 2483.46 | 44.28 | 6.57 | 37.71 | 54.00 | -9.72 | 378 | 200 | Average | Vertical | |

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

Low Channel (Open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 61.56 | 43.85 | 17.71 | 127.60 | -66.04 | 100 | 48 QP | Open |
| 2 | 0.03 | 59.14 | 39.96 | 19.18 | 119.18 | -60.04 | 100 | 31 QP | Open |
| 3 | 0.06 | 73.73 | 54.68 | 19.05 | 111.78 | -38.05 | 100 | 160 QP | Open |
| 4 | 0.06 | 60.58 | 41.59 | 18.99 | 111.38 | -50.80 | 100 | 117 QP | Open |
| 5 | 0.12 | 61.02 | 42.72 | 18.30 | 105.76 | -44.74 | 100 | 162 QP | Open |
| 6 | 0.13 | 50.99 | 32.67 | 18.32 | 105.36 | -54.37 | 100 | 116 QP | Open |



TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.10 | 63.06 | 44.56 | 18.50 | 102.50 | -39.44 | 100 | 151 QP | Open |
| 2 | 0.30 | 60.83 | 41.98 | 18.83 | 98.08 | -37.25 | 100 | 114 QP | Open |
| 3 | 0.54 | 57.34 | 38.38 | 18.96 | 72.99 | -15.65 | 100 | 148 QP | Open |
| 4 | 1.08 | 49.64 | 30.38 | 19.26 | 66.97 | -17.33 | 100 | 148 QP | Open |
| 5 | 1.61 | 45.21 | 25.88 | 19.33 | 63.45 | -18.24 | 100 | 156 QP | Open |
| 6 | 2.15 | 41.54 | 22.15 | 19.39 | 69.50 | -27.96 | 100 | 155 QP | Open |


BLE_1M

Low Channel (Close) 9kHz~150kHz

Low Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 50.74 | 33.03 | 17.71 | 127.60 | -76.86 | 100 | 81 QP | Close |
| 2 | 0.03 | 59.29 | 40.11 | 19.18 | 119.18 | -59.89 | 100 | 107 QP | Close |
| 3 | 0.06 | 67.69 | 48.64 | 19.05 | 111.78 | -44.09 | 100 | 123 QP | Close |
| 4 | 0.06 | 57.52 | 38.53 | 18.99 | 111.38 | -53.86 | 100 | 44 QP | Close |
| 5 | 0.12 | 54.77 | 36.47 | 18.30 | 105.76 | -50.99 | 100 | 130 QP | Close |
| 6 | 0.13 | 48.40 | 30.08 | 18.32 | 105.37 | -56.97 | 100 | 154 QP | Close |




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.10 | 56.44 | 37.94 | 18.50 | 102.50 | -46.06 | 100 | 126 QP | Close |
| 2 | 0.30 | 58.25 | 39.32 | 18.93 | 98.08 | -39.83 | 100 | 156 QP | Close |
| 3 | 0.54 | 49.78 | 30.82 | 18.96 | 72.99 | -23.21 | 100 | 102 QP | Close |
| 4 | 1.08 | 43.01 | 23.75 | 19.26 | 66.97 | -23.96 | 100 | 215 QP | Close |
| 5 | 1.61 | 38.99 | 19.66 | 19.33 | 63.45 | -24.46 | 100 | 207 QP | Close |
| 6 | 2.15 | 37.12 | 17.73 | 19.39 | 69.50 | -32.38 | 100 | 130 QP | Close |

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
BLE_1M
Low Channel (Horizontal)
Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 58.37 | 22.62 | 28.54 | -5.92 | 48.00 | -17.38 | 206 | 17 QP | Horizontal |
| 2 | 166.77 | 22.89 | 28.78 | -5.89 | 43.50 | -20.61 | 200 | 329 QP | Horizontal |
| 3 | 397.63 | 26.43 | 29.32 | -2.89 | 46.00 | -19.57 | 100 | 36 QP | Horizontal |
| 4 | 574.17 | 30.11 | 30.42 | -0.31 | 46.00 | -15.89 | 200 | 102 QP | Horizontal |
| 5 | 711.91 | 31.99 | 30.15 | 1.84 | 46.00 | -14.01 | 300 | 162 QP | Horizontal |
| 6 | 845.77 | 34.86 | 30.83 | 4.03 | 46.00 | -11.14 | 228 | 110 QP | Horizontal |



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 53.28 | 23.69 | 29.85 | -6.16 | 48.00 | -16.31 | 100 | 185 QP | Vertical |
| 2 | 146.40 | 23.06 | 28.99 | -5.93 | 43.50 | -20.44 | 200 | 187 QP | Vertical |
| 3 | 448.31 | 27.70 | 29.76 | -2.06 | 46.00 | -18.30 | 100 | 311 QP | Vertical |
| 4 | 736.16 | 33.10 | 30.75 | 2.35 | 46.00 | -12.90 | 100 | 190 QP | Vertical |
| 5 | 804.06 | 33.85 | 30.59 | 3.26 | 46.00 | -12.15 | 200 | 83 QP | Vertical |
| 6 | 845.77 | 35.44 | 31.41 | 4.03 | 46.00 | -10.56 | 200 | 197 QP | Vertical |

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4884.00 | 43.47 | 52.49 | -9.02 | 74.00 | -30.53 | 310 | 360 | Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4884.00 | 38.33 | 47.74 | -9.41 | 74.00 | -35.67 | 100 | 121 | Peak | Vertical |


BLE_1M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 48.00 | 43.33 | 52.33 | -9.00 | 74.00 | -30.67 | 202 | 156 Peak | Horizontal |
| 2 | 7320.00 | 48.26 | 54.77 | -6.51 | 54.00 | -5.74 | 100 | 154 Average | Horizontal |
| 3 | 7320.00 | 58.13 | 64.64 | -6.51 | 74.00 | -15.87 | 100 | 154 Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 7320.00 | 53.81 | 60.44 | -6.63 | 74.00 | -20.19 | 100 | 243 Peak | Vertical |


BLE_1M

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4968.00 | 41.96 | 58.85 | -8.89 | 74.00 | -32.04 | 200 | 332 Peak | Horizontal |
| 2 | 7440.00 | 51.89 | 57.32 | -6.23 | 54.00 | -2.91 | 100 | 152 Average | Horizontal |
| 3 | 7440.00 | 61.52 | 67.75 | -6.23 | 74.00 | -12.48 | 100 | 152 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4968.00 | 41.55 | 58.82 | -9.27 | 74.00 | -32.45 | 300 | 142 Peak | Vertical |
| 2 | 7440.00 | 45.05 | 51.64 | -6.59 | 54.00 | -8.95 | 100 | 155 Average | Vertical |
| 3 | 7440.00 | 56.96 | 63.55 | -6.59 | 74.00 | -17.04 | 100 | 155 Peak | Vertical |


BLE_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 4884.00 | 43.29 | 52.31 | -9.02 | 74.00 | -30.71 | 309 | 360 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 4884.00 | 38.56 | 47.97 | -9.41 | 74.00 | -35.44 | 200 | 349 | Peak | Vertical | |

BLE_2M

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4880.00 | 43.05 | 52.05 | -9.00 | 74.00 | -30.95 | 252 | 95 | Peak | Horizontal | |
| 2 | 7320.00 | 47.07 | 53.58 | -6.51 | 54.00 | -6.93 | 100 | 152 | Average | Horizontal | |
| 3 | 7320.00 | 56.62 | 63.13 | -6.51 | 74.00 | -17.38 | 100 | 152 | Peak | Horizontal | |

| Line | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 7320.00 | 43.45 | 50.08 | -6.63 | 54.00 | -10.55 | 100 | 242 | Average | Vertical | |
| 2 | 7320.00 | 54.96 | 61.59 | -6.63 | 74.00 | -19.04 | 100 | 242 | Peak | Vertical | |

BLE_2M

High Channel (Horizontal)


High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4968.00 | 43.69 | 52.58 | -8.89 | 74.00 | -38.31 | 300 | 163 Peak | Horizontal |
| 2 | 7440.00 | 49.66 | 55.89 | -6.23 | 54.00 | -4.34 | 100 | 152 Average | Horizontal |
| 3 | 7440.00 | 62.01 | 68.24 | -6.23 | 74.00 | -11.99 | 100 | 152 Peak | Horizontal |



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 7440.00 | 44.08 | 58.67 | -6.59 | 54.00 | -9.92 | 100 | 154 Average | Vertical |
| 2 | 7440.00 | 55.55 | 62.14 | -6.59 | 74.00 | -18.45 | 100 | 154 Peak | Vertical |

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz

Worst Band

(Line)



(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

| | Freq | Level | Read Level | Factor | Limit Line | Over Limit | Remark | Pol/Phase | Note |
|----|-------|-------|------------|--------|------------|------------|---------|-----------|------|
| | MHz | dBuV | dBuV | dB | dBuV | dB | | | |
| 1 | 2.18 | 4.78 | -4.87 | 9.65 | 46.00 | -41.22 | Average | line1 | |
| 2 | 2.18 | 17.77 | 8.12 | 9.65 | 56.00 | -38.23 | QP | line1 | |
| 3 | 3.62 | 5.61 | -4.06 | 9.67 | 46.00 | -40.39 | Average | line1 | |
| 4 | 3.62 | 19.86 | 10.19 | 9.67 | 56.00 | -36.14 | QP | line1 | |
| 5 | 8.13 | 24.82 | 15.11 | 9.71 | 50.00 | -25.18 | Average | line1 | |
| 6 | 8.13 | 30.09 | 20.38 | 9.71 | 60.00 | -29.91 | QP | line1 | |
| 7 | 10.74 | 23.92 | 14.20 | 9.72 | 50.00 | -26.08 | Average | line1 | |
| 8 | 10.74 | 29.86 | 20.14 | 9.72 | 60.00 | -30.14 | QP | line1 | |
| 9 | 19.64 | 16.17 | 6.45 | 9.72 | 50.00 | -33.83 | Average | line1 | |
| 10 | 19.64 | 23.47 | 13.75 | 9.72 | 60.00 | -36.53 | QP | line1 | |
| 11 | 28.54 | 19.05 | 9.41 | 9.64 | 50.00 | -30.95 | Average | line1 | |
| 12 | 28.54 | 25.59 | 15.95 | 9.64 | 60.00 | -34.41 | QP | line1 | |

Trace: 1

| | Freq | Level | Read Level | Factor | Limit Line | Over Limit | Remark | Pol/Phase | Note |
|----|-------|-------|------------|--------|------------|------------|---------|-----------|------|
| | MHz | dBuV | dBuV | dB | dBuV | dB | | | |
| 1 | 2.18 | 4.85 | -4.78 | 9.63 | 46.00 | -41.15 | Average | neutral | |
| 2 | 2.18 | 17.24 | 7.61 | 9.63 | 56.00 | -38.76 | QP | neutral | |
| 3 | 4.00 | 5.60 | -4.06 | 9.66 | 46.00 | -40.40 | Average | neutral | |
| 4 | 4.00 | 20.38 | 10.72 | 9.66 | 56.00 | -35.62 | QP | neutral | |
| 5 | 8.13 | 25.00 | 15.28 | 9.72 | 50.00 | -25.00 | Average | neutral | |
| 6 | 8.13 | 30.37 | 20.65 | 9.72 | 60.00 | -29.63 | QP | neutral | |
| 7 | 10.91 | 24.36 | 14.61 | 9.75 | 50.00 | -25.64 | Average | neutral | |
| 8 | 10.91 | 30.34 | 20.59 | 9.75 | 60.00 | -29.66 | QP | neutral | |
| 9 | 20.34 | 16.89 | 7.09 | 9.80 | 50.00 | -33.11 | Average | neutral | |
| 10 | 20.34 | 23.42 | 13.62 | 9.80 | 60.00 | -36.58 | QP | neutral | |
| 11 | 29.26 | 18.49 | 8.64 | 9.85 | 50.00 | -31.51 | Average | neutral | |
| 12 | 29.26 | 23.05 | 13.20 | 9.85 | 60.00 | -36.95 | QP | neutral | |