


BLE_1M
High Channel (Horizontal) Peak
High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2346.34	52.75	15.29	37.46	74.00	-21.25	123	115	Peak	Horizontal	
2 *	2488.00	97.71	60.18	37.61	74.00	23.71	123	115	Peak	Horizontal	
3	2783.29	53.67	15.49	38.18	74.00	-20.33	123	115	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2356.73	51.73	14.24	37.49	74.00	-22.27	180	189	Peak	Vertical	
2 *	2488.00	94.71	57.18	37.61	74.00	20.71	180	189	Peak	Vertical	
3	2878.52	53.67	15.46	38.21	74.00	-20.33	180	189	Peak	Vertical	

BLE_1M
High Channel (Horizontal) Average
High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.37	39.15	1.60	37.55	54.00	-14.85	123	115 Average	Horizontal	
2 *	2480.00	96.70	59.89	37.61	54.00	42.70	123	115 Average	Horizontal	
3	2635.21	40.51	2.30	38.21	54.00	-13.49	123	115 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2378.60	39.12	1.55	37.57	54.00	-14.88	100	189 Average	Vertical	
2 *	2480.00	93.65	56.04	37.61	54.00	39.65	100	189 Average	Vertical	
3	2834.04	40.26	2.19	38.07	54.00	-13.74	100	189 Average	Vertical	

BLE_2M
Low Channel (Horizontal) Peak
Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2369.12	51.91	14.37	37.54	74.00	-22.09	186	156	Peak	Horizontal	
2 *	2402.00	96.83	59.20	37.63	74.00	22.83	186	156	Peak	Horizontal	
3	2890.80	54.60	16.33	38.27	74.00	-19.40	186	156	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2367.35	52.26	14.74	37.52	74.00	-21.74	180	215	Peak	Vertical	
2 *	2402.00	93.51	55.88	37.63	74.00	19.51	180	215	Peak	Vertical	
3	2540.34	53.17	15.49	37.68	74.00	-20.83	100	215	Peak	Vertical	


BLE_2M

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.68	39.59	2.05	37.54	54.00	-14.41	186	156 Average	Horizontal
2 *	2482.00	94.13	56.50	37.63	54.00	40.13	186	156 Average	Horizontal
3	2638.75	40.75	2.54	38.21	54.00	-13.25	186	156 Average	Horizontal




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.88	39.46	1.86	37.60	54.00	-14.54	180	215 Average	Vertical
2 *	2482.00	98.75	53.12	37.63	54.00	36.75	180	215 Average	Vertical
3	2829.91	40.61	2.53	38.08	54.00	-13.39	100	215 Average	Vertical

BLE_2M
High Channel (Horizontal) Peak
High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.81	52.78	15.20	37.58	74.00	-21.22	180	159 Peak	Horizontal
2 *	2480.00	97.73	60.12	37.61	74.00	23.73	180	159 Peak	Horizontal
3	2622.70	54.67	16.48	38.19	74.00	-19.33	180	159 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.99	52.04	14.52	37.52	74.00	-21.96	115	215 Peak	Vertical
2 *	2480.00	93.84	56.23	37.61	74.00	19.84	115	215 Peak	Vertical
3	2669.31	54.36	16.15	38.21	74.00	-19.64	115	215 Peak	Vertical

BLE_2M
High Channel (Horizontal) Average
High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.90	39.45	1.90	37.55	54.00	-14.55	100	159 Average	Horizontal
2 *	2480.00	94.94	57.33	37.61	54.00	40.94	100	159 Average	Horizontal
3	2483.46	42.26	4.66	37.60	54.00	-11.74	100	159 Average	Horizontal




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.30	39.37	1.83	37.54	54.00	-14.63	115	215 Average	Vertical
2 *	2480.00	91.07	53.46	37.61	54.00	37.07	115	215 Average	Vertical
3	2483.46	41.08	3.48	37.60	54.00	-12.92	115	215 Average	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
BLE_1M
High Channel (Open) 9kHz~150kHz
High Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	50.61	32.87	17.74	127.57	-76.96	100	238 QP	Open
2	0.03	43.45	24.35	19.10	119.61	-76.16	100	258 QP	Open
3	0.05	39.18	19.83	19.35	113.59	-74.41	100	238 QP	Open
4	0.06	40.56	21.46	19.10	111.83	-71.27	100	160 QP	Open
5	0.08	35.99	17.19	18.80	110.86	-74.07	100	240 QP	Open
6	0.12	30.29	11.95	18.34	105.81	-75.52	100	129 QP	Open



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.52	55.89	36.89	19.00	73.23	-17.34	100	106 QP	Open
2	1.57	41.59	22.21	19.38	63.68	-22.09	100	106 QP	Open
3	4.46	36.30	16.91	19.39	69.50	-33.20	100	68 QP	Open
4	6.15	33.85	14.03	19.82	69.50	-35.65	100	319 QP	Open
5	8.85	29.94	9.03	20.91	69.50	-39.56	100	303 QP	Open
6	17.79	32.02	10.11	21.91	69.50	-37.48	100	146 QP	Open


BLE_1M

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	47.40	29.66	17.74	127.58	-80.18	100	200 QP	Close
2	0.02	43.41	24.78	18.63	121.59	-78.18	100	253 QP	Close
3	0.06	38.64	19.54	19.10	111.83	-73.19	100	268 QP	Close
4	0.07	34.65	15.68	18.97	111.04	-76.39	100	22 QP	Close
5	0.08	34.25	15.45	18.80	110.07	-75.82	100	200 QP	Close
6	0.13	27.72	9.34	18.38	105.11	-77.39	100	169 QP	Close




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.52	51.76	32.76	19.00	73.23	-21.47	100	181 QP	Close
2	1.57	37.07	17.69	19.38	63.68	-26.61	100	181 QP	Close
3	4.46	40.63	21.24	19.39	69.50	-28.87	100	261 QP	Close
4	6.31	39.49	19.61	19.88	69.50	-30.01	100	88 QP	Close
5	8.85	39.06	18.15	20.91	69.50	-30.44	100	106 QP	Close
6	17.79	36.53	14.62	21.91	69.50	-32.97	100	72 QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
BLE_1M
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.00	22.42	32.79	-10.37	40.00	-17.58	300	100 QP	Horizontal
2	120.02	27.54	37.35	-9.81	43.50	-15.96	300	76 QP	Horizontal
3	239.42	31.81	40.13	-8.32	46.00	-14.19	200	260 QP	Horizontal
4	344.96	30.17	35.73	-5.56	46.00	-15.83	100	84 QP	Horizontal
5	372.12	27.97	32.98	-5.01	46.00	-18.03	100	147 QP	Horizontal
6	458.35	29.94	33.62	-3.68	46.00	-16.06	100	207 QP	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.00	29.44	39.81	-10.37	40.00	-10.56	100	236 QP	Vertical
2	82.38	27.53	39.94	-12.41	40.00	-12.47	100	166 QP	Vertical
3	100.03	31.24	43.52	-12.28	43.50	-12.26	100	139 QP	Vertical
4	120.02	28.45	38.26	-9.81	43.50	-15.05	100	124 QP	Vertical
5	240.49	32.57	40.87	-8.30	46.00	-13.43	100	232 QP	Vertical
6	645.19	33.58	31.03	2.55	46.00	-12.42	100	178 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
4894.00	12018.00	12018.00
43.43	47.86	58.98
53.01	48.19	59.31
-9.58	-0.33	-0.33
74.00	54.00	74.00
-30.57	-6.14	-15.02
300	112	112
312 Peak	80 Average	80 Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
4894.00	12018.00	12018.00
43.83	45.18	56.09
53.41	45.51	56.42
-9.58	-0.33	-0.33
74.00	54.00	74.00
-30.17	-8.62	-17.91
300	108	108
86 Peak	36 Average	36 Peak
Vertical	Vertical	Vertical


BLE_1M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5					
Level	Read Level	Factor	Limit Line	Over Limit					
dBuV/m	dBuV	dB/m	dBuV/m	dB					
4880.00	42.53	52.06	-9.53	74.00	-31.47	380	144	Peak	Horizontal
7320.00	52.10	59.47	-7.37	54.00	-1.90	113	81	Average	Horizontal
7320.00	61.87	69.24	-7.37	74.00	-12.13	113	81	Peak	Horizontal
12200.00	45.85	45.87	-0.02	54.00	-8.15	112	80	Average	Horizontal
12200.00	56.91	56.93	-0.02	74.00	-17.09	112	80	Peak	Horizontal




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5					
Level	Read Level	Factor	Limit Line	Over Limit					
dBuV/m	dBuV	dB/m	dBuV/m	dB					
4880.00	40.68	50.21	-9.53	74.00	-33.32	480	38	Peak	Vertical
7320.00	47.75	55.12	-7.37	54.00	-6.25	180	276	Average	Vertical
7320.00	57.41	64.78	-7.37	74.00	-16.59	180	276	Peak	Vertical
12200.00	43.11	43.13	-0.02	54.00	-10.89	181	39	Average	Vertical
12200.00	54.40	54.42	-0.02	74.00	-19.60	181	39	Peak	Vertical

BLE_1M
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	42.63	52.01	-9.38	74.00	-31.37	380	368	Peak	Horizontal	
2	7440.00	52.02	59.17	-7.15	54.00	-1.98	103	83	Average	Horizontal	
3	7440.00	61.28	68.43	-7.15	74.00	-12.72	103	83	Peak	Horizontal	
4	12400.00	45.34	45.22	0.12	54.00	-8.66	115	86	Average	Horizontal	
5	12400.00	56.44	56.32	0.12	74.00	-17.56	115	86	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	41.12	50.50	-9.38	74.00	-32.88	380	87	Peak	Vertical	
2	7440.00	50.00	57.15	-7.15	54.00	-4.00	100	204	Average	Vertical	
3	7440.00	59.59	66.74	-7.15	74.00	-14.41	100	204	Peak	Vertical	
4	12400.00	43.75	43.63	0.12	54.00	-10.25	111	35	Average	Vertical	
5	12400.00	55.08	54.96	0.12	74.00	-18.92	111	35	Peak	Vertical	


BLE_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4894.00	42.21	51.79	-9.58	74.00	-31.79	390	335 Peak	Horizontal	
2	12818.00	47.94	46.27	-0.33	54.00	-6.06	113	80 Average	Horizontal	
3	12818.00	58.90	59.23	-0.33	74.00	-15.10	113	80 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4894.00	42.42	52.00	-9.58	74.00	-31.58	390	112 Peak	Vertical	
2	12818.00	45.06	45.39	-0.33	54.00	-8.94	101	36 Average	Vertical	
3	12818.00	55.84	56.17	-0.33	74.00	-18.16	101	36 Peak	Vertical	


BLE_2M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4							
Level	Level	Level	Level							
Factor	Factor	Factor	Factor							
Limit	Limit	Limit	Limit							
Line	Line	Line	Line							
Over	Over	Over	Over							
Limit	Limit	Limit	Limit							
APos	APos	APos	APos							
TPos	TPos	TPos	TPos							
Remark	Remark	Remark	Remark							
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase							
Note	Note	Note	Note							
4880.00	41.00	58.53	-9.53	74.00	-33.00	375	368	Peak	Horizontal	
7320.00	52.27	59.64	-7.37	54.00	-1.73	183	77	Average	Horizontal	
7320.00	60.16	67.53	-7.37	74.00	-13.84	183	77	Peak	Horizontal	
12280.00	52.02	52.04	-0.02	74.00	-21.98	100	81	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4							
Level	Level	Level	Level							
Factor	Factor	Factor	Factor							
Limit	Limit	Limit	Limit							
Line	Line	Line	Line							
Over	Over	Over	Over							
Limit	Limit	Limit	Limit							
APos	APos	APos	APos							
TPos	TPos	TPos	TPos							
Remark	Remark	Remark	Remark							
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase							
Note	Note	Note	Note							
4880.00	39.92	49.45	-9.53	74.00	-34.08	480	78	Peak	Vertical	
7320.00	47.72	55.09	-7.37	54.00	-6.28	180	226	Average	Vertical	
7320.00	57.04	64.41	-7.37	74.00	-16.96	100	226	Peak	Vertical	
12280.00	49.87	49.89	-0.02	74.00	-24.13	100	37	Peak	Vertical	


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	42.32	51.70	-9.38	74.00	-31.68	380	359 Peak	Horizontal	
2	7440.00	51.57	58.72	-7.15	54.00	-2.43	111	81 Average	Horizontal	
3	7440.00	58.62	65.77	-7.15	74.00	-15.38	111	81 Peak	Horizontal	
4	12400.00	50.84	50.72	0.12	74.00	-23.16	100	320 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4968.00	41.48	58.86	-9.38	74.00	-32.52	380	184 Peak	Vertical	
2	7440.00	50.58	57.65	-7.15	54.00	-3.50	100	203 Average	Vertical	
3	7440.00	59.72	66.87	-7.15	74.00	-14.28	100	203 Peak	Vertical	
4	12400.00	49.37	49.25	0.12	74.00	-24.63	100	35 Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz
BLE_1M
Middle Channel (Line)
Middle Channel (Neutral)


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.18	7.08	-2.53	9.61	54.30	-47.22	Average	line1	
2	0.18	10.42	0.81	9.61	64.30	-53.88	QP	line1	
3	0.98	5.65	-3.98	9.63	46.00	-40.35	Average	line1	
4	0.98	8.65	-0.98	9.63	56.00	-47.35	QP	line1	
5	4.72	16.47	6.78	9.69	46.00	-29.53	Average	line1	
6	4.72	22.36	12.67	9.69	56.00	-33.64	QP	line1	
7	9.97	29.59	19.86	9.73	50.00	-20.41	Average	line1	
8	9.97	35.16	25.43	9.73	60.00	-24.84	QP	line1	
9	12.35	30.44	20.72	9.72	50.00	-19.56	Average	line1	
10	12.35	36.25	26.53	9.72	60.00	-23.75	QP	line1	
11	26.35	10.67	1.00	9.67	50.00	-39.33	Average	line1	
12	26.35	15.20	5.53	9.67	60.00	-44.80	QP	line1	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1


Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.23	6.41	-3.18	9.59	52.32	-45.91	Average	neutral	
2	0.23	9.48	-0.11	9.59	62.32	-52.84	QP	neutral	
3	1.84	5.81	-3.82	9.63	46.00	-40.19	Average	neutral	
4	1.84	8.73	-0.90	9.63	56.00	-47.27	QP	neutral	
5	4.56	16.54	6.86	9.68	46.00	-29.46	Average	neutral	
6	4.56	22.04	12.36	9.68	56.00	-33.96	QP	neutral	
7	10.02	30.62	20.88	9.74	50.00	-19.38	Average	neutral	
8	10.02	36.19	26.45	9.74	60.00	-23.81	QP	neutral	
9	12.05	31.20	21.44	9.76	50.00	-18.80	Average	neutral	
10	12.05	37.04	27.28	9.76	60.00	-22.96	QP	neutral	
11	23.27	10.54	0.72	9.82	50.00	-39.46	Average	neutral	
12	23.27	17.91	8.09	9.82	60.00	-42.09	QP	neutral	

BLE_2M
High Channel (Line)
High Channel (Neutral)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Trace: 1

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.24	6.51	-3.10	9.61	52.07	-45.56	Average	line1	
2	0.24	9.72	0.11	9.61	62.07	-52.35	QP	line1	
3	1.93	5.98	-3.67	9.65	46.00	-40.02	Average	line1	
4	1.93	9.07	-0.58	9.65	56.00	-46.93	QP	line1	
5	4.70	17.59	7.90	9.69	46.00	-28.41	Average	line1	
6	4.70	24.68	14.99	9.69	56.00	-31.32	QP	line1	
7	9.82	30.95	21.22	9.73	50.00	-19.05	Average	line1	
8	9.82	35.70	26.97	9.73	60.00	-23.30	QP	line1	
9	12.35	32.25	22.53	9.72	50.00	-17.75	Average	line1	
10	12.35	37.74	28.02	9.72	60.00	-22.26	QP	line1	
11	25.45	6.94	-2.72	9.66	50.00	-43.06	Average	line1	
12	25.45	11.65	1.99	9.66	60.00	-48.35	QP	line1	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Trace: 1


Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.36	6.03	-3.57	9.60	48.71	-42.68	Average	neutral	
2	0.36	9.10	-0.50	9.60	58.71	-49.61	QP	neutral	
3	1.87	6.96	-2.67	9.63	46.00	-39.04	Average	neutral	
4	1.87	10.70	1.07	9.63	56.00	-45.30	QP	neutral	
5	4.67	17.48	7.80	9.68	46.00	-28.52	Average	neutral	
6	4.67	24.73	15.05	9.68	56.00	-31.27	QP	neutral	
7	10.02	31.71	21.97	9.74	50.00	-18.29	Average	neutral	
8	10.02	37.56	27.82	9.74	60.00	-22.44	QP	neutral	
9	12.23	32.62	22.86	9.76	50.00	-17.38	Average	neutral	
10	12.23	38.28	28.52	9.76	60.00	-21.72	QP	neutral	
11	23.27	10.40	0.58	9.82	50.00	-39.60	Average	neutral	
12	23.27	16.60	6.78	9.82	60.00	-43.40	QP	neutral	

Appendix D: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_ANT & Nordic Original Band Edges, 2.31GHz ~ 2.9GHz

ANT																																																																																																			
Low Channel (Horizontal) Peak	Low Channel (Vertical) Peak																																																																																																		
<p>TUV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel:+886-2172-1000 Fax:+886-2172-1322</p> <p>Date: 2021-12-27</p> <table border="1"> <thead> <tr> <th>Read Level</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.52</td> <td>51.01</td> <td>14.23</td> <td>37.58</td> <td>74.00</td> <td>-22.19</td> <td>136</td> <td>114 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>98.07</td> <td>60.44</td> <td>37.63</td> <td>74.00</td> <td>24.07</td> <td>136</td> <td>114 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>3</td> <td>2638.04</td> <td>53.41</td> <td>15.20</td> <td>38.21</td> <td>74.00</td> <td>-20.59</td> <td>136</td> <td>114 Peak</td> <td>Horizontal</td> <td></td> </tr> </tbody> </table>	Read Level	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg		1	2385.52	51.01	14.23	37.58	74.00	-22.19	136	114 Peak	Horizontal		2 *	2482.00	98.07	60.44	37.63	74.00	24.07	136	114 Peak	Horizontal		3	2638.04	53.41	15.20	38.21	74.00	-20.59	136	114 Peak	Horizontal		<p>TUV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel:+886-2172-1000 Fax:+886-2172-1322</p> <p>Date: 2021-12-27</p> <table border="1"> <thead> <tr> <th>Read Level</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.14</td> <td>52.57</td> <td>15.01</td> <td>37.56</td> <td>74.00</td> <td>-21.43</td> <td>104</td> <td>189 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>95.36</td> <td>57.73</td> <td>37.63</td> <td>74.00</td> <td>21.36</td> <td>104</td> <td>189 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>3</td> <td>2762.18</td> <td>54.03</td> <td>15.97</td> <td>38.06</td> <td>74.00</td> <td>-19.97</td> <td>104</td> <td>189 Peak</td> <td>Vertical</td> <td></td> </tr> </tbody> </table>	Read Level	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg		1	2377.14	52.57	15.01	37.56	74.00	-21.43	104	189 Peak	Vertical		2 *	2482.00	95.36	57.73	37.63	74.00	21.36	104	189 Peak	Vertical		3	2762.18	54.03	15.97	38.06	74.00	-19.97	104	189 Peak	Vertical	
Read Level	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																												
MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg																																																																																													
1	2385.52	51.01	14.23	37.58	74.00	-22.19	136	114 Peak	Horizontal																																																																																										
2 *	2482.00	98.07	60.44	37.63	74.00	24.07	136	114 Peak	Horizontal																																																																																										
3	2638.04	53.41	15.20	38.21	74.00	-20.59	136	114 Peak	Horizontal																																																																																										
Read Level	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																												
MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg																																																																																													
1	2377.14	52.57	15.01	37.56	74.00	-21.43	104	189 Peak	Vertical																																																																																										
2 *	2482.00	95.36	57.73	37.63	74.00	21.36	104	189 Peak	Vertical																																																																																										
3	2762.18	54.03	15.97	38.06	74.00	-19.97	104	189 Peak	Vertical																																																																																										

ANT
Low Channel (Horizontal) Average
Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.94	39.41	1.87	37.54	54.00	-14.59	136	114 Average	Horizontal
2 *	2482.00	96.68	59.85	37.63	54.00	42.68	136	114 Average	Horizontal
3	2637.92	40.66	2.45	38.21	54.00	-13.34	136	114 Average	Horizontal




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.14	39.17	1.61	37.56	54.00	-14.83	104	189 Average	Vertical
2 *	2482.00	93.89	56.26	37.63	54.00	39.89	104	189 Average	Vertical
3	2853.27	40.38	2.30	38.08	54.00	-13.62	104	189 Average	Vertical

ANT
High Channel (Horizontal) Peak
High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2325.81	52.38	14.91	37.39	74.00	-21.70	125	116	Peak	Horizontal	
2 *	2488.80	98.97	61.36	37.61	74.00	24.97	125	116	Peak	Horizontal	
3	2778.22	53.37	15.29	38.08	74.00	-20.63	125	116	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2347.52	52.86	14.59	37.47	74.00	-21.94	100	188	Peak	Vertical	
2 *	2488.80	96.82	58.41	37.61	74.00	22.82	100	188	Peak	Vertical	
3	2783.65	53.76	15.58	38.18	74.00	-20.24	100	188	Peak	Vertical	

ANT
High Channel (Horizontal) Average
High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.01	39.19	1.64	37.55	54.00	-14.81	125	116 Average	Horizontal	
2 *	2488.00	97.54	59.93	37.61	54.00	43.54	125	116 Average	Horizontal	
3	2637.69	40.40	2.19	38.21	54.00	-13.60	125	116 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2374.00	39.15	1.60	37.55	54.00	-14.85	100	188 Average	Vertical	
2 *	2488.00	94.56	56.95	37.61	54.00	40.56	100	188 Average	Vertical	
3	2817.99	40.38	2.29	38.09	54.00	-13.62	100	188 Average	Vertical	

Nordic Original
Low Channel (Horizontal) Peak
Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2319.44	52.12	14.74	37.38	74.00	-21.88	188	117	Peak	Horizontal	
2 *	2402.00	96.71	59.08	37.63	74.00	22.71	188	117	Peak	Horizontal	
3	2799.94	53.88	15.78	38.10	74.00	-20.12	188	117	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2387.00	52.36	14.76	37.60	74.00	-21.64	180	214	Peak	Vertical	
2 *	2402.00	93.64	56.01	37.63	74.00	19.64	180	214	Peak	Vertical	
3	2839.94	53.50	15.43	38.07	74.00	-20.50	100	214	Peak	Vertical	

Nordic Original
Low Channel (Horizontal) Average
Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.83	39.57	2.83	37.54	54.00	-14.43	188	117 Average	Horizontal
2 *	2482.00	94.42	56.79	37.63	54.00	40.42	188	117 Average	Horizontal
3	2635.80	41.04	2.83	38.21	54.00	-12.96	188	117 Average	Horizontal




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.40	39.41	1.87	37.54	54.00	-14.59	180	214 Average	Vertical
2 *	2482.00	91.30	53.67	37.63	54.00	37.30	180	214 Average	Vertical
3	2839.70	40.70	2.63	38.07	54.00	-13.30	100	214 Average	Vertical

Nordic Original
High Channel (Horizontal) Peak
High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2384.93	51.91	14.33	37.58	74.00	-22.09	121	114	Peak	Horizontal	
2 *	2488.00	97.62	69.01	37.61	74.00	23.62	121	114	Peak	Horizontal	
3	2699.16	53.57	15.38	38.19	74.00	-20.43	121	114	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2322.63	52.51	15.12	37.39	74.00	-21.49	100	189	Peak	Vertical	
2 *	2488.00	95.08	57.47	37.61	74.00	21.08	100	189	Peak	Vertical	
3	2877.34	53.65	15.44	38.21	74.00	-20.35	100	189	Peak	Vertical	


Nordic Original

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.43	39.05	1.56	37.49	54.00	-14.95	121	114 Average	Horizontal
2 *	2488.00	95.31	57.70	37.61	54.00	41.31	121	114 Average	Horizontal
3	2483.46	41.92	4.32	37.60	54.00	-12.08	121	114 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.00	39.26	1.66	37.60	54.00	-14.74	100	189 Average	Vertical
2 *	2488.00	92.74	55.13	37.61	54.00	38.74	100	189 Average	Vertical
3	2483.81	40.45	2.86	37.59	54.00	-13.55	100	189 Average	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Nordic Original

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoL/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	50.11	32.34	17.77	127.68	-77.57	100	319 QP	Open
2	0.03	42.56	23.01	19.55	118.06	-75.50	100	108 QP	Open
3	0.05	40.13	20.78	19.35	113.59	-73.46	100	248 QP	Open
4	0.06	41.82	22.72	19.10	111.83	-70.01	100	219 QP	Open
5	0.10	31.59	13.33	18.26	107.57	-75.98	100	252 QP	Open
6	0.12	30.79	12.45	18.34	105.82	-75.03	100	66 QP	Open



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoL/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.52	56.86	37.86	19.00	73.23	-16.37	100	127 QP	Open
2	1.57	42.66	23.28	19.38	63.68	-21.02	100	120 QP	Open
3	2.62	32.28	12.79	19.49	69.50	-37.22	100	120 QP	Open
4	4.46	36.20	16.81	19.39	69.50	-33.30	100	167 QP	Open
5	6.15	33.44	13.62	19.82	69.50	-36.06	100	329 QP	Open
6	17.70	32.15	10.25	21.90	69.50	-37.35	100	333 QP	Open


Nordic Original

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	48.14	38.39	17.75	127.54	-79.48	180	185 QP	Close
2	0.06	38.17	19.07	19.18	111.83	-73.66	180	331 QP	Close
3	0.07	35.69	16.72	18.97	111.05	-75.36	180	114 QP	Close
4	0.08	32.27	13.46	18.81	110.07	-77.80	180	189 QP	Close
5	0.09	31.21	12.74	18.47	108.45	-77.24	180	164 QP	Close
6	0.12	27.68	9.34	18.34	105.82	-78.14	180	147 QP	Close



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.52	50.99	31.99	19.00	73.23	-22.24	180	141 QP	Close
2	1.57	36.17	16.79	19.38	63.68	-27.51	180	168 QP	Close
3	4.46	40.55	21.16	19.39	69.50	-28.95	180	190 QP	Close
4	6.31	39.65	19.77	19.88	69.50	-29.85	180	246 QP	Close
5	8.82	38.96	18.06	20.90	69.50	-30.54	180	231 QP	Close
6	17.79	37.43	15.52	21.91	69.50	-32.07	180	258 QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Nordic Original

High Channel (Horizontal)

High Channel (Vertical)




Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	78.68	21.47	33.10	-11.63	48.00	-18.53	380	260 QP	Horizontal
2	119.92	27.53	37.35	-9.82	43.50	-15.97	380	59 QP	Horizontal
3	241.07	32.43	48.73	-8.30	46.00	-13.57	100	255 QP	Horizontal
4	344.96	28.37	33.93	-5.56	46.00	-17.63	100	66 QP	Horizontal
5	356.68	27.77	33.26	-5.49	46.00	-18.23	200	198 QP	Horizontal
6	479.98	27.93	31.36	-3.43	46.00	-18.07	180	214 QP	Horizontal

Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.00	28.92	39.29	-10.37	48.00	-11.08	180	156 QP	Vertical
2	82.57	25.98	38.45	-12.47	48.00	-14.02	280	44 QP	Vertical
3	99.94	28.51	48.81	-12.30	43.50	-14.99	200	176 QP	Vertical
4	128.11	28.49	38.32	-9.83	43.50	-15.01	100	126 QP	Vertical
5	234.77	32.15	48.59	-8.44	46.00	-13.85	100	282 QP	Vertical
6	844.99	32.35	29.80	2.55	46.00	-13.65	100	94 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz
ANT
Low Channel (Horizontal)
Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	43.13	52.71	-9.58	74.00	-30.87	180	164 Peak	Horizontal	
2	12818.00	47.83	46.16	-0.33	54.00	-6.17	123	73 Average	Horizontal	
3	12818.00	58.69	59.02	-0.33	74.00	-15.31	123	73 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	42.06	52.03	-9.97	74.00	-31.94	380	209 Peak	Vertical	
2	12818.00	45.19	45.62	-0.43	54.00	-8.81	182	37 Average	Vertical	
3	12818.00	56.19	56.62	-0.43	74.00	-17.81	182	37 Peak	Vertical	


ANT

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	42.58	52.36	-9.78	74.00	-31.42	180	353 Peak	Horizontal	
2	7323.00	53.73	61.21	-7.48	54.00	-0.27	188	77 Average	Horizontal	
3	7323.00	60.08	67.56	-7.48	74.00	-13.92	188	77 Peak	Horizontal	
4	12286.00	53.00	53.01	-0.01	74.00	-21.00	105	77 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	41.40	51.18	-9.78	74.00	-32.60	180	136 Peak	Vertical	
2	7323.00	53.45	60.93	-7.48	54.00	-0.55	185	270 Average	Vertical	
3	7323.00	59.89	67.37	-7.48	74.00	-14.11	185	270 Peak	Vertical	
4	12285.00	50.00	50.01	-0.01	74.00	-24.00	300	86 Peak	Vertical	

ANT
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	43.31	52.85	-9.54	74.00	-30.69	262	360	Peak	Horizontal	
2	7440.00	53.56	60.91	-7.35	54.00	-0.44	110	77	Average	Horizontal	
3	7440.00	61.02	68.37	-7.35	74.00	-12.98	110	77	Peak	Horizontal	
4	12400.00	51.35	51.03	0.32	74.00	-22.65	100	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	41.36	50.90	-9.54	74.00	-32.64	100	132	Peak	Vertical	
2	7440.00	53.24	60.59	-7.35	54.00	-0.76	104	277	Average	Vertical	
3	7440.00	59.53	66.88	-7.35	74.00	-14.47	104	277	Peak	Vertical	
4	12400.00	49.96	49.64	0.32	74.00	-24.04	100	30	Peak	Vertical	


Nordic Original

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	44.16	53.74	-9.58	74.00	-29.84	300	221 Peak	Horizontal	
2	12818.00	47.72	46.05	-0.33	54.00	-6.28	123	73 Average	Horizontal	
3	12818.00	58.81	59.14	-0.33	74.00	-15.19	123	73 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	41.68	51.65	-9.97	74.00	-32.32	300	87 Peak	Vertical	
2	12818.00	44.75	45.18	-0.43	54.00	-9.25	102	37 Average	Vertical	
3	12818.00	56.26	56.69	-0.43	74.00	-17.74	102	37 Peak	Vertical	

Nordic Original
Middle Channel (Horizontal)
Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	41.50	51.02	-9.52	74.00	-32.50	480	360 Peak	Horizontal	
2	7323.00	50.79	58.17	-7.38	54.00	-3.21	111	82 Average	Horizontal	
3	7323.00	61.09	68.47	-7.38	74.00	-12.91	111	82 Peak	Horizontal	
4	12285.00	45.02	45.04	-0.02	54.00	-8.98	112	80 Average	Horizontal	
5	12285.00	56.16	56.18	-0.02	74.00	-17.84	112	80 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	40.81	50.69	-9.88	74.00	-33.19	480	104 Peak	Vertical	
2	7323.00	46.46	53.94	-7.48	54.00	-7.54	103	213 Average	Vertical	
3	7323.00	56.86	64.34	-7.48	74.00	-17.14	103	213 Peak	Vertical	
4	12285.00	42.39	42.42	-0.03	54.00	-11.61	101	32 Average	Vertical	
5	12285.00	53.95	53.98	-0.03	74.00	-20.05	101	32 Peak	Vertical	

Nordic Original
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	42.42	51.00	-9.38	74.00	-31.58	480	352 Peak	Horizontal	
2	7440.00	50.80	57.95	-7.15	54.00	-3.28	184	83 Average	Horizontal	
3	7440.00	61.22	68.37	-7.15	74.00	-12.78	184	83 Peak	Horizontal	
4	12400.00	44.65	44.53	0.12	54.00	-9.35	115	87 Average	Horizontal	
5	12400.00	56.30	56.18	0.12	74.00	-17.70	115	87 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.26	40.77	50.53	-9.76	74.00	-33.23	380	74 Peak	Vertical	
2	7440.00	48.00	56.31	-7.51	54.00	-5.20	180	204 Average	Vertical	
3	7440.00	59.31	66.82	-7.51	74.00	-14.69	180	204 Peak	Vertical	
4	12400.00	42.95	42.83	0.12	54.00	-11.05	186	37 Average	Vertical	
5	12400.00	54.71	54.59	0.12	74.00	-19.29	186	37 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz
Nordic Original
(Line)
(Neutral)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.18	7.30	-2.31	9.61	54.68	-47.38	Average	line1	
2	0.18	10.75	1.14	9.61	64.68	-53.93	QP	line1	
3	1.36	5.71	-3.93	9.64	46.00	-40.29	Average	line1	
4	1.36	8.74	-0.50	9.64	56.00	-47.26	QP	line1	
5	4.86	16.71	7.02	9.69	46.00	-29.29	Average	line1	
6	4.86	23.63	13.94	9.69	56.00	-32.37	QP	line1	
7	7.58	27.12	17.41	9.71	50.00	-22.88	Average	line1	
8	7.58	33.34	23.63	9.71	60.00	-26.66	QP	line1	
9	10.02	29.50	19.77	9.73	50.00	-20.50	Average	line1	
10	10.02	34.96	25.23	9.73	60.00	-25.04	QP	line1	
11	20.75	17.95	8.24	9.71	50.00	-32.05	Average	line1	
12	20.75	22.94	13.23	9.71	60.00	-37.06	QP	line1	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	7.49	-2.10	9.59	55.30	-47.81	Average	neutral	
2	0.16	10.86	1.27	9.59	65.30	-54.44	QP	neutral	
3	1.08	5.59	-4.01	9.60	46.00	-40.41	Average	neutral	
4	1.08	8.46	-1.14	9.60	56.00	-47.54	QP	neutral	
5	4.51	16.16	6.48	9.68	46.00	-29.84	Average	neutral	
6	4.51	21.28	11.60	9.68	56.00	-34.72	QP	neutral	
7	7.14	22.99	13.28	9.71	50.00	-27.01	Average	neutral	
8	7.14	30.99	20.68	9.71	60.00	-29.61	QP	neutral	
9	10.02	28.32	18.58	9.74	50.00	-21.68	Average	neutral	
10	10.02	38.36	28.62	9.74	60.00	-21.64	QP	neutral	
11	20.75	16.05	6.25	9.80	50.00	-33.95	Average	neutral	
12	20.75	21.46	11.66	9.80	60.00	-38.54	QP	neutral	