



# RF EXPOSURE REPORT

**REPORT NO.:** SA971217L11

**MODEL NO.:** EYTMECS

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT:** Taiyo Yuden Co., Ltd.

**ADDRESS:** 8-1, Sakae-cho, Takasaki-shi, Gunma, Japan

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen,  
Kwei Shan Hsiang, Taoyuan Hsien 333,  
Taiwan, R.O.C.



## 1. Conclusion

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.585
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	3.40	2.188
EIRP Power	5.10	3.236

**\*Note:** The antenna is Chip antenna with 1.7dBi gain.

Threshold for no SAR evaluation is 24.585mW  
Transmitter power is 3.236mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold