TAIYO YUDEN CO., LTD.

Product Development Department Integrated Module & Device Business Division 8-1 Sakae-Cho, Takasaki-shi, Gunma, 370-8522 JAPAN Tel: +81-27-324-2313 Fax:+81-27-324-2314

DATE: 11th August 2014

Re: Exposure Declaration

Manufacturer: TAIYO YUDEN CO., LTD.

Equipment name: WYSAGVDX7, Trade name: TAIYO YUDEN

Product Description: Wireless LAN Module

FCC ID: RYYWYSAGVDX7 / IC ID: 4389B-WYSAGVDX7

1. SAR test exclusion threshold

According to 4.3.1 of KDB4474498, test exclusion thresholds at 100MHz to 6GHz at test separation distance ≤ 50mm are determined by:

- For 1-g SAR:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]

* $[\sqrt{f(GHz)}] \leq 3.0$

2. Evaluation condition

Frequency	Minimum separation	Maximum conducted average power	
	distance(mm)	dBm	mW
2400- <u>2483.5</u>	5	7.71	5.902

3. Evaluation result

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $*[\sqrt{f(GHz)}] = 1.86$ the calculation value ≤ 3.0 .

Therefore, our model is applicable to exclusion and not required SAR test.

Sincerely,

Manabu Satomi, Deputy Manager

In Satomi

TAIYO YUDEN CO., LTD.

INTEGRATED MODULE & DEVICE BUSINESS DIV.