

1920 0030 419			R-4 800 (SMR)			
SNo	Level	No.	Type	Description	Qty.	Location
1	1	1904 2137 450	ASSY	PCB ASSY - OD4 MB-800 MHz	1	
2	2	2839 0002 100	CONN	4 PIN(2X2)MOLEX CONN (M) ST. PCB MNT	3	J2,13,14
3	2	2010 1021 303	CHR	1K,1/16W,5%,0603	10	R5,6,15,16,17,18,20,25,27,28
4	2	2115 1051 410	CTNC	1MF 16V ϵ 10%,A	6	C1,2,6,7,10,16
5	2	2010 2021 303	CHR	2K,1/16W,5%,0603	1	R24
6	2	2010 4721 303	CHR	4.7K,1/16W,5%,0603	3	R3,4,19
7	2	2010 6221 303	CHR	6.2K,1/16W,5%,0603	1	R21
8	2	2010 7521 303	CHR	7.5K,1/16W,5%,0603	1	R7
9	2	2010 1001 350	CHR	10E,1W, \pm 5%,2512	4	R30,31,32,33
10	2	2010 1031 303	CHR	10K,1/16W,5%,0603	4	R1,9,23,29
11	2	2115 1061 412	CTNC	10MF, 16V ϵ 10%B	1	C4
12	2	2010 1801 303	CHR	18E,1/16W,5%,0603	3	R11,12,14
13	2	2010 2231 303	CHR	22K,1/16W,5%,0603	3	R2,8,26
14	2	2010 3331 303	CHR	33K,1/16W,5%,0603	1	R22
15	2	2114 1041 413	CHC	100KPF,10%,0603,16V	2	C14,15
16	2	2118 1071 650	CEC	CEC - 100MFD 16V	4	C3,5,17,18
17	2	2821 0004 000	CONN	4 PIN SIP CONN (M)	4	J1,6,10,RS1
18	2	2786 0008 000	BPF	BPF - FMJ 0902 MYA-25	1	Y2
19	2	2786 0008 100	BPF	BPF - FMJ 0947 MYA-25	1	Y1
20	2	2607 0004 001	LED	SMD LED-GREEN(1206)	4	CR2-5
21	2	2810 0008 000	CONN	8PIN ST 8MM (F) 2.54MM	4	LNA UL,DL,UL1,DL1
22	2	2802 0014 000	CONN	14P IDC CONN.M (BOX HEADER)	1	J4
23	2	2809 0002 000	CONN	2PIN BERG STICK (M) ST. 10MM	2	J5,12
24	2	2843 0009 200	CONN	DB9 CONN R/A (M) (FOR M.B.)	2	PADL,UL
25	2	2821 0002 003	CONN	2PIN SIP CONN (M)	2	J8,9
26	2	2805 0002 000	CONN	96FULLEUROSTD(F)ST	1	J3
27	2	2301 0004 000	DIOD	DIODE - 30BQ040 IR	3	CR1,6,7
28	2	2999 1005 000	IC	LM2941S VOLT REGULT	2	U1,5
29	2	2415 0001 005	IC	MCT 2E PDIP06+C372+C349	2	U102,103
30	2	2837 0020 000	CONN	SMA (F) R/A PCB MNT.	4	CONN1,5,7,12
31	2	2779 0006 000	TCXO	TCXO- 10MHz (7X5)	1	TCXO1
32	2	2837 0014 000	CONN	CONN SMB (F) ST. SOCKET	8	CONN2,3,4,6,8,9,10,11
33	2	2240 0090 000	CFB	SURFACE MOUNT BEADS/FB	1	L1
34	2	2809 0003 000	CONN	3PIN BERG STICK (M) ST. 10MM	1	SW1
35	2	3900 2137 450	PCB	PCB - OD4 M.B.	1	
36	1	1903 1133 450	MOD	LNA - 900 MHz (HITTIT)	2	
37	2	1904 1133 450	ASSY	PCB ASSY - LNA 900 (HITTIT+ASX201)	1	
38	3	2010 0000 303	CHR	0E,1/16W, \pm 5%,0603	1	R20
39	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	3	R1,8,15
40	3	2010 5101 303	CHR	51E,1/16W,5%,0603	4	R5,6,12,13
41	3	2010 9111 303	CHR	910E,1/16W,5%,0603	6	R2,3,7,9,14,16
42	3	2010 1031 303	CHR	10K,1/16W,5%,0603	7	R10,17,30,31,32,33,34
43	3	2010 1631 303	CHR	16K,1/16W, 5%,0603	2	R4,11
44	3	2010 1011 303	CHR	100E 1/16W 5% 0603	1	R18
45	3	2114 6812 343	CHC	6.8PF 50V +/-0.25%,0603	2	C10,18
46	3	2114 1011 343	CHC	100PF 50V \pm 5% 0603	7	C2,12,15,20,23,24,27
47	3	2117 1031 443	CHC	10KPF 50V \pm 10% 0603	5	C3-6,8
48	3	2114 1041 413	CHC	100KPF \pm 10%,0603,16V	11	C13,21,25,26,42-48
49	3	2117 1021 443	CHC	1KPF 50V \pm 10% 0603	3	C11,16,19
50	3	2114 5012 843	CHC	5PF,50V, ϵ 0.25PF,0603	2	C9,17
51	3	2115 1061 412	CTNC	10MF, 16V \pm 10%B	6	C7,14,22,41,49,50
52	3	2114 4012 843	CHC	4PF 50V ϵ 0.25PF,0603	1	C1
53	3	2295 5632 302	CHCL	56NH, \pm 5% 1008	2	L4,5
54	3	2295 3332 302	CHCL	33NH,5%,1008	1	L2
55	3	2295 1832 512	CHCL	18NH,20%,1008	1	L1
56	3	2240 0090 000	CFB	SURFACE MOUNT BEADS/FB	2	JU1,2
57	3	2997 0025 000	IC	IC - HMC 372 LP3	1	U1
58	3	2922 0010 000	IC	IC - Gain Block - ASG-201	2	U2,4
59	3	2997 0021 000	IC	IC-HMC273 MS10GTR	1	U3
60	3	2003 1001 000	NTC	RESISTOR PXV1220S-5dB-N1	1	NTC
61	3	2999 1008 000	IC	IC AT108 ATT LIN SMD	1	U5
62	3	2999 1004 500	IC	LM2940IMP 5.0 / NOPB SMD	1	U8
63	3	3900 1133A450	PCB	PCB - LNA WITH HITTITE 900 REV A	1	
64	2	2837 0030 000	CONN	SMB(M) Bulk Head	2	
65	2	2802 0025 008	COVR	CONN COVER 8 HOLE	1	
66	2	3201 0010 251	PCB	PCB - 8 PIN FILTER CONN.	1	
67	2	2809 0040 000	CONN	40 PIN BERG STICK (M) 20MM LONG	0.2	
68	2	7107 0028 300	SCW	Pan Head M2X6 PH SS	10	
69	2	4900 1016 999	ENCL	ALU.ENCL- LNA - HITTITE	1	
70	1	1923 1221 919	MOD	CONV - 815 -15.0 MHZ V2.0UL	1	
71	2	1924 1220 914	ASSY	PCB ASSY - CONV 800 IDEN UL	1	

72	3	2010 1021 303	CHR	1K,1/16W,5%,0603	3	R19,20,21
73	3	2117 1021 443	CHC	1KPF 50V €10% 0603	5	C12,31,35,52,65
74	3	2295 1012 302	CHCL	1UH,5%,1008	2	L9,10
75	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	4	R2,4,46,47
76	3	2010 1521 303	CHR	1.5K,1/16W,5%,0603	2	R11,13
77	3	2114 5012 843	CHC	5PF,50V,€0.25PF,0603	5	C25,27,60,61,70
78	3	2114 1011 343	CHC	100PF 50V ±5% 0603	21	C1,2,3,4,11,13,14,15,17,23,28,29,51,53,57,58,59,62,63,6
79	3	2114 6812 343	CHC	6.8PF 50V +/-0.25%,0603	1	C55
80	3	2114 3301 343	CHC	33PF 50V€5%,0603	1	C5
81	3	2115 1061 412	CTNC	10MF, 16VÇ10%B	8	C16,22,24,36,37,40,50,68
82	3	2010 1201 303	CHR	12E,1/16W,5%,0603	3	R6,14,26
83	3	2010 1631 303	CHR	16K,1/16W, 5%,0603	3	R8,45,52
84	3	2010 1801 303	CHR	18E,1/16W,5%,0603	3	R28,29,30
85	3	2010 5101 303	CHR	51E,1/16W,5%,0603	6	R9,10,43,44,50,51
86	3	2295 5632 302	CHCL	56NH,±5% 1008	3	L7,8,12
87	3	2114 6801 343	CHC	68PF 50V€5%,0603	6	C6,7,9,30,32,43
88	3	2295 5641 406	CHCL	5.6NH,600MA,5% 0805MD	2	L4,13
89	3	2295 8232 302	CHCL	82Nh,5%,1008	4	L1,2,3,5
90	3	2010 1011 303	CHR	100E 1/16W 5% 0603	1	R23
91	3	2114 1041 413	CHC	100KPF,10%,0603,16V	6	C33,34,39,41,42,66
92	3	2010 1511 303	CHR	150E, 1/16W, 5%, 0603	4	R33,34,35,36
93	3	2010 2211 303	CHR	220E,1/16W,5%,0603	1	R24
94	3	2010 2411 303	CHR	240E,1/16W,5%,0603	1	R22
95	3	2010 3011 303	CHR	300E,1/16W,5%,0603	1	R37
96	3	2010 4711 303	CHR	470E,1/16W,5%,0603	4	R5,7,25,27
97	3	2295 4722 402	CHCL	470NH,€5%,1008	2	L6,14
98	3	2010 9111 303	CHR	910E,1/16W,5%,0603	8	R1,3,17,18,48,49,55,56
99	3	2922 0010 000	IC	IC - Gain Block - ASG-201	3	U1,5,6
100	3	2682 0003 500	MIXE	IC - FREQ. MIXER MXB 2501-7H	1	MIXER-1,2
101	3	2922 0005 000	IC	IC-SGA 4586 - SOT86	2	U2,3
102	3	2678 0147 002	VCO	PLL(APL0745) 736-754 MHz	1	VCO MODULE
103	3	2786 0023 001	BPF	BPF - FMD 0815 EYA 18 MHz	2	Y1,2
104	3	3900 0400 400	PCB	JUMPER - PCB (L-25MM)	1	JUM_PCB
105	3	2240 0090 000	CFB	SURFACE MOUNT BEADS/FB	1	J1
106	3	3900 0222 900	PCB	PCB - CONVERTOR 900 V2.0	1	PCB
107	2	1184 0700 019	ASSY	PCB ASSY-SAW 70./15.0MHZ	1	
108	3	2010 1801 303	CHR	18E,1/16W,5%,0603	1	R2
109	3	2010 3011 303	CHR	300E,1/16W,5%,0603	2	R1,3
110	3	2010 9111 303	CHR	910E,1/16W,5%,0603	2	R4,6
111	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	1	R5
112	3	2784 1150 000	FILT	SW 70M/ 15.0 321483	1	YF3
113	3	2114 1011 343	CHC	100PF 50V ±5% 0603	2	C6
114	3	2051 5011 300	VRC	VAR.RES.500E SMD S.T. (SIDE TUNNG) 5.€	1	VR10
115	3	2295 1012 302	CHCL	1UH,5%,1008	1	L1
116	3	2302 0017 000	DIOD	HSMP3890 SOT23	1	CR1
117	3	2117 1021 443	CHC	1KPF 50V ±10% 0603	3	C1,2,7
118	3	2114 1041 413	CHC	100KPF ±10%,0603,16V	3	C3,4,5
119	3	2114 1011 343	CHC	100PF 50V ±5% 0603	1	C6
120	3	2114 2201 343	CHC	22PF 50V ±5%,0603	1	SC2
121	3	2295 2722 302	CHCL	270NH,1008	1	SL5
122	3	2295 1022 403	CHCL	100nH,5%, 0805	1	SL4
123	3	2295 1222 412	CHCL	120NH,5%,1008	1	SL2
124	3	3220 2201 999	PCB	PCB - SAW FLTR ASSY WITH CA6H POT	1	
126	2	3201 0010 251	PCB	PCB - 8 PIN FILTER CONN.	1	CON1
127	2	2809 0040 000	CONN	40 PIN BERG STICK (M) 20MM LONG	0.2	
129	2	4900 3005 999	ENCL	ALU.ENCL - 5RG2 CONV TYPE-1	1	
130	2	2837 0030 000	CONN	SMB(M) Bulk Head	2	
131	2	7101 0006 100	SCW	 PAN HEAD M2X10 PH SS	6	
132	2	7107 0028 300	SCW	Pan Head M2X6	24	
133	2	7105 0050 000	SCW	PAN HEAD M2X5 PH SS	2	
134	2	3900 0400 400	PCB	JUMPER PCB 25MM	1	
135	2	2802 0025 008	COVR	CONN COVER 8 HOLE	1	
136	1	1923 2221 919	MOD	CONV - 860 - 15 MHz V2.0 DL	1	
137	2	1924 2220 914	ASSY	PCB ASSY - CONV 800 IDEN DL	1	
138	3	2010 1021 303	CHR	1K,1/16W,5%,0603	3	R19,20,21
139	3	2117 1021 443	CHC	1KPF 50V €10% 0603	5	C12,31,35,52,65
140	3	2295 1012 302	CHCL	1UH,5%,1008	2	L9,10
141	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	4	R2,4,46,47
142	3	2010 1521 303	CHR	1.5K,1/16W,5%,0603	2	R11,13
143	3	2114 5012 843	CHC	5PF,50V,€0.25PF,0603	5	C25,27,60,61,70
144	3	2114 1011 343	CHC	100PF 50V ±5% 0603	21	C1,2,3,4,11,13,14,15,17,23,28,29,51,53,57,58,59,62,63,6
145	3	2114 6812 343	CHC	6.8PF 50V +/-0.25%,0603	1	C55
146	3	2114 3301 343	CHC	33PF 50V€5%,0603	1	C5

147	3	2115 1061 412	CTNC	10MF, 16VÇ10%B	8	C16,22,24,36,37,40,50,68
148	3	2010 1201 303	CHR	12E,1/16W,5%,0603	3	R6,14,26
149	3	2010 1631 303	CHR	16K,1/16W, 5%,0603	3	R8,45,52
150	3	2010 1801 303	CHR	18E,1/16W,5%,0603	3	R28,29,30
151	3	2010 5101 303	CHR	51E,1/16W,5%,0603	6	R9,10,43,44,50,51
152	3	2295 5632 302	CHCL	56NH,±5% 1008	3	L7,8,12
153	3	2114 6801 343	CHC	68PF 50V€5%,0603	6	C6,7,9,30,32,43
154	3	2295 5641 406	CHCL	5.6NH,600MA,5% 0805MD	2	L4,13
155	3	2295 8232 302	CHCL	82Nh,5%,1008	4	L1,2,3,5
156	3	2010 1011 303	CHR	100E 1/16W 5% 0603	1	R23
157	3	2114 1041 413	CHC	100KPF,10%,0603,16V	6	C33,34,39,41,42,66
158	3	2010 1511 303	CHR	150E, 1/16W, 5%, 0603	4	R33,34,35,36
159	3	2010 2211 303	CHR	220E,1/16W,5%,0603	1	R24
160	3	2010 2411 303	CHR	240E,1/16W,5%,0603	1	R22
161	3	2010 3011 303	CHR	300E,1/16W,5%,0603	1	R37
162	3	2010 4711 303	CHR	470E,1/16W,5%,0603	4	R5,7,25,27
163	3	2295 4722 402	CHCL	470NH,€5%,1008	2	L6,14
164	3	2010 9111 303	CHR	910E,1/16W,5%,0603	8	R1,3,17,18,48,49,55,56
165	3	2922 0010 000	IC	IC - Gain Block - ASG-201	3	U1,5,6
166	3	2682 0003 500	MIXE	IC - FREQ. MIXER MXB 2501-7H	1	MIXER-1,2
167	3	2922 0005 000	IC	IC-SGA 4586 - SOT86	2	U2,3
168	3	2678 0148 002	VCO	PLL (APL0930)921-939 MHz	1	VCO MODULE
169	3	2786 0023 000	BPF	BPF - FMD 0860 EYA 18 MHz	2	Y1,2
170	3	3900 0400 400	PCB	JUMPER - PCB (L-25MM)	1	JUM_PCB
171	3	2240 0090 000	CFB	SURFACE MOUNT BEADS/FB	1	J1
172	3	3900 0222 900	PCB	PCB - CONVERTOR 900 V2.0	1	PCB
173	2	1184 0700 019	ASSY	PCB ASSY - SAW FILTER - 15.0MHz (70)	1	
174	3	2010 1801 303	CHR	18E,1/16W,5%,0603	1	R2
175	3	2010 3011 303	CHR	300E,1/16W,5%,0603	2	R1,3
176	3	2010 9111 303	CHR	910E,1/16W,5%,0603	2	R4,6
177	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	1	R5
178	3	2784 1150 000	FILT	SW 70M/ 15.0 321483	1	YF3
179	3	2114 1011 343	CHC	100PF 50V ±5% 0603	2	C6
180	3	2051 5011 300	VRC	VAR.RES.500E SMD S.T. (SIDE TUNNG) 5.€	1	VR10
181	3	2295 1012 302	CHCL	1UH,5%,1008	1	L1
182	3	2302 0017 000	DIOD	HSMP3890 SOT23	1	CR1
183	3	2117 1021 443	CHC	1KPF 50V ±10% 0603	3	C1,2,7
184	3	2114 1041 413	CHC	100KPF ±10%,0603,16V	3	C3,4,5
185	3	2114 1011 343	CHC	100PF 50V ±5% 0603	1	C6
186	3	2114 2201 343	CHC	22PF 50V ±5%,0603	1	SC2
187	3	2295 2722 302	CHCL	270NH,1008	1	SL5
188	3	2295 1022 403	CHCL	100nH,5%, 0805	1	SL4
189	3	2295 1222 412	CHCL	120NH,5%,1008	1	SL2
190	3	3220 2201 999	PCB	PCB - SAW FLTR ASSY WITH CA6H POT	1	
192	2	3201 0010 251	PCB	PCB - 8 PIN FILTER CONN.	1	CON1
193	2	2809 0040 000	CONN	40 PIN BERG STICK (M) 20MM LONG	0.2	
195	2	4900 3005 999	ENCL	ALU.ENCL - 5RG2 CONV TYPE-1	1	
196	2	2837 0030 000	CONN	SMB(M) Bulk Head	2	
197	2	7101 0006 100	SCW	 PAN HEAD M2X10 PH SS	6	
198	2	7107 0028 300	SCW	Pan Head M2X6	24	
199	2	7105 0050 000	SCW	PAN HEAD M2X5 PH SS	2	
200	2	3900 0400 400	PCB	JUMPER PCB 25MM	1	
201	2	2802 0025 008	COVR	CONN COVER 8 HOLE	1	
202	1	1904 0410 999	ASSY	PCB ASSY-SUPERVISORY V2.0	1	
203	2	2010 1021 303	CHR	1K,1/16W,5%,0603	7	R9-14,19
204	2	2010 1031 303	CHR	10K,1/16W,5%,0603	4	R4-7
205	2	2010 2021 303	CHR	2K,1/16W,5%,0603	1	R3
206	2	2010 3331 303	CHR	33K,1/16W,5%,0603	1	R1
207	2	2010 4721 303	CHR	4.7K,1/16W,5%,0603	3	R2,8,15
208	2	2114 1041 413	CHC	100KPF,10%,0603,16V	13	C7-19
209	2	2083 4721 310	RA	RESPACK4.7K 5%(SIP9)	6	RA1-5
210	2	2114 2201 343	CHC	22PF 50V€5%,0603	2	C1,2
211	2	2115 1051 410	CTNC	1MF 16V€10%,A	4	C3-6
212	2	2309 0004 000	DIOD	MMBD914LT1	1	CR2
213	2	2360 0128 000	TRAN	MMBT2222A	1	Q1
214	2	2415 0001 005	IC	MCT 2E PDIP06+C372+C349	3	U8,9,15
215	2	2600 0017 100	LED	LED (3MM) BLUE	1	CR4
216	2	2600 0017 000	LED	LED (3MM) GREEN	1	CR1
217	2	2781 0055 100	CXTAL	CHXTAL 5.0688MHz/20PPM/PR	1	XTAL1
218	2	2809 0002 000	CONN	2PIN BERG STICK (M) ST. 10MM	1	J3
219	2	2804 0006 000	CONN	96FULLEURO STD(M)R/A	1	J2
220	2	2821 0005 000	CONN	5 PIN SIP CONN (M)	1	J1
221	2	2935 0007 001	IC	MM74HC574WM	2	U11,12

222	2	2942 0145 001	IC	MC 74HC4051 SMD	2	U3,4
223	2	2942 0147 001	IC	MC 74HC4053 S016 WIDE	1	U16
224	2	2943 0001 001	IC	MC74HC154 SO-24	1	U2
225	2	2953 0106 001	IC	MC 74HC541 SO-20	2	U13,14
226	2	2954 0109 100	IC	IC MAX3237ECAI SMD	1	U7
227	2	2965 0004 000	IC	IC PIC 18F8621 I/PT	1	U1
228	2	2999 1003 000	IC	SMD LM 61 SOT-23	1	U6
229	2	2999 1004 000	IC	LM 2904M SO-8	1	U5
230	2	2803 0020 100	CONN	20PIN IDC R/A M (INTER LOCKING)	1	J3
231	2	3900 0410 900	PCB	SUPERVISORY PCB	1	
232	1	1923 1320 419	MOD	PA-OD-MC-815-37-15-01	1	
233	2	1924 2320 499	ASSY	PCB ASSY- PA-OD-5W-MC 858-!DEN- DL	1	
234	3	2003 1001 000	NTC	CHIP RES.PXV1220S-5dB-N1	1	NTC1
235	3	2010 0000 303	CHR	0E,1/16W,€5%,0603	1	R76
236	3	2010 2221 310	CHR	2.2K 1/8W 5% 1206	1	R21
237	3	2010 3312 350	CHR	CHR - 3.3E 1W 2512	2	R9,10
238	3	2010 1031 303	CHR	10K,1/16W,5%,0603	1	R39
239	3	2010 1001 303	CHR	10E,1/16W,€5%,0603	1	R18
240	3	2010 1201 303	CHR	12E,1/16W,5%,0603	2	R24,73
241	3	2010 2021 303	CHR	2K,1/16W,5%,0603	5	R29,60,65,66,71
242	3	2010 2231 303	CHR	22K,1/16W,5%,0603	1	R41
243	3	2010 1801 303	CHR	18E,1/16W,5%,0603	1	R4A
244	3	2010 1521 303	CHR	1.5K,1/16W,5%,0603	1	R49
245	3	2010 1821 303	CHR	1.8K,1/16W,5%,0603	1	R17
246	3	2010 1011 303	CHR	100E 1/16W 5% 0603	1	R58
247	3	2148 5041 840	MLCC	MLCC - 0.5PF 500V, ±0.1	1	C50
248	3	2114 1512 840	MLCC	1.5PF ±.25 0805 50V	2	C34A,13
249	3	2148 2712 740	MLCC	MLCC - 2.7PF 500V, ±.25	1	C46
250	3	2114 3012 840	MLCC	3PF 50V±0.25%PF,0805	1	C34B#
251	3	2148 1001 980	MLCC	MLCC - 10PF 500V, ±10	2	C42,43
252	3	2148 3912 740	MLCC	MLCC - 3.9PF 500V, ±.25	1	C44
253	3	2148 4701 980	MLCC	MLCC - 47PF 500V, ±10	1	C49
254	3	2351 0003 000	TRAN	IRF4905	1	Q3
255	3	2010 2012 303	CHR	2E,1/16W,5%,0603	2	R1,R2
256	3	2010 2411 303	CHR	240E,1/16W,5%,0603	1	R42
257	3	2010 2421 303	CHR	2.4K,1/16W,5%,0603	3	R8,16,19
258	3	2010 2701 303	CHR	27E 1/16W 5%, 0603	1	
259	3	2010 3331 303	CHR	33K,1/16W,5%,0603	1	R47
260	3	2010 3921 303	CHR	3.9K,1/16W,5%,0603	2	R55,168
261	3	2010 4711 303	CHR	470E,1/16W,5%,0603	5	R23,25,40,72,74
262	3	2010 3321 303	CHR	3.3K,1/16W,5%,0603	1	R20
263	3	2010 4721 303	CHR	4.7K,1/16W,5%,0603	1	R70
264	3	2010 4731 303	CHR	47K,1/16W,5%,0603	1	R38
265	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	1	R12
266	3	2010 5101 303	CHR	51E,1/16W,5%,0603	5	R6,14,28,22,56
267	3	2010 6201 303	CHR	62E,1/16W,5%,0603	2	R26,27
268	3	2010 6221 303	CHR	6.2K,1/16W,5%,0603	1	R31
269	3	2010 6801 303	CHR	68E,1/16W,5%,0603	2	R57,59
270	3	2010 9111 303	CHR	910E,1/16W,5%,0603	6	R11,13,34,35,51,52
271	3	2051 5011 000	VRC	500E SMD 4.5xSMM (S.T	5	VR2,3,5,6,7
272	3	2010 5111 303	CHR	510E,1/16W,5%,0603	1	R64
273	3	2052 1021 001	VRC	1K SMD 6.4x6.1MM(MT)	2	VR1,4
274	3	2114 1001 840	MLCC	10PF ±.25 0805 50V	5	C20,28,33,38A,39
275	3	2114 1011 340	MLCC	100PF 50V ±5%,0805	19	C1,2,5,7,8,9,10,12,17,18,54,57,58,66,73,89,93,96,99
276	3	2114 1041 340	CHC	100KPF50V ±5%0805	4	C71,36,72,45
277	3	2114 1041 413	CHC	100KPF,10%,0603,16V	36	C4,6,6A,15,22,26,30,52,53,56,62,63,64,67,74,75,76,77,78
278	3	2114 1801 343	CHC	18PF,50V,±5%,0603	3	C23,27,31
279	3	2114 2212 840	MLCC	2.2PF,50V ±.5PF 0805	1	C34
280	3	2114 2712 940	MLCC	2.7PF ±0.5PF 0805 50V	1	C24
281	3	2114 2211 343	CHC	220PF,5%,0603,50V	2	C60,92
282	3	2114 4701 940	MLCC	47PF ±.5 0805 50V	3	C32,37,41
283	3	2114 8012 943	CHC	8PF 50V€0.50PF,0603	1	C16
284	3	2115 1051 410	CTNC	1MF 16V€10%,A	10	C21,25,29,40,65,82,87,98,100,35
285	3	2115 1061 412	CTNC	10MF, 16VÇ10%B	3	C3,19,59
286	3	2115 1061 433	CTNC	10MF,35V,10%,D	3	C48,51,70
287	3	2118 1071 642	CEC	CEC - 100MFD 35V	1	C61
288	3	2148 5041 840	MLCC	MLCC - 0.5PF 500V, ±0.1	1	C50
289	3	2148 2712 740	MLCC	MLCC - 2.7PF 500V, ±.25	1	C46
290	3	2148 1001 980	MLCC	MLCC - 10PF 500V, ±10	2	C42,43
291	3	2148 3912 740	MLCC	MLCC - 3.9PF 500V, ±.25	1	C44
292	3	2148 4701 980	MLCC	MLCC - 47PF 500V, ±10	1	C49
293	3	2240 0120 000	CFB	SMD FERITE BEAD 120E	3	FB1,2,3
294	3	2295 1012 302	CHCL	1UH,5%,1008	1	L10

295	3	2295 1022 403	CHCL	100nH,5%,300mA,0805	5	L1,3,4,6,7
296	3	2809 0002 000	CONN	2PIN BERG CONN (M)ST	1	JP1
297	3	2907 0077 005	IC	IC NJM78L05A-SOT89	1	U5
298	3	2325 0003 000	DIOD	HSMS 2822 SOT-23	1	D3
299	3	2351 0003 000	TRAN	IRF4905	1	Q3
300	3	2360 0128 000	TRAN	MMBT2222A	1	Q2
301	3	2360 0138 000	TRAN	MMBT3906LT1 SOT-23	1	Q1
302	3	2922 0007 100	IC	IC - SGA 6389 - SOT-89	1	U1
303	3	2922 0005 000	IC	SGA 4586 - SOT86	1	U6
304	3	2962 0002 000	IC	IC AD 8314 (ARM) J5A	2	U14,7
305	3	2922 0003 000	IC	IC - AH 312-S8G	1	U3
306	3	2922 0006 000	IC	ECG 009 SMD-SOT89	1	U2
307	3	2999 1003 000	IC	SMD LM 61 SOT-23	1	U10
308	3	2999 1005 002	IC	LM2941T VOLT REGULAT	1	U8
309	3	2835 0009 001	CONN	DB9 (M) R/A PCB MNT.(FOR PA)	1	J4
310	3	2999 1004 000	IC	LM 2904M SO-8	4	U9,11,12,13
311	3	3900 2320 900	PCB	PCB - 01 CH PA 20 W	1	
312	3	2786 0023 000	BPF	BPF - FMD 0860 EYA 18 MHz	1	YF1
313	3	2657 1017 100	ISOL	ISOLATOR - IL07BL (R) 0858 AAE	1	ISO1
314	3	3900 2329 900	PCB	JUMPER PCB 20W PA	1	
316	2	4900 3920 999	ENCL	ALU. HOUSING - SCPA 20W (900)	1	
317	2	7105 0008 100	SCW	PH PAN HEAD 2.5X6	62	
318	2	7351 0002 100	WSHR	PLAIN WASHER 2.5	46	
319	2	7353 0002 100	WSHR	SPRING WASHER M2.5	25	
320	2	4500 0503 000	SPCR	TEFLON RING SPACER	1	
321	2	7354 0005 000	SHEET	INSULATION SHEET TO 220	1	
322	2	7111 0002 100	SCW	HEX SCREW M3X8 MM	4	
323	2	7107 0011 100	SCRW	PAN HEAD M2.5X12	6	
324	2	7107 0009 100	SCW	PH PAN M2.5X8 SS	5	
325	2	7353 0003 100	WSHR	SPRING WASHER M3	4	
326	2	2010 1021 310	CHR	1K 1/8W 5%,1206	2	R75
327	2	2360 0152 060	TRAN	MRF 9060R1	1	U4
328	2	2657 1008 001	ISOL	ISOLATOR 806-849MHz 1" SQ	1	ISO2
329	2	2837 0039 000	CONN	SMA(F) 4H 5mm	2	J1,2
330	2	2876 0001 000	CONN	PWR CONN DB3 (M)	1	J3
331	2	2830 0003 000	JUP	MINI U_LINK (F) BLUE	1	
332	2	2010 2701 303	CHR	27E 1/16W 5%, 0603	1	
333	1	1923 2312 419	MOD	PA-OD-MC-860-40-18-01	1	
334	2	1924 2312 419	ASSY	PCB ASSY - MCPA 12W 800-IDEN	1	
335	3	2003 1001 000	NTC	CHIP RES.PXV1220S-5dB-N1	1	NTC1
336	3	2010 1021 303	CHR	1K,1/16W,5%,0603	18	R33,34,37,47,48,49,51,52,53,55,56,89,70,71,74,76,77,68
337	3	2010 1031 303	CHR	10K,1/16W,5%,0603	1	R64
338	3	2010 1001 303	CHR	10E,1/16W,5%,0603	3	R13,19,63
339	3	2010 1201 303	CHR	12E,1/16W,5%,0603	1	R81
340	3	2010 2021 303	CHR	2K,1/16W,5%,0603	5	R31,66,72,73,79
341	3	2010 2221 310	CHR	2.2K 1/8W 5% 1206	3	R16,22,43
342	3	2010 2231 303	CHR	22K,1/16W,5%,0603	1	R65
343	3	2010 1521 303	CHR	1.5K,1/16W,5%,0603	1	R69
344	3	2010 1821 303	CHR	1.8K,1/16W,5%,0603	3	R12,18,40
345	3	2010 1211 303	CHR	120E,1/16W,5%,0603	2	R60,62
346	3	2010 1801 303	CHR	18E,1/16W,5%,0603	1	R25
347	3	2010 2211 303	CHR	220E,1/16W,5%,0603	1	R46
348	3	2010 3011 303	CHR	300E,1/16W,5%,0603	2	R24,26
349	3	2010 7501 303	CHR	75E, 1/16W, 5%,0603	1	R61
350	3	2010 2421 303	CHR	2.4K,1/16W,5%,0603	7	R2,14,17,20,39,41,11
351	3	2010 2701 310	CHR	27E 1/10W 5%, 1206	3	R3,5,10
352	3	2010 3331 303	CHR	33K,1/16W,5%,0603	1	R50
353	3	2010 3921 303	CHR	3.9K,1/16W,5%,0603	2	R30,57
354	3	2010 4711 303	CHR	470E,1/16W,5%,0603	3	R80,82,83
355	3	2010 3321 303	CHR	3.3K,1/16W,5%,0603	3	R15,21,42
356	3	2010 4721 303	CHR	4.7K,1/16W,5%,0603	1	R78
357	3	2010 4731 303	CHR	47K,1/16W,5%,0603	1	R84
358	3	2010 5112 303	CHR	5.1E,1/16W,5%,0603	2	R6,6A
359	3	2010 5101 303	CHR	51E,1/16W,5%,0603	5	R,8,9,23,29,58
360	3	2010 6201 303	CHR	62E,1/16W,5%,0603	2	R27,28
361	3	2010 6221 303	CHR	6.2K,1/16W,5%,0603	1	R32
362	3	2010 9111 303	CHR	910E,1/16W,5%,0603	8	R4,4A,7,7A,35,36,54,75
363	3	2051 1021 001	VRC	1K SMD 4.5X5MM (S.T)	5	VR3,4,6,8,9
364	3	2010 5101 450	CHR	51E,1W, 10% 1206	1	R38
365	3	2010 5111 303	CHR	510E,1/16W,5%,0603	1	R67
366	3	2052 1021 001	VRC	1K SMD 1/4" W (MT)	4	VR1,2,5,7
367	3	2114 1001 840	MLCC	10PF ±.25 0805 50V	11	C13,21,26,27,29,34,35,47,50,84,114
368	3	2114 1011 340	MLCC	100PF 50V ±5%,0805	15	C1,2,4,10,11,25,64,66,69,77,108,111,121,126,129

369	3	2114 1041 340	CHC	100KPF50V ±5%0805	11	C30,36,38,48,56,58,82,88,89,115,119
370	3	2114 1041 413	CHC	100KPF,10%,0603,16V	29	C8,9,63,65,67,73,74,75,78,79,91,92,93,94,95,96,97,100,1
371	3	2114 1801 343	CHC	18PF,50V,±5%,0603	3	C15,20,23
372	3	2114 2212 840	MLCC	2.2PF,50V ±.5PF 0805	2	C45,112
373	3	2114 2712 940	MLCC	2.7PF ±0.5PF 0805 50V	2	C7,17
374	3	2114 3012 840	MLCC	3PF 50V±0.25%PF,0805	1	C26A
375	3	2114 2211 343	CHC	220PF,5%,0603,50V	2	C71,110
376	3	2114 3612 840	MLCC	3.6PF ±.25 0805 50V	2	C37,39
377	3	2114 4701 940	MLCC	47PF ±.5 0805 50V	10	C26B,31,33,42,44,49,52,80,83,86
378	3	2115 1051 410	CTNC	1MF 16V€10%,A	12	C12,18,24,32,51,76,78A,98,99,105,128,255
379	3	2115 1061 412	CTNC	10MF, 16VÇ10%B	6	C3,16,28,46,70,81
380	3	2115 1061 433	CTNC	10MF,35V,10%,D	3	C40,59,90
381	3	2118 1071 642	CEC	CEC - 100MFD 35V	4	C62,68,72,113
382	3	2240 0005 000	FB	F.B. 5X3.5X1.3 1.5T 0.457SWG	2	F1,2
383	3	2295 1012 302	CHCL	1UH,5%,1008	2	L5,6
384	3	2295 1022 403	CHCL	100nH,5%,300mA,0805	4	L1,1X,3,4
385	3	2809 0002 000	CONN	2PIN BERG CONN (M)ST	3	JP1,2,3
386	3	2907 0077 005	IC	IC NJM78L05A-SOT89	3	U4,5,7
387	3	2325 0003 000	DIOD	HSMS 2822 SOT-23	1	D1
388	3	2351 0003 000	TRAN	IRF4905	1	Q4
389	3	2360 0128 000	TRAN	MMBT2222A	1	Q5
390	3	2360 0138 000	TRAN	MMBT3906LT1 SOT-23	3	Q1,2,3
391	3	2922 0005 000	IC	IC-SGA 4586 - SOT86	1	U9
392	3	2962 0002 000	IC	IC AD 8314 (ARM) J5A	2	U10,17
393	3	2922 0003 000	IC	IC - AH 312-S8G	1	U2
394	3	2117 1021 443	CHC	1KPF 50V €10% 0603	3	C14,19,22
395	3	2922 0006 000	IC	ECG 009 SMD-SOT89	1	U1
396	3	2999 1003 000	IC	SMD LM 61CIM3 SOT-23	1	D4
397	3	2999 1004 000	IC	LM 2904M SO-8	4	U12,13,15,16
398	3	2999 1005 002	IC	LM2941T VOLT REGULAT	1	U11
399	3	2786 0023 000	BPF	BPF - FMD 0860 EYA 18 MHz	1	YF1
400	3	2657 1017 100	ISOL	ISOLATOR - IL07BL (R) 0858 AAE	1	ISO1
401	3	3900 0400 375	PCB	JUMPER PCB 18MM	2	
402	3	2998 0002 000	HYBC	IC HYB. CUPL1304 3DB 90	2	HYB1,HYB2 (USE ONLY 1W 1304)
403	3	2114 3012 840	MLCC	3PF 50V±0.25%PF,0805	1	C26C
404	3	2148 5041 840	MLCC	MLCC - 0.5PF 500V, ±0.1	2	C60,120
405	3	2148 1001 980	MLCC	MLCC - 10PF 500V, ±10	4	C53,54,87,116
406	3	2148 2012 740	MLCC	MLCC - 2.0PF 500V, ±.25	2	 C55,117
407	3	2148 3912 740	MLCC	MLCC - 3.9PF 500V, ±.25	2	C57,118
408	3	2148 4701 980	MLCC	MLCC - 47PF 500V, ±10	3	C61,122,26B
409	3	2835 0009 001	CONN	DB9 (M) R/A PCB MNT.(FOR PA)	1	J3
410	3	2240 0120 000	CFB	SMD FERITE BEAD 120E	2	FB1,2
411	3	3900 2312 450	PCB	PCB PA 12W-900MHZ	1	
413	2	4900 3043 999	ENCL	ALU. ENCLOUSER-MCPA-12W-900MHZ	1	
414	2	7105 0008 100	SCW	PH PAN HEAD 2.5X6	105	
415	2	7101 0007 100	SCW	PH PAN HEAD M2.5X10(SMALL HEAD)	9	
416	2	7351 0002 100	WSHR	PLAIN WASHER 2.5	46	
417	2	7353 0002 100	WSHR	SPRING WASHER M2.5	25	
418	2	4500 0503 000	SPCR	TEFLON RING SPACER	1	
419	2	7354 0005 000	SHEET	INSULATION SHEET TO 220	1	
420	2	7111 0002 100	SCW	HEX SCREW M3X8 MM	4	
421	2	7107 0011 100	SCRW	PAN HEAD M2.5X12	6	
422	2	7107 0009 100	SCW	PH PAN M2.5X8 SS	5	
423	2	7353 0003 100	WSHR	SPRING WASHER M3	4	
424	2	2010 1021 310	CHR	1K 1/8W 5%,1206	1	R45
425	2	2360 0152 060	TRAN	MRF 9060LR5	2	U6,8
426	2	2657 1011 000	ISOL	ISOLATOR 810-915 MHz	1	ISO2
427	2	2837 0039 000	CONN	SMA(F) 4H 5mm	2	J1,2
428	2	2876 0001 000	CONN	PWR CONN DB3 (M)	1	J4
429	2	2830 0003 000	JUP	MINI U_LINK (F) BLUE	3	
430	2	2360 0045 904	TRAN	MRF 09045LR5	1	U3
431	2	2006 5101 400	TERM	RES 50E TERM.RFP100-50TW	1	R44
432	2	2502 0007 216	H	SUPER FLEXIBLE CABLE DIA 2.16	0.1	
433	2	2502 0004 000	H	COAXIAL CABL(WHITE) R.G.196	0.1	
434	1	1903 0403 400	MOD	DISPLAY MODULE	1	
435	2	1904 0403 300	ASSY	VFD DISPLAY PCB ASSY	1	
436	3	2010 1021 303	CHR	1K,1/16W,5%,0603	21	R1-21
437	3	2083 4721 310	RA	RESPACK4.7K 5%(SIP9)	4	RA1-4
438	3	2600 0001 000	LED	LED (R) 3MM	18	CR1-18
439	3	2802 0014 000	CONN	14P IDC CONN.M (BOX HEADER)	1	J1
440	3	2803 0020 003	CONN	20PIN IDC R/A M (BOX HEADER)	1	J2
441	3	2815 0001 000	SW	RESET SWITCH (BLACK)	5	SW1-5
442	3	2935 0007 001	IC	MM74HC574WM	3	U1,3,4

443	3	2953 0106 001	IC	MC 74HC541 SO-20	1	U2
444	3	3900 0403 300	PCB	DISPLAY PCB(SUPRVRY)	1	
446	2	7107 0001 100	SCW	PAN M3X6 PH SS304	4	
447	2	7105 0008 100	SCW	PAN M2.5X6 PH.SS	4	
448	2	7351 0003 100	WSHR	PLAIN WASHER M3	4	
449	2	7353 0003 100	WSHR	SPRING WASHER M3	4	
450	2	4600 0150 100	SHET	VFD ACRLC SHT 20X40M	1	
451	2	4900 4013 400	PLAT	ALU. DISPLAY PLATE	1	
452	2	7351 0002 100	WSHR	PLAIN WASHER 2.5	4	
453	2	7353 0002 100	WSHR	SPRING WASHER M2.5	4	
454	2	1755 1204 000	VFD	VFD DISPY 16T202DA1E	1	
455	2	7107 0002 100	SCW	PAN M3X8 PH SS	4	
456	2	2502 0074 100	CABL	14P FLAT CABLE 100MM	1	
457	2	2802 0014 000	CONN	14P IDC CONNECTOR M	1	
458	1	2997 0011 000	PSU	SMPS - 7V/5A, 12V/0.8A, 27V/3.5A	2	
459	1	1923 0901 419	MOD	DUPLEXER - CDMA 15MHz - 806-869	2	
460	2	4900 2035 999	ENCL	ALU.ENCL- 835-850MHz DUPLXR	1	
461	2	4900 0017 700	RSNR	RESNATR 45X9.0mm - DUPL.15MHz B/W	14	
462	2	4900 3045 500	RESN	RESONATOR 44.5X6.3mm FOR 806-866MH	4	
463	2	4900 0007 150	TSCW	TUNNING SCREW M3X15	5	
464	2	4900 0007 160	TSCW	TUNNING SCREW M3X10X0.5 BRS SL PLT	2	
465	2	4900 0007 180	TSCW	TUNNING SCREW M3 x 18mm(BRS SL PLT	8	
466	2	4900 0007 350	TSCW	TUNNING SCREW M3 x 20 x 0.5 mm	1	
467	2	4900 0007 418	TSCW	TUNNING SCREW M3X24(0.5mm PITCH)	4	
468	2	4900 0007 360	TSCW	TUNNING SCREW M3 x 30 x 0.5 mm	20	
469	2	4900 0007 370	TSCW	TUNNING SCREW M3 x 35 x 0.5 mm	2	
470	2	4900 0007 500	TSCW	TUNNING SCREW M3X40X0.5mm(BRS S P	4	
471	2	2837 0003 500	CONN	PANEL MOUNT N-F CONN(D5)	1	
472	2	2837 0018 000	CONN	SMA (F) 4 HOLE 15MM-full length bare conta	3	
473	2	7243 0003 100	NUT	NUT M3 SS	28	
474	2	7107 0003 100	SCW	PAN M3X10 PH SS	4	
475	2	7107 0001 100	SCW	PAN M3X6 PH SS	4	
476	2	7105 0008 100	SCW	PAN M2.5X6 PH.SS	12	
477	2	7105 0009 100	SCW	CSK PHILIP M2.5X8 SS	14	
478	2	7109 0098 000	SCW	CSK M2X6 SS	8	
479	2	4903 0903 931	COVR	MODEM CONNECTOR DUMMY COVER	1	
480	1	4900 0094 999	ENCL	ALU. ENCLOSURE - O/D-15	1	
481	1	5000 0062 150	BRKT	MOUNTING BRACKET - DISPLAY PLATE	2	
482	1	4900 2244 400	BRKT	ALU. HINGE MONTNG BRACKE- DISP PLA	2	
483	1	4900 2108 310	STUD	PCB MNTNG STUD - I/D DB5 R-33	9	
485	1	2502 0053 920	CABL	RS-232 DB9(M)-DB9(F)4CORE 2MTR	1	
486	1	2502 0010 970	CABL	INTL RS-232(9PD(F)-9PD(F)) 70CM	1	
487	1	2608 0003 100	LED	LED LIGHT- 24V DC 22 MM	1	
488	1	2502 0074 170	CABL	20 P.FLAT CABLE (F - F) 170 MM	1	
489	1	2503 0010 000	WT	WIRE TIE 50 MM/100MM	10	
490	1	4900 3012 100	COVR	ALU. COVER - PSU DB5R-20	2	
491	1	2502 0010 467	CABL	PSU TO POWER INDICATOR	1	
492	1	2502 0022 321	CABL	CONN.RG405 -SMA(M)-ST.SMA(M) R/A L-3;	1	
493	1	2502 0022 221	CABL	CONN.RG405-SMA(M)-ST.SMA(M) R/A	1	
494	1	2502 0036 400	CABL	CABLE S/F - SMA(M)-SMA(M)R/A 3.65 D L-	1	
495	1	2502 0003 341	CORD	POWER CORD-EXTER'L ALLIED CONN3P(I	1	
496	2	2823 0003 102	CONN	ALLIED 3PIN SOCK. (F)-AC	1	
497	2	2502 0003 344	CORD	PWR.CORD- 3 (P) M L -4 m W/O 3 (P) F	1	
498	1	2830 0003 000	JUP	MINI U_LINK (F) BLUE	2	
499	1	2502 0014 244	CABL	DOOR OPEN CABLE(REMT&MAST)75CM	1	
500	1	2502 0005 400	CORD	POWER CORD-3P (F) ALLIED L-2M EURP T	0	EUROPE
501	1	2502 0004 400	CORD	POWER CORD-3P (F) ALLIED US TYPE (O	0	USA
502	1	2502 0005 100	CORD	POWER CORD-3P (F) ALLIED L-1M (OD1-1	1	
503	1	2502 0009 018	CABL	CABLE - D9 (F-F) DTA CNTR FLAT L-18CM	1	
504	1	2502 0009 044	CABL	CABLE - D9 (F-F) DTA CNTR FLAT L-44CM	1	
505	1	1905 0012 052	ASSY	MOLEX 12P (F) 4 WIRE (OD1-10W)	1	
506	1	1905 0012 076	ASSY	MOLEX 12P (F) 8WIRE (O/D1 -10W)	1	
507	1	2502 0036 180	CABL	CABL-RG402 SMA(M)R/A(M)R/A-180mm	1	
508	1	2502 0022 160	CABL	CABL RG-405 SMA(M)St-(M)R/A-160mm	1	
509	1	2502 0022 120	CABL	CABL RG-405 SMA(M)St-(M)R/A-120mm	1	
510	1	6002 4002 000	CD	BLANK COMPACT DISK WITH COVER	1	
511	1	1904 0410 001	ASSY	PCB ASSY - SERIAL TO USB	1	
512	2	2114 1041 413	CHC	100KPF ±10%,0603,16V	5	C1,2,3,6,7
513	2	2115 1051 410	CTNC	1MF 16V ±10%,A	2	C4,5
514	2	2843 0009 200	CONN	DB9 CONN R/A (M) (FOR M.B.)/4 PIN SIP C	1	J2
515	2	2999 2102 000	IC	IC - USB CHIP 2CP 2102	1	U1
516	2	2964 3243 000	IC	IC - SP 3243 EUCA (SIPEX)	1	U2
517	2	2837 2102 000	CONN	CONN - USB PCB MOUNTABLE	1	J1

518	2	3900 0410 001	PCB	PCB - SERIAL TO USB	1
519	1	2512 1001 400	CABL	USB CABLE - USB TO USB L-1.5M	1
520	1	7111 0017 500	BOLT	HEX BOLT 12.5 X 175 MM	4
521	1	7243 0012 500	NUT	HEX NUT M12.5	4
522	1	7353 0012 500	WSHR	SPRING WASHER M12.5	4
523	1	7351 0012 500	WSHR	PLAIN WASHER M12.5	8
524	1	2502 0004 200	CORD	POWER CORD L-2 (US TYPE)	1