



802.11ac-HT80			
Test Channel	5210MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	62.3038	30.73	-9.35	21.38	40.00	-18.62	-	-	peak
2	129.3923	35.15	-9.89	25.26	43.50	-18.24	-	-	peak
3	194.4985	42.31	-11.67	30.64	43.50	-12.86	-	-	peak
4	227.0164	42.73	-11.76	30.97	46.00	-15.03	-	-	peak
5	516.5651	35.36	-3.65	31.71	46.00	-14.29	-	-	peak
6	932.1405	31.94	1.87	33.81	46.00	-12.19	-	-	peak

802.11ax-HE80			
Test Channel	5210MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	52.2659	28.61	-8.33	20.28	40.00	-19.72	-	-	peak
2	162.0197	30.98	-8.66	22.32	43.50	-21.18	-	-	peak
3	194.4985	34.57	-11.67	22.90	43.50	-20.60	-	-	peak
4	324.8645	34.58	-7.55	27.03	46.00	-18.97	-	-	peak
5	516.5651	31.93	-3.65	28.28	46.00	-17.72	-	-	peak
6	952.0001	30.67	2.25	32.92	46.00	-13.08	-	-	peak

802.11ax-HE80			
Test Channel	5210MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.5648	29.26	-9.00	20.26	40.00	-19.74	-	-	peak
2	67.7856	31.11	-10.36	20.75	40.00	-19.25	-	-	peak
3	129.3923	34.78	-9.89	24.89	43.50	-18.61	-	-	peak
4	194.4985	42.33	-11.67	30.66	43.50	-12.84	-	-	peak
5	227.0164	42.84	-11.76	31.08	46.00	-14.92	-	-	peak
6	452.0013	36.69	-4.56	32.13	46.00	-13.87	-	-	peak

5260-5320MHz


802.11a

Test Channel	5260MHz(Worst case)	Polarity:	Horizontal
--------------	---------------------	-----------	------------




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	48.0392	27.25	-8.23	19.02	40.00	-20.98	-	-	peak
2	68.7450	28.24	-10.54	17.70	40.00	-22.30	-	-	peak
3	148.9175	31.08	-8.68	22.40	43.50	-21.10	-	-	peak
4	194.4985	34.79	-11.67	23.12	43.50	-20.38	-	-	peak
5	338.8546	34.40	-7.31	27.09	46.00	-18.91	-	-	peak
6	646.8217	30.38	-1.32	29.06	46.00	-16.94	-	-	peak

802.11a			
Test Channel	5260MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	61.0041	29.41	-9.11	20.30	40.00	-19.70	-	-	peak
2	129.3923	35.87	-9.89	25.98	43.50	-17.52	-	-	peak
3	148.9175	32.23	-8.68	23.55	43.50	-19.95	-	-	peak
4	194.4985	41.96	-11.67	30.29	43.50	-13.21	-	-	peak
5	227.0164	43.20	-11.76	31.44	46.00	-14.56	-	-	peak
6	452.0013	37.19	-4.56	32.63	46.00	-13.37	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	51.1756	27.33	-8.22	19.11	40.00	-20.89	-	-	peak
2	148.9175	30.54	-8.68	21.86	43.50	-21.64	-	-	peak
3	194.4985	35.00	-11.67	23.33	43.50	-20.17	-	-	peak
4	343.6506	33.77	-7.22	26.55	46.00	-19.45	-	-	peak
5	389.9874	32.52	-6.16	26.36	46.00	-19.64	-	-	peak
6	952.0001	30.85	2.25	33.10	46.00	-12.90	-	-	peak

802.11n-HT20			
Test Channel	5260MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	62.7432	30.68	-9.44	21.24	40.00	-18.76	-	-	peak
2	129.3923	34.98	-9.89	25.09	43.50	-18.41	-	-	peak
3	194.4985	42.19	-11.67	30.52	43.50	-12.98	-	-	peak
4	227.0164	43.40	-11.76	31.64	46.00	-14.36	-	-	peak
5	452.0013	35.60	-4.56	31.04	46.00	-14.96	-	-	peak
6	516.5651	35.54	-3.65	31.89	46.00	-14.11	-	-	peak


802.11ac-HT20			
Test Channel	5260MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	41.4483	26.91	-8.48	18.43	40.00	-21.57	-	-	peak
2	65.9067	27.83	-10.02	17.81	40.00	-22.19	-	-	peak
3	151.0252	29.58	-8.61	20.97	43.50	-22.53	-	-	peak
4	194.4985	35.30	-11.67	23.63	43.50	-19.87	-	-	peak
5	343.6506	34.78	-7.22	27.56	46.00	-18.44	-	-	peak
6	862.8015	30.53	0.85	31.38	46.00	-14.62	-	-	peak




802.11ac-HT20			
Test Channel	5260MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	60.1528	30.22	-8.97	21.25	40.00	-18.75	-	-	peak
2	129.3923	34.95	-9.89	25.06	43.50	-18.44	-	-	peak
3	194.4985	42.57	-11.67	30.90	43.50	-12.60	-	-	peak
4	227.0164	42.60	-11.76	30.84	46.00	-15.16	-	-	peak
5	387.2565	35.15	-6.22	28.93	46.00	-17.07	-	-	peak
6	516.5651	35.09	-3.65	31.44	46.00	-14.56	-	-	peak

802.11ax-HE20			
Test Channel	5260MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	55.2883	28.61	-8.64	19.97	40.00	-20.03	-	-	peak
2	146.8392	28.61	-8.85	19.76	43.50	-23.74	-	-	peak
3	194.4985	34.01	-11.67	22.34	43.50	-21.16	-	-	peak
4	343.6506	33.85	-7.22	26.63	46.00	-19.37	-	-	peak
5	516.5651	31.58	-3.65	27.93	46.00	-18.07	-	-	peak
6	875.0133	29.93	0.97	30.90	46.00	-15.10	-	-	peak

802.11ax-HE20			
Test Channel	5260MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	35.7617	28.49	-9.39	19.10	40.00	-20.90	-	-	peak
2	68.2636	30.83	-10.45	20.38	40.00	-19.62	-	-	peak
3	129.3923	33.87	-9.89	23.98	43.50	-19.52	-	-	peak
4	194.4985	42.46	-11.67	30.79	43.50	-12.71	-	-	peak
5	227.0164	42.49	-11.76	30.73	46.00	-15.27	-	-	peak
6	452.0013	35.53	-4.56	30.97	46.00	-15.03	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	42.3314	27.61	-8.48	19.13	40.00	-20.87	-	-	peak
2	62.3038	27.43	-9.35	18.08	40.00	-21.92	-	-	peak
3	148.9175	29.41	-8.68	20.73	43.50	-22.77	-	-	peak
4	194.4985	33.33	-11.67	21.66	43.50	-21.84	-	-	peak
5	341.2442	33.69	-7.26	26.43	46.00	-19.57	-	-	peak
6	945.3336	30.77	2.15	32.92	46.00	-13.08	-	-	peak

802.11n-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	45.0951	28.48	-8.46	20.02	40.00	-19.98	-	-	peak
2	129.3923	35.13	-9.89	25.24	43.50	-18.26	-	-	peak
3	194.4985	41.95	-11.67	30.28	43.50	-13.22	-	-	peak
4	227.0164	42.96	-11.76	31.20	46.00	-14.80	-	-	peak
5	259.4434	33.98	-9.79	24.19	46.00	-21.81	-	-	peak
6	452.0013	35.76	-4.56	31.20	46.00	-14.80	-	-	peak

802.11ac-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	42.9305	27.27	-8.48	18.79	40.00	-21.21	-	-	peak
2	61.8676	28.09	-9.28	18.81	40.00	-21.19	-	-	peak
3	148.9175	29.40	-8.68	20.72	43.50	-22.78	-	-	peak
4	194.4985	33.63	-11.67	21.96	43.50	-21.54	-	-	peak
5	331.7858	33.22	-7.43	25.79	46.00	-20.21	-	-	peak
6	611.4623	29.39	-1.59	27.80	46.00	-18.20	-	-	peak

802.11ac-HT40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	52.6345	28.71	-8.37	20.34	40.00	-19.66	-	-	peak
2	63.6312	30.57	-9.59	20.98	40.00	-19.02	-	-	peak
3	129.3923	34.68	-9.89	24.79	43.50	-18.71	-	-	peak
4	194.4985	41.81	-11.67	30.14	43.50	-13.36	-	-	peak
5	227.0164	43.02	-11.76	31.26	46.00	-14.74	-	-	peak
6	516.5651	36.41	-3.65	32.76	46.00	-13.24	-	-	peak


802.11ax-HE40			
Test Channel	5270MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	52.6345	27.44	-8.37	19.07	40.00	-20.93	-	-	peak
2	151.0252	29.55	-8.61	20.94	43.50	-22.56	-	-	peak
3	341.2442	34.51	-7.26	27.25	46.00	-18.75	-	-	peak
4	389.9874	33.88	-6.16	27.72	46.00	-18.28	-	-	peak
5	669.9523	29.21	-1.27	27.94	46.00	-18.06	-	-	peak
6	965.4742	30.19	2.27	32.46	54.00	-21.54	-	-	peak




802.11ax-HE40			
Test Channel	5270MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.0405	27.94	-9.11	18.83	40.00	-21.17	-	-	peak
2	67.7856	31.08	-10.36	20.72	40.00	-19.28	-	-	peak
3	129.3923	35.82	-9.89	25.93	43.50	-17.57	-	-	peak
4	194.4985	41.99	-11.67	30.32	43.50	-13.18	-	-	peak
5	227.0164	43.32	-11.76	31.56	46.00	-14.44	-	-	peak
6	452.0013	35.40	-4.56	30.84	46.00	-15.16	-	-	peak

802.11ac-HT80			
Test Channel	5290MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	47.3688	27.55	-8.29	19.26	40.00	-20.74	-	-	peak
2	127.5865	29.37	-10.01	19.36	43.50	-24.14	-	-	peak
3	194.4985	34.63	-11.67	22.96	43.50	-20.54	-	-	peak
4	338.8546	33.89	-7.31	26.58	46.00	-19.42	-	-	peak
5	516.5651	30.43	-3.65	26.78	46.00	-19.22	-	-	peak
6	906.3041	31.44	1.32	32.76	46.00	-13.24	-	-	peak

802.11ac-HT80			
Test Channel	5290MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	44.7793	27.92	-8.47	19.45	40.00	-20.55	-	-	peak
2	68.2636	30.80	-10.45	20.35	40.00	-19.65	-	-	peak
3	129.3923	34.97	-9.89	25.08	43.50	-18.42	-	-	peak
4	194.4985	42.49	-11.67	30.82	43.50	-12.68	-	-	peak
5	227.0164	43.13	-11.76	31.37	46.00	-14.63	-	-	peak
6	455.1888	35.09	-4.52	30.57	46.00	-15.43	-	-	peak

802.11ax-HE80			
Test Channel	5290MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	48.7191	27.19	-8.18	19.01	40.00	-20.99	-	-	peak
2	148.9175	29.81	-8.68	21.13	43.50	-22.37	-	-	peak
3	194.4985	34.78	-11.67	23.11	43.50	-20.39	-	-	peak
4	341.2442	34.01	-7.26	26.75	46.00	-19.25	-	-	peak
5	389.9874	32.93	-6.16	26.77	46.00	-19.23	-	-	peak
6	986.0440	31.29	2.28	33.57	54.00	-20.43	-	-	peak

802.11ax-HE80			
Test Channel	5290MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.3017	28.08	-9.06	19.02	40.00	-20.98	-	-	peak
2	64.5319	31.73	-9.76	21.97	40.00	-18.03	-	-	peak
3	129.3923	34.44	-9.89	24.55	43.50	-18.95	-	-	peak
4	194.4985	42.21	-11.67	30.54	43.50	-12.96	-	-	peak
5	227.0164	42.94	-11.76	31.18	46.00	-14.82	-	-	peak
6	516.5651	36.05	-3.65	32.40	46.00	-13.60	-	-	peak

5500-5700MHz


802.11a

Test Channel	5500MHz(Worst case)	Polarity:	Horizontal
--------------	---------------------	-----------	------------




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	51.1756	27.40	-8.22	19.18	40.00	-20.82	-	-	peak
2	153.1627	29.34	-8.61	20.73	43.50	-22.77	-	-	peak
3	194.4985	34.36	-11.67	22.69	43.50	-20.81	-	-	peak
4	341.2442	34.22	-7.26	26.96	46.00	-19.04	-	-	peak
5	387.2565	33.46	-6.22	27.24	46.00	-18.76	-	-	peak
6	856.7597	29.48	0.80	30.28	46.00	-15.72	-	-	peak

802.11a			
Test Channel	5500MHz(Worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	62.3038	30.85	-9.35	21.50	40.00	-18.50	-	-	peak
2	129.3923	35.76	-9.89	25.87	43.50	-17.63	-	-	peak
3	194.4985	42.78	-11.67	31.11	43.50	-12.39	-	-	peak
4	227.0164	43.24	-11.76	31.48	46.00	-14.52	-	-	peak
5	452.0013	36.64	-4.56	32.08	46.00	-13.92	-	-	peak
6	881.1838	30.25	1.02	31.27	46.00	-14.73	-	-	peak


802.11n-HT20			
Test Channel	5500MHz(Worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	41.4483	26.44	-8.48	17.96	40.00	-22.04	-	-	peak
2	66.3715	28.23	-10.11	18.12	40.00	-21.88	-	-	peak
3	148.9175	29.58	-8.68	20.90	43.50	-22.60	-	-	peak
4	194.4985	34.00	-11.67	22.33	43.50	-21.17	-	-	peak
5	341.2442	34.44	-7.26	27.18	46.00	-18.82	-	-	peak
6	868.8860	30.01	0.91	30.92	46.00	-15.08	-	-	peak




802.11n-HT20			
Test Channel	5500MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	61.8676	29.50	-9.28	20.22	40.00	-19.78	-	-	peak
2	148.9175	32.11	-8.68	23.43	43.50	-20.07	-	-	peak
3	194.4985	42.33	-11.67	30.66	43.50	-12.84	-	-	peak
4	227.0164	43.03	-11.76	31.27	46.00	-14.73	-	-	peak
5	387.2565	36.05	-6.22	29.83	46.00	-16.17	-	-	peak
6	952.0001	31.35	2.25	33.60	46.00	-12.40	-	-	peak

802.11ac-HT20			
Test Channel	5500MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	51.1756	27.40	-8.22	19.18	40.00	-20.82	-	-	peak
2	153.1627	29.34	-8.61	20.73	43.50	-22.77	-	-	peak
3	194.4985	34.36	-11.67	22.69	43.50	-20.81	-	-	peak
4	341.2442	34.22	-7.26	26.96	46.00	-19.04	-	-	peak
5	387.2565	33.46	-6.22	27.24	46.00	-18.76	-	-	peak
6	856.7597	29.48	0.80	30.28	46.00	-15.72	-	-	peak

802.11ac-HT20			
Test Channel	5500MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	62.3038	30.85	-9.35	21.50	40.00	-18.50	-	-	peak
2	129.3923	35.76	-9.89	25.87	43.50	-17.63	-	-	peak
3	194.4985	42.78	-11.67	31.11	43.50	-12.39	-	-	peak
4	227.0164	43.24	-11.76	31.48	46.00	-14.52	-	-	peak
5	452.0013	36.64	-4.56	32.08	46.00	-13.92	-	-	peak
6	881.1838	30.25	1.02	31.27	46.00	-14.73	-	-	peak

802.11ax-HE20			
Test Channel	5500MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.5648	28.17	-9.00	19.17	40.00	-20.83	-	-	peak
2	75.3208	28.12	-11.94	16.18	40.00	-23.82	-	-	peak
3	148.9175	30.44	-8.68	21.76	43.50	-21.74	-	-	peak
4	194.4985	35.46	-11.67	23.79	43.50	-19.71	-	-	peak
5	343.6506	33.99	-7.22	26.77	46.00	-19.23	-	-	peak
6	723.7930	28.96	-0.65	28.31	46.00	-17.69	-	-	peak

802.11ax-HE20			
Test Channel	5500MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	45.7333	27.53	-8.41	19.12	40.00	-20.88	-	-	peak
2	61.8676	30.37	-9.28	21.09	40.00	-18.91	-	-	peak
3	129.3923	35.22	-9.89	25.33	43.50	-18.17	-	-	peak
4	194.4985	42.22	-11.67	30.55	43.50	-12.95	-	-	peak
5	227.0164	42.92	-11.76	31.16	46.00	-14.84	-	-	peak
6	516.5651	36.06	-3.65	32.41	46.00	-13.59	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	54.1349	27.17	-8.54	18.63	40.00	-21.37	-	-	peak
2	148.9175	30.04	-8.68	21.36	43.50	-22.14	-	-	peak
3	194.4985	35.29	-11.67	23.62	43.50	-19.88	-	-	peak
4	327.1554	33.84	-7.51	26.33	46.00	-19.67	-	-	peak
5	389.9874	32.96	-6.16	26.80	46.00	-19.20	-	-	peak
6	945.3336	30.53	2.15	32.68	46.00	-13.32	-	-	peak

802.11n-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	68.2636	31.19	-10.45	20.74	40.00	-19.26	-	-	peak
2	129.3923	35.72	-9.89	25.83	43.50	-17.67	-	-	peak
3	194.4985	42.88	-11.67	31.21	43.50	-12.29	-	-	peak
4	227.0164	42.24	-11.76	30.48	46.00	-15.52	-	-	peak
5	452.0013	36.31	-4.56	31.75	46.00	-14.25	-	-	peak
6	827.1795	29.81	0.54	30.35	46.00	-15.65	-	-	peak


802.11ac-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	43.2333	27.16	-8.47	18.69	40.00	-21.31	-	-	peak
2	54.1349	26.76	-8.54	18.22	40.00	-21.78	-	-	peak
3	148.9175	29.70	-8.68	21.02	43.50	-22.48	-	-	peak
4	194.4985	34.00	-11.67	22.33	43.50	-21.17	-	-	peak
5	343.6506	33.72	-7.22	26.50	46.00	-19.50	-	-	peak
6	389.9874	33.50	-6.16	27.34	46.00	-18.66	-	-	peak




802.11ac-HT40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	40.5837	27.24	-8.48	18.76	40.00	-21.24	-	-	peak
2	68.2636	31.08	-10.45	20.63	40.00	-19.37	-	-	peak
3	148.9175	33.07	-8.68	24.39	43.50	-19.11	-	-	peak
4	194.4985	41.67	-11.67	30.00	43.50	-13.50	-	-	peak
5	227.0164	42.65	-11.76	30.89	46.00	-15.11	-	-	peak
6	452.0013	36.29	-4.56	31.73	46.00	-14.27	-	-	peak

802.11ax-HE40			
Test Channel	5510MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	63.6312	26.87	-9.59	17.28	40.00	-22.72	-	-	peak
2	148.9175	30.08	-8.68	21.40	43.50	-22.10	-	-	peak
3	194.4985	33.48	-11.67	21.81	43.50	-21.69	-	-	peak
4	343.6506	34.04	-7.22	26.82	46.00	-19.18	-	-	peak
5	520.2079	31.90	-3.59	28.31	46.00	-17.69	-	-	peak
6	925.6132	31.07	1.74	32.81	46.00	-13.19	-	-	peak

802.11ax-HE40			
Test Channel	5510MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	63.1857	30.83	-9.52	21.31	40.00	-18.69	-	-	peak
2	129.3923	34.68	-9.89	24.79	43.50	-18.71	-	-	peak
3	162.0197	32.89	-8.66	24.23	43.50	-19.27	-	-	peak
4	194.4985	40.87	-11.67	29.20	43.50	-14.30	-	-	peak
5	227.0164	41.65	-11.76	29.89	46.00	-16.11	-	-	peak
6	452.0013	35.41	-4.56	30.85	46.00	-15.15	-	-	peak

802.11ac-HT80			
Test Channel	5530MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	44.4657	27.32	-8.47	18.85	40.00	-21.15	-	-	peak
2	68.7450	28.28	-10.54	17.74	40.00	-22.26	-	-	peak
3	148.9175	30.26	-8.68	21.58	43.50	-21.92	-	-	peak
4	194.4985	34.17	-11.67	22.50	43.50	-21.00	-	-	peak
5	346.0740	34.44	-7.18	27.26	46.00	-18.74	-	-	peak
6	925.6132	31.26	1.74	33.00	46.00	-13.00	-	-	peak

802.11ac-HT80			
Test Channel	5530MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	36.7811	28.14	-9.17	18.97	40.00	-21.03	-	-	peak
2	67.3109	31.20	-10.27	20.93	40.00	-19.07	-	-	peak
3	148.9175	32.28	-8.68	23.60	43.50	-19.90	-	-	peak
4	194.4985	41.97	-11.67	30.30	43.50	-13.20	-	-	peak
5	227.0164	42.39	-11.76	30.63	46.00	-15.37	-	-	peak
6	452.0013	35.42	-4.56	30.86	46.00	-15.14	-	-	peak

802.11ax-HE80			
Test Channel	5530MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	51.1756	27.58	-8.22	19.36	40.00	-20.64	-	-	peak
2	148.9175	30.14	-8.68	21.46	43.50	-22.04	-	-	peak
3	194.4985	35.06	-11.67	23.39	43.50	-20.11	-	-	peak
4	348.5145	33.76	-7.14	26.62	46.00	-19.38	-	-	peak
5	516.5651	30.58	-3.65	26.93	46.00	-19.07	-	-	peak
6	893.6557	30.32	1.13	31.45	46.00	-14.55	-	-	peak


802.11ax-HE80			
Test Channel	5530MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	40.5837	27.97	-8.48	19.49	40.00	-20.51	-	-	peak
2	67.7856	30.10	-10.36	19.74	40.00	-20.26	-	-	peak
3	129.3923	34.65	-9.89	24.76	43.50	-18.74	-	-	peak
4	194.4985	42.38	-11.67	30.71	43.50	-12.79	-	-	peak
5	227.0164	42.62	-11.76	30.86	46.00	-15.14	-	-	peak
6	452.0013	35.91	-4.56	31.35	46.00	-14.65	-	-	peak

➤ 5745-5825MHz


802.11a			
Test Channel	5745MHz(Worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	46.0558	27.14	-8.38	18.76	40.00	-21.24	-	-	peak
2	75.3208	28.67	-11.94	16.73	40.00	-23.27	-	-	peak
3	159.7586	30.32	-8.61	21.71	43.50	-21.79	-	-	peak
4	194.4985	33.97	-11.67	22.30	43.50	-21.20	-	-	peak
5	336.4817	34.79	-7.35	27.44	46.00	-18.56	-	-	peak
6	958.7135	30.76	2.26	33.02	46.00	-12.98	-	-	peak




802.11a			
Test Channel	5745MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	35.7617	30.27	-9.39	20.88	40.00	-19.12	-	-	peak
2	67.7856	31.82	-10.36	21.46	40.00	-18.54	-	-	peak
3	129.3923	34.82	-9.89	24.93	43.50	-18.57	-	-	peak
4	194.4985	42.97	-11.67	31.30	43.50	-12.20	-	-	peak
5	227.0164	42.62	-11.76	30.86	46.00	-15.14	-	-	peak
6	452.0013	35.85	-4.56	31.29	46.00	-14.71	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	49.0627	27.45	-8.15	19.30	40.00	-20.70	-	-	peak
2	148.9175	31.15	-8.68	22.47	43.50	-21.03	-	-	peak
3	194.4985	34.65	-11.67	22.98	43.50	-20.52	-	-	peak
4	338.8546	34.74	-7.31	27.43	46.00	-18.57	-	-	peak
5	387.2565	33.32	-6.22	27.10	46.00	-18.90	-	-	peak
6	809.9238	30.94	0.39	31.33	46.00	-14.67	-	-	peak

802.11n-HT20			
Test Channel	5745MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	38.6357	27.11	-8.78	18.33	40.00	-21.67	-	-	peak
2	61.8676	30.02	-9.28	20.74	40.00	-19.26	-	-	peak
3	129.3923	33.64	-9.89	23.75	43.50	-19.75	-	-	peak
4	194.4985	42.22	-11.67	30.55	43.50	-12.95	-	-	peak
5	227.0164	42.33	-11.76	30.57	46.00	-15.43	-	-	peak
6	452.0013	36.41	-4.56	31.85	46.00	-14.15	-	-	peak

802.11ac-HT20			
Test Channel	5745MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.3017	28.72	-9.06	19.66	40.00	-20.34	-	-	peak
2	49.7571	27.75	-8.09	19.66	40.00	-20.34	-	-	peak
3	148.9175	31.91	-8.68	23.23	43.50	-20.27	-	-	peak
4	194.4985	35.70	-11.67	24.03	43.50	-19.47	-	-	peak
5	389.9874	33.92	-6.16	27.76	46.00	-18.24	-	-	peak
6	938.7139	31.53	2.01	33.54	46.00	-12.46	-	-	peak

802.11ac-HT20			
Test Channel	5745MHz(Worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	38.3651	27.83	-8.83	19.00	40.00	-21.00	-	-	peak
2	62.3038	30.30	-9.35	20.95	40.00	-19.05	-	-	peak
3	129.3923	34.85	-9.89	24.96	43.50	-18.54	-	-	peak
4	194.4985	41.89	-11.67	30.22	43.50	-13.28	-	-	peak
5	227.0164	42.68	-11.76	30.92	46.00	-15.08	-	-	peak
6	516.5651	35.91	-3.65	32.26	46.00	-13.74	-	-	peak

802.11ax-HE20			
Test Channel	5745MHz(Worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	50.1080	26.39	-8.09	18.30	40.00	-21.70	-	-	peak
2	65.9067	27.91	-10.02	17.89	40.00	-22.11	-	-	peak
3	160.8852	30.06	-8.64	21.42	43.50	-22.08	-	-	peak
4	194.4985	33.81	-11.67	22.14	43.50	-21.36	-	-	peak
5	341.2442	33.73	-7.26	26.47	46.00	-19.53	-	-	peak
6	938.7139	32.99	2.01	35.00	46.00	-11.00	-	-	peak

802.11ax-HE20			
Test Channel	5745MHz(Worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	41.1581	27.20	-8.48	18.72	40.00	-21.28	-	-	peak
2	68.7450	31.15	-10.54	20.61	40.00	-19.39	-	-	peak
3	129.3923	34.71	-9.89	24.82	43.50	-18.68	-	-	peak
4	194.4985	42.33	-11.67	30.66	43.50	-12.84	-	-	peak
5	227.0164	42.64	-11.76	30.88	46.00	-15.12	-	-	peak
6	452.0013	35.61	-4.56	31.05	46.00	-14.95	-	-	peak


802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	42.6299	28.40	-8.48	19.92	40.00	-20.08	-	-	peak
2	66.3715	27.37	-10.11	17.26	40.00	-22.74	-	-	peak
3	148.9175	31.09	-8.68	22.41	43.50	-21.09	-	-	peak
4	194.4985	34.35	-11.67	22.68	43.50	-20.82	-	-	peak
5	389.9874	32.98	-6.16	26.82	46.00	-19.18	-	-	peak
6	651.3831	30.24	-1.30	28.94	46.00	-17.06	-	-	peak




802.11n-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	61.8676	30.52	-9.28	21.24	40.00	-18.76	-	-	peak
2	129.3923	34.57	-9.89	24.68	43.50	-18.82	-	-	peak
3	194.4985	42.45	-11.67	30.78	43.50	-12.72	-	-	peak
4	227.0164	43.46	-11.76	31.70	46.00	-14.30	-	-	peak
5	452.0013	35.58	-4.56	31.02	46.00	-14.98	-	-	peak
6	787.4749	29.38	0.19	29.57	46.00	-16.43	-	-	peak

802.11ac-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	97.6864	28.80	-12.64	16.16	43.50	-27.34	-	-	peak
2	153.1627	29.80	-8.61	21.19	43.50	-22.31	-	-	peak
3	194.4985	35.21	-11.67	23.54	43.50	-19.96	-	-	peak
4	331.7858	33.69	-7.43	26.26	46.00	-19.74	-	-	peak
5	516.5651	31.29	-3.65	27.64	46.00	-18.36	-	-	peak
6	912.6953	31.27	1.46	32.73	46.00	-13.27	-	-	peak

802.11ac-HT40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	68.2636	30.84	-10.45	20.39	40.00	-19.61	-	-	peak
2	129.3923	35.08	-9.89	25.19	43.50	-18.31	-	-	peak
3	148.9175	31.73	-8.68	23.05	43.50	-20.45	-	-	peak
4	194.4985	42.30	-11.67	30.63	43.50	-12.87	-	-	peak
5	227.0164	42.33	-11.76	30.57	46.00	-15.43	-	-	peak
6	452.0013	36.17	-4.56	31.61	46.00	-14.39	-	-	peak

802.11ax-HE40			
Test Channel	5755MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	37.8297	28.53	-8.94	19.59	40.00	-20.41	-	-	peak
2	70.2096	28.17	-10.81	17.36	40.00	-22.64	-	-	peak
3	148.9175	30.52	-8.68	21.84	43.50	-21.66	-	-	peak
4	194.4985	34.58	-11.67	22.91	43.50	-20.59	-	-	peak
5	336.4817	34.80	-7.35	27.45	46.00	-18.55	-	-	peak
6	637.7947	29.40	-1.36	28.04	46.00	-17.96	-	-	peak

802.11ax-HE40			
Test Channel	5755MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	61.8676	31.00	-9.28	21.72	40.00	-18.28	-	-	peak
2	129.3923	35.16	-9.89	25.27	43.50	-18.23	-	-	peak
3	194.4985	42.24	-11.67	30.57	43.50	-12.93	-	-	peak
4	227.0164	42.70	-11.76	30.94	46.00	-15.06	-	-	peak
5	452.0013	36.10	-4.56	31.54	46.00	-14.46	-	-	peak
6	520.2079	34.92	-3.59	31.33	46.00	-14.67	-	-	peak

802.11ac-HT80			
Test Channel	5775MHz(worst case)	Polarity:	Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	47.7028	26.65	-8.27	18.38	40.00	-21.62	-	-	peak
2	64.5319	26.87	-9.76	17.11	40.00	-22.89	-	-	peak
3	159.7586	30.27	-8.61	21.66	43.50	-21.84	-	-	peak
4	194.4985	34.01	-11.67	22.34	43.50	-21.16	-	-	peak
5	387.2565	33.62	-6.22	27.40	46.00	-18.60	-	-	peak
6	793.0281	30.42	0.23	30.65	46.00	-15.35	-	-	peak

802.11ac-HT80			
Test Channel	5775MHz(worst case)	Polarity:	Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	45.0951	27.77	-8.46	19.31	40.00	-20.69	-	-	peak
2	62.3038	29.98	-9.35	20.63	40.00	-19.37	-	-	peak
3	129.3923	34.61	-9.89	24.72	43.50	-18.78	-	-	peak
4	194.4985	42.27	-11.67	30.60	43.50	-12.90	-	-	peak
5	227.0164	42.88	-11.76	31.12	46.00	-14.88	-	-	peak
6	452.0013	36.05	-4.56	31.49	46.00	-14.51	-	-	peak


802.11ax-HE80			
Test Channel	5775MHz(worst case)	Polarity:	Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	48.0392	28.43	-8.23	20.20	40.00	-19.80	-	-	peak
2	65.9067	28.27	-10.02	18.25	40.00	-21.75	-	-	peak
3	152.0902	29.71	-8.60	21.11	43.50	-22.39	-	-	peak
4	194.4985	34.42	-11.67	22.75	43.50	-20.75	-	-	peak
5	338.8546	35.04	-7.31	27.73	46.00	-18.27	-	-	peak
6	776.4849	29.95	0.08	30.03	46.00	-15.97	-	-	peak



802.11ax-HE80			
Test Channel	5775MHz(worst case)	Polarity:	Vertical




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	42.0350	27.74	-8.47	19.27	40.00	-20.73	-	-	peak
2	67.7856	30.98	-10.36	20.62	40.00	-19.38	-	-	peak
3	129.3923	34.89	-9.89	25.00	43.50	-18.50	-	-	peak
4	194.4985	42.45	-11.67	30.78	43.50	-12.72	-	-	peak
5	227.0164	42.76	-11.76	31.00	46.00	-15.00	-	-	peak
6	516.5651	35.42	-3.65	31.77	46.00	-14.23	-	-	peak

Remark: '-'Means' the test Degree and Height are not recorded by the test software and only show the worst case in the test report.


- Spurious Emission above 1GHz
- Antenna 0

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	5148.697	77.20	-11.66	65.54	74.00	-8.46	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	60.35	-11.66	48.69	54.00	-5.31	-	-	AVG

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	74.69	-11.66	63.03	74.00	-10.97	-	-	peak

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	57.24	-11.66	45.58	54.00	-8.42	-	-	AVG

802.11ac-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	74.57	-11.66	62.91	74.00	-11.09	-	-	peak

802.11ac-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	57.20	-11.66	45.54	54.00	-8.46	-	-	AVG


802.11ax-HE20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.395	76.43	-11.67	64.76	74.00	-9.24	-	-	peak




802.11ax-HE20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	58.57	-11.66	46.91	54.00	-7.09	-	-	AVG

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.395	79.53	-11.67	67.86	74.00	-6.14	-	-	peak

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	62.06	-11.66	50.40	54.00	-3.60	-	-	AVG

802.11ac-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5147.395	79.69	-11.67	68.02	74.00	-5.98	-	-	peak

802.11ac-HT40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	62.39	-11.65	50.74	54.00	-3.26	-	-	AVG

802.11ax-HE40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5148.697	80.92	-11.66	69.26	74.00	-4.74	-	-	peak

802.11ax-HE40- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	61.76	-11.65	50.11	54.00	-3.89	-	-	AVG


802.11ac-HT80- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	79.31	-11.66	67.65	74.00	-6.35	-	-	peak




802.11ac-HT80- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	62.53	-11.66	50.87	54.00	-3.13	-	-	AVG

802.11ax-HE80- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	81.91	-11.66	70.25	74.00	-3.75	-	-	peak

802.11ax-HE80- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5148.697	62.37	-11.66	50.71	54.00	-3.29	-	-	AVG

802.11a- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	5460.000	66.30	-10.13	56.17	74.00	-17.83	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	49.15	-10.13	39.02	54.00	-14.98	-	-	AVG

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	64.38	-10.13	54.25	74.00	-19.75	-	-	peak

802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	48.32	-10.13	38.19	54.00	-15.81	-	-	AVG

802.11ac-HT20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	64.25	-10.13	54.12	74.00	-19.88	-	-	peak




802.11ac-HT20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	48.38	-10.13	38.25	54.00	-15.75	-	-	AVG

802.11ax-HE20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.559	69.13	-10.13	59.00	74.00	-15.00	-	-	peak

802.11ax-HE20- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	49.58	-10.13	39.45	54.00	-14.55	-	-	AVG

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.559	72.28	-10.13	62.15	74.00	-11.85	-	-	peak

802.11n-HT40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	54.64	-10.13	44.51	54.00	-9.49	-	-	AVG

802.11ac-HT40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.780	72.17	-10.13	62.04	74.00	-11.96	-	-	peak

802.11ac-HT40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	55.14	-10.13	45.01	54.00	-8.99	-	-	AVG

802.11ax-HE40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5459.339	74.23	-10.13	64.10	74.00	-9.90	-	-	peak




802.11ax-HE40- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	55.88	-10.13	45.75	54.00	-8.25	-	-	AVG

802.11ac-HT80- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5457.796	74.38	-10.14	64.24	74.00	-9.76	-	-	peak

802.11ac-HT80- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	58.77	-10.13	48.64	54.00	-5.36	-	-	AVG

802.11ax-HE80- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5456.473	74.94	-10.14	64.80	74.00	-9.20	-	-	peak


802.11ax-HE80- Restricted Bandedge			
Test Channel	band 5.50-5.70GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5460.000	59.27	-10.13	49.14	54.00	-4.86	-	-	AVG


➤ Antenna 1

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)




No.	Frequency (MHz)	Reading (dBuV/m)	Corr. dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Deg. ( )	Height (cm)	Remark
1	5146.092	79.24	-11.67	67.57	74.00	-6.43	-	-	peak

802.11a- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	60.48	-11.66	48.82	54.00	-5.18	-	-	AVG


802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	77.16	-11.66	65.50	74.00	-8.50	-	-	peak



802.11n-HT20- Restricted Bandedge			
Test Channel	band 5.15-5.25GHz	Polarity:	Horizontal(worst case)



No.	Frequency (MHz)	Reading (dBuV/m)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Degree ( )	Height (cm)	Remark
1	5150.000	58.32	-11.66	46.66	54.00	-7.34	-	-	AVG