







Band2-9262-1-0.009~0.15MHz-PASS




Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS




Band2-9262-1-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS




Band2-9262-2-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS





Band2-9262-1-0.009~0.15MHz-PASS




Band2-9262-1-0.15~30MHz-PASS









Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS







Band2-9262-2-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS







Band2-9262-4-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS




Band2-9262-5-30~1000MHz-PASS



Band2-9262-5-1000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

AppendixF:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	6.64	0.003585	±2.5	PASS
Band2	9262	VL	NT	5.99	0.003234	±2.5	PASS
Band2	9262	VH	NT	7.06	0.003811	±2.5	PASS
Band2	9400	VN	NT	1.86	0.000989	±2.5	PASS
Band2	9400	VL	NT	1.73	0.000920	±2.5	PASS
Band2	9400	VH	NT	1.20	0.000638	±2.5	PASS
Band2	9538	VN	NT	-4.94	-0.002590	±2.5	PASS
Band2	9538	VL	NT	-4.30	-0.002254	±2.5	PASS
Band2	9538	VH	NT	-5.28	-0.002768	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	7.25	0.003914	±2.5	PASS
Band2	9262	NV	-20	8.01	0.004324	±2.5	PASS
Band2	9262	NV	-10	6.08	0.003282	±2.5	PASS
Band2	9262	NV	0	6.95	0.003752	±2.5	PASS
Band2	9262	NV	10	6.54	0.003531	±2.5	PASS
Band2	9262	NV	20	6.71	0.003622	±2.5	PASS
Band2	9262	NV	30	7.47	0.004033	±2.5	PASS
Band2	9262	NV	40	7.30	0.003941	±2.5	PASS
Band2	9262	NV	50	7.95	0.004292	±2.5	PASS
Band2	9400	NV	-30	1.27	0.000676	±2.5	PASS
Band2	9400	NV	-20	1.48	0.000787	±2.5	PASS
Band2	9400	NV	-10	0.69	0.000367	±2.5	PASS
Band2	9400	NV	0	1.64	0.000872	±2.5	PASS
Band2	9400	NV	10	2.02	0.001074	±2.5	PASS
Band2	9400	NV	20	1.33	0.000707	±2.5	PASS
Band2	9400	NV	30	1.46	0.000777	±2.5	PASS
Band2	9400	NV	40	1.19	0.000633	±2.5	PASS
Band2	9400	NV	50	1.62	0.000862	±2.5	PASS
Band2	9538	NV	-30	-4.76	-0.002495	±2.5	PASS
Band2	9538	NV	-20	-4.83	-0.002532	±2.5	PASS
Band2	9538	NV	-10	-4.60	-0.002411	±2.5	PASS

Band2	9538	NV	0	-5.61	-0.002941	±2.5	PASS
Band2	9538	NV	10	-5.16	-0.002705	±2.5	PASS
Band2	9538	NV	20	-5.12	-0.002684	±2.5	PASS
Band2	9538	NV	30	-4.36	-0.002286	±2.5	PASS
Band2	9538	NV	40	-4.69	-0.002459	±2.5	PASS
Band2	9538	NV	50	-3.88	-0.002034	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-4.90	-0.002645	±2.5	PASS
Band2	9262	1	VL	NT	-4.02	-0.002170	±2.5	PASS
Band2	9262	1	VH	NT	-4.48	-0.002418	±2.5	PASS
Band2	9262	2	VN	NT	-4.48	-0.002418	±2.5	PASS
Band2	9262	2	VL	NT	-4.58	-0.002472	±2.5	PASS
Band2	9262	2	VH	NT	-5.17	-0.002791	±2.5	PASS
Band2	9262	3	VN	NT	-4.82	-0.002602	±2.5	PASS
Band2	9262	3	VL	NT	-4.82	-0.002602	±2.5	PASS
Band2	9262	3	VH	NT	-4.99	-0.002694	±2.5	PASS
Band2	9262	4	VN	NT	-4.96	-0.002678	±2.5	PASS
Band2	9262	4	VL	NT	-4.78	-0.002580	±2.5	PASS
Band2	9262	4	VH	NT	-5.18	-0.002796	±2.5	PASS
Band2	9400	1	VN	NT	-4.72	-0.002511	±2.5	PASS
Band2	9400	1	VL	NT	-4.66	-0.002479	±2.5	PASS
Band2	9400	1	VH	NT	-4.23	-0.002250	±2.5	PASS
Band2	9400	2	VN	NT	-3.93	-0.002090	±2.5	PASS
Band2	9400	2	VL	NT	-4.77	-0.002537	±2.5	PASS
Band2	9400	2	VH	NT	-4.45	-0.002367	±2.5	PASS
Band2	9400	3	VN	NT	-4.28	-0.002277	±2.5	PASS
Band2	9400	3	VL	NT	-4.53	-0.002410	±2.5	PASS
Band2	9400	3	VH	NT	-4.48	-0.002383	±2.5	PASS
Band2	9400	4	VN	NT	-4.42	-0.002351	±2.5	PASS
Band2	9400	4	VL	NT	-4.18	-0.002223	±2.5	PASS
Band2	9400	4	VH	NT	-4.46	-0.002372	±2.5	PASS
Band2	9538	1	VN	NT	-4.84	-0.002537	±2.5	PASS
Band2	9538	1	VL	NT	-5.06	-0.002653	±2.5	PASS
Band2	9538	1	VH	NT	-5.01	-0.002626	±2.5	PASS
Band2	9538	2	VN	NT	-4.08	-0.002139	±2.5	PASS
Band2	9538	2	VL	NT	-5.09	-0.002668	±2.5	PASS
Band2	9538	2	VH	NT	-4.41	-0.002312	±2.5	PASS
Band2	9538	3	VN	NT	-3.67	-0.001924	±2.5	PASS
Band2	9538	3	VL	NT	-4.55	-0.002385	±2.5	PASS
Band2	9538	3	VH	NT	-5.22	-0.002736	±2.5	PASS
Band2	9538	4	VN	NT	-4.47	-0.002343	±2.5	PASS
Band2	9538	4	VL	NT	-4.89	-0.002563	±2.5	PASS
Band2	9538	4	VH	NT	-4.42	-0.002317	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-4.46	-0.002408	±2.5	PASS
Band2	9262	1	NV	-20	-4.46	-0.002408	±2.5	PASS
Band2	9262	1	NV	-10	-4.29	-0.002316	±2.5	PASS
Band2	9262	1	NV	0	-4.43	-0.002391	±2.5	PASS
Band2	9262	1	NV	10	-4.77	-0.002575	±2.5	PASS
Band2	9262	1	NV	20	-5.10	-0.002753	±2.5	PASS
Band2	9262	1	NV	30	-4.77	-0.002575	±2.5	PASS
Band2	9262	1	NV	40	-4.26	-0.002300	±2.5	PASS
Band2	9262	1	NV	50	-4.92	-0.002656	±2.5	PASS
Band2	9262	2	NV	-30	-4.95	-0.002672	±2.5	PASS
Band2	9262	2	NV	-20	-5.16	-0.002786	±2.5	PASS
Band2	9262	2	NV	-10	-4.58	-0.002472	±2.5	PASS
Band2	9262	2	NV	0	-4.38	-0.002365	±2.5	PASS
Band2	9262	2	NV	10	-5.43	-0.002931	±2.5	PASS
Band2	9262	2	NV	20	-4.06	-0.002192	±2.5	PASS
Band2	9262	2	NV	30	-4.81	-0.002597	±2.5	PASS
Band2	9262	2	NV	40	-4.11	-0.002219	±2.5	PASS
Band2	9262	2	NV	50	-4.36	-0.002354	±2.5	PASS
Band2	9262	3	NV	-30	-3.97	-0.002143	±2.5	PASS
Band2	9262	3	NV	-20	-4.87	-0.002629	±2.5	PASS
Band2	9262	3	NV	-10	-4.84	-0.002613	±2.5	PASS
Band2	9262	3	NV	0	-4.86	-0.002624	±2.5	PASS
Band2	9262	3	NV	10	-4.60	-0.002483	±2.5	PASS
Band2	9262	3	NV	20	-5.29	-0.002856	±2.5	PASS
Band2	9262	3	NV	30	-4.58	-0.002472	±2.5	PASS
Band2	9262	3	NV	40	-5.08	-0.002742	±2.5	PASS
Band2	9262	3	NV	50	-5.24	-0.002829	±2.5	PASS
Band2	9262	4	NV	-30	-4.19	-0.002262	±2.5	PASS
Band2	9262	4	NV	-20	-5.41	-0.002921	±2.5	PASS
Band2	9262	4	NV	-10	-4.97	-0.002683	±2.5	PASS
Band2	9262	4	NV	0	-4.15	-0.002240	±2.5	PASS
Band2	9262	4	NV	10	-4.99	-0.002694	±2.5	PASS
Band2	9262	4	NV	20	-4.46	-0.002408	±2.5	PASS
Band2	9262	4	NV	30	-5.04	-0.002721	±2.5	PASS
Band2	9262	4	NV	40	-5.27	-0.002845	±2.5	PASS
Band2	9262	4	NV	50	-5.33	-0.002877	±2.5	PASS
Band2	9400	1	NV	-30	-4.54	-0.002415	±2.5	PASS

Band2	9400	1	NV	-20	-4.82	-0.002564	±2.5	PASS
Band2	9400	1	NV	-10	-4.90	-0.002606	±2.5	PASS
Band2	9400	1	NV	0	-4.56	-0.002426	±2.5	PASS
Band2	9400	1	NV	10	-5.26	-0.002798	±2.5	PASS
Band2	9400	1	NV	20	-3.98	-0.002117	±2.5	PASS
Band2	9400	1	NV	30	-5.14	-0.002734	±2.5	PASS
Band2	9400	1	NV	40	-5.05	-0.002686	±2.5	PASS
Band2	9400	1	NV	50	-5.56	-0.002957	±2.5	PASS
Band2	9400	2	NV	-30	-4.99	-0.002654	±2.5	PASS
Band2	9400	2	NV	-20	-4.02	-0.002138	±2.5	PASS
Band2	9400	2	NV	-10	-4.06	-0.002160	±2.5	PASS
Band2	9400	2	NV	0	-4.51	-0.002399	±2.5	PASS
Band2	9400	2	NV	10	-4.71	-0.002505	±2.5	PASS
Band2	9400	2	NV	20	-4.40	-0.002340	±2.5	PASS
Band2	9400	2	NV	30	-4.61	-0.002452	±2.5	PASS
Band2	9400	2	NV	40	-5.26	-0.002798	±2.5	PASS
Band2	9400	2	NV	50	-4.91	-0.002612	±2.5	PASS
Band2	9400	3	NV	-30	-3.73	-0.001984	±2.5	PASS
Band2	9400	3	NV	-20	-5.36	-0.002851	±2.5	PASS
Band2	9400	3	NV	-10	-4.44	-0.002362	±2.5	PASS
Band2	9400	3	NV	0	-3.90	-0.002074	±2.5	PASS
Band2	9400	3	NV	10	-4.87	-0.002590	±2.5	PASS
Band2	9400	3	NV	20	-5.16	-0.002745	±2.5	PASS
Band2	9400	3	NV	30	-5.26	-0.002798	±2.5	PASS
Band2	9400	3	NV	40	-4.89	-0.002601	±2.5	PASS
Band2	9400	3	NV	50	-5.13	-0.002729	±2.5	PASS
Band2	9400	4	NV	-30	-4.82	-0.002564	±2.5	PASS
Band2	9400	4	NV	-20	-5.37	-0.002856	±2.5	PASS
Band2	9400	4	NV	-10	-4.68	-0.002489	±2.5	PASS
Band2	9400	4	NV	0	-4.24	-0.002255	±2.5	PASS
Band2	9400	4	NV	10	-5.00	-0.002660	±2.5	PASS
Band2	9400	4	NV	20	-4.56	-0.002426	±2.5	PASS
Band2	9400	4	NV	30	-4.79	-0.002548	±2.5	PASS
Band2	9400	4	NV	40	-4.73	-0.002516	±2.5	PASS
Band2	9400	4	NV	50	-5.01	-0.002665	±2.5	PASS
Band2	9538	1	NV	-30	-5.61	-0.002941	±2.5	PASS
Band2	9538	1	NV	-20	-4.60	-0.002411	±2.5	PASS
Band2	9538	1	NV	-10	-4.64	-0.002432	±2.5	PASS
Band2	9538	1	NV	0	-4.52	-0.002369	±2.5	PASS
Band2	9538	1	NV	10	-5.19	-0.002721	±2.5	PASS

Band2	9538	1	NV	20	-4.45	-0.002333	±2.5	PASS
Band2	9538	1	NV	30	-5.21	-0.002731	±2.5	PASS
Band2	9538	1	NV	40	-5.44	-0.002852	±2.5	PASS
Band2	9538	1	NV	50	-4.03	-0.002113	±2.5	PASS
Band2	9538	2	NV	-30	-4.34	-0.002275	±2.5	PASS
Band2	9538	2	NV	-20	-4.13	-0.002165	±2.5	PASS
Band2	9538	2	NV	-10	-4.77	-0.002501	±2.5	PASS
Band2	9538	2	NV	0	-4.86	-0.002548	±2.5	PASS
Band2	9538	2	NV	10	-4.43	-0.002322	±2.5	PASS
Band2	9538	2	NV	20	-3.99	-0.002092	±2.5	PASS
Band2	9538	2	NV	30	-4.82	-0.002527	±2.5	PASS
Band2	9538	2	NV	40	-4.54	-0.002380	±2.5	PASS
Band2	9538	2	NV	50	-5.19	-0.002721	±2.5	PASS
Band2	9538	3	NV	-30	-5.01	-0.002626	±2.5	PASS
Band2	9538	3	NV	-20	-4.03	-0.002113	±2.5	PASS
Band2	9538	3	NV	-10	-4.37	-0.002291	±2.5	PASS
Band2	9538	3	NV	0	-4.59	-0.002406	±2.5	PASS
Band2	9538	3	NV	10	-4.52	-0.002369	±2.5	PASS
Band2	9538	3	NV	20	-5.92	-0.003103	±2.5	PASS
Band2	9538	3	NV	30	-3.99	-0.002092	±2.5	PASS
Band2	9538	3	NV	40	-4.28	-0.002244	±2.5	PASS
Band2	9538	3	NV	50	-4.54	-0.002380	±2.5	PASS
Band2	9538	4	NV	-30	-4.45	-0.002333	±2.5	PASS
Band2	9538	4	NV	-20	-4.55	-0.002385	±2.5	PASS
Band2	9538	4	NV	-10	-4.19	-0.002196	±2.5	PASS
Band2	9538	4	NV	0	-4.54	-0.002380	±2.5	PASS
Band2	9538	4	NV	10	-4.93	-0.002584	±2.5	PASS
Band2	9538	4	NV	20	-3.82	-0.002003	±2.5	PASS
Band2	9538	4	NV	30	-4.61	-0.002417	±2.5	PASS
Band2	9538	4	NV	40	-4.36	-0.002286	±2.5	PASS
Band2	9538	4	NV	50	-5.21	-0.002731	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.68	-0.001987	±2.5	PASS
Band2	9262	1	VL	NT	-3.18	-0.001717	±2.5	PASS
Band2	9262	1	VH	NT	-3.92	-0.002116	±2.5	PASS
Band2	9262	2	VN	NT	-4.52	-0.002440	±2.5	PASS
Band2	9262	2	VL	NT	-4.17	-0.002251	±2.5	PASS
Band2	9262	2	VH	NT	-4.13	-0.002230	±2.5	PASS
Band2	9262	3	VN	NT	-4.68	-0.002526	±2.5	PASS
Band2	9262	3	VL	NT	-2.99	-0.001614	±2.5	PASS
Band2	9262	3	VH	NT	-3.44	-0.001857	±2.5	PASS
Band2	9262	4	VN	NT	-2.93	-0.001582	±2.5	PASS
Band2	9262	4	VL	NT	-4.10	-0.002213	±2.5	PASS
Band2	9262	4	VH	NT	-3.71	-0.002003	±2.5	PASS
Band2	9262	5	VN	NT	-3.54	-0.001911	±2.5	PASS
Band2	9262	5	VL	NT	-3.68	-0.001987	±2.5	PASS
Band2	9262	5	VH	NT	-4.21	-0.002273	±2.5	PASS
Band2	9400	1	VN	NT	-3.73	-0.001984	±2.5	PASS
Band2	9400	1	VL	NT	-3.38	-0.001798	±2.5	PASS
Band2	9400	1	VH	NT	-4.05	-0.002154	±2.5	PASS
Band2	9400	2	VN	NT	-3.93	-0.002090	±2.5	PASS
Band2	9400	2	VL	NT	-4.33	-0.002303	±2.5	PASS
Band2	9400	2	VH	NT	-4.80	-0.002553	±2.5	PASS
Band2	9400	3	VN	NT	-4.47	-0.002378	±2.5	PASS
Band2	9400	3	VL	NT	-5.31	-0.002824	±2.5	PASS
Band2	9400	3	VH	NT	-3.72	-0.001979	±2.5	PASS
Band2	9400	4	VN	NT	-4.10	-0.002181	±2.5	PASS
Band2	9400	4	VL	NT	-3.74	-0.001989	±2.5	PASS
Band2	9400	4	VH	NT	-4.51	-0.002399	±2.5	PASS
Band2	9400	5	VN	NT	-3.89	-0.002069	±2.5	PASS
Band2	9400	5	VL	NT	-3.63	-0.001931	±2.5	PASS
Band2	9400	5	VH	NT	-3.79	-0.002016	±2.5	PASS
Band2	9538	1	VN	NT	-3.20	-0.001678	±2.5	PASS
Band2	9538	1	VL	NT	-4.61	-0.002417	±2.5	PASS
Band2	9538	1	VH	NT	-3.19	-0.001672	±2.5	PASS
Band2	9538	2	VN	NT	-3.00	-0.001573	±2.5	PASS
Band2	9538	2	VL	NT	-4.18	-0.002191	±2.5	PASS
Band2	9538	2	VH	NT	-4.56	-0.002390	±2.5	PASS
Band2	9538	3	VN	NT	-3.54	-0.001856	±2.5	PASS

Band2	9538	3	VL	NT	-3.41	-0.001788	±2.5	PASS
Band2	9538	3	VH	NT	-4.30	-0.002254	±2.5	PASS
Band2	9538	4	VN	NT	-2.78	-0.001457	±2.5	PASS
Band2	9538	4	VL	NT	-3.81	-0.001997	±2.5	PASS
Band2	9538	4	VH	NT	-3.94	-0.002065	±2.5	PASS
Band2	9538	5	VN	NT	-4.31	-0.002259	±2.5	PASS
Band2	9538	5	VL	NT	-3.88	-0.002034	±2.5	PASS
Band2	9538	5	VH	NT	-4.27	-0.002238	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-4.53	-0.002445	±2.5	PASS
Band2	9262	1	NV	-20	-4.27	-0.002305	±2.5	PASS
Band2	9262	1	NV	-10	-4.37	-0.002359	±2.5	PASS
Band2	9262	1	NV	0	-4.25	-0.002294	±2.5	PASS
Band2	9262	1	NV	10	-3.77	-0.002035	±2.5	PASS
Band2	9262	1	NV	20	-4.21	-0.002273	±2.5	PASS
Band2	9262	1	NV	30	-4.52	-0.002440	±2.5	PASS
Band2	9262	1	NV	40	-4.15	-0.002240	±2.5	PASS
Band2	9262	1	NV	50	-4.21	-0.002273	±2.5	PASS
Band2	9262	2	NV	-30	-2.70	-0.001458	±2.5	PASS
Band2	9262	2	NV	-20	-4.35	-0.002348	±2.5	PASS
Band2	9262	2	NV	-10	-4.54	-0.002451	±2.5	PASS
Band2	9262	2	NV	0	-4.91	-0.002651	±2.5	PASS
Band2	9262	2	NV	10	-4.76	-0.002570	±2.5	PASS
Band2	9262	2	NV	20	-4.89	-0.002640	±2.5	PASS
Band2	9262	2	NV	30	-4.68	-0.002526	±2.5	PASS
Band2	9262	2	NV	40	-4.84	-0.002613	±2.5	PASS
Band2	9262	2	NV	50	-4.06	-0.002192	±2.5	PASS
Band2	9262	3	NV	-30	-3.76	-0.002030	±2.5	PASS
Band2	9262	3	NV	-20	-3.81	-0.002057	±2.5	PASS
Band2	9262	3	NV	-10	-3.89	-0.002100	±2.5	PASS
Band2	9262	3	NV	0	-5.03	-0.002715	±2.5	PASS
Band2	9262	3	NV	10	-4.01	-0.002165	±2.5	PASS
Band2	9262	3	NV	20	-5.19	-0.002802	±2.5	PASS
Band2	9262	3	NV	30	-3.63	-0.001960	±2.5	PASS
Band2	9262	3	NV	40	-4.58	-0.002472	±2.5	PASS
Band2	9262	3	NV	50	-4.06	-0.002192	±2.5	PASS
Band2	9262	4	NV	-30	-4.31	-0.002327	±2.5	PASS

Band2	9262	4	NV	-20	-4.30	-0.002321	±2.5	PASS
Band2	9262	4	NV	-10	-4.98	-0.002688	±2.5	PASS
Band2	9262	4	NV	0	-4.55	-0.002456	±2.5	PASS
Band2	9262	4	NV	10	-3.70	-0.001997	±2.5	PASS
Band2	9262	4	NV	20	-3.80	-0.002051	±2.5	PASS
Band2	9262	4	NV	30	-4.31	-0.002327	±2.5	PASS
Band2	9262	4	NV	40	-4.08	-0.002203	±2.5	PASS
Band2	9262	4	NV	50	-4.89	-0.002640	±2.5	PASS
Band2	9262	5	NV	-30	-4.49	-0.002424	±2.5	PASS
Band2	9262	5	NV	-20	-4.30	-0.002321	±2.5	PASS
Band2	9262	5	NV	-10	-4.82	-0.002602	±2.5	PASS
Band2	9262	5	NV	0	-4.81	-0.002597	±2.5	PASS
Band2	9262	5	NV	10	-4.41	-0.002381	±2.5	PASS
Band2	9262	5	NV	20	-4.54	-0.002451	±2.5	PASS
Band2	9262	5	NV	30	-4.16	-0.002246	±2.5	PASS
Band2	9262	5	NV	40	-4.91	-0.002651	±2.5	PASS
Band2	9262	5	NV	50	-3.48	-0.001879	±2.5	PASS
Band2	9400	1	NV	-30	-4.98	-0.002649	±2.5	PASS
Band2	9400	1	NV	-20	-4.08	-0.002170	±2.5	PASS
Band2	9400	1	NV	-10	-4.75	-0.002527	±2.5	PASS
Band2	9400	1	NV	0	-4.57	-0.002431	±2.5	PASS
Band2	9400	1	NV	10	-4.56	-0.002426	±2.5	PASS
Band2	9400	1	NV	20	-4.36	-0.002319	±2.5	PASS
Band2	9400	1	NV	30	-4.88	-0.002596	±2.5	PASS
Band2	9400	1	NV	40	-4.50	-0.002394	±2.5	PASS
Band2	9400	1	NV	50	-4.33	-0.002303	±2.5	PASS
Band2	9400	2	NV	-30	-3.20	-0.001702	±2.5	PASS
Band2	9400	2	NV	-20	-4.06	-0.002160	±2.5	PASS
Band2	9400	2	NV	-10	-4.73	-0.002516	±2.5	PASS
Band2	9400	2	NV	0	-4.94	-0.002628	±2.5	PASS
Band2	9400	2	NV	10	-4.11	-0.002186	±2.5	PASS
Band2	9400	2	NV	20	-4.63	-0.002463	±2.5	PASS
Band2	9400	2	NV	30	-4.08	-0.002170	±2.5	PASS
Band2	9400	2	NV	40	-4.26	-0.002266	±2.5	PASS
Band2	9400	2	NV	50	-3.91	-0.002080	±2.5	PASS
Band2	9400	3	NV	-30	-4.10	-0.002181	±2.5	PASS
Band2	9400	3	NV	-20	-4.79	-0.002548	±2.5	PASS
Band2	9400	3	NV	-10	-4.96	-0.002638	±2.5	PASS
Band2	9400	3	NV	0	-4.44	-0.002362	±2.5	PASS
Band2	9400	3	NV	10	-3.71	-0.001973	±2.5	PASS

Band2	9400	3	NV	20	-4.05	-0.002154	±2.5	PASS
Band2	9400	3	NV	30	-4.55	-0.002420	±2.5	PASS
Band2	9400	3	NV	40	-3.36	-0.001787	±2.5	PASS
Band2	9400	3	NV	50	-5.23	-0.002782	±2.5	PASS
Band2	9400	4	NV	-30	-4.56	-0.002426	±2.5	PASS
Band2	9400	4	NV	-20	-4.46	-0.002372	±2.5	PASS
Band2	9400	4	NV	-10	-4.41	-0.002346	±2.5	PASS
Band2	9400	4	NV	0	-4.36	-0.002319	±2.5	PASS
Band2	9400	4	NV	10	-4.31	-0.002293	±2.5	PASS
Band2	9400	4	NV	20	-4.43	-0.002356	±2.5	PASS
Band2	9400	4	NV	30	-4.13	-0.002197	±2.5	PASS
Band2	9400	4	NV	40	-4.52	-0.002404	±2.5	PASS
Band2	9400	4	NV	50	-4.63	-0.002463	±2.5	PASS
Band2	9400	5	NV	-30	-4.16	-0.002213	±2.5	PASS
Band2	9400	5	NV	-20	-3.78	-0.002011	±2.5	PASS
Band2	9400	5	NV	-10	-4.61	-0.002452	±2.5	PASS
Band2	9400	5	NV	0	-4.91	-0.002612	±2.5	PASS
Band2	9400	5	NV	10	-4.43	-0.002356	±2.5	PASS
Band2	9400	5	NV	20	-4.18	-0.002223	±2.5	PASS
Band2	9400	5	NV	30	-3.91	-0.002080	±2.5	PASS
Band2	9400	5	NV	40	-5.39	-0.002867	±2.5	PASS
Band2	9400	5	NV	50	-4.65	-0.002473	±2.5	PASS
Band2	9538	1	NV	-30	-3.99	-0.002092	±2.5	PASS
Band2	9538	1	NV	-20	-4.61	-0.002417	±2.5	PASS
Band2	9538	1	NV	-10	-4.16	-0.002181	±2.5	PASS
Band2	9538	1	NV	0	-4.02	-0.002107	±2.5	PASS
Band2	9538	1	NV	10	-4.53	-0.002375	±2.5	PASS
Band2	9538	1	NV	20	-4.16	-0.002181	±2.5	PASS
Band2	9538	1	NV	30	-3.94	-0.002065	±2.5	PASS
Band2	9538	1	NV	40	-4.61	-0.002417	±2.5	PASS
Band2	9538	1	NV	50	-5.17	-0.002710	±2.5	PASS
Band2	9538	2	NV	-30	-3.81	-0.001997	±2.5	PASS
Band2	9538	2	NV	-20	-4.66	-0.002443	±2.5	PASS
Band2	9538	2	NV	-10	-4.44	-0.002328	±2.5	PASS
Band2	9538	2	NV	0	-4.67	-0.002448	±2.5	PASS
Band2	9538	2	NV	10	-4.01	-0.002102	±2.5	PASS
Band2	9538	2	NV	20	-3.76	-0.001971	±2.5	PASS
Band2	9538	2	NV	30	-4.28	-0.002244	±2.5	PASS
Band2	9538	2	NV	40	-4.09	-0.002144	±2.5	PASS
Band2	9538	2	NV	50	-5.51	-0.002888	±2.5	PASS

Band2	9538	3	NV	-30	-3.53	-0.001850	±2.5	PASS
Band2	9538	3	NV	-20	-4.27	-0.002238	±2.5	PASS
Band2	9538	3	NV	-10	-4.50	-0.002359	±2.5	PASS
Band2	9538	3	NV	0	-4.76	-0.002495	±2.5	PASS
Band2	9538	3	NV	10	-4.91	-0.002574	±2.5	PASS
Band2	9538	3	NV	20	-4.06	-0.002128	±2.5	PASS
Band2	9538	3	NV	30	-5.56	-0.002915	±2.5	PASS
Band2	9538	3	NV	40	-3.92	-0.002055	±2.5	PASS
Band2	9538	3	NV	50	-3.90	-0.002044	±2.5	PASS
Band2	9538	4	NV	-30	-3.94	-0.002065	±2.5	PASS
Band2	9538	4	NV	-20	-2.78	-0.001457	±2.5	PASS
Band2	9538	4	NV	-10	-4.59	-0.002406	±2.5	PASS
Band2	9538	4	NV	0	-4.76	-0.002495	±2.5	PASS
Band2	9538	4	NV	10	-4.14	-0.002170	±2.5	PASS
Band2	9538	4	NV	20	-3.72	-0.001950	±2.5	PASS
Band2	9538	4	NV	30	-3.59	-0.001882	±2.5	PASS
Band2	9538	4	NV	40	-4.06	-0.002128	±2.5	PASS
Band2	9538	4	NV	50	-4.53	-0.002375	±2.5	PASS
Band2	9538	5	NV	-30	-4.51	-0.002364	±2.5	PASS
Band2	9538	5	NV	-20	-4.26	-0.002233	±2.5	PASS
Band2	9538	5	NV	-10	-4.76	-0.002495	±2.5	PASS
Band2	9538	5	NV	0	-4.09	-0.002144	±2.5	PASS
Band2	9538	5	NV	10	-4.49	-0.002354	±2.5	PASS
Band2	9538	5	NV	20	-4.18	-0.002191	±2.5	PASS
Band2	9538	5	NV	30	-4.60	-0.002411	±2.5	PASS
Band2	9538	5	NV	40	-4.21	-0.002207	±2.5	PASS
Band2	9538	5	NV	50	-4.44	-0.002328	±2.5	PASS