

Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 1 of 68

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E AND INDUSTRY CANADA RSS-132 and RSS-133 REQUIREMENT

OF

Product Name: GPS Navigation System

Brand Name: TomTom

Model Name: 4ER50

Model Different: N/A

FCC ID: S4L4ER50

IC: 5767A-4ER50

Report No.: EH/2011/60001-03

Issue Date: Aug. 15, 2011

FCC Rule Part: 2,22H & 24E

IC Rule Part: RSS 132, Issue 2 and RSS 133, Issue 5

Prepared for: TomTom International BV

Rembrandtplein 35 1017 CT Amsterdam The

Netherlands

Prepared by: SGS Taiwan Ltd.

Electronics & Communication Laboratory

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

司 t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 2 of 68

VERIFICATION OF COMPLIANCE

TomTom International BV

Applicant: Rembrandtplein 35 1017 CT Amsterdam The Netherlands

Product Name: GPS Navigation System

Brand Name: TomTom

FCC ID: S4L4ER50

IC: 5767A-4ER50

Model No.: 4ER50

Model Difference: N/A

File Number: EH/2011/60001-03

Date of Test: Jun 01, 2011 ~ Jun 13, 2011

Date of EUT Received: Jun 01, 2011

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004, Issue 3 of RSS-Gen and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H, PART 24 subpart E and IC standards Issue 2 of RSS-132, Issue 5 of RSS-133.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Jazz Huang	Date:	Aug. 15, 2011	
	Jazz Huang / Engineer			
Prepared By:	Tiffany Kao	Date:	Aug. 15, 2011	
Approved By	Tiffany Kao / Clerk Jim Chang / Supervisor	Date:	Aug. 15, 2011	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 3 of 68

Version

Version No.	Date	Description
00	Aug. 15, 2011	Initial creation of document

Please be noted that the report EH/2011/60001-03(V.00) will replace the previous EH/2011/60001(V.00) as the new version. Also be pay attention that EH/2011/60001(V.00) is ineffective anymore from now on.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 4 of 68

Table of Contents

1.	GEN	NERAL PRODUCT INFORMATION	6
	1.1.	Related Submittal(s) / Grant (s)	8
	1.2.	Test Methodology	8
	1.3.	Test Facility	8
	1.4.	Special Accessories	8
	1.5.	Equipment Modifications	8
2.	SYS	STEM TEST CONFIGURATION	9
	2.1.	EUT Configuration	9
	2.2.	EUT Exercise	9
	2.3.	Test Procedure	9
	2.4.	Measurement Equipment Used:	10
	2.5.	Configuration of Tested System	12
3.	SUN	MMARY OF TEST RESULTS	13
4.	DES	SCRIPTION OF TEST MODES	14
5.	RF I	POWER OUTPUT MEASUREMENT	15
	5.1.	Standard Applicable	15
	5.2.	Test Set-up:	15
	5.3.	Measurement Procedure	15
	5.4.	Measurement Equipment Used:	15
	5.1	Measurement Result:	16
6.	ERP	P, EIRP MEASUREMENT	17
	6.1.	Standard Applicable:	17
	6.2.	Test SET-UP (Block Diagram of Configuration):	17
	6.3.	Measurement Procedure:	19
	6.4.	Measurement Equipment Used:	19
	6.5.	Measurement Result:	20
7.	99%	6 OCCUPIED BANDWIDTH MEASUREMENT	21
	7.1.	Standard Applicable:	21
	7.2.	Test Set-up:	21
	7.3.	Measurement Procedure:	21
	7.4.	Measurement Equipment Used:	21
	7.5.	Measurement Result:	22
8.	OUT	T OF BAND EMISSION AT ANTENNA TERMINALS	26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd

**No 134 Wir Kunn Road Wirklu Indistrial Zone Tainei County Taiwan 台北縣五野工業區五丁縣 134 勝

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

S Taiwan Ltd.



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 5 of 68

	8.1.	Standard Applicable:	26
	8.2.	Test SET-UP:	27
	8.3.	Measurement Procedure:	28
	8.4.	Measurement Equipment Used:	28
	8.5.	Measurement Result:	29
9.	FIEL	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT (TX)	37
	9.1.	Standard Applicable:	37
	9.2.	EUT Setup (Block Diagram of Configuration):	38
	9.3.	Measurement Procedure:	38
	9.4.	Measurement Equipment Used:	38
	9.5.	Measurement Result:	38
10.	FRE	QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	51
	10.1.	Standard Applicable:	51
	10.2.	Test Set-up:	51
	10.3.	Measurement Procedure:	51
	10.4.	Measurement Equipment Used:	51
	10.5.	Measurement Result:	52
11.	FRE	QUENCY STABILITY V.S. VOLTAGE MEASUREMENT	53
	11.1.	Standard Applicable:	53
	11.2.	Test Set-up:	53
	11.3.	Measurement Procedure:	53
	11.4.	Measurement Equipment Used:	53
	11.5.	Measurement Result:	54
12.	SPUI	RIOUS RADIATED EMISSION TEST (RX)	55
	12.1.	Standard Applicable	55
	12.2.	EUT Setup	55
	12.3.	Measurement Procedure	55
	12.4.	Test SET-UP (Block Diagram of Configuration)	56
	12.5.	Measurement Equipment Used:	56
	12.6.	Field Strength Calculation	56
	12.7	Measurement Result	56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd

**No 134 Wir Kunn Road Wirklu Indistrial Zone Tainei County Taiwan 台北縣五野工業區五丁縣 134 勝 S Taiwan Ltd.



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 6 of 68

1. GENERAL PRODUCT INFORMATION

General:

General:	T			
Product Name:	GPS Navigation System			
Brand Name:	TOMTOM			
Model Name:	4ER50			
Model Difference:	N/A			
USB Cable:	D1: One pro	ovide, Model Name: 4UUC.001.04B / Brand: TomTom		
Micro USB to mini USB adapter:	U1: One pro	ovide, Model Name: 4UUC.001.08 / Brand: TomTom		
	C1: Model	No: 4UUC5B / Brand: TomTom		
	C2: Model	No: 4UUC3Z / Brand: TomTom		
	C3: Model No. 4UUC3Z / Brand: TomTom			
~ ~	C4: Model No. 4UUC1B / Brand: TomTom (mini U)			
Car Charger:	C5: Model No: 4UUC5 / Brand: TomTom (Micro U)			
	C6: Model No: 4UUC2 / Brand: TomTom (mini U)			
	C7: Model No: 9UUC.000.00 / Brand: TomTom (mini U)			
	C8: Model No. 4UUC9 / Brand: TomTom			
Dock 2:	Dock 1: Mo	odel No: 4UCB3 / Brand: TomTom		
Dock 3 with cable:	Dock 2: Mo	odel No: 4UEB3 / Brand: TomTom		
	3.7Vdc, 1100mAh (Max.) re-chargeable battery or 5Vdc from Adapter			
	Battery:	Model: VF6M / Brand: TomTom / Supplier: Formosa (TAIN YU), Foxlink		
Power Supply:	Adapter:	A1: Model: A05T2-05MU / Brand: TomTom A2: Model: PSB05R-050Q / Brand: TomTom A3: Model: 4UUC6B / Brand: TomTom A4: Model: 4UUC6 / Brand: TomTom		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 7 of 68

GPRS

Cellular Phone Standards	Operating Frequency				
Frequency Range and Power:	GSM/GPRS 850, Class 10	824.2 MHz– 848.8 MHz	33 dBm		
	GSM/GPRS 1900, Class 10 1850.2MHz – 1909.8MHz		30 dBm		
Type of Emission:	GPRS850: 246KGXW, GPRS1900: 244KGXW				
Hardware Version:	1.0				
Software Version:	11.000.701818.84-2304				
IMEI: 359666036097447					

Final Amplifier Voltage and Current Information:

Test mode	DC voltage (V)	DC current (mA)
GPRS 850	3.7	400
GPRS 1900	3.7	360

This test report applies for GSM/GPRS 850/1900

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 8 of 68

1.1. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: <u>S4L4ER50</u> filing to comply with Section Part 22 subpart H, Part 24 subpart E of the FCC CFR 47 Rules and IC<u>: 5767A-4ER50</u> filing to comply with Issue 2 of RSS-132, Issue 5 of RSS-133

1.2. Test Methodology

Both conducted and radiated testing were performed according to the procedures document on chapter 13 of TIA/EIA 603C and FCC 47 CFR 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055, 2.1057, issue 2 of RSS-132 and issue 3 of RSS-133.

1.3. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 & 10 meters) and FCC Registration Number: 94644.

All equipment is calibrated externally and traceable to SI (International System of Unit).

1.4. Special Accessories

Not available for this EUT intended for grant.

1.5. Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 9 of 68

SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 AC Power Line Conducted Emissions

The EUT is placed on a turn table which is 0.8 m above ground plane. According to the requirements in TIA/EIA 603C. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz us- ing CISPR Quasi-Peak and Average detector mode.

2.3.2 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C and RSS-Gen Issue 3, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.3 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C and RSS-Gen Issue 3, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13 of ANSI C63.4:2003.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery of falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 10 of 68

2.4. Measurement Equipment Used:

Conducted Emission Test Site						
EQUIPMENT MFR MODEL SERIAL LAST					CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
EMI Test Receiver	R&S	ESCS30	828985/004	09/23/2010	09/22/2011	
LISN	Rolf-Heine	NNB-2/16Z	99012	03/31/2011	03/30/2012	
LISN	FCC	FCC-LISN-50/250-25-2-01	04034	03/31/2011	03/30/2012	
Coaxial Cables	N/A	WK CE Cable	N/A	11/28/2010	11/27/2011	

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY43360126	04/19/2010	04/18/2012	
Spectrum Analyzer	Agilent	E4440A	US41160416	01/25/2011	01/24/2012	
Radio Communication Analyzer	R&S	CMU200	102189	08/12/2010	08/11/2012	
800 – 1000MHz Filter	Micro-Tronics	BRM13462	001	01/05/2011	01/04/2012	
1800 – 2000MHz Filter	Micro-Tronics	BRM13463	001	01/05/2011	01/04/2012	
Temperature Chamber	TERCHY	MHG-120LF	911009	04/14/2010	04/13/2012	
Temperature Chamber	GIANT FORCE	GTH-150-40- CP-AR	MAA0512-018	02/05/2010	02/04/2012	
DC Block	Agilent	BLK-18	155452	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S20W5	N/A	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S10W5	N/A	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S6W5	N/A	07/05/2010	07/04/2011	
Splitter	Agilent	11636B	N/A	07/05/2010	07/04/2011	
DC Power Supply	Chroma	41901	777188	04/15/2010	04/14/2012	
Power Meter	Anritsu	ML2495A	1005007	02/17/2010	02/16/2012	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 11 of 68

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
ТҮРЕ		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	R&S	FSP 40	100034	02/12/2010	02/11/2012	
Bilog Antenna	SCHWAZBECK	VULB9160	9160-3136	11/15/2010	11/14/2011	
Dipole Antenna	SCHWAZBECK	VHAP	908/909	07/10/2010	07/09/2012	
Dipole Antenna	SCHWAZBECK	UHAP	891/892	07/10/2010	07/09/2012	
Hor.n antenna	SCHWAZBECK	BBHA 9120D	309	01/22/2010	01/21/2012	
Horn antenna	SCHWAZBECK	BBHA 9120D	9120D-673	05/09/2010	05/08/2012	
Signal Generator	R&S	SMR40	100210	01/22/2010	01/21/2012	
Signal Generator	Agilent	E4438C	MY45093613	06/11/2010	06/10/2011	
Pre-Amplifier	Agilent	8447D	1937A02834	11/30/2010	11/29/2011	
Pre-Amplifier	Agilent	8449B	3008A01973	01/05/2011	01/04/2012	
Attenuator	Mini-Circuit	BW-S20W5	001	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S10W5	001	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S6W5	001	07/05/2010	07/04/2011	
Radio Communication Analyzer	R&S	CMU200	102189	05/13/2010	05/12/2012	
Turn Table	HD	DT420	N/A	N.C.R	N.C.R	
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R	
Controller	HD	HD100	N/A	N.C.R	N.C.R	
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-10M	10m	01/05/2010	01/04/2011	
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-3M	3m	01/05/2010	01/04/2011	
3m Site	SGS	966 chamber	N/A	11/09/2010	11/08/2011	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd

**No 134 Wir Kunn Road Wirklu Indistrial Zone Tainei County Taiwan 台北縣五野工業區五丁縣 134 勝

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 12 of 68

Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel)




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Notebook	НР	ProBook 4411s	CNU9316V4C	shielded	Un-shielded
2.	Radio Communication Analyzer	R&S	CMU200	102189	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 13 of 68

3. SUMMARY OF TEST RESULTS

FCC Rules	IC Rules	Description Of Test	Result	
§2.1046(a)	N/A	RF Power Output	Compliant	
\$2.1046(a)	§4.8 (RSS-Gen Issue 3)	EDD/EIDD	C 1' 1	
\$22.913(a)(2) \$24.232(c)	§4.4 (RSS-132) §6.4 (RSS-133)	ERP/ EIRP measurement	Compliant	
§2.1049(h)	§4.6.1 (RSS-Gen Issue 3)	99% Occupied Bandwidth	Compliant	
32.10 (H)	§2.3 (RSS-133)	3370 Geoupied Bandwidin	Сотриши	
§2.1051	§4.9 (RSS-Gen Issue 3)	Out of Band Emissions at Antenna		
§22.917(a)	§4.5 (RSS-132)	Terminals and	Compliant	
§24.238(a)	§6.5 (RSS-133)	Band Edge		
§2.1053	§4.9 (RSS-Gen Issue 3)			
§22.917(a)	§4.5 (RSS-132)	Field Strength of Spurious Radiation	Compliant	
§24.238(a)	§6.5 (RSS-133)			
§2.1055(a)(1)	§4.7 (RSS-Gen Issue 3)			
§22.355	§4.3 (RSS-132)	Frequency Stability vs. Temperature	Compliant	
§24.235	§6.3 (RSS-133)			
§2.1055(d)(2)	§4.7 (RSS-Gen Issue 3)			
§22.355	§4.3 (RSS-132)	Frequency Stability vs. Voltage	Compliant	
§24.235	§6.3 (RSS-133)		1	
	§4.10 (RSS-Gen Issue 3)			
N/A	§4.6 (RSS-132)	Receiver Spurious Emissions	Compliant	
	§6.6 (RSS-133)			

Max ERP/EIRP measurement result:

	dBm	dB	W
GPRS 850 Band	29.59	ERP	0.910
GPRS 1900 Band	27.83	EIRP	0.607

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 14 of 68

DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

EUT was staying in continuous transmitting mode. Channel Low, Mid and High for each band with rated data rate were chosen for full testing.

The field strength of spurious radiation emission was measured as EUT lie down position (E2 mode) for GSM/GPRS and The worst-case of E2 position for GSM 850 band, E2 position for GSM 1900.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 15 of 68

5. RF POWER OUTPUT MEASUREMENT


5.1. Standard Applicable

According to FCC §2.1046.

FCC 22.913(a) Mobile station are limited to 7W.

FCC 24.232(c) Peak Power Measurement.

5.2. Test Set-up:



Note: Measurement setup for testing on Antenna connector

5.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading.

5.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

S Taiwan Ltd.



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 16 of 68

5.5 Measurement Result:

5.5.1 RF Conducted Output Power

5.5.1.1.: GPRS (GMSK)

Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 1UP) (dBm)	Avg. Power (1DN 1UP) (dBm)	Peak Power (1DN 2UP) (dBm)	Avg. Power (1DN 2UP) (dBm)
CDDC 050	824.2	128	32.90	32.80	31.10	31.00
GPRS 850	836.6	190	33.10	33.00	31.50	31.40
Class 10	848.8	251	33.20	33.10	31.50	31.40

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 1UP) (dBm)	Avg. Power (1DN 1UP) (dBm)	Peak Power (1DN 2UP) (dBm)	Avg. Power (1DN 2UP) (dBm)
GDD G 1000	1850.2	512	29.50	29.40	27.50	27.40
GPRS 1900	1880.0	661	29.20	29.10	27.10	27.00
Class 10	1909.8	810	29.50	29.40	27.40	27.30

offset: 1 dBm

Maximum Power Reduction: GPRS1900 band

Maximum I over Reddenon: GI Rollovo build									
PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.1	27.1	25.1	23	21.1	19.3	17.4	15.5	13.5
PCL	9	10	11	12	13	14	15	16	17
Output power (dBm)	11.5	9.5	7.5	5.5	3.3	1.7	0.3		

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 17 of 68

6. ERP, EIRP MEASUREMENT

6.1. Standard Applicable:

According to FCC §2.1046

FCC 22.913(a) Mobile station are limited to 7W ERP.

FCC 24.232(c) Mobile station are limited to 2W EIRP.


According to IC RSS-133 §6.4

The peak e.i.r.p. for transmitters operating in the band 1850-1910 MHz shall not exceed the limits 2W which given in SRSP-510.

According to issue 2 of RSS 132, section 4.4. The transmitter output power shall not exceed the limits given in SRSP-503.

6.2. Test SET-UP (Block Diagram of Configuration):

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


艮公司 t (886-2) 2299-3279




Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 18 of 68

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions.htm and for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions.htm and for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and which is a subject to Terms and Conditions for Electronic Documents. within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 19 of 68

6.3. Measurement Procedure:

The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824.2 –848.80MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850.2 –1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) - Cable Loss (dB)

6.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 20 of 68

6.5. Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)							
	824.20	128		V	126.62	40.23	-7.87	3.62	28.73	38.45							
	024.20	128	E2	Н	126.33	40.06	-7.87	3.62	28.56	38.45							
GPRS 850	836.60	100	100	100	100	190	100	100	100	100 70	V	127.37	41.12	-7.88	3.65	29.59	38.45
GPRS 630	830.00	190	E2	Н	127.08	40.85	-7.88	3.65	29.32	38.45							
	848.80	251	1 E2	V	127.21	41.09	-7.88	3.68	29.53	38.45							
				Н	126.79	40.60	-7.88	3.68	29.04	38.45							

Remark:

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)					
	1850.20	512	F-2	V	122.16	17.77	9.90	5.56	22.11	33.00					
	1630.20	312 E	E2	Н	123.59	19.41	9.90	5.84	23.47	33.00					
GPRS 1900	1880.00	((1	661	661	661	661	661	561 50	V	125.53	21.17	9.99	5.61	25.55	33.00
GFK3 1900	1000.00	001	E2	Н	126.25	22.11	9.99	5.61	26.48	33.00					
	1909.80 810	810 I	F-2	V	123.94	19.61	10.08	5.66	24.03	33.00					
	1909.00	810	10 E2	Н	127.52	23.41	10.08	5.66	27.83	33.00					

Remark:

(1) The RBW, VBW of SPA for frequency RBW=300K, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 21 of 68

7. 99% OCCUPIED BANDWIDTH MEASUREMENT

7.1. Standard Applicable:

According to §FCC 2.1049.

According to IC RSS-Gen Issue 3 §4.6.1

According to IC RSS-133 §2.3

7.2. Test Set-up:

Refer to section 5.2 in this report

7.3. Measurement Procedure:

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW (10/30KHz) for GSM/EDGE; VBW= 3 times RBW (47/150KHz) for WCDMA/HSUPA, -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

7.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 22 of 68

7.5. Measurement Result:

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.2465
GPRS 850	836.60	190	0.2456
	848.80	251	0.2457

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	1850.20	512	0.2397
GPRS 1900	1880.00	661	0.2442
	1909.80	810	0.2439

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd

**No 134 Wir Kunn Road Wirklu Indistrial Zone Tainei County Taiwan 台北縣五野工業區五丁縣 134 勝

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 23 of 68

Figure 7-1: GPRS 850 Channel Low





Figure 7-2 GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 24 of 68

Figure 7-3: GPRS 850 Channel High





Figure 7-4: GPRS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 25 of 68







Figure 7-6: GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

| 除計分刊記別・加報音稿米無到側配之係血具具・同時加條血理体量列及・平板音木經平公司音曲計刊・不可能力複製・
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 26 of 68

8. OUT OF BAND EMISSION AT ANTENNA TERMINALS

8.1. Standard Applicable:

According to FCC §2.1051.

FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

According to RSS-132 §4.5

4.5.1 Out-of-block Emissions

Mobile and base station equipment with emission bandwidth less than or equal to 4 MHz shall comply with 4.5.1.1. Mobile station equipment with emission bandwidth greater than 4 MHz shall comply with 4.5.1.2. Base station equipment with emission bandwidth greater than 4 MHz shall comply with either 4.5.1.2 or 4.5.1.3.

- 4.5.1.1 In the first 1.0 MHz band immediately outside and adjacent to the licensee's frequency block, the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P)$, dB. After the first 1.0 MHz, the power of emissions shall be attenuated below the transmitter output power by at least
- $43 + 10 \log (P)$, dB, in any 100 kHz bandwidth.
- 4.5.1.2 In the first 1.0 MHz band immediately outside and adjacent to the licensee's frequency block, the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P)$, dB. After the first 1.0 MHz, the power of emissions shall be attenuated below the transmitter output power by at least
- $43 + 10 \log (P)$, dB, in any 1 MHz bandwidth

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

対 t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 27 of 68

According to RSS-133 §6.5

6.5.1 Out-of-Block Emissions

a. Mobile stations must comply with subsection i. below.

In the first 1.0MHz band immediately outside and adjacent to the licensee's frequency block. the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P) dB$.


b. After the first 1.0 MHz (for equipment that complies with a.i. of this subsection) or 1.5 MHz (for equipment that complies with all of this subsection), the power of emissions shall be attenuated below the transmitter output power by at least $43 + 10 \log (P)$, dB, per any MHz of bandwidth.

(Note: If the test result using 1% of the emission bandwidth is used, then power integration over 1.0 MHz is required; alternatively, the spectrum analyzer resolution and video bandwidths can be increased to 1.0 MHz for this measurement).

6.5.2 Out-of-Sub-band Emissions

Outside the sub-bands 1850-1910 MHz, the attenuation shall be equal to or greater than the out-of-block emission limits in Section 6.5.1.

8.2. Test SET-UP:



Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 28 of 68

8.3. Measurement Procedure:

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop=10 th harmonic. Limit = -13dBm

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

8.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號





Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 29 of 68

8.5. Measurement Result:

Figure 8-1: Out of Band emission at antenna terminals-GPRS 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製:

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 30 of 68

Figure 8-2: Out of Band emission at antenna terminals – GPRS 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 31 of 68

Figure 8-3: Out of Band emission at antenna terminals – GPRS 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 32 of 68

Figure 8-4: Band edge emission at antenna terminals – GPRS 850 Channel Lowest





Figure 8-5: Band edge emission at antenna terminals – GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 33 of 68

Figure 8-6: Out of Band emission at antenna terminals – GPRS 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 34 of 68

Figure 8-7: Out of Band emission at antenna terminals - GPRS 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 35 of 68

Figure 8-8: Out of Band emission at antenna terminals – GPRS 1900Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 36 of 68

Figure 8-9: Band edge emission at antenna terminals – GPRS 1900 Channel Lowest





Figure 8-10: Band edge emission at antenna terminals – GPRS 1900Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 37 of 68

9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT (TX)

9.1. Standard Applicable:

According to FCC §2.1053,

FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

According to RSS-132 §4.5

4.5.1 Out-of-block Emissions

Mobile and base station equipment with emission bandwidth less than or equal to 4 MHz shall comply with 4.5.1.1. Mobile station equipment with emission bandwidth greater than 4 MHz shall comply with 4.5.1.2. Base station equipment with emission bandwidth greater than 4 MHz shall comply with either 4.5.1.2 or 4.5.1.3.

4.5.1.1 In the first 1.0 MHz band immediately outside and adjacent to the licensee's frequency block, the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P)$, dB. After the first 1.0 MHz, the power of emissions shall be attenuated below the transmitter output power by at least

 $43 + 10 \log (P)$, dB, in any 100 kHz bandwidth.

4.5.1.2 In the first 1.0 MHz band immediately outside and adjacent to the licensee's frequency block, the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P)$, dB. After the first 1.0 MHz, the power of emissions shall be attenuated below the transmitter output power by at least

 $43 + 10 \log (P)$, dB, in any 1 MHz bandwidth

According to RSS-133 §6.5

6.5.1 Out-of-Block Emissions

a. Mobile stations must comply with subsection i. below.

In the first 1.0MHz band immediately outside and adjacent to the licensee's frequency block. the power of emissions per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log (P) dB$.

b. After the first 1.0 MHz (for equipment that complies with a.i. of this subsection) or 1.5 MHz (for equipment that complies with all of this subsection), the power of emissions shall be attenuated below the transmitter output power by at least $43 + 10 \log (P)$, dB, per any MHz of bandwidth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. Math ロカジャル (大田本語学) 大田本語学 (大田本語学) 大田本語学 (大田本語学) 大田本語学 (大田本語学) (大田本

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 38 of 68

(Note: If the test result using 1% of the emission bandwidth is used, then power integration over 1.0 MHz is required; alternatively, the spectrum analyzer resolution and video bandwidths can be increased to 1.0 MHz for this measurement).

6.5.2 Out-of-Sub-band Emissions

Outside the sub-bands 1850-1910 MHz and 1930-1990 MHz, the attenuation shall be equal to or greater than the out-of-block emission limits in Section 6.5.1.

9.2. EUT Setup (Block Diagram of Configuration):

Refer to section 6.2 in this report

9.3. Measurement Procedure:

The EUT was placed on a non-conductive, The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP= S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain(dBi) - Cable Loss (dB)

9.4. Measurement Equipment Used:

Refer to section 2.4 in this report

9.5. Measurement Result:

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 39 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

: TX CH Low Mode Operation Mode Test Date: Jun. 08, 2011

Fundamental Frequency : 824.20 MHz Test By: Blue Pol: Temperature Ver : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
154.16	33.61	V	-64.05	-7.80	1.60	-73.46	-13.00	-60.46
248.25	34.40	V	-65.56	-7.89	1.98	-75.42	-13.00	-62.42
293.84	36.98	V	-61.47	-7.92	2.15	-71.54	-13.00	-58.54
516.94	33.37	V	-60.21	-7.73	2.85	-70.80	-13.00	-57.80
658.56	33.79	V	-55.22	-7.82	3.18	-66.22	-13.00	-53.22
966.05	34.32	V	-49.93	-8.00	3.93	-61.86	-13.00	-48.86
1648.40	41.87	V	-62.71	9.29	5.23	-58.65	-13.00	-45.65
2472.60	45.15	V	-55.86	10.08	6.53	-52.31	-13.00	-39.31
3296.80		V		12.17	7.71		-13.00	
4121.00		V		12.61	8.86		-13.00	
4945.20		V		12.65	9.74		-13.00	
5769.40		V		13.55	10.54		-13.00	
6593.60		V		12.05	11.30		-13.00	
7417.80		V		11.49	12.10		-13.00	
8242.00		V		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or

falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 40 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode : TX CH Low Mode Jun. 08, 2011 Test Date:

Fundamental Frequency : 824.20 MHz Test By: Blue Pol: Temperature Hor : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	43.08	Н	-58.02	-7.83	1.69	-67.55	-13.00	-54.55
219.15	40.87	Н	-59.85	-7.86	1.82	-69.53	-13.00	-56.53
303.54	41.14	Н	-56.49	-7.90	2.18	-66.57	-13.00	-53.57
548.95	34.64	Н	-57.12	-7.76	2.96	-67.83	-13.00	-54.83
694.45	34.18	Н	-53.68	-7.85	3.28	-64.81	-13.00	-51.81
927.25	34.09	Н	-50.41	-7.98	3.84	-62.23	-13.00	-49.23
2472.60	42.64	Н	-58.27	10.08	6.53	-54.72	-13.00	-41.72
3296.80		Н		12.17	7.71		-13.00	
4121.00		Н		12.61	8.86		-13.00	
4945.20		Н		12.65	9.74		-13.00	
5769.40		Н		13.55	10.54		-13.00	
6593.60		Н		12.05	11.30		-13.00	
7417.80		Н		11.49	12.10		-13.00	
8242.00		Н		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 41 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode : TX CH Mid Mode Jun. 08, 2011

Fundamental Frequency: 836.60 MHz Test By: Blue Pol: Temperature Ver : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
149.31	37.87	V	-59.48	-7.80	1.59	-68.87	-13.00	-55.87
245.34	34.52	V	-65.55	-7.89	1.96	-75.40	-13.00	-62.40
303.54	36.64	V	-61.57	-7.90	2.18	-71.65	-13.00	-58.65
548.95	32.74	V	-59.78	-7.76	2.96	-70.50	-13.00	-57.50
687.66	33.87	V	-55.44	-7.85	3.26	-66.55	-13.00	-53.55
924.34	33.95	V	-50.74	-7.97	3.83	-62.54	-13.00	-49.54
2509.80	44.80	V	-55.98	10.09	6.58	-52.48	-13.00	-39.48
3346.40		V		12.28	7.79		-13.00	
4183.00		V		12.62	8.93		-13.00	
5019.60		V		12.67	9.81		-13.00	
5856.20		V		13.68	10.62		-13.00	
6692.80		V		11.95	11.39		-13.00	
7529.40		V		11.45	12.20		-13.00	
8366.00		V		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belongs to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

brites stated the festules and with this test report reter only to the sample(s) tested and such sample(s) are retained for 30 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 42 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode : TX CH Mid Mode Jun. 08, 2011

Fundamental Frequency: 836.60 MHz Test By: Blue Pol: Temperature Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	43.04	Н	-58.06	-7.83	1.69	-67.59	-13.00	-54.59
238.55	38.43	Н	-61.35	-7.88	1.93	-71.15	-13.00	-58.15
303.54	40.59	Н	-57.04	-7.90	2.18	-67.12	-13.00	-54.12
548.95	32.99	Н	-58.77	-7.76	2.96	-69.48	-13.00	-56.48
668.26	34.42	Н	-54.54	-7.83	3.21	-65.57	-13.00	-52.57
934.04	34.12	Н	-50.29	-7.98	3.85	-62.13	-13.00	-49.13
2509.80	42.36	Н	-58.34	10.09	6.58	-54.84	-13.00	-41.84
3346.40		Н		12.28	7.79		-13.00	
4183.00		Н		12.62	8.93		-13.00	
5019.60		Н		12.67	9.81		-13.00	
5856.20		Н		13.68	10.62		-13.00	
6692.80		Н		11.95	11.39		-13.00	
7529.40		Н		11.45	12.20		-13.00	
8366.00		Н		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 43 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode : TX CH High Mode Jun. 08, 2011

Fundamental Frequency: 848.80 MHz Test By: Blue Pol: Temperature Ver : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	36.98	V	-64.17	-7.83	1.69	-73.70	-13.00	-60.70
231.76	39.36	V	-61.22	-7.87	1.89	-70.98	-13.00	-57.98
301.60	36.35	V	-61.88	-7.91	2.18	-71.97	-13.00	-58.97
468.44	34.12	V	-59.89	-7.71	2.71	-70.31	-13.00	-57.31
691.54	34.11	V	-55.24	-7.85	3.27	-66.36	-13.00	-53.36
996.05	33.99	V	-49.57	-7.99	4.02	-61.58	-13.00	-48.58
1697.60	42.67	V	-61.87	9.44	5.31	-57.74	-13.00	-44.74
2546.40	43.60	V	-57.04	10.20	6.63	-53.48	-13.00	-40.48
3395.20		V		12.38	7.87		-13.00	
4244.00		V		12.63	9.00		-13.00	
5092.80		V		12.74	9.88		-13.00	
5941.60		V		13.81	10.70		-13.00	
6790.40		V		11.86	11.48		-13.00	
7639.20		V		11.40	12.27		-13.00	
8488.00		V		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 44 of 68

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode : TX CH High Mode Jun. 08, 2011

Fundamental Frequency: 848.80 MHz Test By: Blue Pol: Temperature Hor : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	42.41	Н	-58.69	-7.83	1.69	-68.22	-13.00	-55.22
245.34	36.96	Н	-62.49	-7.89	1.96	-72.34	-13.00	-59.34
301.60	40.85	Н	-56.80	-7.91	2.18	-66.88	-13.00	-53.88
393.75	36.90	Н	-59.63	-7.66	2.49	-69.78	-13.00	-56.78
694.45	34.14	Н	-53.72	-7.85	3.28	-64.85	-13.00	-51.85
930.16	33.94	Н	-50.52	-7.98	3.84	-62.35	-13.00	-49.35
1697.60	42.10	Н	-62.25	9.44	5.31	-58.12	-13.00	-45.12
2546.40	46.47	Н	-54.13	10.20	6.63	-50.57	-13.00	-37.57
3395.20		Н		12.38	7.87		-13.00	
4244.00		Н		12.63	9.00		-13.00	
5092.80		Н		12.74	9.88		-13.00	
5941.60		Н		13.81	10.70		-13.00	
6790.40		Н		11.86	11.48		-13.00	
7639.20		Н		11.40	12.27		-13.00	
8488.00		Н		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 45 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH Low Mode Jun. 08, 2011

Fundamental Frequency: 1850.20MHz Test By: Blue Pol: Temperature Ver : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
151.25	33.64	V	-63.76	-7.80	1.59	-73.16	-13.00	-60.16
248.25	40.17	V	-59.79	-7.89	1.98	-69.65	-13.00	-56.65
338.46	36.62	V	-61.15	-7.70	2.32	-71.17	-13.00	-58.17
558.65	32.58	V	-59.40	-7.77	2.97	-70.14	-13.00	-57.14
665.65	32.51	V	-56.57	-7.83	3.20	-67.60	-13.00	-54.60
972.84	32.12	V	-51.97	-8.00	3.95	-63.92	-13.00	-50.92
2462.50	40.19	V	-60.89	10.08	6.51	-57.32	-13.00	-44.32
3700.40	52.32	V	-45.61	12.61	8.31	-41.31	-13.00	-28.31
5550.60	37.75	V	-53.09	13.23	10.33	-50.19	-13.00	-37.19
7400.80		V		11.50	12.08		-13.00	
9251.00		V		11.92	13.50		-13.00	
11101.20		V		11.66	15.11		-13.00	
12951.40		V		13.63	16.60		-13.00	
14801.60		V		12.76	17.95		-13.00	
16651.80		V		15.92	19.14		-13.00	
18502.00		V		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 46 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH Low Mode Jun. 08, 2011

Fundamental Frequency: 1850.20MHz Test By: Blue Pol: Temperature Hor : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	38.52	Н	-62.58	-7.83	1.69	-72.11	-13.00	-59.11
248.25	38.67	Н	-60.64	-7.89	1.98	-70.50	-13.00	-57.50
299.66	39.78	Н	-57.89	-7.92	2.17	-67.98	-13.00	-54.98
558.65	32.98	Н	-58.56	-7.77	2.97	-69.30	-13.00	-56.30
648.86	32.79	Н	-56.95	-7.81	3.16	-67.92	-13.00	-54.92
968.96	32.36	Н	-51.74	-8.00	3.94	-63.67	-13.00	-50.67
2462.50	42.12	Н	-58.86	10.08	6.51	-55.29	-13.00	-42.29
3700.40	54.34	Н	-43.70	12.61	8.31	-39.40	-13.00	-26.40
5550.60	37.80	Н	-53.25	13.23	10.33	-50.35	-13.00	-37.35
7400.80		Н		11.50	12.08		-13.00	
9251.00		Н		11.92	13.50		-13.00	
11101.20		Н		11.66	15.11		-13.00	
12951.40		Н		13.63	16.60		-13.00	
14801.60		Н		12.76	17.95		-13.00	
16651.80		Н		15.92	19.14		-13.00	
18502.00		Н		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 47 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH Mid Mode Jun. 08, 2011 Test Date:

Fundamental Frequency: 1880MHz Test By: Blue Pol: Temperature Ver : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
194.90	37.08	V	-64.24	-7.84	1.70	-73.78	-13.00	-60.78
224.00	39.38	V	-61.49	-7.86	1.84	-71.20	-13.00	-58.20
335.55	36.19	V	-61.62	-7.72	2.31	-71.65	-13.00	-58.65
553.80	32.94	V	-59.33	-7.76	2.97	-70.06	-13.00	-57.06
665.35	32.53	V	-56.55	-7.83	3.20	-67.57	-13.00	-54.57
975.75	32.51	V	-51.52	-7.99	3.96	-63.47	-13.00	-50.47
2462.50	42.43	V	-58.65	10.08	6.51	-55.08	-13.00	-42.08
3760.00	37.01	V	-60.65	12.60	8.39	-56.43	-13.00	-43.43
5640.00		V		13.36	10.41		-13.00	
7520.00		V		11.45	12.19		-13.00	
9400.00		V		11.93	13.61		-13.00	
11280.00		V		11.92	15.27		-13.00	
13160.00		V		13.33	16.71		-13.00	
15040.00		V		13.76	18.15		-13.00	
16920.00		V		15.27	19.32		-13.00	
18800.00		V		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 48 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH Mid Mode Jun. 08, 2011 Test Date:

Fundamental Frequency: 1880MHz Test By: Blue Pol: Temperature Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	37.55	Н	-63.55	-7.83	1.69	-73.08	-13.00	-60.08
250.19	38.62	Н	-60.59	-7.89	1.99	-70.47	-13.00	-57.47
299.66	37.99	Н	-59.68	-7.92	2.17	-69.77	-13.00	-56.77
551.86	33.22	Н	-58.46	-7.76	2.96	-69.19	-13.00	-56.19
660.50	32.57	Н	-56.71	-7.82	3.19	-67.72	-13.00	-54.72
963.14	32.63	Н	-51.50	-8.00	3.92	-63.42	-13.00	-50.42
3760.00	38.64	Н	-59.13	12.60	8.39	-54.92	-13.00	-41.92
5640.00	41.84	Н	-48.91	13.36	10.41	-45.96	-13.00	-32.96
7520.00		Н		11.45	12.19		-13.00	
9400.00		Н		11.93	13.61		-13.00	
11280.00		Н		11.92	15.27		-13.00	
13160.00		Н		13.33	16.71		-13.00	
15040.00		Н		13.76	18.15		-13.00	
16920.00		Н		15.27	19.32		-13.00	
18800.00		Н		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- $4 \text{ ERP/EIRP } (dBm) = SG \text{ Setting}(dBm) + Antenna Gain } (dB/dBi) Cable loss } (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 49 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH High Mode Test Date: Jun. 08, 2011

Fundamental Frequency: 1909.8 MHz Test By: Blue Pol: Temperature Ver : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
154.16	33.62	V	-64.04	-7.80	1.60	-73.45	-13.00	-60.45
241.46	36.08	V	-64.13	-7.88	1.94	-73.96	-13.00	-60.96
338.46	36.64	V	-61.13	-7.70	2.32	-71.15	-13.00	-58.15
548.95	33.05	V	-59.47	-7.76	2.96	-70.19	-13.00	-57.19
697.36	32.78	V	-56.63	-7.86	3.28	-67.77	-13.00	-54.77
985.45	32.32	V	-51.48	-7.99	3.99	-63.46	-13.00	-50.46
3819.60	41.60	V	-55.79	12.60	8.47	-51.66	-13.00	-38.66
5729.40	38.25	V	-52.07	13.49	10.50	-49.07	-13.00	-36.07
7639.20		V		11.40	12.27		-13.00	
9549.00		V		11.95	13.74		-13.00	
11458.80		V		12.17	15.43		-13.00	
13368.60		V		12.97	16.82		-13.00	
15278.40		V		15.00	18.29		-13.00	
17188.20		V		14.47	19.52		-13.00	
19098.00		V		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB			
Measurement uncertainty	80MHz -1000MHz: 3.76dB			
	1GHz - 13GHz: 4.45dB			

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- $4 \text{ ERP/EIRP } (dBm) = SG \text{ Setting}(dBm) + Antenna Gain } (dB/dBi) Cable loss } (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 50 of 68

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode : TX CH High Mode Test Date: Jun. 08, 2011

Fundamental Frequency: 1909.8 MHz Test By: Blue Pol: Temperature Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dB/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
192.96	37.46	Н	-63.64	-7.83	1.69	-73.17	-13.00	-60.17
245.34	37.26	Н	-62.19	-7.89	1.96	-72.04	-13.00	-59.04
301.60	38.79	Н	-58.86	-7.91	2.18	-68.94	-13.00	-55.94
558.65	32.53	Н	-59.01	-7.77	2.97	-69.75	-13.00	-56.75
665.65	32.28	Н	-56.79	-7.83	3.20	-67.81	-13.00	-54.81
985.45	32.47	Н	-51.53	-7.99	3.99	-63.51	-13.00	-50.51
2462.50	42.20	Н	-58.78	10.08	6.51	-55.21	-13.00	-42.21
3819.60		Н		12.60	8.47		-13.00	
5729.40	41.56	Н	-48.89	13.49	10.50	-45.90	-13.00	-32.90
7639.20		Н		11.40	12.27		-13.00	
9549.00		Н		11.95	13.74		-13.00	
11458.80		Н		12.17	15.43		-13.00	
13368.60		Н		12.97	16.82		-13.00	
15278.40		Н		15.00	18.29		-13.00	
17188.20		Н		14.47	19.52		-13.00	
19098.00		Н		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark "---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 51 of 68

10. FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT

10.1. Standard Applicable:

According to FCC §2.1055(a) (1)

Frequency Tolerance: +/-2.5ppm for 850MHz band


+/-2.5ppm for 1900MHz band

According to RSS-133 §6.3, RSS-132 §4.3

The carrier frequency shall not depart from the reference frequency in excess of ± 2.5 ppm for mobile stations

10.2. Test Set-up:

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to –30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

10.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's soel responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

と份有限公司 t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 52 of 68

10.5. Measurement Result:

Reference Frequency: GPRS Mid Channel 836.6 MHz @ 20°C										
Limit: +/- 2.5 ppm = 2091 Hz										
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)						
Vdc	Temperature ($^{\circ}$ C)	(MHz)	Delta (Hz)	Limit (Hz)						
3.7	-30	836.600012	-16.00	2091						
3.7	-20	836.600008	-12.00	2091						
3.7	-10	836.600007	-11.00	2091						
3.7	0	836.600005	-9.00	2091						
3.7	10	836.600003	-7.00	2091						
3.7	20	836.599997	-1.00	2091						
3.7	30	836.599996	0.00	2091						
3.7	40	836.599998	-2.00	2091						
3.7	50	836.599981	15.00	2091						

Reference Frequency: GPRS Mid Channel 1880 MHz @ 20°C										
Limit: +/- 2.5 ppm = 4700 Hz										
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)						
Vdc	Temperature (°C)	(MHz)	Della (112)	Lillit (112)						
3.7	-30	1880.000012	-11.00	4700						
3.7	-20	1880.000009	-8.00	4700						
3.7	-10	1880.000008	-7.00	4700						
3.7	0	1880.000011	-10.00	4700						
3.7	10	1880.000006	-5.00	4700						
3.7	20	1880.000002	-1.00	4700						
3.7	30	1880.000001	0.00	4700						
3.7	40	1880.000002	-1.00	4700						
3.7	50	1880.000008	-7.00	4700						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd

**No 134 Wir Kunn Road Wirklu Indistrial Zone Tainei County Taiwan 台北縣五野工業區五丁縣 134 勝 S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 53 of 68

11. FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT

11.1. Standard Applicable:

According to FCC §2.1055(a) (1)

Frequency Tolerance: +/-2.5ppm for 850MHz band

+/-2.5ppm for 1900MHz band

According to RSS-133 §6.3, RSS-132 §4.3

The carrier frequency shall not depart from the reference frequency in excess of ± 2.5 ppm for mobile stations.

11.2. Test Set-up:

Refer to section 10.2 in this report

11.3. Measurement Procedure:

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.

11.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 54 of 68

11.5. Measurement Result:

Wicasai ement Resuit.										
Reference Frequency: GPRS Mid Channel 836.6 MHz @ 25°C										
	Limit: +/- 2.5 ppm = 2091 Hz									
Power Supply Environment Frequency D. L. C. H.										
Vdc	Temperature ($^{\circ}$ C)	(MHz)	Delta (Hz)	Limit (Hz)						
4.2	4.2 25.00		1.00	2091.00						
3.7	25.00	836.599997	0.00	2091.00						
3.5	25.00	836.599993	4.00	2091.00						
3.3	25.00	026 500000	0.00	2001.00						
(End Point)	25.00	836.599989	8.00	2091.00						

Reference Frequency: GPRS Mid Channel 1880 MHz @ 25°C										
	Limit: +/- 2.5 ppm = 4700 Hz									
Power Supply	ower Supply Environment Frequency									
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)						
4.2	25	1880.000003	-1.00	4700						
3.7	25	1880.000002	0.00	4700						
3.5	25	1880.000004	-2.00	4700						
3.3	25	1000 00000	4.00	4700						
(End Point)	25	1880.000006	-4.00	4700						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 55 of 68

12. SPURIOUS RADIATED EMISSION TEST (RX)

12.1. Standard Applicable

According to RSS 132 §4.6, all spurious emissions shall comply with the limits of Table 2. The resolution bandwidth of the spectrum analyzer shall be 100 kHz for spurious emissions measurements below 1.0 GHz, and 1.0 MHz for measurements above 1.0 GHz.

Frequency (MHz)	Field strength $\mu V/m$	Distance (m)	Field strength at 3m dBµV/m
30-88	100	3	40
88-216	150	3	43.5
216-960	200	3	46
Above 960	500	3	54

According to RSS 133 §6.6, Receiver spurious emissions shall comply with the limits specified in RSS-Gen Issue 3.

12.2. EUT Setup

- 1. The radiated emission tests were performed in the 3 meter open-test site, using the setup in accordance with the ANSI C63.4-2003.
- 2. The EUT was put in the front of the test table. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The spacing between the peripherals was 10 centimeters.
- 4. External I/O cables were draped along the edge of the test table and bundle when necessary.
- 5. The host was connected with 120Vac/60Hz power source.

12.3. Measurement Procedure

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. Maximum procedure was performed on the six highest emissions to ensure EUT compliance. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 5. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. Math ロカジャル (大田本語学) 大田本語学 (大田本語学) 大田本語学 (大田本語学) 大田本語学 (大田本語学) (大田本

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's soel responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

IGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 56 of 68

12.4. Test SET-UP (Block Diagram of Configuration)

Refer to section 6.2 in this report

12.5. Measurement Equipment Used:

Refer to section 2.4 in this report

12.6. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

12.7. Measurement Result

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 57 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 850 CH Low Mode Test Date Jun. 08, 2011

Fundamental Frequency 824.2 MHz Test By Blue Temperature Pol Ver./Hor 25 °C

65 % Humidity

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
154.16	V	Peak	34.02	-13.06	20.96	43.50	-22.54
267.65	V	Peak	39.21	-13.57	25.64	46.00	-20.36
328.76	V	Peak	36.73	-12.34	24.39	46.00	-21.61
555.74	V	Peak	33.39	-7.47	25.92	46.00	-20.08
610.06	V	Peak	36.02	-5.81	30.21	46.00	-15.79
978.66	V	Peak	32.75	-0.78	31.97	54.00	-22.03
192.96	Н	Peak	37.01	-15.29	21.72	43.50	-21.78
267.65	Н	Peak	37.03	-13.57	23.46	46.00	-22.54
287.05	Н	Peak	42.31	-13.25	29.06	46.00	-16.94
558.65	Н	Peak	32.93	-7.38	25.55	46.00	-20.45
660.50	Н	Peak	32.95	-4.99	27.96	46.00	-18.04
980.60	Н	Peak	32.73	-0.77	31.96	54.00	-22.04

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz.
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 58 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 850 CH Mid Mode Test Date Jun. 08, 2011

Fundamental Frequency 836.6 MHz Test By Blue Temperature Pol Ver./Hor 25 °C

65 % Humidity

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
183.26	V	Peak	37.09	-14.72	22.37	43.50	-21.13
264.74	V	Peak	37.50	-13.59	23.91	46.00	-22.09
340.40	V	Peak	36.82	-12.01	24.81	46.00	-21.19
559.62	V	Peak	32.98	-7.35	25.63	46.00	-20.37
648.86	V	Peak	33.08	-4.97	28.11	46.00	-17.89
982.54	V	Peak	33.01	-0.75	32.26	54.00	-21.74
165.80	Н	Peak	40.10	-13.73	26.37	43.50	-17.13
267.65	Н	Peak	36.40	-13.57	22.83	46.00	-23.17
284.14	Н	Peak	39.54	-13.28	26.26	46.00	-19.74
544.10	Н	Peak	32.78	-5.03	27.75	46.00	-18.25
698.60	Н	Peak	32.90	-5.03	27.87	46.00	-18.13
978.66	Н	Peak	32.32	-0.78	31.54	54.00	-22.46

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz •
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 59 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 850 CH High Mode Test Date Jun. 08, 2011

Fundamental Frequency 848.8 MHz Test By Blue Temperature Pol Ver./Hor 25 °C

65 % Humidity

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
194.90	V	Peak	38.40	-15.40	23.00	43.50	-20.50
248.25	V	Peak	38.22	-13.91	24.31	46.00	-21.69
340.40	V	Peak	36.64	-12.01	24.63	46.00	-21.37
559.62	V	Peak	32.41	-7.35	25.06	46.00	-20.94
607.15	V	Peak	33.98	-5.86	28.12	46.00	-17.88
978.66	V	Peak	32.61	-0.78	31.83	54.00	-22.17
192.96	Н	Peak	37.90	-15.29	22.61	43.50	-20.89
253.10	Н	Peak	37.36	-13.70	23.66	46.00	-22.34
299.66	Н	Peak	38.90	-13.13	25.77	46.00	-20.23
559.62	Н	Peak	32.61	-7.35	25.26	46.00	-20.74
675.05	Н	Peak	34.96	-4.97	29.99	46.00	-16.01
990.30	Н	Peak	33.45	-0.70	32.75	54.00	-21.25

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz •
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 60 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 1900 CH Low Mode Test Date Jun. 08, 2011

Fundamental Frequency 1850.2 MHz Test By Blue Temperature Ver./Hor Pol 25 °C

65 % Humidity

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
194.90	V	Peak	36.22	-15.40	20.82	43.50	-22.68
241.46	V	Peak	39.14	-14.09	25.05	46.00	-20.95
338.46	V	Peak	36.66	-12.05	24.61	46.00	-21.39
400.54	V	Peak	35.66	-9.99	25.67	46.00	-20.33
648.86	V	Peak	33.28	-4.97	28.31	46.00	-17.69
963.14	V	Peak	32.40	-0.92	31.48	54.00	-22.52
190.05	Н	Peak	40.00	-15.12	24.88	43.50	-18.62
264.74	Н	Peak	38.57	-13.59	24.98	46.00	-21.02
299.66	Н	Peak	38.26	-13.13	25.13	46.00	-20.87
558.65	Н	Peak	32.74	-7.38	25.36	46.00	-20.64
643.04	Н	Peak	32.66	-5.14	27.52	46.00	-18.48
898.15	Н	Peak	33.05	-1.09	31.96	46.00	-14.04

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz.
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 61 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 1900 CH Mid Mode Test Date Jun. 08, 2011

Fundamental Frequency 1880 MHz

Temperature 25 °C

Test By Blue Pol Ver./Hor

Humidity 65 %

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
149.31	V	Peak	34.07	-12.90	21.17	43.50	-22.33
257.95	V	Peak	38.66	-13.66	25.00	46.00	-21.00
338.46	V	Peak	36.52	-12.05	24.47	46.00	-21.53
559.62	V	Peak	32.45	-7.35	25.10	46.00	-20.90
650.80	V	Peak	33.17	-4.96	28.21	46.00	-17.79
972.84	V	Peak	32.64	-0.81	31.83	54.00	-22.17
192.96	Н	Peak	38.34	-15.29	23.05	43.50	-20.45
262.80	Н	Peak	37.71	-13.61	24.10	46.00	-21.90
299.66	Н	Peak	38.95	-13.13	25.82	46.00	-20.18
515.00	Н	Peak	33.53	-8.19	25.34	46.00	-20.66
658.56	Н	Peak	32.64	-4.98	27.66	46.00	-18.34
975.75	Н	Peak	33.01	-0.80	32.21	54.00	-21.79

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz •
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 Issue Date: Aug. 15, 2011

Page 62 of 68

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode GPRS 1900 CH High Mode Test Date Jun. 08, 2011

Fundamental Frequency 1909.8 MHz Test By Blue Temperature 25 $^{\circ}$ C Pol Ver./Hor

Humidity 65 %

Freq.	Ant.Pol.	Detector Mode	Reading	Factor	Actual FS	Limit3m	Safe Margin
(MHz)	H/V	(PK/QP)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)
154.16	V	Peak	33.24	-13.06	20.18	43.50	-23.32
260.86	V	Peak	37.56	-13.63	23.93	46.00	-22.07
340.40	V	Peak	36.81	-12.01	24.80	46.00	-21.20
558.65	V	Peak	32.75	-7.38	25.37	46.00	-20.63
665.65	V	Peak	33.68	-4.97	28.71	46.00	-17.29
990.30	V	Peak	32.63	-0.70	31.93	54.00	-22.07
192.96	Н	Peak	37.70	-15.29	22.41	43.50	-21.09
269.59	Н	Peak	37.97	-13.55	24.42	46.00	-21.58
301.60	Н	Peak	37.85	-13.09	24.76	46.00	-21.24
390.84	Н	Peak	38.66	-10.31	28.35	46.00	-17.65
668.26	Н	Peak	32.39	-5.03	27.36	46.00	-18.64
963.14	Н	Peak	32.30	-0.92	31.38	54.00	-22.62

Remark:

- (1) Measuring frequencies from 30 MHz to the 1GHz •
- (2) Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/AV detector mode.
- (3) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (4) The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 63 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS 850 CH Low Mode Test Date Jun. 08, 2011

Fundamental Frequency Test By 824.2 MHz Blue

Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

		Dools	\mathbf{AV}		Actual	Actual	Peak	A V/ I imit	
Freq.	Ant.Pol.	Peak Reading	A v Reading	Factor	Actual Peak FS	Actual AV FS	Limit at 3m	AV Limit at 3m	Margin
(MHz)	H/V	(dBuV)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dB)
1648.4	V						74.00	54.00	
2472.6	V	42.00		-1.04	40.96		74.00	54.00	-13.04
3296.8	V						74.00	54.00	
4121.0	V						74.00	54.00	
4945.2	V						74.00	54.00	
1648.4	H						74.00	54.00	
2472.6	H	44.89		-1.04	43.85		74.00	54.00	-10.15
3296.8	H						74.00	54.00	
4121.0	H						74.00	54.00	
4945.2	H						74.00	54.00	

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column •
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 64 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS 850 CH Mid Mode Test Date Jun. 08, 2011

Fundamental Frequency Test By 836.6 MHz Blue

Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

		Peak	\mathbf{AV}		Actual	Actual	Peak Limit	AV Limit	
Freq.	Ant.Pol.	Reading		Factor	Peak FS	AV FS	at 3m	at 3m	Margin
(MHz)	H/V	(dBuV)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dB)
1673.2	V						74.00	54.00	
2509.8	V	43.50		-1.04	42.46		74.00	54.00	-11.54
3346.4	V						74.00	54.00	
4183.0	V						74.00	54.00	
5019.6	V						74.00	54.00	
1673.2	Н						74.00	54.00	
2509.8	Н						74.00	54.00	
2963.0	Н	37.13		0.29	37.42		74.00	54.00	-16.58
3346.4	Н						74.00	54.00	
4183.0	Н						74.00	54.00	
5019.6	Н						74.00	54.00	

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column o
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 t (886-2) 2299-3279



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 65 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS 850 CH High Mode Test Date Jun. 08, 2011

Fundamental Frequency Test By 848.8 MHz Blue Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

Ant.Pol. H/V	Peak Reading (dBuV)	AV Reading (dBuV)	Factor (dB)	Actual Peak FS (dBuV/m)	Actual AV FS (dBuV/m)	Peak Limit at 3m (dBuV/m)	AV Limit at 3m (dBuV/m)	Margin (dB)
V						74.00	54.00	
V						74.00	54.00	
V	37.15		0.29	37.44		74.00	54.00	-16.56
V						74.00	54.00	
V						74.00	54.00	
V						74.00	54.00	
Н						74.00	54.00	
Н	43.26		-1.04	42.22		74.00	54.00	-11.78
Н						74.00	54.00	
Н						74.00	54.00	
Н						74.00	54.00	
Н						74.00	54.00	
	H/V V V V V V H H H H	Ant.Pol. Reading (dBuV) V V V V V V V H <	Ant.Pol. Reading (dBuV) IV V V 37.15 V V V V V V H	Ant.Pol. H/V Reading (dBuV) Factor (dBuV) V V V 37.15 0.29 V V V V V H H H H H H H H H H H H <tr< td=""><td>Ant.Pol. Reading (dBuV) Factor (dBuV/m) Peak FS (dBuV/m) V </td><td>Ant.Pol. Reading (dBuV) Factor (dBuV/m) Peak FS (dBuV/m) AV FS (dBuV/m) V -</td><td>Ant.Pol. Peak Reading H/V Reading IdBuV Factor Peak FS AV FS at 3m at 3m</td><td>Ant.Pol. Ant.Pol. Ant.Pol</td></tr<>	Ant.Pol. Reading (dBuV) Factor (dBuV/m) Peak FS (dBuV/m) V	Ant.Pol. Reading (dBuV) Factor (dBuV/m) Peak FS (dBuV/m) AV FS (dBuV/m) V -	Ant.Pol. Peak Reading H/V Reading IdBuV Factor Peak FS AV FS at 3m	Ant.Pol. Ant.Pol

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column o
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 66 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS 1900 CH Low Mode Test Date Jun. 08, 2011

Fundamental Frequency Test By 1850.2 MHz Blue

Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

Freq. (MHz)	Ant.Pol. H/V	Peak Reading (dBuV)	AV Reading (dBuV)	Factor (dB)	Actual Peak FS (dBuV/m)	Actual AV FS (dBuV/m)	Peak Limit at 3m (dBuV/m)	AV Limit at 3m (dBuV/m)	Margin (dB)
2462.5	V	40.60		-1.04	39.56		74.00	54.00	-14.44
3700.4	V						74.00	54.00	
5550.6	V						74.00	54.00	
7400.8	V						74.00	54.00	
9251.0	V						74.00	54.00	
11101.2	V						74.00	54.00	
2462.5	Н	38.39		-1.04	37.35		74.00	54.00	-16.65
3700.4	Н						74.00	54.00	
5550.6	Н						74.00	54.00	
7400.8	Н						74.00	54.00	
9251.0	Н						74.00	54.00	
11101.2	Н						74.00	54.00	

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column o
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 67 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS 1900 CH Mid Mode Test Date Jun. 08, 2011

Fundamental Frequency Test By 1880 MHz Blue

Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

Freq.		_	AV Reading	Factor	Actual Peak FS	Actual AV FS	Peak Limit at 3m	AV Limit at 3m	Margin
(MHz)	H/V	(dBuV)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dBuV/m)	(dB)
2462.5	V	42.84		-1.04	41.80		74.00	54.00	-12.20
3760.0	V						74.00	54.00	
5640.0	V						74.00	54.00	
7520.0	V						74.00	54.00	
9400.0	V						74.00	54.00	
11280.0	V						74.00	54.00	
2462.5	Н	39.40		-1.04	38.36		74.00	54.00	-15.64
3760.0	Н						74.00	54.00	
5640.0	Н						74.00	54.00	
7520.0	Н						74.00	54.00	
9400.0	Н						74.00	54.00	
11280.0	Н						74.00	54.00	

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column o
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/60001-03 **Issue Date: Aug. 15, 2011**

Page 68 of 68

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode GPRS1900 CH High Mode Test Date Jun. 08, 2011

Fundamental Frequency 1909.8 MHz Test By Blue Temperature Pol Ver. / Hor. 25 °C

65 % Humidity

Freq. (MHz)	Ant.Pol. H/V	Peak Reading (dBuV)	AV Reading (dBuV)	Factor (dB)	Actual Peak FS (dBuV/m)	Actual AV FS (dBuV/m)	Peak Limit at 3m (dBuV/m)	AV Limit at 3m (dBuV/m)	Margin (dB)
2963.0	V	37.11		0.29	37.40		74.00	54.00	-16.60
3819.6	V						74.00	54.00	
5729.4	V						74.00	54.00	
7639.2	V						74.00	54.00	
9549.0	V						74.00	54.00	
11458.8	V						74.00	54.00	
3819.6	Н						74.00	54.00	
4510.0	Н	34.44		5.31	39.75		74.00	54.00	-14.25
5729.4	Н						74.00	54.00	
7639.2	Н						74.00	54.00	
9549.0	Н						74.00	54.00	
11458.8	Н						74.00	54.00	

Remark:

- (1) Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency •
- (2) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (3) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column o
- (4) Spectrum Peak Setting: 1GHz-13GHz, RBW=1MHz, VBW=1MHz, Sweep time=200 ms.
- (5) Spectrum AV Setting: 1GHz-13GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Sharp faith in the sample of within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號