

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 1 of 92

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT AND INDUSTRY CANADA RSS 210

OF

Product Name: Tablet

TomTom Brand Name:

4FI73 Model No.:

Model Difference: N/A

FCC ID: **S4L4FI73**

IC: 5767A-4FI73

Report No.: E2/2014/40054

Issue Date: May. 26, 2014

FCC Rule Part: §15.247, Cat: DTS

IC Rule Part: RSS-210 issue 8 :2010, Annex 8

TomTom International B.V.

Prepared for: De Ruijterkade 154, Amsterdam 1011 AC


Netherlands

SGS Taiwan Ltd.

Electronics & Communication Laboratory Prepared by:

No.2, Keji 1st Rd., Guishan Township, Taoyuan

County, Taiwan 333



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 2 of 92

VERIFICATION OF COMPLIANCE

Applicant: TomTom International B.V.

De Ruijterkade 154, Amsterdam 1011 AC Netherlands

Product Name: Tablet

Brand Name: TomTom

Model No.: 4FI73

N/A **Model Difference:**

FCC ID: **S4L4FI73**

IC: 5767A-4FI73

File Number: E2/2014/40054

Apr. 23, 2014 ~ May. 23, 2014 Date of test:

Apr. 23, 2014 **Date of EUT Received:**

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 and RSS-Gen. issue 3 the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247 and IC RSS 210 issue 8: 2010 Annex 8.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Lazz Huang	Date	May. 26, 2014	
Prepared By:	Jazz Huang / Sr. Engineer	Date	May. 26, 2014	
Approved By:	Jim Chang / Supervisor	Date 	May. 26, 2014	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 3 of 92

Version

Version No.	Date	Description
00	May. 26, 2014	Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 4 of 92

Table of Contents

1	GEN	NERAL INFORMATION	6
	1.1	Product description	6
	1.2	Related Submittal(s) / Grant (s)	8
	1.3	Test Methodology	8
	1.4	Test Facility	8
	1.5	Special Accessories	8
	1.6	Equipment Modifications	8
2	SYS	TEM TEST CONFIGURATION	9
	2.1	EUT Configuration	9
	2.2	EUT Exercise	9
	2.3	Test Procedure	9
	2.4	Configuration of Tested System	
3	SUM	MARY OF TEST RESULTS	11
4	DES	CRIPTION OF TEST MODES	12
5	MEA	ASUREMENT UNCERTAINTY	13
6	CON	NDUCTED EMISSION TEST	14
	6.1	Standard Applicable:	
	6.2	Measurement Equipment Used:	
	6.3	EUT Setup:	
	6.4	Test SET-UP (Block Diagram of Configuration)	
	6.5	Measurement Procedure:	
	6.6	Measurement Result:	
7	PEA	K OUTPUT POWER MEASUREMENT	18
	7.1	Standard Applicable:	
	7.2	Measurement Equipment Used:	
	7.3	Test Set-up:	
	7.4	Measurement Procedure:	20
	7.5	Measurement Result:	24
8	6dB	BANDWIDTH	27
	8.1	Standard Applicable:	27
	8.2	Measurement Equipment Used:	27
	8.3	Test Set-up:	27
	8.4	Measurement Procedure:	27
	8.5	Measurement Result:	28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 5 of 92

9	BAN	D EDGES MEASUREMENT	34
	9.1	Standard Applicable:	34
	9.2	Measurement Equipment Used:	34
	9.3	Test SET-UP:	36
	9.4	Measurement Procedure:	37
	9.5	Field Strength Calculation:	38
	9.6	Measurement Result:	38
10	SPUF	RIOUS EMISSION TEST	48
	10.1	Standard Applicable	48
	10.2	Measurement Equipment Used:	49
	10.3	Test SET-UP:	49
	10.4	Measurement Procedure:	50
	10.5	Field Strength Calculation	50
	10.6	Measurement Result:	50
11	PEAL	K POWER SPECTRAL DENSITY	78
	11.1	Standard Applicable:	78
	11.2	Measurement Equipment Used:	78
	11.3	Test Set-up:	78
	11.4	Measurement Procedure (following the measurement procedure 10.2 of KDB558074):	78
	11.5	Measurement Result:	79
12	ANT	ENNA REQUIREMENT	85
	12.1	Standard Applicable:	85
	12.2	Antenna Connected Construction:	85
13	99%	BANDWIDTH MEASUREMENT	86
	13.1	Standard Applicable:	86
	13.2	Measurement Equipment Used:	86
	13.3	Test Set-up:	86
	13.4	Measurement Procedure:	86
	13.5	Measurement Result:	87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 6 of 92

GENERAL INFORMATION

Product description

General:

Product Name:	Tablet			
Brand Name:	TomTom			
Model No.:	4FI73			
Model difference:	N/A			
Hardware Version:	v03			
Software Version:	Version 4.3			
DC Power Cable:	Model No.: 4FI0.000.00, Supplier: TomTom			
Car Charger:	Model No.: 4UFI.001.00, Supplier: TomTom			
MIC:	Model No.: NEIM1100106, Supplier: TomTom			
MIC Cable:	Model No.:	P7051-13, Supplier: TomTom		
Basic Cradle:	Model No.: 4FI74, Supplier: TomTom			
Video Cradle:	Model No.: 4FI75, Supplier: TomTom			
Dower Cumply	3.8Vdc form Rechargeable Li-ion Battery or 5Vdc from Micro USB port			
Power Supply:	Battery:	Model No.: UZ6, Supplier: TomTom		

WLAN:

	T	1			1		
Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology	Type of Emission		
11b/g	2412-2462	11	b: 14.35dBm g: 19.42dBm	DSSS, OFDM	b: 12M8G1D g: 16M6D1D		
11n	HT20 2412-2462	11	n: 19.10dBm OFDM		n: 17M7D1D		
Anteni	na Designation:		Chip Antenna, 1.14dBi				
Modul	ation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transi	tion Rate:		802.11 b: 1/2/5.5/11 l 802.11 g: 6/9/12/18/2 802.11 n_20MHz: 6.5	Mbps; 4/36/48/54 Mbps			

The EUT is in compliance with FCC \$15.247 at which the frequency band of 2400~2483.5 has been tested.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 7 of 92

IEEE 802.11n Spec:

MCS					NCBPS		NDBPS		Datarate(Mbps)			
Index	Nss	Modulation	R	NBPSC	NC.	BPS	ND	BPS	800nsGI		400nsGI	
					20MHz	40MHz	20MHz	40MHz	20MHz	40MHz	20MHz	40MHz
0	1	BPSK	1/2	1	52	108	26	54	6.5	13.5	7.200	15
1	1	QPSK	1/2	2	104	216	52	108	13.0	27.0	14.400	30
2	1	QPSK	3/4	2	104	216	78	162	19.5	40.5	21.700	45
3	1	16-QAM	1/2	4	208	432	104	216	26.0	54.0	28.900	60
4	1	16-QAM	3/4	4	208	432	156	324	39.0	81.0	43.300	90
5	1	64-QAM	2/3	6	312	648	208	432	52.0	108.0	57.800	120
6	1	64-QAM	3/4	6	312	648	234	486	58.5	121.5	65.000	135
7	1	64-QAM	5/6	6	312	648	260	540	65.0	135.0	72.200	150

Symbol	Explanation
NSS	Number of spatial streams
R	Code rate
NBPSC	Number of coded bite per single carrier
NCBPS	Number of coded bite per symbol
NDBPS	Number of data bite per symbol
GI	Guard interval

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 8 of 92

Related Submittal(s) / Grant (s) 1.2

This submittal(s) (test report) is intended for FCC ID: S4L4FI73 filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules. And IC: 5767A-4FI73 filing to comply with Industry Canada RSS-210 issue 8: 2010 Annex 8. The composite system (digital device) is compliance with Subpart B is authorized under a Doc procedure.

1.3 **Test Methodology**

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4:2009 and RSS-Gen: 2010. Radiated testing was performed at an antenna to EUT distance 3 meters.

Tested in accordance with Apr 2013 KDB558074 D01 V03 for compliance to FCC 47CFR 15.247 requirements.

Test Facility 1.4

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009. FCC Registration Number: 628985. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, Canada Registration Number: 4620A-5.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. FCC Registration Number: 455997. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, IC Registration Number: 4620A-6.

Special Accessories 1.5

There are no special accessories used while test was conducted.

Equipment Modifications 1.6

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Market State of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 9 of 92

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the general criterion in Section 7.1 of ANSI C63.4:2009. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, and the measurement procedure 7.3 in ANSI 63.4:2009 & 6.2.2 is followed to carry out the test. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna. according to the requirements in Section 8 and 13 and of ANSI C63.4:2009, & Section 6.3, 6.4, 6.5.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Marker of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.

Member of SGS Group



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 10 of 92

Configuration of Tested System

Fig. 2-1 Radiated Emission



Fig. 2-2 Conducted (Antenna Port) Configuration



Fig. 2-3 AC Power Line Conducted Emission



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Notebook	Lenovo	L412	LR-027LM	Shield	Un-shield
2.	WLAN Test Software	Adb command	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 11 of 92

SUMMARY OF TEST RESULTS

FCC/IC Rules	Description Of Test	Result
§15.207(a) RSS-Gen §7.2.4	AC Power Line Conducted Emission	Compliant
§15.247(b) (3) RSS-210 §A8.4(4)	Peak Output Power	Compliant
§15.247(a)(2) RSS-210 §A8.2 (a)	6dB Bandwidth	Compliant
§15.247(d) RSS-210 §A8.5	100 KHz Bandwidth Of Frequency Band Edges	Compliant
§15.247(d) RSS-210 §A8.5	Spurious Emission	Compliant
§15.247(e) RSS-210 §A8.2(b)	Peak Power Density	Compliant
§15.203 RSS-GEN §7.1.2,	Antenna Requirement	Compliant
RSS-Gen §4.6.1	99% Power Bandwidth	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 12 of 92

DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

802.11 b mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 1Mbps lowest data rate are chosen for full testing.

802.11 g mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 6Mbps lowest data rate are chosen for full testing.

802.11 n_20MHz mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 6.5Mbps lowest data rate are chosen for full testing.

The worst case is determined by the output power that generates the highest emission. As examined in the section of output power measurement, the section 7.5, the lowest data rate at b/g/n HT20 resulted the highest level of fundamental emission, and therefore, the lowest data rate is chosen as the worst-case to conduct the remaining of other mandatory test cases.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Marker of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 13 of 92

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 1.55dB (for Spectrum) +/- 1.42 dB (for Power Meter)
6dB Bandwidth	+/- 123.36 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 1.55 dB
Peak Power Density	+/- 1.55 dB
99% Power Bandwidth	+/- 123.36 Hz
Temperature	+/- 0.8 °C
Humidity	+/- 4.7 %
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB			
Massaurantun santaintu	180MHz -417MHz: +/- 3.19dB			
Measurement uncertainty (Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB			
(1 oranization : Vertical)	1GHz - 18GHz: +/- 4.04dB			
	18GHz - 40GHz: +/- 4.04dB			
	30MHz - 167MHz: +/- 4.22dB			
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB			
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB			
	1GHz - 18GHz: +/- 4.08dB			
	18GHz - 40GHz: +/- 4.08dB			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 14 of 92

CONDUCTED EMISSION TEST

6.1 **Standard Applicable:**

According to §15.207 and RSS-Gen §7.2.4, frequency range within 150KHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

6.2 **Measurement Equipment Used:**

SGS Conducted Emission Test Site No.A												
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due							
EMI Test Receiver	R&S	ESCI 3	101311	2013/06/27	2014/06/26							
Coaxial Cables	N/A	N30N30-1042-150c m	N/A	2014/02/07	2015/02/06							
LISN	Schwarzbeck	NSLK 8127	8127-648	2013/06/17	2014/06/16							
LISN	Rolf-Heine	NNB-2/16Z	99012	2014/03/26	2015/03/25							
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.							

6.3 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

^{1.} The lower limit shall apply at the transition frequencies


^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 15 of 92

6.4 Test SET-UP (Block Diagram of Configuration)



Measurement Procedure:

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 **Measurement Result:**

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 16 of 92

AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation Mode			Test Date:	May. 20, 2013
Temperature:	24	Humidity:	67 %	Test By:	Jazz
				Probe:	L1/N



No.←	Mk	Freq.↔	Reading₽	Factor₽	Measurement₽	Limit₽	Over√	Detector₽	Comment₽
43	÷	(MHz)√	dBuV₽	(dB)€ ³	(dBuV)¢³	(dBuV)₽	(dB)€ ³	₽	₽
1↔	4	0.1500₽	56.87₽	0.54₽	57.41₽	66.00₽	-8.59₽	peak↔	47
2↔	¢	0.1500₽	56.40₽	0.54₽	56.94₽	66.00₽	-9.06₽	QP₽	47
34□	47	0.1500₽	42.10₽	0.54₽	42.64₽	56.00₽	-13.36₽	AVG€	47
4↔	*47	0.1580₽	57.36₽	0.54₽	57.90₽	65.57₽	-7.67₽	peak∉ਾ	ė.
540	47	0.1580₽	53.50₽	0.54₽	54.04₽	65.57₽	-11.53₽	QP₄⋾	42
64⊃	٠	0.1580₽	34.80₽	0.54₽	35.34₽	55.57₽	-20.23₽	AVG₽	ė.
7₽	47	0.1660₽	55.94₽	0.54₽	56.48₽	65.16₽	-8.68₽	peak∜	ت
84□	÷	0.1676₽	50.70₽	0.54₽	51.24₽	65.08₽	-13.84₽	QP₄⋾	ę.
942	47	0.1676₽	31.00₽	0.54₽	31.54₽	55.08₽	-23.54₽	AVG₽	47
10₽	÷	0.1900₽	50.94₽	0.53₽	51.47₽	64.04₽	-12.57₽	peak∢	47
11₽	47	0.1940₽	47.50₽	0.53₽	48.03₽	63.86₽	-15.83₽	QP₄⋾	42
12₽	٠	0.1940₽	34.80₽	0.53₽	35.33₽	53.86₽	-18.53₽	AVG₽	ė.
13₽	47	0.1980₽	50.24₽	0.53₽	50.77₽	63.69₽	-12.92₽	peak∜	ټ
14↔	47	0.1991₽	46.20₽	0.53₽	46.73₽	63.65₽	-16.92₽	QP₄□	47
15₽	47	0.1991₽	33.10₽	0.53₽	33.63₽	53.65₽	-20.02₽	AVG₽	47
16↔	٦	16.8890₽	35.00₽	1.29₽	36.29₽	60.00₽	-23.71₽	QP₄⋾	φ

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 17 of 92



No.	Mk	Freq.₽	Reading₽	Factor₽	Measurement€	Limit₽	Over⊄	Detector€	Comment₽
42	43	(MHz)₊ [□]	dBuV₽	(dB)₽	(dBuV)₽	(dBuV)⊕	(dB)€ ³	₽	47
142	*47	0.1700₽	54.43₽	0.18₽	54.61₽	64.96₽	-10.35₽	peak₽	42
242	÷	0.1712₽	49.00₽	0.18₽	49.18₽	64.90₽	-15.72₽	QP₽	42
342	42	0.1712₽	26.60₽	0.18₽	26.78₽	54.90₽	-28.12₽	AVG₽	th.
442	42	0.1932₽	50.30₽	0.18₽	50.48↔	63.90₽	-13.42₽	QP₽	t)
540	42	0.2175₽	43.20₽	0.19₽	43.39₽	62.91₽	-19.52₽	QP₽	42
642	42	0.2360₽	42.50₽	0.20₽	42.70₽	62.24₽	-19.54₽	QP₽	42
7₽	42	3.0960₽	30.70₽	0.75₽	31.45↔	56.00₽	-24.55₽	QP₽	÷2
84□	47	13.5565₽	37.90₽	0.80₽	38.70₽	60.00₽	-21.30₽	QP₽	to the

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未經本公司書面新年,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 18 of 92

PEAK OUTPUT POWER MEASUREMENT

Standard Applicable:

According to §15.247 (b)

(3) For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. As an alternative to a peak power measurement, compliance with the one Watt limit can be based on a measurement of the maximum conducted output power. Maximum Conducted Output Power is defined as the total transmit power delivered to all antennas and antenna elements averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or is transmitting at a reduced power level. If multiple modes of operation are possible (e.g., alternative modulation methods), the maximum conducted output power is the highest total transmit power occurring in any mode.

(4) The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

According to RSS-210 issue 8,§A8.4(4), for systems employing digital modulation techniques operating in the bands 902-928 MHz, 2400-2483.5 MHz and 5725-5850 MHz, the maximum peak conducted output power shall not exceed 1 W. Except as provided in Section A8.4 (5), the e.i.r.p. shall not exceed 4 W.

As an alternative to a peak power measurement, compliance can be based on a measurement of the maximum conducted output power. The maximum conducted output power is the total transmit power delivered to all antennas and antenna elements, averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or transmitting at a reduced power level. If multiple modes of operation are implemented, the maximum conducted output power is the highest total transmit power occurring in any mode.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Main and the state of the sta tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 19 of 92

7.2 **Measurement Equipment Used:**

	SG	S Conducted Roon	n(ALL)		
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	Agilent	N9010A	MY53400256	2013/10/26	2014/10/25
Power Meter	Anritsu	ML2496A	1326001	2013/06/28	2014/06/27
Power Sensor	Anritsu	MA2411B 1315048		2013/06/28	2014/06/27
Power Sensor	Anritsu	MA2411B	1315049	2013/06/28	2014/06/27
Signal Generator	R&S	SMR40	100210	2014/01/13	2015/01/12
Signal Generator	R&S	SMC100A	10920	2013/05/23	2014/05/22
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	2	2014/01/06	2015/01/05
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	3	2014/01/06	2015/01/05
Coaxial Cable 80cm	WOKEN	00100A1F1A185C	1	2014/01/06	2015/01/05
DC Block	Mini-Circuits	BLK-18-S+	4	2014/01/06	2015/01/05
DC Block	PASTERNACK	PE8210	5	2014/01/06	2015/01/05
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-019	2014/01/06	2015/01/05
Splitter	WOKEN	NA	DOM35LW1A2	2014/01/06	2015/01/05
Attenuator	Mini-Circuits	BW-S10W2+	6	2014/01/06	2015/01/05
Attenuator	WOKEN	218FS-10	7	2014/01/06	2015/01/05
Temperature Chamber	TERCHY	MHK-120LK	1020582	2013/06/19	2014/06/18
Communication Test- er	R&S	CMW500	131121	2014/01/16	2015/01/15
Communication Test- er	Anritsu	MT8820C	6201107337	2014/04/24	2015/04/23
DC Power Supply	Agilent	E3640A	MY53140006	2013/06/10	2014/06/09
DC Power Supply	Agilent	E3640A	MY53130054	2013/06/04	2014/06/03

7.3 Test Set-up:

Spectrum:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 **Issue Date: May. 26, 2014**

Page: 20 of 92

Power Meter:



Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (**Peak power setting on Spectrum:** Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =peak, Sweep = Auto. Setting on spectrum is adjusted based on the mandatory procedure in 9.1.2 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.1.3 in KDB558074 is followed.

(Avg. power setting on Spectrum: Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =Avg., Trace avg =100, Sweep = Auto, Setting on spectrum is adjusted based on the mandatory procedure in 9.2.2.4 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.2.3, option 3 in KDB558074 is followed.

- 3. Record the max. Reading as observed from Spectrum or Power Meter.
- 4. Repeat above procedures until all frequency of interest measured was complete.

Pre-anaysis Check: While conducting average power measurement, duty cycle of each mode (n_ht20) shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones. b =97.7%, g = 87.5%, $n_ht_20 = 86.6\%$, where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 21 of 92

Formula:

 $Duty\ Cycle = Ton / (Ton + Toff)$

Test Procedure:

Set span = 0, RBW = 1MHz, VBW = 3MHz, Detector = Peak

Duty Cycle:

	Duty Cycle	Duty Factor(dB)
802.11b	0.977	0.102
802.11g	0.875	0.580
802.11n_20 (2.4G)	0.866	0.627

Duty Cycle Factor: $10 * \log (1/1.000) = 0$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be presecuted to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 22 of 92

Duty Factor:

802.11 b



802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 23 of 92

802.11 n 20 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 24 of 92

7.5 **Measurement Result:**

802.11b

02.110													
	_		Peak Power Output (dBm)										
CII	Frequency		Dogwined Limit										
СН	(MHz)	1	2	5.5	11	Required Limit							
1	2412	13.72	13.62	13.68	13.69	1 Watt = 30 dBm							
6	2437	14.11	13.97	14.03	14.06	1 Watt = 30 dBm							
11	2462	14.35	14.18	14.25	14.32	1 Watt = 30 dBm							

			Average Power Output (dBm)										
CII	Frequency		Dogwined Limit										
СН	(MHz)	1	Required Limit										
1	2412	10.69	10.36	10.16	9.73	1 Watt = 30 dBm							
6	2437	10.89	10.58	10.35	10.12	1 Watt = 30 dBm							
11	2462	11.06	10.84	10.61	10.35	1 Watt = 30 dBm							

802.11g

					m)					
CII	Frequency (MHz)			Degrained Limit						
СН		6	9	12	18	24	36	48	54	Required Limit
1	2412	19.01	18.99	18.96	18.93	18.90	18.86	18.84	18.80	1 Watt = 30 dBm
6	2437	19.42	19.32	19.28	19.23	19.13	19.08	19.02	18.95	1 Watt = 30 dBm
11	2462	18.49	18.37	18.33	18.31	18.29	18.27	18.23	18.22	1 Watt = 30 dBm

CII	Frequency	D . 17. 4								
СН	(MHz)	6	9	12	18	24	36	48	54	Required Limit
1	2412	10.32	10.00	9.71	9.40	9.12	8.78	8.46	7.56	1 Watt = 30 dBm
6	2437	10.97	10.60	10.20	9.81	9.42	9.01	8.64	8.27	1 Watt = 30 dBm
11	2462	8.98	8.67	8.38	8.04	7.76	7.46	7.19	6.36	1 Watt = 30 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 25 of 92

802.11n 20M

СН	Frequency		Required							
СН	(MHz)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	Limit
1	2412	18.24	18.21	18.20	18.17	18.14	18.12	18.08	18.04	1 Watt = 30 dBm
6	2437	19.10	18.92	18.87	18.77	18.68	18.60	18.54	18.48	1 Watt = 30 dBm
11	2462	17.84	17.40	17.37	17.35	17.33	17.30	17.29	17.25	1 Watt = 30 dBm

			Average Power Output(dBm)							
CII	Frequency Data Rate								Required	
CH (MHz)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	Limit	
1	2412	9.29	8.94	8.67	8.31	7.94	7.56	7.23	6.55	1 Watt = 30 dBm
6	2437	10.65	10.20	9.84	9.47	9.10	8.70	8.33	7.93	1 Watt = 30 dBm
11	2462	7.95	7.57	7.23	6.85	6.49	6.12	5.82	5.16	1 Watt = 30 dBm

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 26 of 92

802.11b

			EIRP (dBm)							
CII	Frequency		Dogwinod Limit							
СН	(MHz)	1	2	5.5	11	Required Limit				
1	2412	11.83	11.50	11.30	10.87	4 Watts = 36 dBm				
6	2437	12.03	11.72	11.49	11.26	4 Watts = 36 dBm				
11	2462	12.20	11.98	11.75	11.49	4 Watts = 36 dBm				

802.11g

02.11g											
			EIRP (dBm)								
CII	Frequency			Dogwinod I imit							
СН	(MHz)	6	9	12	18	24	36	48	54	Required Limit	
1	2412	11.46	11.14	10.85	10.54	10.26	9.92	9.60	8.70	4 Watts = 36 dBm	
6	2437	12.11	11.74	11.34	10.95	10.56	10.15	9.78	9.41	4 Watts = 36 dBm	
11	2462	10.12	9.81	9.52	9.18	8.90	8.60	8.33	7.50	4 Watts = 36 dBm	

802.11n 20M

			EIRP (dBm)							
CII	Frequency	Data Rate							Required	
СН	(MHz)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	Limit
1	2412	10.43	10.08	9.81	9.45	9.08	8.70	8.37	7.69	4 Watts = 36 dBm
6	2437	11.79	11.34	10.98	10.61	10.24	9.84	9.47	9.07	4 Watts = 36 dBm
11	2462	9.09	8.71	8.37	7.99	7.63	7.26	6.96	6.30	4 Watts = 36 dBm

* Note: EIRP = Average Power + Gain, where the nominal gain of the antenna (1.14dBi for 2.4GHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ren 4.5 Agin + 此根告结果僅對測試之樣品負責,同時此樣品僅保留的長。本根与未绝本公司書面好可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequed to the full lest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 27 of 92

8 6dB BANDWIDTH

8.1 Standard Applicable:


According to §15.247(a)(2), Systems using digital modulation techniques may operate in the 902 - 928 MHz,2400 - 2483.5 MHz, and 5725 - 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500kHz.

According to RSS 210 issue 8: 2010Annex 8.2. Systems employing digital modulation techniques (which includes direct sequence) can now be certified under RSS-210 provided they comply with the following requirements: The minimum 6 dB bandwidth shall be at least 500 kHz.

8.2 Measurement Equipment Used:

Please refer to section 7.2 for the plots

8.3 Test Set-up:



8.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak, Sweep=auto, the setting on spectrum is adjusted based on the procedure as guide in 8.1 option 1 of KDB558074.
- 4. Mark the peak frequency and –6dB (upper and lower) frequency.
- 5. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for elec

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 28 of 92

Measurement Result:

802.11b

Frequency	Bandwidth	Limit	Result
(MHz)	(kHz)	(kHz)	
2412	7580	> 500	PASS
2437	7122	> 500	PASS
2462	7120	> 500	PASS

802.11g

Frequency	Bandwidth	Limit	Result
(MHz)	(kHz)	(kHz)	
2412	16380	> 500	PASS
2437	16380	> 500	PASS
2462	16390	> 500	PASS

802.11n_20M

Frequency	Frequency Bandwidth		Result
(MHz)	(kHz)	(kHz)	
2412	17610	> 500	PASS
2437	17600	> 500	PASS
2462	2462 17610		PASS

^{*} Note: Offset 11dB for 2.4G 802.11b/g/n_20;

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.

^{*}Refer to next page for plots



Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 29 of 92

802.11b

6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 30 of 92

6dB Band Width Test Data CH-High



802.11g

6dB Band Width Test Data CH-Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 31 of 92

6dB Band Width Test Data CH-Mid



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 32 of 92

802.11n 20M

6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 33 of 92

6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 34 of 92

BAND EDGES MEASUREMENT

9.1 **Standard Applicable:**

According to §15.247(d), in any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator in operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in 15.209(a).

According to RSS-Gen §7.2.5 and RSS-210 issue 8,§A8.5, In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the radio frequency power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under section A8.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Tables 5 and 6 is not required. In addition, radiated emissions which fall in the restricted bands of Table 3 must also comply with the radiated emission limits specified in Tables 5 and 6.

9.2 **Measurement Equipment Used:**

Conducted Emission at antenna port:

Refer to section 7.2 for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Market And Andrews A

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 35 of 92

9.2.2 Radiated emission:

Name of Equipment Manufacturer Model Serial Number Date Due Calibration Due EMI Test Receiver Loop Antenna ETS-Lindgren 6502 00143303 2014/04/12 2015/04/1 Broadband Antenna TESEQ CBL 6112D 35240 2014/01/17 2015/01/1 Horn Antenna ETS-Lindgren 3117 00143272 2014/01/27 2015/01/2 Horn Antenna Schwarzbeck BBHA9170 BBHA9170-184 2014/01/22 2015/01/2 Horn Antenna ETS-Lindgren 3160-09 00117911 2014/01/22 2015/01/2 Horn Antenna ETS-Lindgren 3160-10 00117783 2014/01/22 2015/01/2 Pre Amplifier R&S SCU-18 10204 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-26 100780 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-40 100356 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/03/26 2015/03/2 Coaxial Ca		SGS SAC	C Chamber No.C (1	FCC/IC/NCC)		
Loop Antenna ETS-Lindgren 6502 00143303 2014/01/16 2015/01/1	Name of Equipment			,		Calibration Due
Broadband Antenna TESEQ CBL 6112D 35240 2014/01/17 2015/01/17 Horn Antenna ETS-Lindgren 3117 00143272 2014/01/27 2015/01/2 Horn Antenna Schwarzbeck BBHA9170 BBHA9170-184 2014/01/23 2015/01/2 Horn Antenna ETS-Lindgren 3160-09 00117911 2014/01/22 2015/01/2 Horn Antenna ETS-Lindgren 3160-10 00117783 2014/01/22 2015/01/2 Pre Amplifier R&S SCU-18 10204 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-26 100780 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC330 980096 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 <td< td=""><td>EMI Test Receiver</td><td>R&S</td><td>ESU 40</td><td>100363</td><td>2014/04/12</td><td>2015/04/11</td></td<>	EMI Test Receiver	R&S	ESU 40	100363	2014/04/12	2015/04/11
Horn Antenna	•		.			2015/01/15
Horn Antenna	Broadband Antenna	TESEQ	CBL 6112D			2015/01/16
Horn Antenna	Horn Antenna	ETS-Lindgren	3117		2014/01/27	2015/01/26
Horn Antenna	Horn Antenna	Schwarzbeck	BBHA9170	BBHA9170-184	2014/01/23	2015/01/22
Pre Amplifier R&S SCU-18 10204 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-26 100780 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-40 100356 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC330 980096 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/01/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 <t< td=""><td>Horn Antenna</td><td>ETS-Lindgren</td><td>3160-09</td><td>00117911</td><td>2014/01/22</td><td>2015/01/21</td></t<>	Horn Antenna	ETS-Lindgren	3160-09	00117911	2014/01/22	2015/01/21
Pre Amplifier R&S SCU-26 100780 2014/03/26 2015/03/2 Pre Amplifier R&S SCU-40 100356 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC330 980096 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/01/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2	Horn Antenna	ETS-Lindgren	3160-10	00117783	2014/01/22	2015/01/21
Pre Amplifier R&S SCU-40 100356 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC330 980096 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/01/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication R&S CMW500 131121 2014/01/16 2015/01/1	Pre Amplifier	R&S	SCU-18	10204	2014/03/26	2015/03/25
Pre Amplifier EMC Instruments EMC330 980096 2014/03/26 2015/03/2 Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/01/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication R&S CMW500 131121 2014/01/16 2015/01/1 Communication R MF MF-7802 N/A N.C.R. N.C.R. <	Pre Amplifier	R&S	SCU-26	100780	2014/03/26	2015/03/25
Pre Amplifier EMC Instruments EMC184045 980135 2014/01/24 2015/01/2 Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17404/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication R&S CMW500 131121 2014/01/16 2015/01/1 Controller MF MF-7802 N/A N.C.R. N.C.R.	Pre Amplifier	R&S	SCU-40	100356	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner RG 214/U W21.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17404/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF N/A N/A N.C.R. N.C.R. </td <td>Pre Amplifier</td> <td>EMC Instruments</td> <td>EMC330</td> <td>980096</td> <td>2014/03/26</td> <td>2015/03/25</td>	Pre Amplifier	EMC Instruments	EMC330	980096	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner RG 214/U W22.03 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17404/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Controller MF MF820C 6201107337 2014/04/23 2015/04/2 Controller MF N/A N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table	Pre Amplifier	EMC Instruments	EMC184045	980135	2014/01/24	2015/01/23
Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17413/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17404/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA <td< td=""><td>Coaxial Cable</td><td>Huber+Suhner</td><td>RG 214/U</td><td>W21.03</td><td>2014/03/26</td><td>2015/03/25</td></td<>	Coaxial Cable	Huber+Suhner	RG 214/U	W21.03	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17404/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/03/2 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Controller MF MF820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	RG 214/U	W22.03	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17394/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/01/0 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	SUCCOFLEX 104	MY17413/4	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17386/4 2014/03/26 2015/03/2 Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/01/0 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	SUCCOFLEX 104	MY17404/4	2014/03/26	2015/03/25
Coaxial Cable Huber+Suhner SUCCOFLEX 104 MY17388/4 2014/03/26 2015/03/2 Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/01/0 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	SUCCOFLEX 104	MY17394/4	2014/03/26	2015/03/25
Attenuator WOKEN 218FS-10 HY-151 2014/01/06 2015/01/0 Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	SUCCOFLEX 104	MY17386/4	2014/03/26	2015/03/25
Communication Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Coaxial Cable	Huber+Suhner	SUCCOFLEX 104	MY17388/4	2014/03/26	2015/03/25
Tester R&S CMW500 131121 2014/01/16 2015/01/1 Communication Tester Anritsu MT8820C 6201107337 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Attenuator	WOKEN	218FS-10	HY-151	2014/01/06	2015/01/05
Tester Anritsu MT8820C 620110/33/ 2014/04/23 2015/04/2 Controller MF MF-7802 N/A N.C.R. N.C.R. Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0		R&S	CMW500	131121	2014/01/16	2015/01/15
Antenna Master MF N/A N/A N.C.R. N.C.R. Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0		Anritsu	MT8820C	6201107337	2014/04/23	2015/04/22
Turn Table MF N/A N/A N.C.R. N.C.R. Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Site NSA SGS 966 Chamber C SAC-C 2014/03/05 2015/03/0 Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Site VSWR SGS 966 Chamber C SAC-C 2014/04/10 2015/04/0	Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
	Site NSA	SGS	966 Chamber C	SAC-C	2014/03/05	2015/03/04
Test Software World-Pallas Dr. F. V.3.0 Lite N.C.R. N.C.R.	Site VSWR	SGS	966 Chamber C	SAC-C	2014/04/10	2015/04/09
1000 Software World Lands Dr. D. V. S.O Elle W.C.R. W.C.R.	Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Let

**INCLUDED AND ALW With un port and lower principle of the pr

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 36 of 92


9.3 **Test SET-UP:**

Conducted Emission at antenna port:




9.3.2 Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 37 of 92

Measurement Procedure:

Unwanted Emissions into Non-Restricted Frequency Bands, Measurement Procedure followed by 11.1 of KDB558074 D01

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 4. Set the spectrum analyzer as RBW, VBW=300KHz, Detector = Peak, Sweep = auto
- 5. Mark the highest reading of the emission as the reference level measurement.
- 6. Set DL as the limit = reading on marker 1 20dBm
- 7. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 KHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 8. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unwanted Emission falling into Restricted Frequency Bands, Measurement Procedure followed by 12.1 of KDB558074 D01:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3.EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7.On spectrum, following 8.1.2, and RBW = 1MHz, VBW = 3MHz, & Marker 2390MHz, and 2483.5MHz (Peak Measurement). Average Measurement: following 8.2 with the modification span to 1MHz, &RBW = 1MHz, VBW = 3MHz and peak marker function to obtain the highest reading on 2390, and 2483.5MHz.
- 8. Repeat above procedures until all default test channel (low, middle, and high) was complete

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Main and the state of the sta

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 38 of 92

9.5 **Field Strength Calculation:**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 39 of 92

802.11b - Unwanted Emissions into Non-Restricted Frequency Bands **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 40 of 92

Radiated Emission:

(Unwanted Emissions into Restricted Frequency Bands): 802.11 b mode

Operation Band :802.11b Test Date :2014-05-20 Fundamental Frequency Temp./Humi. :2412 MHz :28.6deg_C/47RH

Operation Mode :BANDEDGE LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	$dB\mu V/m$	dB
2390.00	Peak	E	47.44	3.14	50.58	74.00	-23.42
2390.00	Average	E	32.80	3.14	35.94	54.00	-18.06

Test Date **Operation Band** :802.11b :2014-05-20

Fundamental Frequency Temp./Humi. :2412 MHz :28.6deg C/47RH

:BANDEDGE LOW Operation Mode Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	$dB\mu V/m$	dB
2390.00	Peak	E	46.84	3.14	49.98	74.00	-24.02
2390.00	Average	E	34.28	3.14	37.42	54.00	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 41 of 92

Operation Band :802.11b Test Date :2014-05-20

Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode Engineer :BANDEDGE HIGH :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2483.50	Peak	E	44.88	3.35	48.24	74.00	-25.76
2483.50	Average	E	32.96	3.35	36.31	54.00	-17.69

Operation Band Test Date :802.11b :2014-05-20 Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :BANDEDGE HIGH Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dBμV	dB	dBμV/m	dBμV/m	dB
2483.50	Peak	E	48.29	3.35	51.65	74.00	-22.35
2483.50	Average	E	36.19	3.35	39.54	54.00	-14.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 42 of 92

802.11g - Unwanted Emissions into Non-Restricted Frequency Bands **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 43 of 92

Radiated Emission:

(Unwanted Emissions into Restricted Frequency Bands): 802.11 g mode

Operation Band :802.11g Test Date :2014-05-20 Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :BANDEDGE LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2390.00	Peak	E	61.73	3.14	64.87	74.00	-9.13
2390.00	Average	E	37.93	3.14	41.07	54.00	-12.93

Test Date **Operation Band** :802.11g :2014-05-20

Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg C/47RH

:BANDEDGE LOW Operation Mode Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2390.00	Peak	E	69.85	3.14	72.99	74.00	-1.01
2390.00	Average	E	42.91	3.14	46.05	54.00	-7.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 44 of 92

Operation Band :802.11g Test Date :2014-05-20

Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode Engineer :BANDEDGE HIGH :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2483.50	Peak	E	58.17	3.35	61.53	74.00	-12.47
2483.50	Average	E	36.30	3.35	39.65	54.00	-14.35

Operation Band :802.11g Test Date :2014-05-20 Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :BANDEDGE HIGH Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	$dB\mu V/m$	dB
2483.50	Peak	E	66.66	3.35	70.02	74.00	-3.98
2483.50	Average	E	41.26	3.35	44.61	54.00	-9.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 45 of 92

802.11n_20M- Unwanted Emissions into Non-Restricted Frequency Bands **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 46 of 92

Radiated Emission: 802.11 n_20M mode

(Unwanted Emissions into Restricted Frequency Bands): 802.11 n_20M mode

Operation Band :802.11n20M Test Date :2014-05-20 Fundamental Frequency Temp./Humi. :2412 MHz :28.6deg_C/47RH

Operation Mode :BANDEDGE LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	$dB\mu V/m$	dB
2390.00	Peak	E	62.06	3.14	65.20	74.00	-8.80
2390.00	Average	E	37.93	3.14	41.07	54.00	-12.93

Test Date **Operation Band** :802.11n20M :2014-05-20

Fundamental Frequency Temp./Humi. :2412 MHz :28.6deg C/47RH

Operation Mode :BANDEDGE LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna \ Factor(dB\mu V/m) + Cable \ Loss(dB) - Pre_Amplifier \ Gain(dB)$

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dBμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2390.00	Peak	E	69.04	3.14	72.18	74.00	-1.82
2390.00	Average	E	43.12	3.14	46.26	54.00	-7.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 47 of 92

Operation Band :802.11n20M Test Date :2014-05-20

Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :BANDEDGE HIGH Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
2483.50	Peak	E	56.86	3.35	60.21	74.00	-13.79
2483.50	Average	E	35.74	3.35	39.09	54.00	-14.91

Operation Band :802.11n20M Test Date :2014-05-20 Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

:BANDEDGE HIGH Operation Mode Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dBμV	dB	dBμV/m	dBμV/m	dB
2483.50	Peak	E	64.89	3.35	68.25	74.00	-5.75
2483.50	Average	E	41.19	3.35	44.54	54.00	-9.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 48 of 92

10 SPURIOUS EMISSION TEST

10.1 Standard Applicable

According to §15.247(d),

Emission at antenna port:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

Radiated Spurious Emission

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

According to RSS-Gen §7.2.5 and RSS-210 issue 8,§A8.5, In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the radio frequency power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under section A8.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Tables 5 and 6 is not required. In addition, radiated emissions which fall in the restricted bands of Table 3 must also comply with the radiated emission limits specified in Tables 5 and 6 of RSS-GEN.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Market And Andrews A

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 49 of 92

10.2 Measurement Equipment Used:

10.2.1 Conducted Emission at antenna port:

Refer to section 7.2 for details.

10.2.2 Radiated emission:

Refer to section 9.2.2 for details.

10.3 Test SET-UP:

10.3.1 Conducted Emission at antenna port:

Refer to section 7.3 for details.

10.3.2 Radiated emission:

Refer to section 9.3.2 for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 50 of 92

10.4 Measurement Procedure:

Radiated Emission:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emis-
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 7. Repeat above procedures until all default test channel measured were complete.

Conducted Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 100K & VBW = 300K on Spectrum.
- Sweep the frequency to determine spurious emission as seen on spectrum from span of 30 to 3G, 3G to 3. 8G, 8G to 13G, 13G to 18G and 18G to 26.5GHz, 18G to 40GHz (applicable if operation mode is 5GHz)
- Via Software, combine 5 spans of frequency range into one plot 4.
- Repeat above procedures until all default test channel measured were complete. 5.

10.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

10.6 Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 51 of 92

Conducted Spurious Emission Measurement Result (802.11b)

Ch Low 30MHz - 3GHz



Ch Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 52 of 92

Ch Mid 30MHz - 3GHz



Ch Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 53 of 92

Ch High 30MHz - 3GHz



Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 54 of 92

Conducted Spurious Emission Measurement Result (802.11g) Ch Low 30MHz - 3GHz



Ch Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 55 of 92

Ch Mid 30MHz - 3GHz



Ch Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 56 of 92

Ch High 30MHz - 3GHz



Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 57 of 92

Conducted Spurious Emission Measurement Result (802.11n_20M) Ch Low 30MHz - 3GHz



Ch Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279


台灣檢驗科技股份有限公司




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 58 of 92

Ch Mid 30MHz - 3GHz



Ch Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 59 of 92

Ch High 30MHz - 3GHz



Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 60 of 92

Radiated Spurious Emission Measurement Result (802.11b)

Operation Band :2014-05-20 :802.11b Test Date Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	${ m dB}\mu { m V}$	dB	dBμV/m	dBμV/m	dB
39.70	Peak	S	57.21	-21.08	36.14	40.00	-3.86
119.24	Peak	S	55.36	-21.75	33.61	43.50	-9.89
242.43	Peak	S	53.07	-21.28	31.79	46.00	-14.21
326.82	Peak	S	46.02	-18.14	27.88	46.00	-18.12
497.54	Peak	S	40.69	-14.15	26.54	46.00	-19.46
798.24	Peak	S	36.56	-10.16	26.40	46.00	-19.60
2722.00	Peak	S	41.95	3.85	45.80	74.00	-28.20
2722.00	Average	S	26.79	3.85	30.64	54.00	-23.36
4824.00	Peak	Н	41.81	0.38	42.19	74.00	-31.81
4824.00	Average	Н	29.18	0.38	29.56	54.00	-24.44
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	47.48	7.14	54.62	74.00	-19.38
9648.00	Average	Н	45.08	7.14	52.22	54.00	-1.78
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 61 of 92

Operation Band Test Date :2014-05-20 :802.11b Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX LOW Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
61.04	Peak	S	63.28	-29.18	34.10	40.00	-5.90
166.77	Peak	S	60.31	-23.50	36.81	43.50	-6.69
269.59	Peak	S	56.82	-19.77	37.05	46.00	-8.95
365.62	Peak	S	46.66	-16.82	29.84	46.00	-16.16
480.08	Peak	S	43.63	-14.28	29.34	46.00	-16.66
720.64	Peak	S	39.34	-11.23	28.11	46.00	-17.89
1730.00	Peak	S	41.30	3.15	44.45	74.00	-29.55
1730.00	Average	S	26.70	3.15	29.85	54.00	-24.15
4824.00	Peak	Н	41.54	0.38	41.92	74.00	-32.08
4824.00	Average	Н	29.21	0.38	29.59	54.00	-24.41
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	43.53	7.14	50.67	74.00	-23.33
9648.00	Average	Н	36.61	7.14	43.75	54.00	-10.25
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 62 of 92

:2014-05-20 Operation Band :802.11b Test Date Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX MID Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dBμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
39.70	Peak	S	56.89	-21.08	35.81	40.00	-4.19
44.55	Peak	S	57.36	-23.95	33.41	40.00	-6.59
67.83	Peak	S	62.24	-28.85	33.40	40.00	-6.60
120.21	Peak	S	53.04	-21.73	31.32	43.50	-12.18
237.58	Peak	S	51.38	-21.88	29.49	46.00	-16.51
517.91	Peak	S	44.20	-13.98	30.22	46.00	-15.78
1196.00	Peak	S	46.91	-1.90	45.01	74.00	-28.99
1196.00	Average	S	26.87	-1.90	24.97	54.00	-29.03
4874.00	Peak	Н	41.94	0.41	42.35	74.00	-31.65
4874.00	Average	Н	29.23	0.41	29.64	54.00	-24.36
7311.00	Peak	Н	-	-	-	-	-
9748.00	Peak	Н	49.30	7.37	56.67	74.00	-17.33
9748.00	Average	Н	44.72	7.37	52.09	54.00	-1.91
12185.00	Peak	Н	-	-	-	-	-
14622.00	Peak	Н	-	-	-	-	-
17059.00	Peak	Н	-	-	-	-	-
19496.00	Peak	Н	-	-	-	-	-
21933.00	Peak	Н	-	-	-	-	-
24370.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 63 of 92

Operation Band :802.11b Test Date :2014-05-20 Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode Engineer :TX MID :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dBμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	43.40	-20.40	23.00	40.00	-17.00
119.24	Peak	S	54.39	-21.75	32.64	43.50	-10.86
182.29	Peak	S	57.50	-24.38	33.12	43.50	-10.38
240.49	Peak	S	55.86	-21.52	34.34	46.00	-11.66
320.03	Peak	S	50.60	-18.33	32.27	46.00	-13.73
720.64	Peak	S	44.18	-11.23	32.95	46.00	-13.05
1704.00	Peak	S	42.33	2.95	45.28	74.00	-28.72
1704.00	Average	S	26.75	2.95	29.70	54.00	-24.30
4874.55	Peak	Н	41.90	0.41	42.30	74.00	-31.70
4874.55	Average	Н	29.24	0.41	29.65	54.00	-24.35
7311.00	Peak	Н	-	-	-	-	-
9748.00	Peak	Н	42.76	7.37	50.13	74.00	-23.87
9748.00	Average	Н	38.42	7.37	45.79	54.00	-8.21
12185.00	Peak	Н	-	-	-	-	-
14622.00	Peak	Н	-	-	-	-	-
17059.00	Peak	Н	-	-	-	-	-
19496.00	Peak	Н	-	-	-	-	-
21933.00	Peak	Н	-	-	-	-	-
24370.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 64 of 92

Operation Band :802.11b Test Date :2014-05-20

Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH Operation Mode :TX HIGH Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
39.70	Peak	S	57.76	-21.08	36.69	40.00	-3.31
119.24	Peak	S	53.11	-21.75	31.36	43.50	-12.14
243.40	Peak	S	52.96	-21.14	31.82	46.00	-14.18
382.11	Peak	S	41.10	-16.46	24.64	46.00	-21.36
499.48	Peak	S	42.77	-14.28	28.48	46.00	-17.52
598.42	Peak	S	37.80	-12.25	25.55	46.00	-20.45
2142.00	Peak	S	43.11	2.26	45.38	74.00	-28.62
2142.00	Average	S	27.48	2.26	29.74	54.00	-24.26
4924.00	Peak	Н	41.74	0.50	42.24	74.00	-31.76
4924.00	Average	Н	29.32	0.50	29.82	54.00	-24.18
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	46.82	7.60	54.42	74.00	-19.58
9848.00	Average	Н	43.40	7.60	51.00	54.00	-3.00
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 65 of 92

Operation Band Test Date :2014-05-20 :802.11b Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX HIGH Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	dBμV/m	dB
48.43	Peak	S	56.50	-25.80	30.70	40.00	-9.30
120.21	Peak	S	58.23	-21.73	36.50	43.50	-7.00
243.40	Peak	S	54.81	-21.14	33.67	46.00	-12.33
271.53	Peak	S	54.17	-19.77	34.40	46.00	-11.60
299.66	Peak	S	52.16	-19.05	33.11	46.00	-12.89
599.39	Peak	S	40.79	-12.25	28.54	46.00	-17.46
2502.00	Peak	S	48.66	3.40	52.06	74.00	-21.94
2502.00	Average	S	40.61	3.40	44.01	54.00	-9.99
4924.00	Peak	Н	41.35	0.50	41.85	74.00	-32.15
4924.00	Average	Н	29.26	0.50	29.76	54.00	-24.24
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	42.60	7.60	50.20	74.00	-23.80
9848.00	Average	Н	37.05	7.60	44.65	54.00	-9.35
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 66 of 92

Radiated Spurious Emission Measurement Result (802.11g)

Operation Band :802.11g Test Date :2014-05-20 Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX LOW Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
39.70	Peak	S	58.11	-21.08	37.03	40.00	-2.97
120.21	Peak	S	52.38	-21.73	30.66	43.50	-12.84
245.34	Peak	S	51.09	-20.86	30.24	46.00	-15.76
480.08	Peak	S	48.03	-14.28	33.74	46.00	-12.26
517.91	Peak	S	42.11	-13.98	28.13	46.00	-17.87
899.12	Peak	S	35.47	-9.16	26.31	46.00	-19.69
2070.00	Peak	S	44.67	2.02	46.69	74.00	-27.31
2070.00	Average	S	29.38	2.02	31.40	54.00	-22.60
4824.00	Peak	Н	41.68	0.38	42.06	74.00	-31.94
4824.00	Average	Н	29.13	0.38	29.51	54.00	-24.49
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	47.54	7.14	54.68	74.00	-19.32
9648.00	Average	Н	44.84	7.14	51.98	54.00	-2.02
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



EUT Pol.

FCC ID: S4L4FI73 IC: 5767A-4FI73

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

:HORIZONTAL

Page: 67 of 92

Operation Band Test Date :2014-05-20 :802.11g Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Measurement Antenna Pol.

Operation Mode :TX LOW Engineer :Aken

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

:E2 Plane

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	45.11	-20.40	24.71	40.00	-15.29
120.21	Peak	S	57.31	-21.73	35.58	43.50	-7.92
245.34	Peak	S	57.43	-20.86	36.57	46.00	-9.43
425.76	Peak	S	50.07	-15.13	34.94	46.00	-11.06
541.19	Peak	S	41.39	-12.84	28.55	46.00	-17.45
901.06	Peak	S	39.31	-9.17	30.14	46.00	-15.86
1196.00	Peak	S	45.31	1.10	46.41	74.00	-27.59
1196.00	Average	S	26.85	1.10	27.95	54.00	-26.05
4824.00	Peak	Н	41.90	0.38	42.28	74.00	-31.72
4824.00	Average	Н	29.16	0.38	29.54	54.00	-24.46
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	41.94	7.14	49.08	74.00	-24.92
9648.00	Average	Н	37.27	7.14	44.41	54.00	-9.59
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	_	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 68 of 92

Operation Band Test Date :2014-05-20 :802.11g Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX MID Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	56.34	-20.40	35.94	40.00	-4.06
120.21	Peak	S	54.39	-21.73	32.66	43.50	-10.84
237.58	Peak	S	54.21	-21.88	32.33	46.00	-13.67
420.91	Peak	S	46.44	-15.21	31.23	46.00	-14.77
480.08	Peak	S	43.32	-14.28	29.04	46.00	-16.96
797.27	Peak	S	36.30	-10.17	26.12	46.00	-19.88
2144.00	Peak	S	41.70	2.27	43.97	74.00	-30.03
2144.00	Average	S	29.13	2.27	31.40	54.00	-22.60
4874.00	Peak	Н	41.84	0.41	42.25	74.00	-31.75
4874.00	Average	Н	29.32	0.41	29.73	54.00	-24.27
7311.00	Peak	Н	-	-	-	-	-
9748.00	Peak	Н	47.96	7.37	55.33	74.00	-18.67
9748.00	Average	Н	45.29	7.37	52.66	54.00	-1.34
12185.00	Peak	Н	-	-	-	-	-
14622.00	Peak	Н	-	-	-	-	-
17059.00	Peak	Н	-	-	-	-	-
19496.00	Peak	Н	-	-	-	-	-
21933.00	Peak	Н	-	-	-	-	-
24370.00	Peak	Н	-	-	_	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EUT Pol.

FCC ID: S4L4FI73 IC: 5767A-4FI73

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

:HORIZONTAL

Page: 69 of 92

Operation Band Test Date :2014-05-20 :802.11g Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Measurement Antenna Pol.

Operation Mode :TX MID Engineer :Aken

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

:E2 Plane

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin	
	Mode		Reading Level		FS	@3m		
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB	
38.73	Peak	S	44.86	-20.40	24.46	40.00	-15.54	
120.21	Peak	S	59.70	-21.73	37.97	43.50	-5.53	
267.65	Peak	S	57.38	-19.61	37.77	46.00	-8.23	
325.85	Peak	S	50.41	-18.13	32.28	46.00	-13.72	
480.08	Peak	S	41.76	-14.28	27.48	46.00	-18.52	
780.78	Peak	S	39.95	-10.40	29.55	46.00	-16.45	
1194.00	Peak	S	43.54	1.10	44.63	74.00	-29.37	
1194.00	Average	S	29.21	1.10	30.31	54.00	-23.70	
4874.00	Peak	Н	41.97	0.41	42.38	74.00	-31.62	
4874.00	Average	Н	29.28	0.41	29.69	54.00	-24.31	
7311.00	Peak	Н	-	-	-	-	-	
9748.00	Peak	Н	41.63	7.37	49.00	74.00	-25.00	
9748.00	Average	Н	34.87	7.37	42.24	54.00	-11.76	
12185.00	Peak	Н	-	-	-	-	-	
14622.00	Peak	Н	-	-	-	-	-	
17059.00	Peak	Н	-	-	-	-	-	
19496.00	Peak	Н	-	-	-	-	-	
21933.00	Peak	Н	-	-	-	-	-	
24370.00	Peak	Н	-	-	-	-	_	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 70 of 92

Test Date :2014-05-20 **Operation Band** :802.11g Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX HIGH Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\muV/m$	dB
38.73	Peak	S	56.19	-20.40	35.79	40.00	-4.21
120.21	Peak	S	53.21	-21.73	31.48	43.50	-12.02
241.46	Peak	S	53.39	-21.40	32.00	46.00	-14.00
398.60	Peak	S	41.37	-15.71	25.66	46.00	-20.34
517.91	Peak	S	41.43	-13.98	27.45	46.00	-18.55
968.96	Peak	S	37.08	-8.50	28.58	54.00	-25.42
2148.00	Peak	S	42.17	2.29	44.46	74.00	-29.54
2148.00	Average	S	29.16	2.29	31.45	54.00	-22.55
4924.00	Peak	Н	41.78	0.50	42.27	74.00	-31.73
4924.00	Average	Н	29.18	0.50	29.68	54.00	-24.32
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	48.04	7.60	55.64	74.00	-18.36
9848.00	Average	Н	44.92	7.60	52.52	54.00	-1.48
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



EUT Pol.

FCC ID: S4L4FI73 IC: 5767A-4FI73

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

:HORIZONTAL

Page: 71 of 92

Operation Band Test Date :2014-05-20 :802.11g Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Measurement Antenna Pol.

Operation Mode :TX HIGH Engineer :Aken

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

:E2 Plane

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
39.70	Peak	S	45.04	-21.08	23.96	40.00	-16.04
120.21	Peak	S	58.49	-21.73	36.77	43.50	-6.73
185.20	Peak	S	56.89	-24.39	32.50	43.50	-11.00
268.62	Peak	S	59.20	-19.69	39.51	46.00	-6.49
598.42	Peak	S	42.74	-12.25	30.50	46.00	-15.50
721.61	Peak	S	37.03	-11.12	25.90	46.00	-20.10
1196.00	Peak	S	43.93	1.10	45.03	74.00	-28.97
1196.00	Average	S	29.12	1.10	30.22	54.00	-23.78
4924.00	Peak	Н	41.28	0.50	41.77	74.00	-32.23
4924.00	Average	Н	29.12	0.50	29.62	54.00	-24.38
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	42.83	7.60	50.43	74.00	-23.57
9848.00	Average	Н	36.08	7.60	43.68	54.00	-10.32
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	_	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 72 of 92

Radiated Spurious Emission Measurement Result (802.11n_20M)

Operation Band :802.11n20M Test Date :2014-05-20 Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX LOW Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	56.56	-20.40	36.16	40.00	-3.84
122.15	Peak	S	51.52	-21.64	29.87	43.50	-13.63
242.43	Peak	S	54.20	-21.28	32.92	46.00	-13.08
398.60	Peak	S	42.42	-15.71	26.71	46.00	-19.29
498.51	Peak	S	42.70	-14.21	28.49	46.00	-17.51
800.18	Peak	S	37.94	-10.16	27.78	46.00	-18.22
2152.00	Peak	S	42.17	2.30	44.48	74.00	-29.52
2152.00	Average	S	29.12	2.30	31.42	54.00	-22.58
4824.00	Peak	Н	41.16	0.38	41.54	74.00	-32.46
4824.00	Average	Н	29.15	0.38	29.53	54.00	-24.47
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	47.71	7.14	54.85	74.00	-19.15
9648.00	Average	Н	45.42	7.14	52.56	54.00	-1.44
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



EUT Pol.

FCC ID: S4L4FI73 IC: 5767A-4FI73

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

:HORIZONTAL

Page: 73 of 92

Operation Band Test Date :2014-05-20 :802.11n20M Fundamental Frequency :2412 MHz Temp./Humi. :28.6deg_C/47RH

Measurement Antenna Pol.

Operation Mode :TX LOW Engineer :Aken

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

:E2 Plane

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
37.76	Peak	S	43.06	-19.82	23.24	40.00	-16.76
117.30	Peak	S	56.51	-21.82	34.69	43.50	-8.81
183.26	Peak	S	56.52	-24.41	32.12	43.50	-11.38
243.40	Peak	S	56.00	-21.14	34.85	46.00	-11.15
320.03	Peak	S	50.19	-18.33	31.87	46.00	-14.13
800.18	Peak	S	41.87	-10.16	31.71	46.00	-14.29
2360.00	Peak	S	43.96	3.04	47.00	74.00	-27.00
2360.00	Average	S	32.10	3.04	35.14	54.00	-18.86
4824.00	Peak	Н	41.28	0.38	41.66	74.00	-32.34
4824.00	Average	Н	29.17	0.38	29.55	54.00	-24.45
7236.00	Peak	Н	-	-	-	-	-
9648.00	Peak	Н	41.97	7.14	49.11	74.00	-24.89
9648.00	Average	Н	33.74	7.14	40.88	54.00	-13.12
12060.00	Peak	Н	-	-	-	-	-
14472.00	Peak	Н	-	-	-	-	-
16884.00	Peak	Н	-	-	-	-	-
19296.00	Peak	Н	-	-	-	-	-
21708.00	Peak	Н	-	-	-	-	-
24120.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 74 of 92

Operation Band Test Date :2014-05-20 :802.11n20M Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX MID Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	56.32	-20.40	35.93	40.00	-4.07
122.15	Peak	S	52.47	-21.64	30.83	43.50	-12.67
242.43	Peak	S	53.73	-21.28	32.44	46.00	-13.56
399.57	Peak	S	44.32	-15.64	28.68	46.00	-17.32
517.91	Peak	S	39.83	-13.98	25.85	46.00	-20.15
952.47	Peak	S	37.43	-8.78	28.65	46.00	-17.35
2156.00	Peak	S	42.31	2.32	44.63	74.00	-29.37
2156.00	Average	S	29.18	2.32	31.50	54.00	-22.50
4874.00	Peak	Н	41.31	0.41	41.71	74.00	-32.29
4874.00	Average	Н	29.16	0.41	29.57	54.00	-24.43
7311.00	Peak	Н	-	-	-	-	-
9748.00	Peak	Н	48.19	7.37	55.56	74.00	-18.44
9748.00	Average	Н	45.52	7.37	52.89	54.00	-1.11
12185.00	Peak	Н	-	-	-	-	-
14622.00	Peak	Н	-	-	-	-	-
17059.00	Peak	Н	-	-	-	-	-
19496.00	Peak	Н	-	-	-	-	-
21933.00	Peak	Н	-	-	-	-	-
24370.00	Peak	Н	-	-	_	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 75 of 92

Operation Band :802.11n20M Test Date :2014-05-20 Fundamental Frequency :2437 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX MID Engineer :Aken

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna \ Factor(dB\mu V/m) + Cable \ Loss(dB) - Pre_Amplifier \ Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
41.64	Peak	S	55.49	-22.28	33.20	40.00	-6.80
119.24	Peak	S	57.07	-21.75	35.32	43.50	-8.18
183.26	Peak	S	58.09	-24.41	33.68	43.50	-9.82
240.49	Peak	S	56.76	-21.52	35.24	46.00	-10.76
599.39	Peak	S	44.22	-12.25	31.97	46.00	-14.03
797.27	Peak	S	39.35	-10.17	29.18	46.00	-16.82
1190.00	Peak	S	43.70	1.08	44.79	74.00	-29.21
1190.00	Average	S	29.14	1.08	30.23	54.00	-23.78
4874.00	Peak	Н	41.73	0.41	42.14	74.00	-31.86
4874.00	Average	Н	29.13	0.41	29.54	54.00	-24.46
7311.00	Peak	H	-	-	-	-	-
9748.00	Peak	Н	41.50	7.37	48.87	74.00	-25.13
9748.00	Average	Н	35.21	7.37	42.58	54.00	-11.42
12185.00	Peak	H	-	-	-	-	-
14622.00	Peak	H	-	-	-	-	-
17059.00	Peak	H	-	-	-	-	-
19496.00	Peak	Н	-	-	-	-	-
21933.00	Peak	Н	-	-	-	-	-
24370.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 76 of 92

Operation Band Test Date :2014-05-20 :802.11n20M Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Operation Mode :TX HIGH Engineer :Aken EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
38.73	Peak	S	55.85	-20.40	35.45	40.00	-4.55
119.24	Peak	S	53.26	-21.75	31.51	43.50	-11.99
235.64	Peak	S	52.98	-22.08	30.90	46.00	-15.10
498.51	Peak	S	41.76	-14.21	27.55	46.00	-18.45
678.93	Peak	S	36.90	-11.44	25.46	46.00	-20.54
854.50	Peak	S	35.62	-9.63	25.99	46.00	-20.01
1962.00	Peak	S	42.83	1.65	44.48	74.00	-29.52
1962.00	Average	S	29.11	1.65	30.76	54.00	-23.24
4924.00	Peak	Н	43.73	0.50	44.22	74.00	-29.78
4924.00	Average	Н	29.21	0.50	29.71	54.00	-24.29
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	48.23	7.60	55.83	74.00	-18.17
9848.00	Average	Н	45.31	7.60	52.91	54.00	-1.09
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	-	-	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



EUT Pol.

FCC ID: S4L4FI73 IC: 5767A-4FI73

Report No.: E2/2014/40054 Issue Date: May. 26, 2014

:HORIZONTAL

Page: 77 of 92

Operation Band Test Date :2014-05-20 :802.11n20M Fundamental Frequency :2462 MHz Temp./Humi. :28.6deg_C/47RH

Measurement Antenna Pol.

Operation Mode :TX HIGH Engineer :Aken

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

:E2 Plane

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	$dB\mu V/m$	dBμV/m	dB
34.85	Peak	S	49.02	-18.42	30.60	40.00	-9.40
119.24	Peak	S	53.49	-21.75	31.74	43.50	-11.76
184.23	Peak	S	56.68	-24.41	32.27	43.50	-11.23
241.46	Peak	S	54.19	-21.40	32.80	46.00	-13.20
326.82	Peak	S	50.76	-18.14	32.62	46.00	-13.38
720.64	Peak	S	40.29	-11.23	29.07	46.00	-16.93
2514.00	Peak	S	47.57	3.43	51.00	74.00	-23.00
2514.00	Average	S	35.92	3.43	39.35	54.00	-14.65
4924.00	Peak	Н	42.61	0.50	43.10	74.00	-30.90
4924.00	Average	Н	29.12	0.50	29.62	54.00	-24.38
7386.00	Peak	Н	-	-	-	-	-
9848.00	Peak	Н	42.90	7.60	50.50	74.00	-23.50
9848.00	Average	Н	35.46	7.60	43.06	54.00	-10.94
12310.00	Peak	Н	-	-	-	-	-
14772.00	Peak	Н	-	-	-	-	-
17234.00	Peak	Н	-	-	-	-	-
19696.00	Peak	Н	-	-	-	-	-
22158.00	Peak	Н	-	-	-	-	-
24620.00	Peak	Н	-	-	_	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2014/40054 **Issue Date: May. 26, 2014**

Page: 78 of 92

11 PEAK POWER SPECTRAL DENSITY

11.1 Standard Applicable:

According to §15.247(e) For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

According to RSS-210 issue 8, §A8.2(b) The transmitter power spectral density (into the antenna) shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

11.2 Measurement Equipment Used:

Refer to section 7.2 for details.

11.3 Test Set-up:

Refer to section 7.3 for details. (Spectrum Option)

11.4 Measurement Procedure (following the measurement procedure 10.2 of KDB558074):

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. Set the span to 1.5 times the DTS channel bandwidth.
- 3. Set the RBW \geq 3 kHz.
- 4. Set the VBW \geq 3 x RBW.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Main and the state of the sta tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 79 of 92

11.5 Measurement Result:

802.11b

Frequency	RF Power Density	Maximum Limit
MHz	Reading (dBm)	(dBm)
2412	-9.745	8
2437	-9.953	8
2462	-9.337	8

802.11g

Frequency	RF Power Density	Maximum Limit
MHz	Reading (dBm)	(dBm)
2412	-14.102	8
2437	-13.212	8
2462	-14.431	8

802.11n_20M

Frequency	RF Power Density	Maximum Limit
MHz	Reading (dBm)	(dBm)
2412	-14.963	8
2437	-12.862	8
2462	-16.289	8

^{*} Note: Offset 11dB for 2.4G 802.11b/g/n_20.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

^{*}Refer to next page for plots



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 80 of 92

802.11b

Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 81 of 92

Power Spectral Density Test Plot (CH-High)



802.11g

Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 82 of 92

Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 83 of 92

802.11n 20M

Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 84 of 92

Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 85 of 92

12 ANTENNA REQUIREMENT

12.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to RSS-GEN 7.1.2, a transmitter can only be sold or operated with antennas with which it was certified. A transmitter may be certified with multiple antenna types. An antenna type comprises antennas having similar in-band and out-of-band radiation patterns. Testing shall be performed using the highest-gain antenna of each combination of transmitter and antenna type for which certification is being sought, with the transmitter output power set at the maximum level. Any antenna of the same type and having equal or lesser gain as an antenna that had been successfully tested for certification with the transmitter, will also be considered certified with the transmitter, and may be used and marketed with the transmitter. The manufacturer shall include with the application for certification a list of acceptable antenna types to be used with the transmitter.

When a measurement at the antenna connector is used to determine RF output power, the effective gain of the device's antenna shall be stated, based on measurement or on data from the antenna manufacturer. Any antenna gain in excess of 6 dBi (6 dB above isotropic gain) shall be added to the measured RF output power before using the power limits specified in RSS-210 or RSS-310 for devices of RF output powers of 10 milliwatts or less. For devices of output powers greater than 10 milliwatts, except devices subject to RSS-210 Annex 8 (Frequency Hopping and Digital Modulation Systems Operating in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz Bands) or RSS-210 Annex 9 (Local Area Network Devices), the total antenna gain shall be added to the measured RF output power before using the specified power limits. For devices subject to RSS-210 Annex 8 or Annex 9, the antenna gain shall not be added.

12.2 Antenna Connected Construction:

The directional gains of antenna used for transmitting is 1.14dBi and the antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Market And Andrews A

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 86 of 92

13 99% BANDWIDTH MEASUREMENT

13.1 Standard Applicable:

RSS-Gen §4.6.1, the transmitter shall be operated at its maximum carrier power measured under normal test conditions. The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1% of the selected span as is possible without being below 1%. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual.

The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5% of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded.

The span between the two recorded frequencies is the occupied bandwidth.

13.2 Measurement Equipment Used:

Refer to section 7.2 for details.

13.3 Test Set-up:

Refer to section 7.3 for details. (Spectrum analyzer)

13.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW=1% of the Span, VBW = 3 times RBW, Span= 30 MHz/50MHz.
- 4. Turn on the 99% bandwidth function, max reading...
- 5. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 87 of 92

13.5 Measurement Result:

802.11b

Frequency MHz	99%Bandwidth (MHz)
2412	12.460
2437	12.685
2462	12.756

802.11g

Frequency	99%Bandwidth
MHz	(MHz)
2412	16.579
2437	16.586
2462	16.557

802.11n_20M

Frequency	99%Bandwidth
MHz	(MHz)
2412	17.738
2437	17.727
2462	17.707

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com




Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 88 of 92

802.11b

99% Band Width Test Data CH-Low



99% Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 89 of 92

99% Band Width Test Data CH-High



802.11g 99% Band Width Test Data CH-Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 90 of 92

99% Band Width Test Data CH-Mid



99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Report No.: E2/2014/40054 Issue Date: May. 26, 2014


Page: 91 of 92

802.11n 20M

99% Band Width Test Data CH-Low



99% Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488


t (886-2) 2299-3279



Report No.: E2/2014/40054 Issue Date: May. 26, 2014

Page: 92 of 92

99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the times of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488