

FCC ID: S5V-D0EKV2

Portable device

According to §15.247(e)(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission’s guidelines.

According to KDB447498 D01 General RF Exposure Guidance V06

The 1-g SAR and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW}) / (\text{min. test separation distance, mm})] \cdot \sqrt{f(\text{GHZ})} \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where:

- f(GHZ) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

WIFI:

Modulation	Channel Freq. (GHz)	Conduct ed power (dBm)	Conducte d power (mW)	Tune-up power (dBm)	Max tune-up power (dBm)	Max tune-up power (mW)	Distance (mm)	Result calculation	SAR Exclusion threshold	SAR test exclusion
802.11b	2.412	9.3	8.51	8.5±1	9.50	8.91	<5	2.76834	3.00	YES
	2.437	9.1	8.13	8.5±1	9.50	8.91	<5	2.78264	3.00	YES
	2.462	9.4	8.71	8.5±1	9.50	8.91	<5	2.79688	3.00	YES
802.11g	2.412	9.1	8.13	8.5±1	9.50	8.91	<5	2.76834	3.00	YES
	2.437	9	7.94	8.5±1	9.50	8.91	<5	2.78264	3.00	YES
	2.462	8.9	7.76	8.5±1	9.50	8.91	<5	2.79688	3.00	YES
802.11n20	2.412	9.2	8.32	8.5±1	9.50	8.91	<5	2.76834	3.00	YES
	2.437	9.1	8.13	8.5±1	9.50	8.91	<5	2.78264	3.00	YES
	2.462	8.4	6.92	8.5±1	9.50	8.91	<5	2.79688	3.00	YES
802.11n40	2.422	9	7.94	8.5±1	9.50	8.91	<5	2.77407	3.00	YES
	2.437	9.3	8.51	8.5±1	9.50	8.91	<5	2.78264	3.00	YES
	2.452	8.8	7.59	8.5±1	9.50	8.91	<5	2.79120	3.00	YES

Conclusion:

For the max result : 2.79688 ≤ 3.0 for 1g SAR, No SAR is required.

Signature:

Date: 2017-10-17

NAME AND TITLE (Please print or type): Jason Chen /Manager

COMPANY (Please print or type): Shenzhen NTEK Testing Technology Co., Ltd./ 1/F, Building E, Fenda Science Park, Sanwei Community, Xixiang Street Bao'an District, Shenzhen 518126 P.R. China.