

hp

REF -30.0 dBm

AT 10 dB

MKR 7.5000 msec


-84.39 dBm

PEAK


LOG

10

dB/

WA SB
SC VC
CORR

Worst Case:



$$\text{Duty Cycle} = \frac{0.5 \times 40}{100} = \frac{20}{100} = 0.2$$

$$\text{Average Factor} = -13.9 \text{ dB}$$

CENTER 433.965 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 15.0 msec

hp

REF -30.0 dBm


AT 10 dB

PEAK

LOG

10

dB/



WA SB

SC VS

CORR

CENTER 433.943 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 100 msec

hp

REF -30.0 dBm

AT 10 dB

MKR 995.00 msec

-32.42 dBm

PEAK

LOG

10

dB/

WA SB

SC VS

CORR


CENTER 433.965 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 2.00 sec



hp

REF -30.0 dBm


AT 10 dB

OK

Automatic mode

Silent Period >100s
(about 160s)

PEAK
LOG
10
dB/



WA SB
SC VC
CORR

2.4 / 7

CENTER 433.965 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 100 sec