

High Band-edge

Highest Channel & Modulation : GFSK



High Band-edge

Hopping mode & Modulation : GFSK






Highest Channel & Modulation : GFSK

Agilen	t Spect	rum A	naly	zer - Sv	/ept S	A													
l XI RI	L	R	F	50 \$	2 🧥 D0	c co MHz	DRREC		SE	NSE:IN	Г			ALIGN OFF	02:4		lar 17, 2017		Frequency
Cen	ter F	req	15	.004	<u>500</u>	MHz			Trig: Fre	~ D		Avg 1	Type:	Log-Pwr		TRACE	23456		requeries
							PNO: Fas -Gain:Lo		Atten: 40							DET	PPPPP		
							ounnee		_						NALO	004			Auto Tune
																	9 kHz		
10 di	B/div	Re	ef (30.00	dBr	n										44.71	dBm		
Log																			
20.0																			Center Freq
10.0																		1	15.004500 MHz
0.00	L																-2.80 dBm		
-10.0																			
-10.0																			Start Freq
-20.0																			9.000 kHz
-30.0																			
-40.0	2																		
	Y																		Stop Freq
-50.0	Wards	it because		A Second Street	أجامل	أأشفسهم	A Martin Martin	ماند است	inner and		andridaa	In the second	ada an	an and the second		والمراجع والمراجع	and the sector		30.000000 MHz
-60.0						all and a large													0.000000 Mil 12
	t 9 ki																0 MHz		CF Step
#Re	s BW	100) k	z			#	VBW	/ 300 kHz				S٧	veep 5.	333 m	s (400	01 pts)		2.999100 MHz
MEDI	MODE T	pri er	પ ∣			X		1	Y	1	FUNC	TION	ELINIC	TION WIDTH	E11	INCTION V	ALUE 🔼	<u>Auto</u>	Man
1	N /	1 f					1.9 kHz	7	-44.71 d	Bm	TONC	TION	TONC	TION WIDTH	1	INCTION V	ALUL		
2	N /	1 f				28	1.9 kHz	z	-44.71 d	Bm									
3																			Freq Offset
4			+																0 Hz
6			╈																
7																			
8			+-																
10			╈																
8 9 10 11																	~		
P			_		_								_						
MSG														STATU	s 🥂 DC	Couple	ed		

Agilent Spectrum Analyzer - Swep					
RL RF 50 Ω Center Freq 5.015000		SENSE:INT	ALIGN OFF Avg Type: Log-Pwr	02:48:17 PM Mar 17, 2017 TRACE 1 2 3 4 5 6	Frequency
	PNO: Fast IFGain:Low	Trig: Free Run Atten: 40 dB	0 // 0	TYPE WWWWWW	
	IFGain:Low	Atten. 40 dB	MIL	5 0 007 02 011-	Auto Tune
10 dB/div Ref 30.00 dl	Bm		IVIKI	5 2.297 93 GHz -34.89 dBm	
20.0	1				Center Freq
10.0					5.015000000 GHz
0.00				-2.80 dBm	
-10.0					21 1 7
-20.0					Start Freq 30.000000 MHz
-30.0	<u> </u>				30.000000 WHZ
-40.0	ally sites as the product	and a condition of the destriction			
-50.0					Stop Freq
-60.0					10.00000000 GHz
Start 30 MHz #Res BW 1.0 MHz	#VE	W 3.0 MHz	Sweep 18	Stop 10.000 GHz .67 ms (40001 pts)	CF Step 997.000000 MHz
MKR MODE TRC SCL	×		FUNCTION FUNCTION WIDTH	FUNCTION VALUE	<u>Auto</u> Man
1 N 1 f 2 N 1 f	2.480 13 GHz 2.324 10 GHz	18.01 dBm -31.67 dBm			
3 N 1 f	2.506 30 GHz 6.220 12 GHz	-33.33 dBm -33.57 dBm			Freq Offset
5 N 1 f	2.297 93 GHz	-34.89 dBm		=	0 Hz
6 7 7					
8					
10					
11 <				×	
MSG			STATUS	3	









Low Band-edge

Lowest Channel & Modulation : π/4DQPSK




Low Band-edge

Hopping mode & Modulation : π/4DQPSK






Lowest Channel & Modulation : π/4DQPSK



Agilent Spectrum Analyzer - Swe						
<mark>X RL RF 50 Ω</mark> Center Freq 5.01500		SENSE:IN		ALIGN OFF	02:55:40 PM Mar 17, 2017 TRACE 1 2 3 4 5 6	Frequency
	PNO: Fast (IFGain:Low	Trig: Free Run Atten: 40 dB			TYPE WWWWWWW DET P P P P P	Auto Tour
10 dB/div Ref 30.00 d	IBm			Mkr	5 5.603 48 GHz -35.37 dBm	Auto Tune
20.0 10.0 0.00	1					Center Fred 5.015000000 GHz
-10.0	\diamond^3 \diamond^2		5	4	-14.38 dBm	Start Free 30.000000 MH;
-40.0 -50.0 -60.0						Stop Fred 10.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep 18	Stop 10.000 GHz 67 ms (40001 pts)	CF Step 997.000000 MH
MKR MODE TRC SCL	× 2.402 11 GHz	۲ 6.69 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	<u>Auto</u> Mar
2 N 1 f 3 N 1 f 4 N 1 f 5 N 1 f	3.202 20 GHz 2.558 64 GHz 6.999 53 GHz 5.603 48 GHz	-34.97 dBm -35.18 dBm -35.22 dBm -35.37 dBm				Freq Offse 0 H
6 7 8 9 10 11						
< MSG				STATUS	>	
30				STATUS		



Lowest Channel & Modulation : π/4DQPSK






Reference for limit

Middle Channel & Modulation : π/4DQPSK




Conducted Spurious Emissions <u>A</u>

Middle Channel & Modulation : π/4DQPSK





Middle Channel & Modulation : π/4DQPSK



Agilent Spectru									
Center Fr		Ω AC CORR 0000000 GH	lz	SENSE:	Av	ALIGN OFF Type: Log-Pwr	TRA	PM Mar 17, 2017 CE 123456	Frequency
		PNO	D: Fast 🔾	Trig: Free Ru Atten: 40 dB	in		E	PE WWWWWWWW ET P P P P P P	
10 dB/div	Ref 30.00) dBm				Mkr3 2)00 GHz 20 dBm	Auto Tune
20.0 10.0									Center Freq 17.500000000 GHz
-10.0 -20.0 -30.0		Janu, an, ankintarate	Children (****				3 <u>}</u> 2	-11.88 dBm	Start Freq 10.000000000 GHz
-40.0 (1994) -50.0			And the second						Stop Freq 25.000000000 GHz
Start 10.00 #Res BW 1			#VBV	/ 3.0 MHz		Sweep 40	.00 ms (4		CF Step 1.50000000 GHz Auto Man
MKR MODE TRO	C SCL	× 24.868 375	GHz	∨ -25.13 dBm	FUNCTION	FUNCTION WIDTH	FUNCTI	ON VALUE	Auto Mar
2 N 1 3 N 1 4 5	f f	22.332 250 21.871 000	GHz	-26.08 dBm -27.20 dBm				_	Freq Offset 0 Hz
6 7 8 9 10									
11				Ш				~	
MSG						STATUS	6		



High Band-edge

Highest Channel & Modulation : π/4DQPSK




High Band-edge


Hopping mode & Modulation : π/4DQPSK






Highest Channel & Modulation : π/4DQPSK







Highest Channel & Modulation : π/4DQPSK





Low Band-edge

Lowest Channel & Modulation : 8DPSK



Low Band-edge

Hopping mode & Modulation : 8DPSK







Lowest Channel & Modulation : 8DPSK

Agilent Spectrum Analyzer						
	50 Ω 🗘 DC CORREC	SENSE:IN		ALIGN OFF Type: Log-Pwr	03:13:21 PM Mar 17, 2017	Frequency
Center Freq 15.0	04500 MHZ PNO: Fast	Trig: Free Ru		Type: Log-Pwr	TRACE 123456 TYPE DET PPPPP	,
	IFGain:Low				DETPPPPP	
					Mkr2 281.9 kHz	Auto Tune
10 dB/div Ref 30.	00 dBm				-45.02 dBm	
20.0						Center Fred
10.0						15.004500 MH
0.00						
-10.0					-14.24 dBm	Start Fred
-20.0						9.000 kHz
-30.0						
-40.0						
-50.0						Stop Free
and the second state of the second state of the second states	within when a had a had	entricher Aller Jahler Mathematic	ereinezzeihenzeihenzeihen	in the set out of the set of the set	and poler managed in the fail of the state of the	30.000000 MHz
-60.0						
Start 9 kHz					Stop 30.00 MHz	
#Res BW 100 kHz	#V	BW 300 kHz		Sween 5	333 ms (40001 pts)	CF Step 2.999100 MHz
						Auto Man
MKR MODE TRC SCL	× 281.9 kHz	-45.02 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	
2 N 1 f	281.9 kHz	-45.02 dBm				
3						Freq Offset
4						0 Hz
6						
7						
9						
10						
					~	
ISG				STATIS	DC Coupled	
100				STATUS	L DC COupled	

	ectrun		zer - Swe				_										
arter Center	Ere	RF		AC					SENSE:	NT	Ava		ALIGN OFF	TRA	PM Mar 17, 2 CE 1234	5.6	Frequency
senter		q o.	01000		Р		ast 🖵 .ow		ree Ru 40 dB	in		"	<u> </u>	יד ו		AAAA PP	
													Mkr	5 3.590	79 GH 53 dB		Auto Tune
10 dB/div Log r	V	Ref :	30.00 c	IBM				1						-00.	JJ UD	-	
20.0					1											_	Center Fre
10.0																	5.015000000 GH
0.00																	
-10.0															-14.24 d	Bitt	Otart Fra
-20.0																	Start Fre 30.000000 MH
-30.0					∆ <mark>4</mark>	3	5			$ \longrightarrow $	2						30.000000 WH
-40.0	نه				Yester	j,,¥ya, astron	and Charles		ange (De gewein)	ano contra		aliya da ya	and produced by		(Interdisting of the second states		
-50.0			a name of a second s				100 March 100										Stop Fre
-60.0																	10.00000000 GH
Start 30 #Res B			Hz			#	≠VBW	/ 3.0 M	Hz			S	weep 18	Stop 10 // 67 ms.	0.000 GH 10001 pt	S)	CF Ste 997.000000 MH
MKR MODE	TRC	SCL		×				Y		FUN	CTION	FUN	CTION WIDTH	FUNCT	ION VALUE		<u>Auto</u> Ma
1 N 2 N	1	f			402 1 794 4			7.59	dBm								
3 N	1	f		3.	178 0	3 GH	z	-34.71 -35.24	dBm								Freq Offs
5 N	1	f			558 1 590 7				dBm							=	0 F
6																	
8																	
9																	
																~	
11		_													>		



Agilent Spectrum Analyzer - Swept S					
XIRL RF 50Ω A0 Center Freg 17.500000		SENSE:INT	ALIGN OFF Avg Type: Log-Pwr	03:13:47 PM Mar 17, 2017 TRACE 123456	Frequency
	PNO: Fast 😱 IFGain:Low	Trig: Free Run Atten: 40 dB		TYPE WWWWWWW DET PPPPP	Auto Tune
10 dB/div Ref 30.00 dBn	n		Mkr3 :	21.839 125 GHz -27.06 dBm	
20.0					Center Freq 17.50000000 GHz
-10.0				-14.24 dBm	Start Freq
-30.0					
-50.0					Stop Freq 25.000000000 GHz
Start 10.000 GHz #Res BW 1.0 MHz	#VBW 3			Stop 25.000 GHz 0.00 ms (40001 pts)	CF Step 1.50000000 GHz Auto Man
1 N 1 f 24 2 N 1 f 22	.307 125 GHz	-25.54 dBm -26.90 dBm -27.06 dBm	TION FUNCTION WIDTH	FUNCTION VALUE	Freq Offset
6 7 8 9 10					
				×	
MSG			STATU	S	




Reference for limit






Conducted Spurious Emissions <u>Middle Channel & Modulation : 8DPSK</u>
















High Band-edge

Highest Channel & Modulation : 8DPSK



High Band-edge

Hopping mode & Modulation : 8DPSK







Highest Channel & Modulation : 8DPSK

				Swept S											
l XI RI		RF		50 Ω <u>Å</u> DO		EC	S	ENSE:INT			ALIGN OFF		PM Mar 17, 2017	Frequency	,
Cen	ter Fr	req '	15.00)4500			Trig: Fr			Avg Type	e: Log-Pwr			ricquerie	
):Fast ⊂ iin:Low	Atten: 4						DETPPPPP		
					IFGa	In:Low	Auen							Auto T	une
													31.9 kHz	Autor	unc
10 di	Bidiy	Re	F 30 ()0 dBr	n							-44.	79 dBm		
Log															
20.0														Center	Frea
10.0														15.004500	
10.0														15.004500	WHZ
0.00	<u> </u>														
-10.0	1												-12.10 dBm		
														Start	Freq
-20.0														9.000) kHz
-30.0															
-40.0	<u>}</u> 2														
	N													Stop	Fred
-50.0	Whitesau		المناد مطلبا	ور و المحمد	han an ta Marilla	يغدا المرجعات	مىلادىدىناسىلىر	Lands and the B	م وأرقيه ولاريه ا	a triva cit a du	union and to	ير يس جدا لهم.	- the effect of the late		
-60.0					and a little of the	a dina di malana ana	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					private in the state of the state		30.00000	MHZ
Star	t 9 kH	7			i			_			1	Ston '	30.00 MHz	05.0	Step
	sBW		kH7			#\/BI	W 300 KH	7			ween 5		10001 pts)	2.999100	
#RG	3 0 44	100	NI 12			#VD	W 300 KH	<u> </u>			weep 5.	-) elli ccc	rooo i pisj	2.999100 Auto	Man
MKR I	MODE TF				Х		Y		FUNCTI	ION FUI	NCTION WIDTH	FUNCT	ION VALUE	Auto	Wan
1	N 1				281.9	kHz	-44.79 (
2	N 1	f			281.9	kHz	-44.79 (IBm						Freq Of	ffeat
4															
5															0 Hz
6															
7															
8								_							
10															
11													~		
<															
MSG											STATU	DC Co	upled		
_	_	_													

art RF 50Ω Center Freq 5.01500	ept SA AC CORREC DOOOO GHz PNO: Fast	SENSE: INT	ALIGN OFF Avg Type: Log-Pwr	03:18:07 PM Mar 17, 2017 TRACE 123456 TYPE WWWWWWW DET PPPPPP	Frequency
10 dB/div Ref 30.00	IFGain:Low	Atten: 40 dB	Mkr	5 2.774 24 GHz -35.70 dBm	Auto Tune
-09 20.0 10.0					Center Free 5.015000000 GH
10.0	5 ∂ ³		§4		Start Free 30.000000 MH:
40.0 50.0 60.0					Stop Fred 10.000000000 GH
Start 30 MHz #Res BW 1.0 MHz		V 3.0 MHz	-	Stop 10.000 GHz .67 ms (40001 pts)	CF Step 997.000000 MH Auto Mar
MKR MODE THC SCL 2 N 1 F 3 N 1 F 4 N 1 F 6 N 1 F 7	× 2.479.88 GHz 5.719.88 GHz 3.166 56 GHz 5.867 68 GHz 2.774 24 GHz	Y 6 7 9.42 dBm -34.96 dBm -35.18 dBm -35.29 dBm -35.70 dBm		FUNCTION VALUE	Freq Offse

Highest Channel & Modulation : 8DPSK





8. Transmitter AC Power Line Conducted Emission

8.1 Test Setup

See test photographs for the actual connections between EUT and support equipment.

8.2 Limit

According to §15.207(a) for an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30 MHz, shall not exceed the limits in the following table, as measured using a 50 uH/50 ohm line impedance stabilization network (LISN).

Compliance with the provision of this paragraph shall on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower applies at the boundary between the frequency ranges.

Frequency Range (MHz)	Conducted Limit (dBuV)						
Frequency nange (Minz)	Quasi-Peak	Average					
0.15 ~ 0.5	66 to 56 *	56 to 46 *					
0.5 ~ 5	56	46					
5 ~ 30	60	50					

* Decreases with the logarithm of the frequency

8.3 Test Procedures

Conducted emissions from the EUT were measured according to the ANSI C63.10.

- 1. The test procedure is performed in a 6.5 m × 3.5 m × 3.5 m (L × W × H) shielded room. The EUT along with its peripherals were placed on a 1.0 m (W) × 1.5 m (L) and 0.8 m in height wooden table and the EUT was adjusted to maintain a 0.4 meter space from a vertical reference plane.
- 2. The EUT was connected to power mains through a line impedance stabilization network (LISN) which provides 50 ohm coupling impedance for measuring instrument and the chassis ground was bounded to the horizontal ground plane of shielded room.
- 3. All peripherals were connected to the second LISN and the chassis ground also bounded to the horizontal ground plane of shielded room.
- 4. The excess power cable between the EUT and the LISN was bundled. The power cables of peripherals were unbundled. All connecting cables of EUT and peripherals were moved to find the maximum emission.

8.4 Test Results

NA



9. Antenna Requirement

Dt&C

Describe how the EUT complies with the requirement that either its antenna is permanently attached, or that it employs a unique antenna connector, for every antenna proposed for use with the EUT.

Conclusion: Comply

ANT1_Model : SENA-DP01-19.7 The antenna is printed to the external PCB (Refer to Internal Photo file.)

ANT2_Model : SENA-DP02-19 The antenna is printed to the external PCB (Refer to Internal Photo file.)

Therefore this E.U.T Complies with the requirement of §15.203.

- Minimum Standard :

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions.

10.1 Test Setup

Refer to the APPENDIX I.

10.2 Limit

Limit : Not Applicable

10.3 Test Procedure


The 99 % power bandwidth was measured with a calibrated spectrum analyzer.

The resolution bandwidth (RBW) shall be in the range of 1 % to 5 % of the occupied bandwidth (OBW) and video bandwidth (VBW) shall be approximately $3 \times RBW$.

Spectrum analyzer plots are included on the following pages.

10.4 Test Results

Modulation	Tested Channel	Test Results (MHz)
	Lowest	1.071
<u>GFSK</u>	Middle	1.095
	Highest	1.084
	Lowest	1.306
<u>π/4DQPSK</u>	Middle	1.311
	Highest	1.308
	Lowest	1.271
<u>8DPSK</u>	Middle	1.280
	Highest	1.280



Occupied Bandwidth (99 %)

Middle Channel & GFSK

Lowest Channel & GFSK




Occupied Bandwidth (99 %) eilent Sp

trum Ana

Center Freq 2.480000000 GHz


ed BW












Occupied Bandwidth (99 %)

Middle Channel & π/4 DQPSK










Occupied Bandwidth (99 %)

Middle Channel & 8DPSK

Lowest Channel & 8DPSK







APPENDIX I

Test set up diagrams

Radiated Measurement





Path loss information

Frequency (GHz)	Path Loss (dB)	Frequency (GHz)	Path Loss (dB)
0.03	0.18	15	3.50
1	0.80	20	4.86
2.402 & 2.441 & 2.480	1.30	25	5.35
5	1.82	-	-
10	2.70	-	-

Note 1 : The path loss from EUT to Spectrum analyzer were measured and used for test.

Path loss (S/A's Correction factor) = Cable A




APPENDIX II

Unwanted Emissions (Radiated) Test Plot_ANT1_ Model : SENA-DP01-19.7

GFSK & Lowest & X & Hor

Detector Mode : PK




GFSK & Lowest & X & Hor



Detector Mode : AV



GFSK & Highest & X & Hor



Detector Mode : AV


GFSK & Highest & X & Hor






π/4DQPSK & Lowest & X & Hor

00




π/4DQPSK & Lowest & X & Hor

Detector Mode : AV





π/4DQPSK & Highest & X & Hor



Detector Mode : AV


π /4DQPSK & Highest & X & Hor



Detector Mode : PK



8DPSK & Lowest & X & Hor




Detector Mode : AV

8DPSK & Lowest & X & Hor





8DPSK & Highest & X & Hor




Detector Mode : AV

8DPSK & Highest & X & Hor






GFSK & Middle & X & Ver




π/4DQPSK & Highest & Z & Hor

Detector Mode : PK






8DPSK & Middle & Z & Hor





GFSK & Hopping mode & X & Hor




GFSK & Hopping mode & X & Hor

PNO: Fast IFGain:Low		n Avgli				
	Attent of db		Hold: 200/200	DI		
lBμV			Mkr	3 2.311 59.70	04 GHz 3 dBµV	Auto Tune
					1	Center Fred 2.357500000 GH;
						Start Free 2.310000000 GH:
<u>, , , , , , , , , , , , , , , , , , , </u>	······	X	·····	2 		Stop Fre 2.405000000 GH
			Sweep	74.2 ms (3001 pts)	CF Ster 9.500000 MH
2.404 94 GHz	113.104 dBµV		FUNCTION WIDTH	FUNCTIO	ON VALUE	<u>Auto</u> Ma
2.390 00 GH2 2.311 04 GHz	59.703 dBμV					Freq Offse 0 Hi
	#VI 2.404 94 GHz 2.390 00 GHz	#VBW 1.0 kHz 2.404 94 GHz 2.390 00 GHz 4 4 937 dBµV 2.390 00 GHz 4 7 937 dBµV 4 7 937 dBµV 4 7 937 dBµV	#VBW 1.0 kHz 2.404 94 CHz Y 2.390 00 CHz 113.104 dBuV	#VBW 1.0 kHz Sweep 2.404 94 GHz Y 2.390 00 GHz 47.937 dBuV	#VBW 1.0 kHz Stop 2.41 #VBW 1.0 kHz Sweep 74.2 ms (2.404 94 GHz 113.104 dBuV 2.390 00 GHz 473 7 dBuV	#VBW 1.0 kHz FUNCTION FUNCTION FUNCTION FUNCTION VIALUE 2.404 94 GHz 113.104 dBuV FUNCTION FUNCTION FUNCTION VIALUE 2.390 00 GHz 737 dBuV FUNCTION FUNCTION FUNCTION VALUE



GFSK & Hopping mode & X & Hor




GFSK & Hopping mode & X & Hor





$\pi/4DQPSK$ & Hopping mode & X & Hor




$\pi/4DQPSK$ & Hopping mode & X & Hor





$\pi/4DQPSK$ & Hopping mode & X & Hor




π /4DQPSK & Hopping mode & X & Hor





8DPSK & Hopping mode & X & Hor




8DPSK & Hopping mode & X & Hor





8DPSK & Hopping mode & X & Hor



8DPSK & Hopping mode & X & Hor




Unwanted Emissions (Radiated) Test Plot_ANT2_ Model : SENA-DP02-19

GFSK & Lowest & X & Hor

Detector Mode : PK

RF 50Ω AC	PNO: Fast FGain:Low Atten: 30 dB	Avg Type: Log-Pwr	01:31:22 PM Apr 24, 2017 TRACE 12 3 4 5 6 TYPE MWARAWAY DET P P N N N N	Frequency
		n	TYPE IN WEBBER	
Jablaiv Rei izo.99 ubuv		Mkr	4 2.376 44 GHz 58.66 dBµV	Auto Tune
Pg 1177 107 77.0				Center Fred 2.357500000 GHz
7.0		4	2 ³	Start Fred 2.310000000 GHz
7.0 7.0 7.0	and a state of the	Payment designation in the	hiteration of the second second	Stop Freq 2.405000000 GHz
enter 2.35750 GHz Res BW 1.0 MHz	VBW 3.0 MHz	Sweep	Span 95.00 MHz 1.00 ms (3001 pts) FUNCTION VALUE	CF Step 9.500000 MHz <u>Auto</u> Man
2 N 1 f 2.390 3 N 1 f 2.389	00 GHz 59.76 dBµV 94 GHz 61.66 dBµV 44 GHz 58.66 dBµV			Freq Offset 0 Hz
7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				
G		STATUS		


GFSK & Lowest & X & Hor








GFSK & Highest & X & Hor



Detector Mode : AV

GFSK & Highest & X & Hor





$\pi/4DQPSK$ & Lowest & X & Hor


Agilent Spec	ctrum													
1, XI		RF	50 Ω	AC			SENSE:INT	Ava	ALIG	NAUTO		M Apr 24, 2017	Fre	equency
					PNO: Fast IFGain:Low	, Trig: Fr Atten: 3			· , , · · · · .	,	TYP			
10 dB/div Log	0 dB/div Ref 116.99 dBµV 50.98 dBµV									Auto Tune				
107 97.0 87.0												Å		enter Freq 500000 GHz
77.0 67.0 57.0			⁵						4					Start Freq 000000 GHz
47.0 37.0 27.0	1	i i i i i i i i i i i i i i i i i i i	<u>Alfred produce</u>	WHIN		harrin yong melyang	YIN IN	****		hilleri	VY WW			Stop Freq 000000 GHz
	Center 2.35750 GHz Span 95.00 MHz Res BW 1.0 MHz VBW 3.0 MHz Sweep 1.00 ms (3001 pts)								9.	CF Step 500000 MHz				
MKR MODE	TRC	SCL		×		Y		FUNCTION	FUNCTIO	N WIDTH	FUNCTIO	IN VALUE	<u>Auto</u>	Man
1 N 2 N	1	f		2.39	1 99 GHz 0 00 GHz	105.98 o 51.48 o	IBμV							
3 N 4 N 5 N 6	1 1 1	f f f		2.37	9 53 GHz 5 06 GHz 3 97 GHz	51.61 o 52.05 o 50.98 o	IBµV						F	r eq Offset 0 Hz
7 8 9														
10 11 12														
MSG										STATUS				

π/4DQPSK & Lowest & X & Hor





$\pi/4DQPSK$ & Highest & X & Hor




π /4DQPSK & Highest & X & Hor





8DPSK & Lowest & X & Hor




Detector Mode : AV

8DPSK & Lowest & X & Hor





8DPSK & Highest & X & Hor



Detector Mode : AV


8DPSK & Highest & X & Hor






GFSK & Middle & Y & Ver






π /4DQPSK & Middle & Z & Hor

Detector Mode : PK





8DPSK & Middle & Z & Hor






GFSK & Hopping mode & X & Hor

Detector Mode : PK

Agilent Spectrum Analyzer - Swept SA				
(X) RF 50Ω AC	PNO: Fast	Avg Type: Log-Pwr	01:40:56 PM Apr 24, 2017 TRACE 1 2 3 4 5 6 TYPE MWAAAAAA DET P P N N N N	Frequency
10 dB/div Ref 126.99 dBµ\	Auto Tune			
117 107 97.0				Center Freq 2.357500000 GHz
87.0 77.0 67.0				Start Freq 2.310000000 GHz
57.0 47.0 37.0	ndhumpul, dir physicility is a second	nandari ang kang kang kang kang kang kang kang		Stop Fred 2.405000000 GHz
Center 2.35750 GHz #Res BW 1.0 MHz	VBW 3.0 MHz	Sweep 7	Span 95.00 MHz 1.00 ms (3001 pts) FUNCTION VALUE	CF Step 9.500000 MHz Auto Man
1 N 1 f 2.4 2 N 1 f 2.3	03 04 GHz 114.83 dBµV 90 00 GHz 58.67 dBµV 23 27 GHz 64.69 dBµV			Freq Offset
7 8 9 9 9 9 10 11 11 12 12 12 12 12 12 12 12 12 12 12				
MSG		STATUS		

GFSK & Hopping mode & X & Hor





GFSK & Hopping mode & X & Hor

Frequency Avg Type: Log-Pwr Trig: Free Run Atten: 30 dB PNO: Fast 😱 IFGain:Low Auto Tune Mkr3 2 .483 525 GHz 62.48 dBµ∖ Ref 126.99 dBµV **Center Freq** 2.487500000 GHz Start Freq 2.475000000 GHz hacker n na haran ya ana na mana na ma Stop Freq MALM 2.50000000 GHz Start 2.47500 GHz #Res BW 1.0 MHz Stop 2.50000 GHz Sweep 1.00 ms (3001 pts) CF Step 2.500000 MHz Man VBW 3.0 MHz Auto 62.54 dB 62.48 dB Freq Offset 0 Hz

STATUS


GFSK & Hopping mode & X & Hor

10






π /4DQPSK & Hopping mode & X & Hor




π /4DQPSK & Hopping mode & X & Hor

10





$\pi/4DQPSK$ & Hopping mode & X & Hor



$\pi/4DQPSK$ & Hopping mode & X & Hor






8DPSK & Hopping mode & X & Hor

Frequency Avg Type: Log-Pwr Trig: Free Run Atten: 20 dB TYP DE PNO: Fast 😱 IFGain:Low Auto Tune Mkr3 2.313 80 GHz 60.09 dBµ∿ Ref 116.99 dBµV **Center Freq** 2.357500000 GHz Start Freq 2.310000000 GHz **∂**² (lever here and street a part of the state of the second street and the second street and the second street and at he hold a feature of a Stop Freq 2.405000000 GHz Span 95.00 MHz Sweep 1.00 ms (3001 pts) Center 2.35750 GHz #Res BW 1.0 MHz CF Step 9.500000 MHz Man VBW 3.0 MHz Auto 50.97 dB 2.390 00 GHz 2.313 80 GHz Freq Offset 0 Hz 9 10 11 12 STATUS


8DPSK & Hopping mode & X & Hor





8DPSK & Hopping mode & X & Hor

Detector Mode : PK



8DPSK & Hopping mode & X & Hor

