


## U1 Manual



U1 shall be equipped like below.



### Charging

Red LED: Charging

Blue LED: Fully charged

### **Power On/Off**

On : Press and hold the (+) Button and Multi-function Button for 1 sec.

Off : Tap the (+) Button and Multi-function Button.

### **Volume Adjustment**

(+) Button - Increase the volume

(-) Button - Decrease the volume

### **Phone Pairing**

1. There are three ways to enter the phone pairing mode.

1) The first time you turn on the U1:

- Press and hold the (+) Button and Multi-function Button for 1 second.

2) Starting with your U1 powered off:

- Press and hold the (+) Button and Multi-function Button for 5 seconds.

3) Starting with your U1 powered on:

- Press and hold the Multi-function Button for 5 seconds.

2. Select the U1 in the list of the devices detected on the phone.

### **Music Operation**

Play or pause music: Press and hold the Multi-function Button for 1 second.

Track back: Press and hold the (-) Button for 1 second.

Track forward: Press and hold the (+) Button for 1 second.

## **Mobile Phone Call Making and Answering**

Answering a call: Tap the Multi-function Button.

Ending a call: Press and hold the Multi-function Button for 2 seconds.

Call a Voice Assistant : Press and hold the Multi-function Button for 3 seconds.

Rejecting a call: Press the Multi-function Button for 2 seconds.

Speed dial:

- 1) Enter into the Speed Dial : Press and hold the (+) Button for 3 seconds.
- 2) Navigate : Tap the (+) Button or the (-) Button.
- 3) Proceed : Tap the Multi-function Button.

## **Mesh Intercom**

Mesh Intercom On : Tap the Mesh Intercom Button.

Mesh Intercom Off : Tap the Mesh Intercom Button.

Mute/Unmute the Mic : Press and hold the Mesh Intercom Button for 1 seconds..

Channel Setting :

1. Enter the Channel Setting : Double tap the Mesh Intercom Button.
2. Navigate: Tap (+) Button or (-) Button.
3. Save the channel : Tap the Multi-function Button.

## **Change the light mode**

- Light on and Solid : Tap the Light Button.
- Night Flash : Double tap the Light Button.
- Day Flash : Three tap the Light Button.
- Light off : Four tap the Light Button.

## **Troubleshooting**

### **Factory Reset**

If you want to restore the U1 to factory default settings, use the Factory Reset.

1. Press and hold the Multi-function Button for 10 seconds.
2. The U1 automatically restores the default settings and turns off.

#### Certification and Safety Approvals FCC Compliance Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment on and off, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antennae
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### FCC RF Exposure Statement

This equipment complies with FCC/IC radiation exposure limits set forth for an uncontrolled environment.

End users must follow the specific operating instructions for satisfying RF exposure compliance.

When equipped, the distance between antenna and one's head surface is 20.8mm.

#### FCC Caution

Any changes or modifications to the equipment not expressly approved by the party responsible for compliance could void user's authority to operate the equipment.

#### Industry Canada(IC) Statement

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) this device may not cause interference, and

(2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

#### IC RF Exposure Statement

Cet équipement est conforme aux limites d'exposition aux radiations de la FCC/IC définies pour un environnement non contrôlé. Les utilisateurs finaux doivent suivre les instructions d'utilisation spécifiques pour satisfaire à la conformité d'exposition RF.

Lorsque équipé, la distance entre l'antenne et la surface de la tête est de 20.8mm.