

Page: 2 of 57

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT AND INDUSTRY CANADA RSS 247 **CLASS II & IV PC REPORT**

0F

FCC Applicant: Trimble Inc.

345 SW Avery Ave, Corvallis, OR, United States

2x2 802.11A/B/G/N/AC WiFi + Bluetooth Module **Product Name:**

Brand Name: Trimble

QCNFA324 Model No.:

Model Difference: N/A

FCC ID: S9E-QCNFA324 IC: 5817A-QCNFA324

Report Number: E2/2018/60029 **FCC Rule Part:** §15.407, Cat:NII

RSS-247 issue 2 Feb. 2017 IC Rule:

Jun. 22, 2018 **Issue Date:**

Date of Test: Jun. 14, 2018 ~ Jun. 21, 2018

Date of EUT Received: Jun. 14, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Aken Haung / Engineer

Approved By:

Jim Chang / Manager





0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated the results shown in this east report reter only to the sample(s) desire and south sample(s) are retained to 90 days only. Personal transfer of the state of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 3 of 57

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
E2/2018/60029	Rev.00	Initial creation of document	All	Jun. 22, 2018	Tiffany Kao

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRopad New TaipeilindustrialPark WukunDistrict New TaipeilingustrialPark WukunDistrict New Taipeilin

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 4 of 57

Contents

1.	GENERAL INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	8
3.	SUMMARY OF TEST RESULT	10
4.	DESCRIPTION OF TEST MODES	10
5.	MEASUREMENT UNCERTAINTY	13
ŝ.	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	14
7.	UNDESIRABLE EMISSION - RADIATED MEASUREMENT	19
2	ANTENNA RECHIREMENT	57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRopad New TaipeilindustrialPark WukunDistrict New TaipeilingustrialPark WukunDistrict New Taipeilin

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 5 of 57

1. GENERAL INFORMATION

1.1. Product Description

General Information of Host:

Product Name of Host:	Rugged H	landheld Computer	
Brand Name:	Trimble		
Model No. of Host:	121500		
Model Difference:	N/A		
Hardware Version:	N/A		
Software Version:	N/A		
Model No. of BT/WLAN Module:	QCNFA32	24	
Module FCC ID:	S9E-QCNFA324		
Module IC:	5817A-QCNFA324		
Scope:	The test report covers the radiated emissions requirements of the standards referenced in the report to allow system level approval of the module in this specific host.		
Class II & Class IV Permissive change:	802.11 a/b/g/n/ac and Bluetooth Module INSTALLED IN Rugged Handheld Computer		
	10.8Vdc from Rechargeable Li-polymer Battery or 19Vdc from AC/DC Adapter		
Power Supply:	Battery Pack:	Model No.: ETICA-AL001, Supplier: ETICA Battery Inc.	
	Adapter:	Model No.: FSP065-REB (DC19V/3.42A, 65w), Supplier: FSP GROUP INC.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unauthal and effenders may be prospected to the full light extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page: 6 of 57

WLAN 5GHz:

VILAIN SOI	·-·				
Wi-Fi	Frequency Range	Channels	Rated Power (Avg.) / Average Rated Power(EIRP)	Modulation Technology	Type of Emission
11-	5150~5250	4	Avg. Power: 16.04dBm EIRP: 22.03dBm	OFDM	16M3D1D
11a	5250~5350	4	Avg. Power: 18.71dBm EIRP: 24.70dBm		19M5D1D
11n /	HT20 / VHT20 5150~5250	4	Avg. Power: 16.31dBm EIRP:22.31dBm	OFDM	17M5D1D
ac_20M	HT20 / VHT20 5250~5350	4	Avg. Power:17.97dBm EIRP:23.96dBm	OPDIVI	17M8D1D
11n /	HT40 / VHT40 5150-5250	2	Avg. Power: 16.78dBm EIRP:22.77dBm	OFDM	36M0D1D
ac_40M	HT40 / VHT40 5250-5350	2	Avg. Power: 16.55dBm EIRP: 22.54dBm	OI DIVI	36M0D1D
11ac 80M	VHT80 5150~5250	1	Avg. Power: 12.74dBm EIRP: 18.73dBm	OFDM	75M0D1D
1 14C_00W	VHT80 5250~5350	1	Avg. Power: 12.28dBm EIRP: 18.27dBm	OI DIVI	75M0D1D
Antenna Designation			PIFA Antenna, 1. Main: Gain: 1.74dBi (5150~5250MHz) Gain: 1.96dBi (5250~5350MHz) 2. Aux: Gain: 3.95dBi (5150~5250MHz)		
Modulation type			Gain: 3.80dBi (5250~5350MHz) CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Transition Rate:			802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144.4Mbps 802.11 n_40MHz: 13.5 – 300.0Mbps 802.11 ac_20MHz: 6.5 –173.3Mbps 802.11 ac_40MHz: 13.5 –400.0Mbps 802.11 ac_80MHz: 29.3 – 866.7Mbps		

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRopad New TaipeilindustrialPark WukunDistrict New TaipeilingustrialPark WukunDistrict New Taipeilin

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 7 of 57

1.2. Related Submittal(s) / Grant (s)

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

FCC KDB 662911 D01 Multiple Transmitter Output

FCC KDB 644545 D03 Guidance for IEEE 802.11ac v01

Canada RSS-247 issue 2 May 2017

RSS-Gen Issue 5 Apr. 2018

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

1.3. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333. (TAF code 0513)

FCC Registration Numbers are: 735305 / TW0002

Canada Registration Number: 4620A-5

1.4. Special Accessories

There are no special accessories used while test was conducted.

1.5. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated the results shown in this east report reter only to the sample(s) desire and south sample(s) are retained to 90 days only. Personal transfer of the state of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 8 of 57

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT is configured to operate in a continuous transmission mode. EUT placement and various angles were checked to find worst mode where the emission characteristics are maximized.

2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4. Measurement Results Explanation Example For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated the results shown in this east report reter only to the sample(s) desire and south sample(s) are retained to 90 days only. Personal transfer of the state of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 9 of 57

2.5. Configuration of Tested System

Fig. 2-1 Radiated Emission Configuration



Fig. 2-1 Conducted Emission (Antenna Port) Configuration



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Notebook	Lenovo	L430	R9-YYG88	Shielded	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 10 of 57

SUMMARY OF TEST RESULT

FCC / IC Rules	Description Of Test	Result
§15.407(a) RSS-247 §6.2.1~ 4 (1)	The Maximum Output Power Measurement	Compliant
§15.407(b)	Undesirable Emission –	Compliant
RSS-247 §6.2.1~ 4 (2)	Radiated Measurement	
§15.203 RSS- Gen §6.8	Antenna Requirement	Compliant

4. DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
36	5180 MHz	44	5220 MHz
40	5200 MHz	48	5240 MHz

2 channels are provided for 802.11n HT40, 802.11ac VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac VHT80

<u> </u>				
CHANNEL	FREQUENCY			
42	5210 MHz			

Operated band in 5250 MHz ~5350 MHz:

4 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
52	5260 MHz	60	5300 MHz
56	5280 MHz	64	5320 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
54	5270 MHz	62	5310 MHz

1 channel is provided for 802.11ac VHT80

CHANNEL	FREQUENCY	
58	5290 MHz	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 11 of 57

RADIATED EMISSION TEST:

TO TO THE PERSON OF THE PERSON	RADIATED EMISSION TEST.										
	RADIATED EMISSION TEST (ABOVE 1 GHz)										
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL			DATA RATE (Mbps)	ANTENNA PORT					
802.11a	5180~5240	36 to 48	48	OFDM	6	2TX					
802.11a	5260~5320	52 to 64	64	OFDM	6	2TX					
		В	ANDEDGE								
802.11a	E100 E010	20.45.40	36	OFDM	6	2TX					
802.11n_HT20	5180~5240	36 to 48	30	OFDM	MCS8	MIMO					
802.11n_HT40	5190~5230	38 to 46	38	OFDM	MCS8	MIMO					
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO					
802.11a	F200 F220	50 to 64	C.4	OFDM	6	2TX					
802.11n_HT20	5260~5320	52 to 64	64	OFDM	MCS8	MIMO					
802.11n_HT40	5270~5310	54 to 62	62	OFDM	MCS8	MIMO					
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO					

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document with and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 12 of 57

ANTENNA PORT CONDUCTED MEASUREMENT:

	7.11.11.11.11.11.11.11.11.11.11.11.11.11									
	CONDUCTED TEST									
MODE	FREQUENCY BAND (MHz)			MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11a	5180~5240	36 to 48	36,40,48	OFDM	6	2TX				
802.11n_HT20	3100~3240	30 10 40	30,40,40	OFDM	MCS8	MIMO				
802.11n_HT40	5190~5230	38 to 46	38,46 OFDM		MCS8	MIMO				
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO				
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	2TX				
802.11n_HT20	3200~3320	52 10 64	52,00,04	OFDM	MCS8	MIMO				
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO				
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRoand.NewTaipeilindustrialPark WukunDistrict NewTaipeiCity.Taiwan24803/新北市市股原新北產業園區不工路134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 13 of 57

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26 dB and 99% Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 1.42 dB
Peak Power Spectral Density Measurement	+/- 1.55 dB
Peak Excursion Measurement	+/- 1.55 dB
Undesirable Emission –	+/- 1.55 dB
Conducted Measurement	17- 1.00 db
Transmission in case of Absence of Information	+/- 1.55 dB
Frequency Stability	+/- 123.36 Hz
TPC and DFS Measurement	+/- 123.36 Hz
Temperature	+/- 0.8 °C
Humidity	+/- 4.7 %
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB			
NA	30MHz - 180MHz: +/- 3.37dB			
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB			
(i dianzation : Vertical)	0.417GHz-1GHz: +/- 3.19dB			
	1GHz - 18GHz: +/- 4.04dB			
	18GHz - 40GHz: +/- 4.04dB			

	9kHz-30MHz: +/-2.87dB				
Management	30MHz - 167MHz: +/- 4.22dB				
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB				
(1 Olanzation : 11011201ttal)	0.5GHz-1GHz: +/- 3.39dB				
	1GHz - 18GHz: +/- 4.08dB				
	18GHz - 40GHz: +/- 4.08dB				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 57

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

6.1 Standard Applicable:

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device)	1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
	V	Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A	V		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	V		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3	V		1 Watt(30dBm)

According to RSS-247 §6.2.1~ 4 (1)

OPERZTION FREQUENCY BAND	LIMIT				
5150~5250 MHz	EIRP shall not exceed 200 mW or 10 + 10 log10 B				
5250~5350 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10 B, dBm				
5470-5600 MHz and 5650-5725 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10 B, dBm				
5725~5850 MHz	Conducted output power shall not exceed 1 W				
Note: B is the 99% emission bandwidth in MHz.					

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 15 of 57

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

- (i) If transmit signals are correlated, then Directional gain
- = 10 log[(10G1 /20 + 10G2 /20 + ... + 10GN /20) 2 /NANT] dBi

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

The antenna gain is granter than 6 dBi in MIMO mode the limit reduce as below:

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	5.99	23.98
UNII-2A	5.99	23.98

6.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the an-3. tenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power meas-4. urement.
- Record the max. reading and add 10 log(1/duty cycle). 5.
- 6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽氏。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 16 of 57


6.3 Measurement Equipment Used:

	Conducted Emission Test Site									
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibra- tion Due					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Power Meter	Anritsu	ML2496A	1326001	06/23/2017	06/22/2018					
Power Sensor	Anritsu	MA2411B	1315048	06/23/2017	06/22/2018					
Power Sensor	Anritsu	MA2411B	1315049	06/23/2017	06/22/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A195 C	RF01	12/24/2017	12/23/2018					
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018					
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	12/24/2017	12/23/2018					
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2018	05/01/2019					

Conducted Emission Test Site								
Name of Equip- ment Manufactur		Model	Serial Num- ber	Calibration Date	Calibra- tion Due			
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2018	06/19/2019			

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

6.4 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 17 of 57

6.5 Measurement Result

802.11a MIMO

Frequency		Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	6	10.44	12.75	16.01	29.903		23.98		PASS
44	5220	6	10.47	12.78	16.04	30.110		23.98		PASS
48	5240	6	10.46	12.77	16.03	30.041		23.98		PASS
52	5260	6	13.42	15.29	18.71	55.785	23.98	or 11+10log(B) =	25.61	PASS
60	5300	6	13.27	15.11	18.55	53.666	23.98	or 11+10log(B) =	24.50	PASS
64	5320	6	11.72	13.02	16.68	34.904	23.98	or 11+10log(B) =	23.99	PASS

802.11ac_VHT20_MIMO

CH Frequency		Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		KESULI
36	5180	MCS0	10.66	12.94	16.27	31.320		23.98		PASS
44	5220	MCS0	10.73	12.97	16.31	31.646		23.98		PASS
48	5240	MCS0	10.69	12.96	16.29	31.492		23.98		PASS
52	5260	MCS0	12.62	14.49	17.97	46.400	23.98	or 11+10log(B) =	24.31	PASS
60	5300	MCS0	12.81	13.65	17.57	42.272	23.98	or 11+10log(B) =	24.27	PASS
64	5320	MCS0	12.37	13.19	17.12	38.103	23.98	or 11+10log(B) =	24.16	PASS

802.11ac_VHT40_MIMO

СН	Frequency (MHz)	Data	Avg. POWER (dBm)		TOTAL TOTAL POWER		REQUIRED LIMIT			RESULT
СП		Rate	CH 0	CH 1	(dBm)	(mW)	(dBm)			RESOLI
38	5190	MCS0	6.58	8.77	13.26	12.083	23.98		PASS	
46	5230	MCS0	10.26	12.18	16.78	27.137	23.98		PASS	
54	5270	MCS0	10.34	11.75	16.55	25.777	23.98	or 11+10log(B) =	27.19	PASS
62	5310	MCS0	7.59	8.74	13.65	13.223	23.98	or 11+10log(B) =	27.31	PASS

802.11ac_VHT80_MIMO

СН	Frequency (MHz)	Data	Avg. POWER (dBm)		TOTAL POWER			REQUIRED LIMIT		
		Rate	CH 0	CH 1	(dBm)	(mW)	(dBm)			RESULT
42	5210	MCS0	7.21	8.54	12.74	12.405	23.98		PASS	
58	5290	MCS0	6.94	7.94	12.28	11.166	23.98	or 11+10log(B) =	30.16	PASS

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 18 of 57

ERP/EIRP Measurement:

802.11a MIMO

	· · · · · · · · · · · · · · · · · · ·								
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)		RESULT	
36	5180	16.01	5.99	22.00	158.521	23.01	or 10+10log(B)=	22.12	PASS
44	5220	16.04	5.99	22.03	159.620	23.01	or 10+10log(B)=	22.12	PASS
48	5240	16.03	5.99	22.02	159.253	23.01	or 10+10log(B)=	22.11	PASS
52	5260	18.71	5.99	24.70	295.229	30	or 17+10log(B)=	29.17	PASS
60	5300	18.55	5.99	24.53	284.017	30	or 17+10log(B)=	29.15	PASS
64	5320	16.68	5.99	22.67	184.721	30	or 17+10log(B)=	29.11	PASS

802.11ac_VHT20_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)		RESULT	
36	5180	16.27	5.99	22.26	168.279	23.01	or 10+10log(B)=	22.42	PASS
44	5220	16.31	5.99	22.31	170.028	23.01	or 10+10log(B)=	22.40	PASS
48	5240	16.29	5.99	22.28	169.201	23.01	or 10+10log(B)=	22.40	PASS
52	5260	17.97	5.99	23.96	248.879	30	or 17+10log(B)=	29.43	PASS
60	5300	17.57	5.99	23.56	226.740	30	or 17+10log(B)=	29.42	PASS
64	5320	17.12	5.99	23.10	204.378	30	or 17+10log(B)=	29.43	PASS

802.11ac_VHT40_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)		RESULT	
38	5190	13.26	5.99	19.26	84.286	23.01	or 10+10log(B)=	28.75	PASS
46	5230	16.78	5.99	22.77	189.286	23.01	or 10+10log(B)=	28.75	PASS
54	5270	16.55	5.99	22.54	179.496	30	or 17+10log(B)=	32.53	PASS
62	5310	13.65	5.99	19.64	92.077	30	or 17+10log(B)=	32.53	PASS

802.11ac_VHT80_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	12.74	5.99	18.73	74.730	23.01	or 10+10log(B)=	28.75	PASS
58	5290	12.28	5.99	18.27	67.152	30	or 17+10log(B)=	35.74	PASS

^{*} Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 19 of 57

7. UNDESIRABLE EMISSION - RADIATED MEASUREMENT

7.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LII	MIT			
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m				
	PK: 74 (dBμV/m)	AV 54 (dBμV/m)			
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m			
15.407(b)(1)					
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)			
15.407(b)(3)					
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4			

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 20 of 57

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Field strength (microvolts/meter)	Distance (meters)
2400/F(KHz)	300
24000/F(KHz)	30
30	30
100	3
150	3
200	3
500	3
	(microvolts/meter) 2400/F(KHz) 24000/F(KHz) 30 100 150 200

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 21 of 57

7.2 Measurement Equipment Used:

		SGS 966 Chambe	er No.C		
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESU 40	100363	04/11/2018	04/10/2019
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2017	12/22/2018
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2017	11/02/2018
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2017	12/16/2018
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018
Pre Amplifier	EMC Instruments	EMC330	980096	12/24/2017	12/23/2018
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/24/2017	12/23/2018
Pre Amplifier	R&S	SCU-18	10204	12/24/2017	12/23/2018
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/24/2017	12/23/2018
Attenuator	WOKEN	218FS-10	RF27	12/24/2017	12/23/2018
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2018	03/01/2019
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2018	03/01/2019
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2018	05/03/2019
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No 134 WulkunRoad New TaipeiIndustrialPark WukupDistrict New TaipeiCity Taiwan 24803/新北市五股區新北產業園區五工路 134 赞




Page: 22 of 57

7.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page: 23 of 57

7.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequen-3. cy> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

7.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 24 of 57

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

7.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

7.7 Measurement Result

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated the results shown in this east report reter only to the sample(s) desire and south sample(s) are retained to 90 days only. Personal transfer of the state of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


www.tw.sgs.com



Page: 25 of 57

Radiated Spurious Emission Measurement Result Above 1GHz Worst-Case Data: 802.11a, 5150~5250 MHz

Operation Mode :802.11a / Band 1 Test Date :2018-06-15 Test Mode :TX CH HIGH Temp./Humi. :23/70 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :5240 MHz Engineer :Enzo



10480.00	Peak	30.52	27.16	57.68	68.20	-10.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Test Channel

Report No.: E2/2018/60029

Page: 26 of 57


Operation Mode :802.11a / Band 1 Test Mode :TX CH HIGH **EUT Pol** :E2 Plan

:5240 MHz

Test Date :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	10480.00	Peak	32.30	27.16	59.46	68.20	-8.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 27 of 57

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode :802.11a / Band 2 **Test Date** :2018-06-15 Temp./Humi. Test Mode :TX CH HIGH :23/70 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :5320 MHz Engineer :Enzo



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	10640.00	Average	20.83	27.20	48.03	54.00	-5.97
	10640.00	Peak	30.38	27.20	57.58	74.00	-16.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 28 of 57

Operation Mode :802.11a / Band 2 Test Mode :TX CH HIGH

EUT Pol :E2 Plan **Test Channel** :5320 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10640.00	Average	20.87	27.20	48.07	54.00	-5.93
10640.00	Peak	30.66	27.20	57.86	74.00	-16.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 29 of 57

802.11ac VHT20, 5150~5250 MHz

Operation Mode :802.11ac20 / Band 1 Test Date :2018-06-15

Test Mode :TX CH HIGH Temp./Humi. :23/70 Antenna Pol. **EUT Pol** :E2 Plan :VERTICAL

Test Channel :5240 MHz Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10480.00	Peak	29.91	27.16	57.07	68.20	-11.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 30 of 57

Operation Mode :802.11ac20 / Band 1


Test Mode :TX CH HIGH **EUT Pol** :E2 Plan

Test Channel :5240 MHz **Test Date** :2018-06-15

Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	32.20	27.16	59.36	68.20	-8.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 31 of 57

802.11ac VHT20, 5250~5350 MHz

Operation Mode :802.11ac20 / Band 2 Test Date :2018-06-15

Test Mode :TX CH LOW :23/70 Temp./Humi.

Antenna Pol. **EUT Pol** :E2 Plan :VERTICAL **Test Channel** :5260 MHz Engineer :Enzo



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



:2018-06-15


Page: 32 of 57

Operation Mode :802.11ac20 / Band 2 **Test Date**

Test Mode :TX CH LOW Temp./Humi. :23/70

EUT Pol Antenna Pol. :HORIZONTAL :E2 Plan

Test Channel :5260 MHz Engineer :Enzo



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	10520.00	Peak	30.26	27.23	57.49	68.20	-10.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 33 of 57

802.11ac VHT40, 5150~5250 MHz

Operation Mode :802.11ac40 / Band 1 **Test Date** :2018-06-15

Test Mode :TX CH HIGH Temp./Humi. :23/70 **EUT Pol** Antenna Pol. :E2 Plan :VERTICAL

Test Channel :5230 MHz Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10460.00	Peak	30.60	27.06	57.66	68.20	-10.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 34 of 57

Operation Mode :802.11ac40 / Band 1


Test Mode :TX CH HIGH **EUT Pol** :E2 Plan

Test Channel :5230 MHz **Test Date** :2018-06-15

Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10460.00	Peak	31.26	27.06	58.32	68.20	-9.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 35 of 57

802.11ac_VHT40, 5250~5350 MHz

Operation Mode :802.11ac40 / Band 2 **Test Date** :2018-06-15

Test Mode :TX CH LOW Temp./Humi. :23/70 **EUT Pol** Antenna Pol. :E2 Plan :VERTICAL

Test Channel :5270 MHz Engineer :Enzo



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
10540.00	Peak	31.24	27.23	58.47	68.20	-9.73	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 36 of 57


Operation Mode :802.11ac40 / Band 2 Test Mode

:TX CH LOW **EUT Pol** :E2 Plan

Test Channel :5270 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Peak	30.75	27.23	57.98	68.20	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 37 of 57

802.11ac_VHT80, 5150~5250 MHz

Operation Mode :802.11ac80 / Band 1 **Test Date** :2018-06-15

Test Mode :TX CH LOW Temp./Humi. :23/70 **EUT Pol** Antenna Pol. :VERTICAL :E2 Plan

Test Channel :5210 MHz Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	30.80	26.87	57.67	68.20	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is instantial and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 38 of 57

Operation Mode :802.11ac80 / Band 1


Test Mode :TX CH LOW

EUT Pol :E2 Plan **Test Channel** :5210 MHz **Test Date** :2018-06-15

Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10420.00	Peak	30.75	26.87	57.62	68.20	-10.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 39 of 57

802.11ac_VHT80, 5250~5350 MHz

Operation Mode :802.11ac80 / Band 2 **Test Date** :2018-06-15

Test Mode :TX CH HIGH Temp./Humi. :23/70 **EUT Pol** Antenna Pol. :VERTICAL :E2 Plan

Test Channel :5290 MHz Engineer :Enzo



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	10580.00	Peak	30.88	27.22	58.10	68.20	-10.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 40 of 57


Operation Mode :802.11ac80 / Band 2

Test Mode :TX CH HIGH

EUT Pol :E2 Plan **Test Channel** :5290 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10580.00	Peak	30.42	27.22	57.64	68.20	-10.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 41 of 57

Band edge falling to restricted band

802.11a mode


Operation Mode :802.11a / Band 1 Test Mode :BE CH LOW **EUT Pol** :E2 Plan :5180 MHz **Test Channel**

Test Date :2018-06-14 Temp./Humi. :25/60

:VERTICAL

Engineer :Enzo

Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
	5148.64	Average	32.82	13.63	46.45	54.00	-7.55	
	5148.64	Peak	56.57	13.63	70.20	74.00	-3.80	
	5150.00	Average	33.01	13.65	46.66	54.00	-7.34	
	5150.00	Peak	55.83	13.65	69.48	74.00	-4.52	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 42 of 57

Operation Mode :802.11a / Band 1 Test Mode :BE CH LOW **EUT Pol** :E2 Plan **Test Channel** :5180 MHz

Test Date :2018-06-14 Temp./Humi. :25/60 Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5147.80	Average	32.94	13.63	46.57	54.00	-7.43
5147.80	Peak	57.51	13.63	71.14	74.00	-2.86
5150.00	Average	33.18	13.65	46.83	54.00	-7.17
5150.00	Peak	57.17	13.65	70.82	74.00	-3.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 43 of 57

Operation Mode :802.11a / Band 2 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan **Test Channel** :5320 MHz

Test Date :2018-06-14 Temp./Humi. :25/60 Antenna Pol. :VERTICAL Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.00	Average	32.91	14.16	47.07	54.00	-6.93
5350.00	Peak	53.21	14.16	67.37	74.00	-6.63
5351.28	Average	33.04	14.17	47.21	54.00	-6.79
5351.28	Peak	55.22	14.17	69.39	74.00	-4.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Test Channel

Report No.: E2/2018/60029

Page: 44 of 57

Operation Mode :802.11a / Band 2 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan


:5320 MHz

Test Date Temp./Humi. Antenna Pol. :2018-06-14

:25/60

:HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.94	14.16	47.10	54.00	-6.90
5350.00	Peak	55.66	14.16	69.82	74.00	-4.18
5351.88	Average	32.95	14.17	47.12	54.00	-6.88
5351.88	Peak	57.50	14.17	71.67	74.00	-2.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 45 of 57

Band edge falling to restricted band 802.11ac_VHT20 mode

Operation Mode :802.11ac20 / Band 1 **Test Date** :2018-06-14 Temp./Humi. Test Mode :BE CH LOW :25/60 :E2 Plan **EUT Pol** Antenna Pol. :VERTICAL **Test Channel** :5180 MHz Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5148.64	Average	32.72	13.63	46.35	54.00	-7.65
5148.64	Peak	57.33	13.63	70.96	74.00	-3.04
5150.00	Average	32.86	13.65	46.51	54.00	-7.49
5150.00	Peak	56.43	13.65	70.08	74.00	-3.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 46 of 57

Operation Mode :802.11ac20 / Band 1 Test Mode :BE CH LOW

EUT Pol :E2 Plan **Test Channel** :5180 MHz **Test Date** :2018-06-14 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5147.68	Average	32.92	13.63	46.55	54.00	-7.45
5147.68	Peak	57.87	13.63	71.50	74.00	-2.50
5150.00	Average	33.17	13.65	46.82	54.00	-7.18
5150.00	Peak	58.31	13.65	71.96	74.00	-2.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 47 of 57

Operation Mode Test Mode **EUT Pol**

:802.11ac20 / Band 2


:BE CH HIGH

:E2 Plan **Test Channel** :5320 MHz

Test Date :2018-06-14 Temp./Humi. :25/60 Antenna Pol.

:VERTICAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	33.02	14.16	47.18	54.00	-6.82
5350.00	Peak	55.56	14.16	69.72	74.00	-4.28
5350.80	Average	33.12	14.17	47.29	54.00	-6.71
5350.80	Peak	56.74	14.17	70.91	74.00	-3.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 48 of 57

Operation Mode :802.11ac20 / Band 2 Test Mode :BE CH HIGH

EUT Pol :E2 Plan **Test Channel** :5320 MHz **Test Date** :2018-06-14 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5350.00	Average	33.42	14.16	47.58	54.00	-6.42	
5350.00	Peak	57.10	14.16	71.26	74.00	-2.74	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 57

Band edge falling to restricted band 802.11ac VHT40 mode

Operation Mode :802.11ac40/Band 1 **Test Date** :2018-06-15 Test Mode Temp./Humi. :BE CH LOW :23/70 :E2 Plan **EUT Pol** Antenna Pol. :VERTICAL **Test Channel** :5190 MHz Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	31.80	13.65	45.45	54.00	-8.55
5150.00	Peak	54.76	13.65	68.41	74.00	-5.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 50 of 57

Operation Mode :802.11ac40/Band 1 Test Mode :BE CH LOW

EUT Pol :E2 Plan **Test Channel** :5190 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Average	32.56	13.65	46.21	54.00	-7.79
5150.00	Peak	56.48	13.65	70.13	74.00	-3.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Test Channel


Report No.: E2/2018/60029

Page: 51 of 57

Operation Mode :802.11ac40/Band 2 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan

:5310 MHz

Test Date :2018-06-15 Temp./Humi. :23/70 Antenna Pol. :VERTICAL Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.08	14.16	46.24	54.00	-7.76
5350.00	Peak	50.11	14.16	64.27	74.00	-9.73
5350.64	Average	32.04	14.17	46.21	54.00	-7.79
5350.64	Peak	54.39	14.17	68.56	74.00	-5.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Test Channel

Report No.: E2/2018/60029

Page: 52 of 57


Operation Mode :802.11ac40/Band 2 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan

:5310 MHz

Test Date :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.57	14.16	46.73	54.00	-7.27
5350.00	Peak	52.48	14.16	66.64	74.00	-7.36
5350.64	Average	32.40	14.17	46.57	54.00	-7.43
5350.64	Peak	55.18	14.17	69.35	74.00	-4.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 53 of 57

Band edge falling to restricted band 802.11ac_VHT80 mode

Operation Mode :802.11ac80/Band 1 **Test Date** :2018-06-15 Temp./Humi. Test Mode :BE CH LOW :23/70 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :5210 MHz Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.40	Average	32.37	13.63	46.00	54.00	-8.00
5148.40	Peak	50.08	13.63	63.71	74.00	-10.29
5150.00	Average	32.33	13.65	45.98	54.00	-8.02
5150.00	Peak	48.20	13.65	61.85	74.00	-12.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 54 of 57

Operation Mode :802.11ac80/Band 1 Test Mode :BE CH LOW

EUT Pol :E2 Plan **Test Channel** :5210 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Ashton



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5148.40	Average	33.13	13.63	46.76	54.00	-7.24
5148.40	Peak	53.47	13.63	67.10	74.00	-6.90
5150.00	Average	33.12	13.65	46.77	54.00	-7.23
5150.00	Peak	52.29	13.65	65.94	74.00	-8.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 55 of 57

Operation Mode Test Mode **EUT Pol**

:802.11ac80 / Band 2


:BE CH HIGH

:E2 Plan **Test Channel** :5290 MHz

Test Date Temp./Humi. Antenna Pol. :2018-06-15

:23/70 :VERTICAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.14	14.16	46.30	54.00	-7.70
5350.00	Peak	50.10	14.16	64.26	74.00	-9.74
5351.20	Average	32.32	14.17	46.49	54.00	-7.51
5351.20	Peak	52.54	14.17	66.71	74.00	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 56 of 57

Operation Mode :802.11ac80 / Band 2 Test Mode :BE CH HIGH

EUT Pol :E2 Plan **Test Channel** :5290 MHz **Test Date** :2018-06-15 Temp./Humi. :23/70

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.00	Average	32.55	14.16	46.71	54.00	-7.29
5350.00	Peak	50.86	14.16	65.02	74.00	-8.98
5352.90	Average	32.51	14.17	46.68	54.00	-7.32
5352.90	Peak	52.85	14.17	67.02	74.00	-6.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only.
除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document and the processor of this document is industrial and effenders may be prosequed to the full less event of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 57 of 57

8. ANTENNA REQUIREMENT

7.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

7.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna is designed with permanent attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated the results shown in this east report reter only to the sample(s) desire and south sample(s) are retained to 90 days only. Personal transfer of the state of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

www.tw.sgs.com