


802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5745MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	59.06	68.20	-9.14	5.68	3	Vertical	291	1.53	-	53.38
PK	5.739G	119.22	Inf	-Inf	5.83	3	Vertical	291	1.53	-	113.39
AV	5.738G	106.69	Inf	-Inf	5.83	3	Vertical	291	1.53	-	100.86
PK	5.937G	60.15	68.20	-8.05	6.86	3	Vertical	291	1.53	-	53.29

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5745MHz_TX




EUT Y_4TX
 Setting 20.5
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.573G	58.83	68.20	-9.37	5.58	3	Horizontal	350	1.19	-	53.25
PK	5.751G	116.18	Inf	-Inf	5.85	3	Horizontal	350	1.19	-	110.33
AV	5.752G	103.69	Inf	-Inf	5.85	3	Horizontal	350	1.19	-	97.84
PK	5.968G	60.16	68.20	-8.04	7.01	3	Horizontal	350	1.19	-	53.15

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5745MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49408G	65.86	74.00	-8.14	11.93	3	Vertical	336	1.96	-	53.93
AV	11.49012G	51.23	54.00	-2.77	11.93	3	Vertical	336	1.96	-	39.30

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5745MHz_TX




EUT Y_4TX
 Setting 20.5
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48772G	67.34	74.00	-6.66	11.93	3	Horizontal	12	2.32	-	55.41
AV	11.4897G	53.74	54.00	-0.26	11.93	3	Horizontal	12	2.32	-	41.81

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5785MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.579G	59.21	68.20	-8.99	5.58	3	Vertical	42	2.22	-	53.63
PK	5.793G	117.71	Inf	-Inf	5.95	3	Vertical	42	2.22	-	111.76
AV	5.792G	105.88	Inf	-Inf	5.94	3	Vertical	42	2.22	-	99.94
PK	5.954G	60.00	68.20	-8.20	6.94	3	Vertical	42	2.22	-	53.06

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5785MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.574G	59.82	68.20	-8.38	5.58	3	Horizontal	60	2.64	-	54.24
PK	5.781G	118.51	Inf	-Inf	5.91	3	Horizontal	60	2.64	-	112.60
AV	5.782G	106.42	Inf	-Inf	5.91	3	Horizontal	60	2.64	-	100.51
PK	5.961G	60.13	68.20	-8.07	6.97	3	Horizontal	60	2.64	-	53.16

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5785MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56688G	65.74	74.00	-8.26	11.95	3	Vertical	356	2.63	-	53.79
AV	11.56988G	51.85	54.00	-2.15	11.95	3	Vertical	356	2.63	-	39.90

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5785MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57048G	68.59	74.00	-5.41	11.95	3	Horizontal	16	2.24	-	56.64
AV	11.56694G	53.81	54.00	-0.19	11.95	3	Horizontal	16	2.24	-	41.86

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5825MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.595G	58.96	68.20	-9.24	5.63	3	Vertical	291	2.11	-	53.33
PK	5.83G	119.59	Inf	-Inf	6.18	3	Vertical	291	2.11	-	113.41
AV	5.829G	106.86	Inf	-Inf	6.17	3	Vertical	291	2.11	-	100.69
PK	5.925G	60.21	68.20	-7.99	6.81	3	Vertical	291	2.11	-	53.40

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5825MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	59.10	68.20	-9.10	5.67	3	Horizontal	54	1.79	-	53.43
PK	5.827G	116.77	Inf	-Inf	6.16	3	Horizontal	54	1.79	-	110.61
AV	5.827G	105.41	Inf	-Inf	6.16	3	Horizontal	54	1.79	-	99.25
PK	5.954G	60.75	68.20	-7.45	6.94	3	Horizontal	54	1.79	-	53.81

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5825MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65084G	64.58	74.00	-9.42	11.99	3	Vertical	331	2.01	-	52.59
AV	11.6518G	50.02	54.00	-3.98	11.99	3	Vertical	331	2.01	-	38.03

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5825MHz_TX




EUT Y_4TX
Setting 20.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64964G	69.57	74.00	-4.43	11.99	3	Horizontal	21	2.24	-	57.58
AV	11.65126G	53.72	54.00	-0.28	11.99	3	Horizontal	21	2.24	-	41.73

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5190MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	67.78	74.00	-6.22	4.24	3	Vertical	299	2.77	-	63.54
AV	5.1448G	52.98	54.00	-1.02	4.24	3	Vertical	299	2.77	-	48.74
PK	5.184G	116.67	Inf	-Inf	4.26	3	Vertical	299	2.77	-	112.41
AV	5.1828G	103.54	Inf	-Inf	4.26	3	Vertical	299	2.77	-	99.28

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5190MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.95	74.00	-6.05	4.25	3	Horizontal	337	2.77	-	63.70
AV	5.1496G	53.69	54.00	-0.31	4.25	3	Horizontal	337	2.77	-	49.44
PK	5.1892G	114.94	Inf	-Inf	4.26	3	Horizontal	337	2.77	-	110.68
AV	5.1884G	101.74	Inf	-Inf	4.26	3	Horizontal	337	2.77	-	97.48

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5190MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38054G	55.67	68.20	-12.53	10.88	3	Vertical	334	2.00	-	44.79

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5190MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37802G	56.80	68.20	-11.40	10.88	3	Horizontal	353	2.32	-	45.92

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5230MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	71.32	74.00	-2.68	4.24	3	Vertical	310	2.14	-	67.08
AV	5.1448G	53.99	54.00	-0.01	4.24	3	Vertical	310	2.14	-	49.75
PK	5.2228G	120.65	Inf	-Inf	4.36	3	Vertical	310	2.14	-	116.29
AV	5.224G	107.71	Inf	-Inf	4.36	3	Vertical	310	2.14	-	103.35
PK	5.3644G	58.30	74.00	-15.70	4.86	3	Vertical	310	2.14	-	53.44
AV	5.365G	45.87	54.00	-8.13	4.86	3	Vertical	310	2.14	-	41.01

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5230MHz_TX




EUT_Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1376G	63.90	74.00	-10.10	4.24	3	Horizontal	301	2.18	-	59.66
AV	5.1454G	49.09	54.00	-4.91	4.25	3	Horizontal	301	2.18	-	44.84
PK	5.2342G	119.27	Inf	-Inf	4.39	3	Horizontal	301	2.18	-	114.88
AV	5.2342G	107.31	Inf	-Inf	4.39	3	Horizontal	301	2.18	-	102.92
PK	5.353G	59.15	74.00	-14.85	4.82	3	Horizontal	301	2.18	-	54.33
AV	5.3542G	46.04	54.00	-7.96	4.82	3	Horizontal	301	2.18	-	41.22

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5230MHz_TX



EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.45808G	60.51	68.20	-7.69	10.98	3	Vertical	341	2.03	-	49.53

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5230MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46078G	62.17	68.20	-6.03	10.98	3	Horizontal	14	2.51	-	51.19

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5755MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.53	68.20	-6.67	5.69	3	Vertical	294	1.47	-	55.84
PK	5.747G	118.13	Inf	-Inf	5.84	3	Vertical	294	1.47	-	112.29
AV	5.747G	105.86	Inf	-Inf	5.84	3	Vertical	294	1.47	-	100.02
PK	5.974G	59.86	68.20	-8.34	7.04	3	Vertical	294	1.47	-	52.82

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5755MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	60.25	68.20	-7.95	5.67	3	Horizontal	348	1.38	-	54.58
PK	5.763G	115.50	Inf	-Inf	5.89	3	Horizontal	348	1.38	-	109.61
AV	5.763G	103.25	Inf	-Inf	5.89	3	Horizontal	348	1.38	-	97.36
PK	5.99G	59.94	68.20	-8.26	7.10	3	Horizontal	348	1.38	-	52.84

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5755MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5118G	63.95	74.00	-10.05	11.93	3	Vertical	354	2.65	-	52.02
AV	11.5102G	49.85	54.00	-4.15	11.93	3	Vertical	354	2.65	-	37.92

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5755MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5116G	68.04	74.00	-5.96	11.93	3	Horizontal	14	2.23	-	56.11
AV	11.5104G	53.69	54.00	-0.31	11.93	3	Horizontal	14	2.23	-	41.76

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5795MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.575G	60.06	68.20	-8.14	5.58	3	Vertical	295	1.55	-	54.48
PK	5.786G	118.31	Inf	-Inf	5.92	3	Vertical	295	1.55	-	112.39
AV	5.787G	106.36	Inf	-Inf	5.92	3	Vertical	295	1.55	-	100.44
PK	5.928G	60.95	68.20	-7.25	6.82	3	Vertical	295	1.55	-	54.13

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5795MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.612G	59.70	68.20	-8.50	5.65	3	Horizontal	296	2.99	-	54.05
PK	5.786G	117.13	Inf	-Inf	5.92	3	Horizontal	296	2.99	-	111.21
AV	5.785G	104.69	Inf	-Inf	5.92	3	Horizontal	296	2.99	-	98.77
PK	5.927G	61.64	68.20	-6.56	6.82	3	Horizontal	296	2.99	-	54.82

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5795MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5878G	64.44	74.00	-9.56	11.97	3	Vertical	356	2.69	-	52.47
AV	11.5886G	50.34	54.00	-3.66	11.97	3	Vertical	356	2.69	-	38.37

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5795MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5979G	67.98	74.00	-6.02	11.97	3	Horizontal	17	2.22	-	56.01
AV	11.5932G	53.96	54.00	-0.04	11.97	3	Horizontal	17	2.22	-	41.99

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5210MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	66.61	74.00	-7.39	4.25	3	Vertical	302	2.19	-	62.36
AV	5.147G	53.55	54.00	-0.45	4.25	3	Vertical	302	2.19	-	49.30
PK	5.187G	112.15	Inf	-Inf	4.27	3	Vertical	302	2.19	-	107.88
AV	5.206G	99.58	Inf	-Inf	4.29	3	Vertical	302	2.19	-	95.29
PK	5.454G	58.44	74.00	-15.56	5.19	3	Vertical	302	2.19	-	53.25
AV	5.434G	45.04	54.00	-8.96	5.12	3	Vertical	302	2.19	-	39.92

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5210MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.135G	61.35	74.00	-12.65	4.25	3	Horizontal	304	2.08	-	57.10
AV	5.136G	49.01	54.00	-4.99	4.25	3	Horizontal	304	2.08	-	44.76
PK	5.214G	110.23	Inf	-Inf	4.32	3	Horizontal	304	2.08	-	105.91
AV	5.214G	97.95	Inf	-Inf	4.32	3	Horizontal	304	2.08	-	93.63
PK	5.376G	58.47	74.00	-15.53	4.91	3	Horizontal	304	2.08	-	53.56
AV	5.44G	44.90	54.00	-9.10	5.15	3	Horizontal	304	2.08	-	39.75

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5210MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41528G	53.58	68.20	-14.62	10.92	3	Vertical	61	2.57	-	42.66

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5210MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.42608G	53.02	68.20	-15.18	10.95	3	Horizontal	19	2.48	-	42.07

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5775MHz_TX




EUT Y_4TX
Setting 19
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.64G	63.22	68.20	-4.98	5.68	3	Vertical	286	2.15	-	57.54
PK	5.779G	112.19	Inf	-Inf	5.91	3	Vertical	286	2.15	-	106.28
AV	5.76G	99.99	Inf	-Inf	5.87	3	Vertical	286	2.15	-	94.12
PK	5.96G	60.72	68.20	-7.48	6.97	3	Vertical	286	2.15	-	53.75

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5775MHz_TX




EUT Y_4TX
Setting 19
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	67.93	68.20	-0.27	5.68	3	Horizontal	63	2.75	-	62.25
PK	5.765G	113.02	Inf	-Inf	5.89	3	Horizontal	63	2.75	-	107.13
AV	5.765G	99.44	Inf	-Inf	5.89	3	Horizontal	63	2.75	-	93.55
PK	5.926G	62.25	68.20	-5.95	6.81	3	Horizontal	63	2.75	-	55.44

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5775MHz_TX




EUT Y_4TX
Setting 19
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54788G	53.47	74.00	-20.53	11.95	3	Vertical	167	2.61	-	41.52
AV	11.55284G	39.96	54.00	-14.04	11.96	3	Vertical	167	2.61	-	28.00

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5775MHz_TX



EUT Y_4TX
Setting 19
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54736G	53.98	74.00	-20.02	11.95	3	Horizontal	119	1.89	-	42.03
AV	11.55728G	39.93	54.00	-14.07	11.96	3	Horizontal	119	1.89	-	27.97




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4688G	68.19	68.20	-0.01	5.26	3	Horizontal	58	2.43	-

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5260MHz_TX




EUT Y_4TX
Setting 26
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1394G	60.02	74.00	-13.98	4.24	3	Vertical	290	1.40	-	55.78
AV	5.143G	46.13	54.00	-7.87	4.24	3	Vertical	290	1.40	-	41.89
PK	5.2642G	123.86	Inf	-Inf	4.50	3	Vertical	290	1.40	-	119.36
AV	5.2636G	113.71	Inf	-Inf	4.50	3	Vertical	290	1.40	-	109.21
PK	5.3662G	60.61	74.00	-13.39	4.87	3	Vertical	290	1.40	-	55.74
AV	5.3656G	47.14	54.00	-6.86	4.87	3	Vertical	290	1.40	-	42.27

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5260MHz_TX




EUT_Y_4TX
Setting 26
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1148G	57.70	74.00	-16.30	4.22	3	Horizontal	333	1.13	-	53.48
AV	5.1454G	45.42	54.00	-8.58	4.25	3	Horizontal	333	1.13	-	41.17
PK	5.263G	121.47	Inf	-Inf	4.50	3	Horizontal	333	1.13	-	116.97
AV	5.263G	111.30	Inf	-Inf	4.50	3	Horizontal	333	1.13	-	106.80
PK	5.3524G	59.69	74.00	-14.31	4.82	3	Horizontal	333	1.13	-	54.87
AV	5.3524G	46.20	54.00	-7.80	4.82	3	Horizontal	333	1.13	-	41.38

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5260MHz_TX




EUT Y_4TX
Setting 26
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5203G	66.57	68.20	-1.63	11.06	3	Vertical	337	1.93	-	55.51
PK	15.77736G	60.87	74.00	-13.13	14.16	3	Vertical	37	1.50	-	46.71
AV	15.7776G	47.66	54.00	-6.34	14.16	3	Vertical	37	1.50	-	33.50

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5260MHz_TX




EUT Y_4TX
Setting 26
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51802G	67.51	68.20	-0.69	11.06	3	Horizontal	355	2.37	-	56.45
PK	15.78402G	64.77	74.00	-9.23	14.17	3	Horizontal	316	2.38	-	50.60
AV	15.78294G	51.33	54.00	-2.67	14.16	3	Horizontal	316	2.38	-	37.17

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5300MHz_TX




EUT Y_4TX
Setting 24
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2936G	119.55	Inf	-Inf	4.62	3	Vertical	314	2.70	-	114.93
AV	5.2932G	109.73	Inf	-Inf	4.62	3	Vertical	314	2.70	-	105.11
PK	5.3516G	71.19	74.00	-2.81	4.81	3	Vertical	314	2.70	-	66.38
AV	5.3512G	53.04	54.00	-0.96	4.81	3	Vertical	314	2.70	-	48.23

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5300MHz_TX




EUT Y_4TX
Setting 24
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2984G	121.99	Inf	-Inf	4.64	3	Horizontal	62	2.34	-	117.35
AV	5.2988G	112.12	Inf	-Inf	4.64	3	Horizontal	62	2.34	-	107.48
PK	5.3584G	69.01	74.00	-4.99	4.85	3	Horizontal	62	2.34	-	64.16
AV	5.3584G	52.47	54.00	-1.53	4.85	3	Horizontal	62	2.34	-	47.62

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5300MHz_TX




EUT Y_4TX
Setting 24
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6008G	64.66	74.00	-9.34	11.17	3	Vertical	337	1.01	-	53.49
AV	10.6078G	51.13	54.00	-2.87	11.19	3	Vertical	337	1.01	-	39.94
PK	15.89034G	60.63	74.00	-13.37	14.04	3	Vertical	17	1.58	-	46.59
AV	15.90252G	47.52	54.00	-6.48	14.02	3	Vertical	17	1.58	-	33.50

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5300MHz_TX




EUT Y_4TX
Setting 24
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6006G	65.17	74.00	-8.83	11.17	3	Horizontal	354	2.30	-	54.00
AV	10.60024G	51.75	54.00	-2.25	11.17	3	Horizontal	354	2.30	-	40.58
PK	15.9033G	61.79	74.00	-12.21	14.02	3	Horizontal	319	2.31	-	47.77
AV	15.90282G	48.05	54.00	-5.95	14.02	3	Horizontal	319	2.31	-	34.03

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5320MHz_TX




EUT_Y_4TX
Setting 20
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3224G	117.74	Inf	-Inf	4.72	3	Vertical	296	2.38	-	113.02
AV	5.322G	107.90	Inf	-Inf	4.72	3	Vertical	296	2.38	-	103.18
PK	5.362G	61.36	74.00	-12.64	4.86	3	Vertical	296	2.38	-	56.50
AV	5.3616G	47.13	54.00	-6.87	4.85	3	Vertical	296	2.38	-	42.28

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5320MHz_TX




EUT_Y_4TX
Setting 20
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	117.50	Inf	-Inf	4.70	3	Horizontal	65	2.81	-	112.80
AV	5.3168G	108.10	Inf	-Inf	4.70	3	Horizontal	65	2.81	-	103.40
PK	5.35G	69.22	74.00	-4.78	4.81	3	Horizontal	65	2.81	-	64.41
AV	5.35G	53.07	54.00	-0.93	4.81	3	Horizontal	65	2.81	-	48.26

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5320MHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63622G	60.84	74.00	-13.16	11.23	3	Vertical	339	1.03	-	49.61
AV	10.63802G	46.90	54.00	-7.10	11.23	3	Vertical	339	1.03	-	35.67

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5320MHz_TX




EUT Y_4TX
 Setting 20
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6412G	57.33	74.00	-16.67	11.23	3	Horizontal	55	2.51	-	46.10
AV	10.64186G	43.61	54.00	-10.39	11.23	3	Horizontal	55	2.51	-	32.38

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5500MHz_TX




EUT_Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4252G	59.52	74.00	-14.48	5.10	3	Vertical	298	1.49	-	54.42
PK	5.4692G	60.22	68.20	-7.98	5.26	3	Vertical	298	1.49	-	54.96
AV	5.4596G	46.63	54.00	-7.37	5.22	3	Vertical	298	1.49	-	41.41
PK	5.5008G	116.97	Inf	-Inf	5.38	3	Vertical	298	1.49	-	111.59
AV	5.5012G	107.82	Inf	-Inf	5.38	3	Vertical	298	1.49	-	102.44

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5500MHz_TX




EUT_Y_4TX
 Setting 18.5
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	58.97	74.00	-15.03	5.22	3	Horizontal	62	2.80	-	53.75
AV	5.4568G	46.44	54.00	-7.56	5.21	3	Horizontal	62	2.80	-	41.23
PK	5.47G	68.09	68.20	-0.11	5.26	3	Horizontal	62	2.80	-	62.83
PK	5.4968G	116.38	Inf	-Inf	5.37	3	Horizontal	62	2.80	-	111.01
AV	5.4968G	106.90	Inf	-Inf	5.37	3	Horizontal	62	2.80	-	101.53

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5500MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00288G	62.24	74.00	-11.76	11.71	3	Vertical	334	1.84	-	50.53
AV	11.00006G	48.58	54.00	-5.42	11.71	3	Vertical	334	1.84	-	36.87

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5500MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99922G	63.79	74.00	-10.21	11.71	3	Horizontal	6	2.25	-	52.08
AV	11.00012G	50.68	54.00	-3.32	11.71	3	Horizontal	6	2.25	-	38.97

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5580MHz_TX




EUT_Y_4TX
Setting 21
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4072G	58.41	74.00	-15.59	5.02	3	Vertical	307	1.71	-	53.39
AV	5.3888G	46.05	54.00	-7.95	4.95	3	Vertical	307	1.71	-	41.10
PK	5.4656G	58.36	68.20	-9.84	5.25	3	Vertical	307	1.71	-	53.11
PK	5.5872G	115.43	Inf	-Inf	5.60	3	Vertical	307	1.71	-	109.83
AV	5.5872G	106.32	Inf	-Inf	5.60	3	Vertical	307	1.71	-	100.72
PK	5.7608G	60.94	68.20	-7.26	5.87	3	Vertical	307	1.71	-	55.07

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5580MHz_TX




EUT_Y_4TX
Setting 21
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3968G	58.65	74.00	-15.35	4.98	3	Horizontal	66	2.75	-	53.67
PK	5.4616G	58.18	68.20	-10.02	5.22	3	Horizontal	66	2.75	-	52.96
AV	5.4384G	46.36	54.00	-7.64	5.15	3	Horizontal	66	2.75	-	41.21
PK	5.5776G	118.45	Inf	-Inf	5.58	3	Horizontal	66	2.75	-	112.87
AV	5.5832G	108.82	Inf	-Inf	5.60	3	Horizontal	66	2.75	-	103.22
PK	5.7648G	61.42	68.20	-6.78	5.89	3	Horizontal	66	2.75	-	55.53

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5580MHz_TX




EUT Y_4TX
Setting 21
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1609G	64.41	74.00	-9.59	11.78	3	Vertical	11	1.01	-	52.63
AV	11.16018G	51.03	54.00	-2.97	11.78	3	Vertical	11	1.01	-	39.25

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5580MHz_TX




EUT Y_4TX
Setting 21
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16096G	67.94	74.00	-6.06	11.78	3	Horizontal	7	2.31	-	56.16
AV	11.16018G	53.73	54.00	-0.27	11.78	3	Horizontal	7	2.31	-	41.95

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	115.35	Inf	-Inf	5.75	3	Vertical	294	1.49	-	109.60
AV	5.7056G	105.74	Inf	-Inf	5.75	3	Vertical	294	1.49	-	99.99
PK	5.726G	66.71	68.20	-1.49	5.79	3	Vertical	294	1.49	-	60.92

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5700MHz_TX




EUT_Y_4TX
Setting 17.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	114.78	Inf	-Inf	5.75	3	Horizontal	59	2.26	-	109.03
AV	5.7052G	105.39	Inf	-Inf	5.75	3	Horizontal	59	2.26	-	99.64
PK	5.726G	67.94	68.20	-0.26	5.79	3	Horizontal	59	2.26	-	62.15

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4024G	61.85	74.00	-12.15	11.89	3	Vertical	334	1.98	-	49.96
AV	11.4028G	48.06	54.00	-5.94	11.89	3	Vertical	334	1.98	-	36.17

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40102G	63.50	74.00	-10.50	11.89	3	Horizontal	11	2.22	-	51.61
AV	11.4003G	49.23	54.00	-4.77	11.89	3	Horizontal	11	2.22	-	37.34

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	58.80	74.00	-15.20	5.18	3	Vertical	293	1.58	-	53.62
AV	5.4584G	45.99	54.00	-8.01	5.22	3	Vertical	293	1.58	-	40.77
PK	5.47G	58.23	68.20	-9.97	5.26	3	Vertical	293	1.58	-	52.97
PK	5.7224G	116.43	Inf	-Inf	5.79	3	Vertical	293	1.58	-	110.64
AV	5.7236G	107.16	Inf	-Inf	5.80	3	Vertical	293	1.58	-	101.36
PK	5.948G	60.14	68.20	-8.06	6.91	3	Vertical	293	1.58	-	53.23

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	58.46	74.00	-15.54	5.19	3	Horizontal	56	2.75	-	53.27
AV	5.4452G	46.48	54.00	-7.52	5.18	3	Horizontal	56	2.75	-	41.30
PK	5.4644G	58.60	68.20	-9.60	5.23	3	Horizontal	56	2.75	-	53.37
PK	5.7236G	114.40	Inf	-Inf	5.80	3	Horizontal	56	2.75	-	108.60
AV	5.7128G	104.89	Inf	-Inf	5.78	3	Horizontal	56	2.75	-	99.11
PK	5.912G	60.22	68.20	-7.98	6.76	3	Horizontal	56	2.75	-	53.46

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44252G	64.10	74.00	-9.90	11.90	3	Vertical	335	2.08	-	52.20
AV	11.44018G	51.01	54.00	-2.99	11.90	3	Vertical	335	2.08	-	39.11

802.11a_Nss1,(6Mbps)_4TX

14/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44036G	66.95	74.00	-7.05	11.90	3	Horizontal	14	2.28	-	55.05
AV	11.44006G	53.67	54.00	-0.33	11.90	3	Horizontal	14	2.28	-	41.77

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5260MHz_TX




EUT_Y_4TX
Setting 24
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1394G	59.53	74.00	-14.47	4.24	3	Vertical	321	1.82	-	55.29
AV	5.1478G	45.08	54.00	-8.92	4.25	3	Vertical	321	1.82	-	40.83
PK	5.2582G	121.53	Inf	-Inf	4.48	3	Vertical	321	1.82	-	117.05
AV	5.2576G	108.07	Inf	-Inf	4.48	3	Vertical	321	1.82	-	103.59
PK	5.3722G	58.59	74.00	-15.41	4.89	3	Vertical	321	1.82	-	53.70
AV	5.3506G	45.37	54.00	-8.63	4.81	3	Vertical	321	1.82	-	40.56

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5260MHz_TX




EUT_Y_4TX
Setting 24
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1256G	58.11	74.00	-15.89	4.24	3	Horizontal	62	2.24	-	53.87
AV	5.149G	44.89	54.00	-9.11	4.25	3	Horizontal	62	2.24	-	40.64
PK	5.2582G	122.01	Inf	-Inf	4.48	3	Horizontal	62	2.24	-	117.53
AV	5.2588G	109.42	Inf	-Inf	4.49	3	Horizontal	62	2.24	-	104.93
PK	5.3656G	59.04	74.00	-14.96	4.87	3	Horizontal	62	2.24	-	54.17
AV	5.3506G	45.76	54.00	-8.24	4.81	3	Horizontal	62	2.24	-	40.95

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5260MHz_TX




EUT Y_4TX
Setting 24
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52056G	65.98	68.20	-2.22	11.06	3	Vertical	335	2.06	-	54.92
PK	15.78292G	59.98	74.00	-14.02	14.16	3	Vertical	324	1.64	-	45.82
AV	15.78364G	46.74	54.00	-7.26	14.17	3	Vertical	324	1.64	-	32.57

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5260MHz_TX




EUT Y_4TX
Setting 24
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5218G	67.97	68.20	-0.23	11.07	3	Horizontal	13	2.44	-	56.90
PK	15.77612G	62.23	74.00	-11.77	14.17	3	Horizontal	314	2.35	-	48.06
AV	15.77624G	48.93	54.00	-5.07	14.17	3	Horizontal	314	2.35	-	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5300MHz_TX




EUT Y_4TX
Setting 23
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3056G	121.85	Inf	-Inf	4.66	3	Vertical	296	1.33	-	117.19
AV	5.3056G	109.83	Inf	-Inf	4.66	3	Vertical	296	1.33	-	105.17
PK	5.35G	62.39	74.00	-11.61	4.81	3	Vertical	296	1.33	-	57.58
AV	5.35G	49.86	54.00	-4.14	4.81	3	Vertical	296	1.33	-	45.05

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5300MHz_TX




EUT Y_4TX
Setting 23
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	122.70	Inf	-Inf	4.65	3	Horizontal	60	2.22	-	118.05
AV	5.3016G	109.86	Inf	-Inf	4.64	3	Horizontal	60	2.22	-	105.22
PK	5.3501G	66.82	74.00	-7.18	4.81	3	Horizontal	60	2.22	-	62.01
AV	5.3501G	53.55	54.00	-0.45	4.81	3	Horizontal	60	2.22	-	48.74

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5300MHz_TX




EUT Y_4TX
Setting 23
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60126G	64.23	74.00	-9.77	11.17	3	Vertical	335	1.97	-	53.06
AV	10.6006G	49.93	54.00	-4.07	11.17	3	Vertical	335	1.97	-	38.76
PK	15.8985G	60.55	74.00	-13.45	14.03	3	Vertical	17	1.66	-	46.52
AV	15.90696G	46.34	54.00	-7.66	14.02	3	Vertical	17	1.66	-	32.32

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5300MHz_TX




EUT Y_4TX
Setting 23
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60068G	67.00	74.00	-7.00	11.17	3	Horizontal	4	2.38	-	55.83
AV	10.60048G	52.96	54.00	-1.04	11.17	3	Horizontal	4	2.38	-	41.79
PK	15.90912G	60.05	74.00	-13.95	14.00	3	Horizontal	287	2.65	-	46.05
AV	15.90768G	46.29	54.00	-7.71	14.02	3	Horizontal	287	2.65	-	32.27

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5320MHz_TX




EUT Y_4TX
Setting 20
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3244G	120.06	Inf	-Inf	4.72	3	Vertical	293	1.60	-	115.34
AV	5.3248G	106.71	Inf	-Inf	4.72	3	Vertical	293	1.60	-	101.99
PK	5.3552G	67.67	74.00	-6.33	4.83	3	Vertical	293	1.60	-	62.84
AV	5.3536G	50.06	54.00	-3.94	4.82	3	Vertical	293	1.60	-	45.24

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5320MHz_TX




EUT Y_4TX
Setting 20
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3208G	120.63	Inf	-Inf	4.71	3	Horizontal	61	2.85	-	115.92
AV	5.3212G	107.54	Inf	-Inf	4.71	3	Horizontal	61	2.85	-	102.83
PK	5.3501G	69.56	74.00	-4.44	4.81	3	Horizontal	61	2.85	-	64.75
AV	5.3501G	53.55	54.00	-0.45	4.81	3	Horizontal	61	2.85	-	48.74

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5320MHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6424G	60.34	74.00	-13.66	11.23	3	Vertical	297	2.36	-	49.11
AV	10.6427G	46.34	54.00	-7.66	11.23	3	Vertical	297	2.36	-	35.11
PK	15.95082G	59.58	74.00	-14.42	13.96	3	Vertical	207	1.31	-	45.62
AV	15.97338G	45.39	54.00	-8.61	13.94	3	Vertical	207	1.31	-	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5320MHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.65122G	59.46	74.00	-14.54	11.24	3	Horizontal	68	1.17	-	48.22
AV	10.6403G	44.78	54.00	-9.22	11.23	3	Horizontal	68	1.17	-	33.55
PK	15.95634G	59.51	74.00	-14.49	13.96	3	Horizontal	143	1.44	-	45.55
AV	15.94974G	45.45	54.00	-8.55	13.96	3	Horizontal	143	1.44	-	31.49

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5500MHz_TX




EUT Y_4TX
Setting 18.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.09	74.00	-13.91	5.22	3	Vertical	302	2.04	-	54.87
AV	5.46G	47.10	54.00	-6.90	5.22	3	Vertical	302	2.04	-	41.88
PK	5.47G	64.41	68.20	-3.79	5.26	3	Vertical	302	2.04	-	59.15
PK	5.5024G	120.35	Inf	-Inf	5.38	3	Vertical	302	2.04	-	114.97
AV	5.502G	106.46	Inf	-Inf	5.38	3	Vertical	302	2.04	-	101.08

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5500MHz_TX




EUT_Y_4TX
Setting 18.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4492G	59.06	74.00	-14.94	5.19	3	Horizontal	58	2.43	-	53.87
AV	5.4548G	46.37	54.00	-7.63	5.19	3	Horizontal	58	2.43	-	41.18
PK	5.4688G	68.19	68.20	-0.01	5.26	3	Horizontal	58	2.43	-	62.93
PK	5.502G	120.05	Inf	-Inf	5.38	3	Horizontal	58	2.43	-	114.67
AV	5.5028G	106.48	Inf	-Inf	5.39	3	Horizontal	58	2.43	-	101.09

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5500MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00408G	63.84	74.00	-10.16	11.71	3	Vertical	335	1.80	-	52.13
AV	11.00174G	47.99	54.00	-6.01	11.71	3	Vertical	335	1.80	-	36.28

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5500MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99736G	64.77	74.00	-9.23	11.71	3	Horizontal	120	2.40	-	53.06
AV	10.9997G	49.76	54.00	-4.24	11.71	3	Horizontal	120	2.40	-	38.05

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5580MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4504G	58.70	74.00	-15.30	5.18	3	Vertical	294	2.01	-	53.52
AV	5.392G	45.87	54.00	-8.13	4.97	3	Vertical	294	2.01	-	40.90
PK	5.4624G	58.13	68.20	-10.07	5.23	3	Vertical	294	2.01	-	52.90
PK	5.5832G	120.76	Inf	-Inf	5.60	3	Vertical	294	2.01	-	115.16
AV	5.584G	109.14	Inf	-Inf	5.60	3	Vertical	294	2.01	-	103.54
PK	5.7448G	59.08	68.20	-9.12	5.84	3	Vertical	294	2.01	-	53.24

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5580MHz_TX




EUT_Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4024G	58.42	74.00	-15.58	5.00	3	Horizontal	58	2.66	-	53.42
PK	5.4696G	58.12	68.20	-10.08	5.26	3	Horizontal	58	2.66	-	52.86
AV	5.4384G	45.62	54.00	-8.38	5.15	3	Horizontal	58	2.66	-	40.47
PK	5.584G	119.61	Inf	-Inf	5.60	3	Horizontal	58	2.66	-	114.01
AV	5.5832G	108.09	Inf	-Inf	5.60	3	Horizontal	58	2.66	-	102.49
PK	5.7712G	61.31	68.20	-6.89	5.90	3	Horizontal	58	2.66	-	55.41

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5580MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15766G	65.77	74.00	-8.23	11.78	3	Vertical	330	1.69	-	53.99
AV	11.15658G	50.74	54.00	-3.26	11.78	3	Vertical	330	1.69	-	38.96

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5580MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16492G	69.18	74.00	-4.82	11.78	3	Horizontal	8	2.36	-	57.40
AV	11.15742G	53.84	54.00	-0.16	11.78	3	Horizontal	8	2.36	-	42.06

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7064G	117.09	Inf	-Inf	5.75	3	Vertical	291	2.07	-	111.34
AV	5.7044G	104.69	Inf	-Inf	5.75	3	Vertical	291	2.07	-	98.94
PK	5.7252G	66.92	68.20	-1.28	5.79	3	Vertical	291	2.07	-	61.13

802.11ax HEW20_Nss1,(MCS0)_4TX

17/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.696G	116.89	Inf	-Inf	5.74	3	Horizontal	66	2.75	-	111.15
AV	5.6968G	103.73	Inf	-Inf	5.74	3	Horizontal	66	2.75	-	97.99
PK	5.73G	63.02	68.20	-5.18	5.80	3	Horizontal	66	2.75	-	57.22

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4012G	61.88	74.00	-12.12	11.89	3	Vertical	335	1.94	-	49.99
AV	11.40024G	46.25	54.00	-7.75	11.89	3	Vertical	335	1.94	-	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5700MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3952G	62.57	74.00	-11.43	11.88	3	Horizontal	12	2.24	-	50.69
AV	11.40048G	47.54	54.00	-6.46	11.89	3	Horizontal	12	2.24	-	35.65

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4464G	58.66	74.00	-15.34	5.18	3	Vertical	292	1.55	-	53.48
AV	5.444G	45.81	54.00	-8.19	5.16	3	Vertical	292	1.55	-	40.65
PK	5.47G	57.85	68.20	-10.35	5.26	3	Vertical	292	1.55	-	52.59
PK	5.7128G	120.03	Inf	-Inf	5.78	3	Vertical	292	1.55	-	114.25
AV	5.7128G	108.29	Inf	-Inf	5.78	3	Vertical	292	1.55	-	102.51
PK	5.9096G	59.87	68.20	-8.33	6.75	3	Vertical	292	1.55	-	53.12

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	58.94	74.00	-15.06	5.14	3	Horizontal	58	2.36	-	53.80
PK	5.4656G	57.60	68.20	-10.60	5.25	3	Horizontal	58	2.36	-	52.35
AV	5.4524G	45.67	54.00	-8.33	5.19	3	Horizontal	58	2.36	-	40.48
PK	5.7116G	119.81	Inf	-Inf	5.76	3	Horizontal	58	2.36	-	114.05
AV	5.7116G	107.52	Inf	-Inf	5.76	3	Horizontal	58	2.36	-	101.76
PK	5.912G	59.51	68.20	-8.69	6.76	3	Horizontal	58	2.36	-	52.75

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 21.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43922G	66.79	74.00	-7.21	11.90	3	Vertical	337	2.03	-	54.89
AV	11.4406G	51.92	54.00	-2.08	11.90	3	Vertical	337	2.03	-	40.02

802.11ax HEW20_Nss1,(MCS0)_4TX

16/09/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 21.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4409G	67.80	74.00	-6.20	11.90	3	Horizontal	11	2.31	-	55.90
AV	11.4409G	53.78	54.00	-0.22	11.90	3	Horizontal	11	2.31	-	41.88

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5270MHz_TX




EUT_Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	58.56	74.00	-15.44	4.24	3	Vertical	290	1.44	-	54.32
AV	5.1458G	45.57	54.00	-8.43	4.25	3	Vertical	290	1.44	-	41.32
PK	5.2652G	119.20	Inf	-Inf	4.52	3	Vertical	290	1.44	-	114.68
AV	5.2658G	106.42	Inf	-Inf	4.52	3	Vertical	290	1.44	-	101.90
PK	5.35G	65.37	74.00	-8.63	4.81	3	Vertical	290	1.44	-	60.56
AV	5.35G	52.67	54.00	-1.33	4.81	3	Vertical	290	1.44	-	47.86

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5270MHz_TX




EUT_Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	58.50	74.00	-15.50	4.24	3	Horizontal	306	2.93	-	54.26
AV	5.1434G	45.65	54.00	-8.35	4.24	3	Horizontal	306	2.93	-	41.41
PK	5.2628G	120.66	Inf	-Inf	4.50	3	Horizontal	306	2.93	-	116.16
AV	5.2628G	107.55	Inf	-Inf	4.50	3	Horizontal	306	2.93	-	103.05
PK	5.35G	67.60	74.00	-6.40	4.81	3	Horizontal	306	2.93	-	62.79
AV	5.351G	52.52	54.00	-1.48	4.81	3	Horizontal	306	2.93	-	47.71

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5270MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5292G	60.65	68.20	-7.55	11.08	3	Vertical	338	2.10	-	49.57

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5270MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5388G	62.10	68.20	-6.10	11.10	3	Horizontal	16	2.42	-	51.00

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5310MHz_TX




EUT_Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3268G	115.03	Inf	-Inf	4.74	3	Vertical	296	1.36	-	110.29
AV	5.3052G	102.95	Inf	-Inf	4.66	3	Vertical	296	1.36	-	98.29
PK	5.3544G	67.44	74.00	-6.56	4.82	3	Vertical	296	1.36	-	62.62
AV	5.3544G	52.83	54.00	-1.17	4.82	3	Vertical	296	1.36	-	48.01

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5310MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.304G	115.90	Inf	-Inf	4.65	3	Horizontal	302	2.76	-	111.25
AV	5.304G	103.79	Inf	-Inf	4.65	3	Horizontal	302	2.76	-	99.14
PK	5.364G	69.65	74.00	-4.35	4.86	3	Horizontal	302	2.76	-	64.79
AV	5.3514G	52.59	54.00	-1.41	4.81	3	Horizontal	302	2.76	-	47.78

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5310MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63164G	54.09	74.00	-19.91	11.22	3	Vertical	184	1.40	-	42.87
AV	10.60728G	40.02	54.00	-13.98	11.19	3	Vertical	184	1.40	-	28.83

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5310MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61274G	53.64	74.00	-20.36	11.19	3	Horizontal	190	1.22	-	42.45
AV	10.60716G	40.13	54.00	-13.87	11.19	3	Horizontal	190	1.22	-	28.94

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 16.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.64	74.00	-9.36	5.22	3	Vertical	293	1.70	-	59.42
AV	5.46G	50.31	54.00	-3.69	5.22	3	Vertical	293	1.70	-	45.09
PK	5.4692G	67.93	68.20	-0.27	5.26	3	Vertical	293	1.70	-	62.67
PK	5.5G	116.23	Inf	-Inf	5.38	3	Vertical	293	1.70	-	110.85
AV	5.5008G	102.98	Inf	-Inf	5.38	3	Vertical	293	1.70	-	97.60

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 16.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	62.34	74.00	-11.66	5.19	3	Horizontal	65	2.50	-	57.15
AV	5.456G	48.19	54.00	-5.81	5.21	3	Horizontal	65	2.50	-	42.98
PK	5.4684G	67.50	68.20	-0.70	5.26	3	Horizontal	65	2.50	-	62.24
PK	5.5152G	114.83	Inf	-Inf	5.42	3	Horizontal	65	2.50	-	109.41
AV	5.5148G	101.82	Inf	-Inf	5.42	3	Horizontal	65	2.50	-	96.40

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 16.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0263G	54.25	74.00	-19.75	11.73	3	Vertical	179	2.26	-	42.52
AV	11.0258G	41.12	54.00	-12.88	11.73	3	Vertical	179	2.26	-	29.39

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5510MHz_TX




EUT Y_4TX
Setting 16.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0231G	55.69	74.00	-18.31	11.72	3	Horizontal	266	2.56	-	43.97
AV	11.0216G	41.08	54.00	-12.92	11.72	3	Horizontal	266	2.56	-	29.36

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT_Y_4TX
Setting 21
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	65.71	74.00	-8.29	5.22	3	Vertical	296	1.68	-	60.49
AV	5.4594G	49.50	54.00	-4.50	5.22	3	Vertical	296	1.68	-	44.28
PK	5.4696G	63.96	68.20	-4.24	5.26	3	Vertical	296	1.68	-	58.70
PK	5.5602G	119.61	Inf	-Inf	5.54	3	Vertical	296	1.68	-	114.07
AV	5.5584G	106.84	Inf	-Inf	5.54	3	Vertical	296	1.68	-	101.30

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT_Y_4TX
Setting 21
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4516G	61.95	74.00	-12.05	5.18	3	Horizontal	319	2.85	-	56.77
AV	5.451G	47.49	54.00	-6.51	5.18	3	Horizontal	319	2.85	-	42.31
PK	5.47G	68.13	68.20	-0.07	5.26	3	Horizontal	319	2.85	-	62.87
PK	5.5518G	118.01	Inf	-Inf	5.51	3	Horizontal	319	2.85	-	112.50
AV	5.5512G	105.69	Inf	-Inf	5.51	3	Horizontal	319	2.85	-	100.18

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 21
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0893G	60.24	74.00	-13.76	11.75	3	Vertical	354	2.69	-	48.49
AV	11.0999G	46.75	54.00	-7.25	11.76	3	Vertical	354	2.69	-	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5550MHz_TX




EUT Y_4TX
Setting 21
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.099G	65.96	74.00	-8.04	11.76	3	Horizontal	5	2.39	-	54.20
AV	11.0981G	51.66	54.00	-2.34	11.76	3	Horizontal	5	2.39	-	39.90

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6652G	115.61	Inf	-Inf	5.71	3	Vertical	296	1.62	-	109.90
AV	5.6664G	103.28	Inf	-Inf	5.71	3	Vertical	296	1.62	-	97.57
PK	5.726G	68.17	68.20	-0.03	5.79	3	Vertical	296	1.62	-	62.38

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT_Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.672G	114.47	Inf	-Inf	5.71	3	Horizontal	349	1.01	-	108.76
AV	5.6736G	101.94	Inf	-Inf	5.71	3	Horizontal	349	1.01	-	96.23
PK	5.7336G	65.22	68.20	-2.98	5.81	3	Horizontal	349	1.01	-	59.41

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
 Setting 18.5
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3426G	58.79	74.00	-15.21	11.86	3	Vertical	354	2.63	-	46.93
AV	11.3404G	44.83	54.00	-9.17	11.86	3	Vertical	354	2.63	-	32.97

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5670MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3406G	60.33	74.00	-13.67	11.86	3	Horizontal	14	2.22	-	48.47
AV	11.3418G	46.78	54.00	-7.22	11.86	3	Horizontal	14	2.22	-	34.92

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4304G	58.79	74.00	-15.21	5.11	3	Vertical	292	2.05	-	53.68
PK	5.4664G	58.42	68.20	-9.78	5.25	3	Vertical	292	2.05	-	53.17
AV	5.4496G	46.19	54.00	-7.81	5.19	3	Vertical	292	2.05	-	41.00
PK	5.7136G	120.38	Inf	-Inf	5.78	3	Vertical	292	2.05	-	114.60
AV	5.7148G	107.47	Inf	-Inf	5.78	3	Vertical	292	2.05	-	101.69
PK	5.8816G	61.04	68.20	-7.16	6.57	3	Vertical	292	2.05	-	54.47

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.428G	58.75	74.00	-15.25	5.10	3	Horizontal	66	2.72	-	53.65
PK	5.4688G	58.88	68.20	-9.32	5.26	3	Horizontal	66	2.72	-	53.62
AV	5.4496G	46.13	54.00	-7.87	5.19	3	Horizontal	66	2.72	-	40.94
PK	5.7064G	119.35	Inf	-Inf	5.75	3	Horizontal	66	2.72	-	113.60
AV	5.6992G	107.37	Inf	-Inf	5.74	3	Horizontal	66	2.72	-	101.63
PK	5.9752G	60.21	68.20	-7.99	7.04	3	Horizontal	66	2.72	-	53.17

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 23
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42096G	64.81	74.00	-9.19	11.89	3	Vertical	355	2.63	-	52.92
AV	11.41988G	50.14	54.00	-3.86	11.89	3	Vertical	355	2.63	-	38.25

802.11ax HEW40_Nss1,(MCS0)_4TX

17/09/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 23
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4224G	67.87	74.00	-6.13	11.89	3	Horizontal	13	2.22	-	55.98
AV	11.42216G	53.61	54.00	-0.39	11.89	3	Horizontal	13	2.22	-	41.72

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5290MHz_TX




EUT_Y_4TX
Setting 17
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.05G	58.01	74.00	-15.99	4.30	3	Vertical	295	1.66	-	53.71
AV	5.138G	45.94	54.00	-8.06	4.24	3	Vertical	295	1.66	-	41.70
PK	5.281G	111.20	Inf	-Inf	4.57	3	Vertical	295	1.66	-	106.63
AV	5.28G	100.17	Inf	-Inf	4.57	3	Vertical	295	1.66	-	95.60
PK	5.361G	68.21	74.00	-5.79	4.85	3	Vertical	295	1.66	-	63.36
AV	5.36G	53.60	54.00	-0.40	4.85	3	Vertical	295	1.66	-	48.75
PK	5.5G	58.61	68.20	-9.59	5.38	3	Vertical	295	1.66	-	53.23

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5290MHz_TX




EUT_Y_4TX
Setting 17
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.106G	57.68	74.00	-16.32	4.23	3	Horizontal	337	1.00	-	53.45
AV	5.092G	45.48	54.00	-8.52	4.23	3	Horizontal	337	1.00	-	41.25
PK	5.291G	109.22	Inf	-Inf	4.60	3	Horizontal	337	1.00	-	104.62
AV	5.272G	97.57	Inf	-Inf	4.54	3	Horizontal	337	1.00	-	93.03
PK	5.352G	66.74	74.00	-7.26	4.82	3	Horizontal	337	1.00	-	61.92
AV	5.352G	51.94	54.00	-2.06	4.82	3	Horizontal	337	1.00	-	47.12
PK	5.499G	58.48	68.20	-9.72	5.38	3	Horizontal	337	1.00	-	53.10

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5290MHz_TX




EUT Y_4TX
Setting 17
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.58352G	53.52	68.20	-14.68	11.16	3	Vertical	25	2.11	-	42.36

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5290MHz_TX




EUT Y_4TX
Setting 17
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57912G	52.99	68.20	-15.21	11.15	3	Horizontal	11	2.23	-	41.84

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 15.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.283G	57.82	68.20	-10.38	4.58	3	Vertical	296	1.60	-	53.24
PK	5.451G	66.82	74.00	-7.18	5.18	3	Vertical	296	1.60	-	61.64
AV	5.451G	52.81	54.00	-1.19	5.18	3	Vertical	296	1.60	-	47.63
PK	5.4699G	68.00	68.20	-0.20	5.26	3	Vertical	296	1.60	-	62.74
PK	5.532G	111.46	Inf	-Inf	5.46	3	Vertical	296	1.60	-	106.00
AV	5.531G	98.51	Inf	-Inf	5.45	3	Vertical	296	1.60	-	93.06
PK	5.773G	59.68	68.20	-8.52	5.91	3	Vertical	296	1.60	-	53.77

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 15.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.313G	57.20	68.20	-11.00	4.69	3	Horizontal	344	1.38	-	52.51
PK	5.447G	62.24	74.00	-11.76	5.18	3	Horizontal	344	1.38	-	57.06
AV	5.448G	49.59	54.00	-4.41	5.18	3	Horizontal	344	1.38	-	44.41
PK	5.467G	64.56	68.20	-3.64	5.25	3	Horizontal	344	1.38	-	59.31
PK	5.529G	107.55	Inf	-Inf	5.45	3	Horizontal	344	1.38	-	102.10
AV	5.528G	94.94	Inf	-Inf	5.45	3	Horizontal	344	1.38	-	89.49
PK	5.743G	58.63	68.20	-9.57	5.84	3	Horizontal	344	1.38	-	52.79

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 15.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05424G	54.19	74.00	-19.81	11.73	3	Vertical	253	1.06	-	42.46
AV	11.06276G	39.83	54.00	-14.17	11.73	3	Vertical	253	1.06	-	28.10

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5530MHz_TX




EUT Y_4TX
Setting 15.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05676G	53.72	74.00	-20.28	11.73	3	Horizontal	347	2.44	-	41.99
AV	11.05836G	39.84	54.00	-14.16	11.73	3	Horizontal	347	2.44	-	28.11

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT_Y_4TX
Setting 19.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	65.22	74.00	-8.78	5.21	3	Vertical	299	1.74	-	60.01
AV	5.459G	49.02	54.00	-4.98	5.22	3	Vertical	299	1.74	-	43.80
PK	5.461G	60.51	68.20	-7.69	5.22	3	Vertical	299	1.74	-	55.29
PK	5.598G	114.18	Inf	-Inf	5.64	3	Vertical	299	1.74	-	108.54
AV	5.619G	101.65	Inf	-Inf	5.66	3	Vertical	299	1.74	-	95.99
PK	5.738G	67.87	68.20	-0.33	5.83	3	Vertical	299	1.74	-	62.04

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT_Y_4TX
Setting 19.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.451G	59.91	74.00	-14.09	5.18	3	Horizontal	320	2.86	-	54.73
AV	5.451G	46.94	54.00	-7.06	5.18	3	Horizontal	320	2.86	-	41.76
PK	5.47G	62.59	68.20	-5.61	5.26	3	Horizontal	320	2.86	-	57.33
PK	5.591G	114.42	Inf	-Inf	5.61	3	Horizontal	320	2.86	-	108.81
AV	5.612G	101.11	Inf	-Inf	5.65	3	Horizontal	320	2.86	-	95.46
PK	5.731G	65.16	68.20	-3.04	5.80	3	Horizontal	320	2.86	-	59.36

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 19.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22044G	53.27	74.00	-20.73	11.81	3	Vertical	242	2.93	-	41.46
AV	11.2292G	39.67	54.00	-14.33	11.82	3	Vertical	242	2.93	-	27.85

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5610MHz_TX




EUT Y_4TX
Setting 19.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22368G	53.89	74.00	-20.11	11.81	3	Horizontal	96	2.57	-	42.08
AV	11.22912G	39.67	54.00	-14.33	11.82	3	Horizontal	96	2.57	-	27.85

802.11ax HEW80_Nss1,(MCS0)_4TX

19/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	59.04	74.00	-14.96	5.16	3	Vertical	291	1.25	-	53.88
AV	5.445G	46.47	54.00	-7.53	5.18	3	Vertical	291	1.25	-	41.29
PK	5.467G	59.90	68.20	-8.30	5.25	3	Vertical	291	1.25	-	54.65
PK	5.688G	116.83	Inf	-Inf	5.73	3	Vertical	291	1.25	-	111.10
AV	5.688G	103.38	Inf	-Inf	5.73	3	Vertical	291	1.25	-	97.65
PK	5.8501G	67.81	68.20	-0.39	6.33	3	Vertical	291	1.25	-	61.48

802.11ax HEW80_Nss1,(MCS0)_4TX

19/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	58.06	74.00	-15.94	5.21	3	Horizontal	346	1.04	-	52.85
AV	5.46G	45.65	54.00	-8.35	5.22	3	Horizontal	346	1.04	-	40.43
PK	5.462G	58.71	68.20	-9.49	5.23	3	Horizontal	346	1.04	-	53.48
PK	5.685G	114.57	Inf	-Inf	5.72	3	Horizontal	346	1.04	-	108.85
AV	5.684G	102.45	Inf	-Inf	5.72	3	Horizontal	346	1.04	-	96.73
PK	5.865G	64.76	68.20	-3.44	6.44	3	Horizontal	346	1.04	-	58.32

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 22.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37348G	62.61	74.00	-11.39	11.87	3	Vertical	332	1.94	-	50.74
AV	11.37424G	48.25	54.00	-5.75	11.87	3	Vertical	332	1.94	-	36.38

802.11ax HEW80_Nss1,(MCS0)_4TX

17/09/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 22.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37992G	64.13	74.00	-9.87	11.88	3	Horizontal	11	2.23	-	52.25
AV	11.38452G	49.05	54.00	-4.95	11.88	3	Horizontal	11	2.23	-	37.17




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_4TX	Pass	AV	5.459G	53.93	54.00	-0.07	5.22	3	Vertical	294	1.71	-

802.11ax HEW80+80_Nss1,(MCS0)_4TX

27/09/2019

#5210MHz,5290MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	64.43	74.00	-9.57	4.24	3	Vertical	51	1.49	-	60.19
AV	5.05G	51.84	54.00	-2.16	4.30	3	Vertical	51	1.49	-	47.54
PK	5.209G	107.59	Inf	-Inf	4.31	3	Vertical	51	1.49	-	103.28
AV	5.213G	95.29	Inf	-Inf	4.32	3	Vertical	51	1.49	-	90.97
PK	5.353G	61.29	74.00	-12.71	4.82	3	Vertical	51	1.49	-	56.47
AV	5.352G	47.08	54.00	-6.92	4.82	3	Vertical	51	1.49	-	42.26

802.11ax HEW80+80_Nss1,(MCS0)_4TX

27/09/2019

#5210MHz,5290MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	64.30	74.00	-9.70	4.25	3	Horizontal	348	1.74	-	60.05
AV	5.15G	49.76	54.00	-4.24	4.25	3	Horizontal	348	1.74	-	45.51
PK	5.208G	106.66	Inf	-Inf	4.30	3	Horizontal	348	1.74	-	102.36
AV	5.207G	93.00	Inf	-Inf	4.29	3	Horizontal	348	1.74	-	88.71
PK	5.362G	58.05	74.00	-15.95	4.86	3	Horizontal	348	1.74	-	53.19
AV	5.37G	45.01	54.00	-8.99	4.88	3	Horizontal	348	1.74	-	40.13

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5210MHz,5290MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0498G	58.59	74.00	-15.41	4.31	3	Vertical	300	2.27	-	54.28
AV	5.04995G	53.51	54.00	-0.49	4.31	3	Vertical	300	2.27	-	49.20
PK	15.63504G	60.31	74.00	-13.69	14.35	3	Vertical	16	1.02	-	45.96
AV	15.62008G	46.09	54.00	-7.91	14.36	3	Vertical	16	1.02	-	31.73

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5210MHz,5290MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.04991G	52.94	74.00	-21.06	4.31	3	Horizontal	335	2.99	-	48.63
AV	5.04996G	46.39	54.00	-7.61	4.31	3	Horizontal	335	2.99	-	42.08
PK	15.63376G	60.12	74.00	-13.88	14.35	3	Horizontal	274	1.37	-	45.77
AV	15.62488G	46.04	54.00	-7.96	14.36	3	Horizontal	274	1.37	-	31.68

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5290MHz,5210MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	63.13	74.00	-10.87	4.24	3	Vertical	294	1.26	-	58.89
AV	5.049G	52.95	54.00	-1.05	4.31	3	Vertical	294	1.26	-	48.64
PK	5.285G	104.96	Inf	-Inf	4.58	3	Vertical	294	1.26	-	100.38
AV	5.282G	91.46	Inf	-Inf	4.58	3	Vertical	294	1.26	-	86.88
PK	5.358G	63.73	74.00	-10.27	4.83	3	Vertical	294	1.26	-	58.90
AV	5.37G	48.39	54.00	-5.61	4.88	3	Vertical	294	1.26	-	43.51
PK	5.497G	58.19	68.20	-10.01	5.37	3	Vertical	294	1.26	-	52.82

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5290MHz,5210MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.115G	57.29	74.00	-16.71	4.23	3	Horizontal	33	1.01	-	53.06
AV	5.13G	44.84	54.00	-9.16	4.24	3	Horizontal	33	1.01	-	40.60
PK	5.286G	104.65	Inf	-Inf	4.59	3	Horizontal	33	1.01	-	100.06
AV	5.281G	91.30	Inf	-Inf	4.57	3	Horizontal	33	1.01	-	86.73
PK	5.524G	57.98	68.20	-10.22	5.45	3	Horizontal	33	1.01	-	52.53
AV	5.351G	47.50	54.00	-6.50	4.81	3	Horizontal	33	1.01	-	42.69
PK	5.357G	62.08	74.00	-11.92	4.83	3	Horizontal	33	1.01	-	57.25

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5290MHz,5210MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.05017G	58.29	74.00	-15.71	4.29	3	Vertical	300	2.26	-	54.00
AV	5.04993G	53.59	54.00	-0.41	4.31	3	Vertical	300	2.26	-	49.28
PK	15.86388G	59.21	74.00	-14.79	14.07	3	Vertical	14	1.11	-	45.14
AV	15.86632G	46.73	54.00	-7.27	14.06	3	Vertical	14	1.11	-	32.67

802.11ax HEW80+80_Nss1,(MCS0)_4TX

26/09/2019

#5290MHz,5210MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.04985G	52.07	74.00	-21.93	4.31	3	Horizontal	352	1.61	-	47.76
AV	5.04996G	43.09	54.00	-10.91	4.31	3	Horizontal	352	1.61	-	38.78
PK	15.87796G	59.18	74.00	-14.82	14.05	3	Horizontal	274	1.63	-	45.13
AV	15.8692G	46.34	54.00	-7.66	14.06	3	Horizontal	274	1.63	-	32.28

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

#5530MHz,5610MHz_TX




EUT_Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	57.64	68.20	-10.56	4.70	3	Vertical	294	1.71	-	52.94
PK	5.454G	67.53	74.00	-6.47	5.19	3	Vertical	294	1.71	-	62.34
AV	5.459G	53.93	54.00	-0.07	5.22	3	Vertical	294	1.71	-	48.71
PK	5.467G	67.01	68.20	-1.19	5.25	3	Vertical	294	1.71	-	61.76
PK	5.528G	108.64	Inf	-Inf	5.45	3	Vertical	294	1.71	-	103.19
AV	5.52G	95.85	Inf	-Inf	5.44	3	Vertical	294	1.71	-	90.41
PK	5.755G	58.35	68.20	-9.85	5.86	3	Vertical	294	1.71	-	52.49

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

#5530MHz,5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.346G	57.61	68.20	-10.59	4.81	3	Horizontal	343	1.33	-	52.80
PK	5.459G	61.59	74.00	-12.41	5.22	3	Horizontal	343	1.33	-	56.37
AV	5.459G	48.74	54.00	-5.26	5.22	3	Horizontal	343	1.33	-	43.52
PK	5.47G	63.36	68.20	-4.84	5.26	3	Horizontal	343	1.33	-	58.10
PK	5.546G	102.08	Inf	-Inf	5.50	3	Horizontal	343	1.33	-	96.58
AV	5.543G	89.46	Inf	-Inf	5.49	3	Horizontal	343	1.33	-	83.97
PK	5.763G	66.44	68.20	-1.76	5.89	3	Horizontal	343	1.33	-	60.55

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

#5530MHz,5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.37011G	55.36	74.00	-18.64	4.88	3	Vertical	298	1.81	-	50.48
AV	5.36996G	50.09	54.00	-3.91	4.88	3	Vertical	298	1.81	-	45.21
PK	11.05788G	54.65	74.00	-19.35	11.73	3	Vertical	283	1.72	-	42.92
AV	11.06156G	40.72	54.00	-13.28	11.73	3	Vertical	283	1.72	-	28.99

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

#5530MHz,5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.36994G	51.48	74.00	-22.52	4.88	3	Horizontal	346	1.46	-	46.60
AV	5.36996G	44.81	54.00	-9.19	4.88	3	Horizontal	346	1.46	-	39.93
PK	11.05064G	54.68	74.00	-19.32	11.73	3	Horizontal	236	2.75	-	42.95
AV	11.05008G	40.54	54.00	-13.46	11.73	3	Horizontal	236	2.75	-	28.81

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

5530MHz,#5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	61.58	74.00	-12.42	5.21	3	Vertical	11	2.94	-	56.37
AV	5.45G	49.10	54.00	-4.90	5.19	3	Vertical	11	2.94	-	43.91
PK	5.466G	61.32	68.20	-6.88	5.25	3	Vertical	11	2.94	-	56.07
PK	5.616G	106.68	Inf	-Inf	5.66	3	Vertical	11	2.94	-	101.02
AV	5.609G	92.96	Inf	-Inf	5.65	3	Vertical	11	2.94	-	87.31
PK	5.761G	61.37	68.20	-6.83	5.87	3	Vertical	11	2.94	-	55.50

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

5530MHz,#5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	59.59	74.00	-14.41	5.19	3	Horizontal	34	1.01	-	54.40
AV	5.455G	46.71	54.00	-7.29	5.20	3	Horizontal	34	1.01	-	41.51
PK	5.463G	60.04	68.20	-8.16	5.23	3	Horizontal	34	1.01	-	54.81
PK	5.609G	107.55	Inf	-Inf	5.65	3	Horizontal	34	1.01	-	101.90
AV	5.608G	94.36	Inf	-Inf	5.65	3	Horizontal	34	1.01	-	88.71
PK	5.825G	59.13	68.20	-9.07	6.14	3	Horizontal	34	1.01	-	52.99

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

5530MHz,#5610MHz_TX




EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.36994G	55.92	74.00	-18.08	4.88	3	Vertical	298	1.81	-	51.04
AV	5.36998G	50.90	54.00	-3.10	4.88	3	Vertical	298	1.81	-	46.02
PK	11.21492G	54.78	74.00	-19.22	11.80	3	Vertical	12	1.23	-	42.98
AV	11.22528G	40.40	54.00	-13.60	11.82	3	Vertical	12	1.23	-	28.58

802.11ax HEW80+80_Nss2,(MCS0)_4TX

26/09/2019

5530MHz,#5610MHz_TX



EUT Y_4TX
Setting 16.5
01-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.37001G	52.56	74.00	-21.44	4.88	3	Horizontal	346	1.46	-	47.68
AV	5.36998G	45.67	54.00	-8.33	4.88	3	Horizontal	346	1.46	-	40.79
PK	11.21232G	54.41	74.00	-19.59	11.80	3	Horizontal	133	2.79	-	42.61
AV	11.22852G	40.37	54.00	-13.63	11.82	3	Horizontal	133	2.79	-	28.55