


802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54274G	52.51	74.00	-21.49	38.54	3	Horizontal	301	1.40	-	37.77	9.04	32.84
AV	15.54078G	38.86	54.00	-15.14	24.88	3	Horizontal	301	1.40	-	37.78	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	56.90	74.00	-17.10	50.14	3	Vertical	42	2.06	-	33.50	4.99	31.73
AV	5.108G	43.97	54.00	-10.03	37.31	3	Vertical	42	2.06	-	33.50	4.92	31.76
PK	5.2032G	107.63	Inf	-Inf	100.71	3	Vertical	42	2.06	-	33.51	5.10	31.69
AV	5.2032G	94.25	Inf	-Inf	87.33	3	Vertical	42	2.06	-	33.51	5.10	31.69

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.67	74.00	-12.33	54.90	3	Horizontal	338	1.80	-	33.50	5.00	31.73
AV	5.1468G	48.74	54.00	-5.26	41.98	3	Horizontal	338	1.80	-	33.50	4.99	31.73
PK	5.1948G	124.96	Inf	-Inf	118.07	3	Horizontal	338	1.80	-	33.50	5.09	31.70
AV	5.196G	111.86	Inf	-Inf	104.96	3	Horizontal	338	1.80	-	33.50	5.09	31.69

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60338G	52.27	74.00	-21.73	38.47	3	Vertical	320	2.28	-	37.59	9.06	32.85
AV	15.60072G	38.77	54.00	-15.23	24.96	3	Vertical	320	2.28	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60298G	52.20	74.00	-21.80	38.40	3	Horizontal	26	1.54	-	37.59	9.06	32.85
AV	15.59942G	38.73	54.00	-15.27	24.92	3	Horizontal	26	1.54	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1062G	57.10	74.00	-16.90	50.45	3	Vertical	41	1.86	-	33.50	4.91	31.76
AV	5.0966G	44.00	54.00	-10.00	37.39	3	Vertical	41	1.86	-	33.49	4.89	31.77
PK	5.2436G	109.59	Inf	-Inf	102.58	3	Vertical	41	1.86	-	33.59	5.08	31.66
AV	5.2436G	95.98	Inf	-Inf	88.97	3	Vertical	41	1.86	-	33.59	5.08	31.66
PK	5.39G	57.41	74.00	-16.59	50.18	3	Vertical	41	1.86	-	33.78	5.00	31.55
AV	5.3552G	44.07	54.00	-9.93	36.92	3	Vertical	41	1.86	-	33.71	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1182G	58.68	74.00	-15.32	51.99	3	Horizontal	336	1.71	-	33.50	4.94	31.75
AV	5.1488G	45.87	54.00	-8.13	39.10	3	Horizontal	336	1.71	-	33.50	5.00	31.73
PK	5.2436G	124.43	Inf	-Inf	117.42	3	Horizontal	336	1.71	-	33.59	5.08	31.66
AV	5.2442G	112.02	Inf	-Inf	105.01	3	Horizontal	336	1.71	-	33.59	5.08	31.66
PK	5.3654G	58.41	74.00	-15.59	51.23	3	Horizontal	336	1.71	-	33.73	5.02	31.57
AV	5.3762G	46.28	54.00	-7.72	39.08	3	Horizontal	336	1.71	-	33.75	5.01	31.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72056G	52.24	74.00	-21.76	38.60	3	Vertical	115	1.63	-	37.40	9.10	32.86
AV	15.71684G	38.50	54.00	-15.50	24.86	3	Vertical	115	1.63	-	37.40	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71868G	52.09	74.00	-21.91	38.45	3	Horizontal	233	1.01	-	37.40	9.10	32.86
AV	15.72108G	38.54	54.00	-15.46	24.90	3	Horizontal	233	1.01	-	37.40	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	56.63	74.00	-17.37	49.89	3	Vertical	37	1.77	-	33.50	4.98	31.74
AV	5.146G	43.95	54.00	-10.05	37.19	3	Vertical	37	1.77	-	33.50	4.99	31.73
PK	5.2582G	108.51	Inf	-Inf	101.47	3	Vertical	37	1.77	-	33.62	5.07	31.65
AV	5.2582G	95.96	Inf	-Inf	88.92	3	Vertical	37	1.77	-	33.62	5.07	31.65
PK	5.4082G	56.97	74.00	-17.03	49.68	3	Vertical	37	1.77	-	33.82	5.01	31.54
AV	5.3524G	44.14	54.00	-9.86	37.00	3	Vertical	37	1.77	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	58.46	74.00	-15.54	51.70	3	Horizontal	341	1.66	-	33.50	4.99	31.73
AV	5.15G	45.75	54.00	-8.25	38.98	3	Horizontal	341	1.66	-	33.50	5.00	31.73
PK	5.2612G	124.63	Inf	-Inf	117.59	3	Horizontal	341	1.66	-	33.62	5.07	31.65
AV	5.2612G	111.82	Inf	-Inf	104.78	3	Horizontal	341	1.66	-	33.62	5.07	31.65
PK	5.3632G	58.65	74.00	-15.35	51.47	3	Horizontal	341	1.66	-	33.73	5.02	31.57
AV	5.3572G	46.76	54.00	-7.24	39.61	3	Horizontal	341	1.66	-	33.71	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78474G	52.24	74.00	-21.76	38.58	3	Vertical	75	1.02	-	37.40	9.12	32.86
AV	15.77764G	38.97	54.00	-15.03	25.31	3	Vertical	75	1.02	-	37.40	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77592G	53.17	74.00	-20.83	39.51	3	Horizontal	59	1.60	-	37.40	9.12	32.86
AV	15.77594G	38.92	54.00	-15.08	25.26	3	Horizontal	59	1.60	-	37.40	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	109.65	Inf	-Inf	102.52	3	Vertical	39	1.69	-	33.70	5.05	31.62
AV	5.3028G	95.73	Inf	-Inf	88.60	3	Vertical	39	1.69	-	33.70	5.05	31.62
PK	5.3688G	56.95	74.00	-17.05	49.76	3	Vertical	39	1.69	-	33.74	5.02	31.57
AV	5.3536G	44.14	54.00	-9.86	36.99	3	Vertical	39	1.69	-	33.71	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	123.78	Inf	-Inf	116.66	3	Horizontal	339	1.71	-	33.69	5.05	31.62
AV	5.2956G	111.29	Inf	-Inf	104.17	3	Horizontal	339	1.71	-	33.69	5.05	31.62
PK	5.3532G	60.52	74.00	-13.48	53.37	3	Horizontal	339	1.71	-	33.71	5.02	31.58
AV	5.3532G	47.26	54.00	-6.74	40.11	3	Horizontal	339	1.71	-	33.71	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89736G	52.71	74.00	-21.29	38.92	3	Vertical	92	2.92	-	37.50	9.16	32.87
AV	15.898G	38.86	54.00	-15.14	25.07	3	Vertical	92	2.92	-	37.50	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90022G	53.55	74.00	-20.45	39.75	3	Horizontal	86	2.36	-	37.50	9.17	32.87
AV	15.9046G	38.96	54.00	-15.04	25.16	3	Horizontal	86	2.36	-	37.50	9.17	32.87

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 43
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	106.77	Inf	-Inf	99.63	3	Vertical	42	1.75	-	33.70	5.04	31.60
AV	5.3188G	93.82	Inf	-Inf	86.68	3	Vertical	42	1.75	-	33.70	5.04	31.60
PK	5.4128G	56.94	74.00	-17.06	49.63	3	Vertical	42	1.75	-	33.83	5.01	31.53
AV	5.3504G	44.64	54.00	-9.36	37.50	3	Vertical	42	1.75	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
 Setting 43
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	122.28	Inf	-Inf	115.14	3	Horizontal	335	1.71	-	33.70	5.04	31.60
AV	5.3192G	109.19	Inf	-Inf	102.05	3	Horizontal	335	1.71	-	33.70	5.04	31.60
PK	5.3504G	66.88	74.00	-7.12	59.74	3	Horizontal	335	1.71	-	33.70	5.02	31.58
AV	5.35G	53.60	54.00	-0.40	46.45	3	Horizontal	335	1.71	-	33.70	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 43
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9576G	52.25	74.00	-21.75	38.50	3	Vertical	223	1.59	-	37.44	9.19	32.88
AV	15.95756G	38.69	54.00	-15.31	24.94	3	Vertical	223	1.59	-	37.44	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 43
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95862G	52.64	74.00	-21.36	38.89	3	Horizontal	191	2.46	-	37.44	9.19	32.88
AV	15.95988G	38.75	54.00	-15.25	25.00	3	Horizontal	191	2.46	-	37.44	9.19	32.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	58.06	74.00	-15.94	50.67	3	Vertical	33	1.74	-	33.87	5.04	31.52
PK	5.4648G	57.06	68.20	-11.14	49.60	3	Vertical	33	1.74	-	33.90	5.06	31.50
AV	5.4588G	44.48	54.00	-9.52	37.02	3	Vertical	33	1.74	-	33.90	5.06	31.50
PK	5.5024G	107.17	Inf	-Inf	99.64	3	Vertical	33	1.74	-	33.90	5.10	31.47
AV	5.502G	93.83	Inf	-Inf	86.30	3	Vertical	33	1.74	-	33.90	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.09	74.00	-11.91	54.63	3	Horizontal	360	1.80	-	33.90	5.06	31.50
AV	5.46G	49.60	54.00	-4.40	42.14	3	Horizontal	360	1.80	-	33.90	5.06	31.50
PK	5.47G	67.77	68.20	-0.43	60.29	3	Horizontal	360	1.80	-	33.90	5.07	31.49
PK	5.5008G	123.66	Inf	-Inf	116.13	3	Horizontal	360	1.80	-	33.90	5.10	31.47
AV	5.502G	110.71	Inf	-Inf	103.18	3	Horizontal	360	1.80	-	33.90	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99806G	52.10	74.00	-21.90	38.91	3	Vertical	193	1.35	-	38.50	7.45	32.76
AV	11.00414G	38.08	54.00	-15.92	24.89	3	Vertical	193	1.35	-	38.50	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99538G	51.74	74.00	-22.26	38.55	3	Horizontal	98	1.69	-	38.50	7.45	32.76
AV	11.00264G	38.08	54.00	-15.92	24.89	3	Horizontal	98	1.69	-	38.50	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3888G	61.37	74.00	-12.63	54.13	3	Vertical	0	1.72	-	33.78	5.01	31.55
AV	5.38G	47.92	54.00	-6.08	40.71	3	Vertical	0	1.72	-	33.76	5.01	31.56
PK	5.464G	59.27	68.20	-8.93	51.81	3	Vertical	0	1.72	-	33.90	5.06	31.50
PK	5.5824G	124.94	Inf	-Inf	117.33	3	Vertical	0	1.72	-	33.90	5.18	31.47
AV	5.5824G	112.47	Inf	-Inf	104.86	3	Vertical	0	1.72	-	33.90	5.18	31.47
PK	5.7664G	60.01	68.20	-8.19	52.67	3	Vertical	0	1.72	-	33.77	5.03	31.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3888G	60.64	74.00	-13.36	53.40	3	Horizontal	0	1.72	-	33.78	5.01	31.55
AV	5.3888G	47.94	54.00	-6.06	40.70	3	Horizontal	0	1.72	-	33.78	5.01	31.55
PK	5.4664G	59.95	68.20	-8.25	52.47	3	Horizontal	0	1.72	-	33.90	5.07	31.49
PK	5.5824G	124.33	Inf	-Inf	116.72	3	Horizontal	0	1.72	-	33.90	5.18	31.47
AV	5.5824G	112.45	Inf	-Inf	104.84	3	Horizontal	0	1.72	-	33.90	5.18	31.47
PK	5.7648G	64.01	68.20	-4.19	56.66	3	Horizontal	0	1.72	-	33.77	5.04	31.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1639G	52.87	74.00	-21.13	39.52	3	Vertical	227	2.04	-	38.66	7.51	32.82
AV	11.16348G	38.33	54.00	-15.67	24.98	3	Vertical	227	2.04	-	38.66	7.51	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15724G	52.02	74.00	-21.98	38.66	3	Horizontal	93	2.48	-	38.66	7.51	32.81
AV	11.16454G	38.32	54.00	-15.68	24.97	3	Horizontal	93	2.48	-	38.66	7.51	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	104.08	Inf	-Inf	96.73	3	Vertical	312	1.69	-	33.71	5.10	31.46
AV	5.7024G	90.89	Inf	-Inf	83.55	3	Vertical	312	1.69	-	33.70	5.10	31.46
PK	5.7696G	61.45	68.20	-6.75	54.12	3	Vertical	312	1.69	-	33.76	5.03	31.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




26/07/2021

EUT Y_2TX
Setting 35
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	121.43	Inf	-Inf	114.09	3	Horizontal	360	1.61	-	33.71	5.09	31.46
AV	5.6972G	108.38	Inf	-Inf	101.03	3	Horizontal	360	1.61	-	33.71	5.10	31.46
PK	5.7256G	67.72	68.20	-0.48	60.36	3	Horizontal	360	1.61	-	33.75	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40394G	52.84	74.00	-21.16	39.34	3	Vertical	334	2.69	-	38.81	7.59	32.90
AV	11.39852G	38.44	54.00	-15.56	24.95	3	Vertical	334	2.69	-	38.80	7.59	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40128G	52.24	74.00	-21.76	38.75	3	Horizontal	286	1.23	-	38.80	7.59	32.90
AV	11.4022G	38.38	54.00	-15.62	24.89	3	Horizontal	286	1.23	-	38.80	7.59	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	109.61	Inf	-Inf	102.25	3	Vertical	315	1.67	-	33.74	5.08	31.46
AV	5.7184G	96.54	Inf	-Inf	89.18	3	Vertical	315	1.67	-	33.74	5.08	31.46
PK	5.8944G	58.22	68.20	-9.98	50.41	3	Vertical	315	1.67	-	33.98	5.28	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 46
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	126.85	Inf	-Inf	119.49	3	Horizontal	350	1.67	-	33.74	5.08	31.46
AV	5.7184G	113.60	Inf	-Inf	106.24	3	Horizontal	350	1.67	-	33.74	5.08	31.46
PK	5.8648G	59.26	68.20	-8.94	51.67	3	Horizontal	350	1.67	-	33.86	5.19	31.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43786G	52.92	74.00	-21.08	39.35	3	Vertical	324	1.71	-	38.88	7.60	32.91
AV	11.44162G	38.64	54.00	-15.36	25.07	3	Vertical	324	1.71	-	38.88	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43938G	52.33	74.00	-21.67	38.76	3	Horizontal	202	1.02	-	38.88	7.60	32.91
AV	11.44186G	38.57	54.00	-15.43	25.00	3	Horizontal	202	1.02	-	38.88	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	58.34	68.20	-9.86	50.77	3	Vertical	316	1.72	-	33.86	5.18	31.47
PK	5.75G	109.42	Inf	-Inf	102.03	3	Vertical	316	1.72	-	33.80	5.05	31.46
AV	5.749G	97.08	Inf	-Inf	89.69	3	Vertical	316	1.72	-	33.80	5.05	31.46
PK	5.995G	58.28	68.20	-9.92	50.04	3	Vertical	316	1.72	-	34.10	5.59	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	61.35	68.20	-6.85	53.77	3	Horizontal	359	1.75	-	33.90	5.15	31.47
PK	5.742G	128.46	Inf	-Inf	121.08	3	Horizontal	359	1.75	-	33.78	5.06	31.46
AV	5.742G	113.72	Inf	-Inf	106.34	3	Horizontal	359	1.75	-	33.78	5.06	31.46
PK	5.975G	59.47	68.20	-8.73	51.30	3	Horizontal	359	1.75	-	34.10	5.52	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48672G	52.55	74.00	-21.45	38.89	3	Vertical	54	1.58	-	38.97	7.62	32.93
AV	11.4861G	38.59	54.00	-15.41	24.93	3	Vertical	54	1.58	-	38.97	7.62	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49262G	52.87	74.00	-21.13	39.19	3	Horizontal	170	2.42	-	38.99	7.62	32.93
AV	11.48644G	38.61	54.00	-15.39	24.95	3	Horizontal	170	2.42	-	38.97	7.62	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	57.12	68.20	-11.08	49.51	3	Vertical	315	1.76	-	33.89	5.19	31.47
PK	5.788G	109.34	Inf	-Inf	102.07	3	Vertical	315	1.76	-	33.72	5.01	31.46
AV	5.788G	97.67	Inf	-Inf	90.40	3	Vertical	315	1.76	-	33.72	5.01	31.46
PK	6.015G	58.21	68.20	-9.99	49.92	3	Vertical	315	1.76	-	34.16	5.58	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	60.89	68.20	-7.31	53.27	3	Horizontal	360	1.65	-	33.90	5.19	31.47
PK	5.792G	124.35	Inf	-Inf	117.08	3	Horizontal	360	1.65	-	33.72	5.01	31.46
AV	5.782G	113.18	Inf	-Inf	105.88	3	Horizontal	360	1.65	-	33.74	5.02	31.46
PK	5.929G	59.64	68.20	-8.56	51.64	3	Horizontal	360	1.65	-	34.06	5.39	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5665G	52.75	74.00	-21.25	38.83	3	Vertical	110	2.99	-	39.20	7.65	32.93
AV	11.57014G	38.76	54.00	-15.24	24.83	3	Vertical	110	2.99	-	39.21	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.568G	52.52	74.00	-21.48	38.60	3	Horizontal	96	1.99	-	39.20	7.65	32.93
AV	11.57056G	38.67	54.00	-15.33	24.74	3	Horizontal	96	1.99	-	39.21	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	57.33	68.20	-10.87	49.74	3	Vertical	318	1.64	-	33.87	5.19	31.47
PK	5.829G	110.36	Inf	-Inf	102.97	3	Vertical	318	1.64	-	33.76	5.09	31.46
AV	5.829G	97.71	Inf	-Inf	90.32	3	Vertical	318	1.64	-	33.76	5.09	31.46
PK	6.058G	58.06	68.20	-10.14	49.68	3	Vertical	318	1.64	-	34.32	5.51	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	60.98	68.20	-7.22	53.46	3	Horizontal	360	1.68	-	33.82	5.16	31.46
PK	5.822G	124.65	Inf	-Inf	117.30	3	Horizontal	360	1.68	-	33.74	5.07	31.46
AV	5.822G	112.47	Inf	-Inf	105.12	3	Horizontal	360	1.68	-	33.74	5.07	31.46
PK	5.93G	61.42	68.20	-6.78	53.42	3	Horizontal	360	1.68	-	34.06	5.39	31.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65368G	52.84	74.00	-21.16	38.74	3	Vertical	280	2.19	-	39.35	7.68	32.93
AV	11.65374G	38.84	54.00	-15.16	24.74	3	Vertical	280	2.19	-	39.35	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6509G	52.65	74.00	-21.35	38.55	3	Horizontal	199	2.03	-	39.35	7.68	32.93
AV	11.65412G	38.77	54.00	-15.23	24.67	3	Horizontal	199	2.03	-	39.35	7.68	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 39
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	56.66	74.00	-17.34	50.25	3	Vertical	45	1.84	-	33.37	4.83	31.79
AV	5.1438G	43.98	54.00	-10.02	37.22	3	Vertical	45	1.84	-	33.50	4.99	31.73
PK	5.1948G	100.69	Inf	-Inf	93.80	3	Vertical	45	1.84	-	33.50	5.09	31.70
AV	5.1936G	88.30	Inf	-Inf	81.41	3	Vertical	45	1.84	-	33.50	5.09	31.70

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 39
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	66.70	74.00	-7.30	59.94	3	Horizontal	337	1.67	-	33.50	4.99	31.73
AV	5.1456G	53.84	54.00	-0.16	47.08	3	Horizontal	337	1.67	-	33.50	4.99	31.73
PK	5.1942G	118.77	Inf	-Inf	111.88	3	Horizontal	337	1.67	-	33.50	5.09	31.70
AV	5.1852G	106.41	Inf	-Inf	99.54	3	Horizontal	337	1.67	-	33.50	5.07	31.70

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 39
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56822G	52.76	74.00	-21.24	38.86	3	Vertical	343	1.27	-	37.70	9.05	32.85
AV	15.57062G	38.59	54.00	-15.41	24.70	3	Vertical	343	1.27	-	37.69	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 39
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57238G	52.51	74.00	-21.49	38.63	3	Horizontal	198	1.02	-	37.68	9.05	32.85
AV	15.56852G	38.61	54.00	-15.39	24.72	3	Horizontal	198	1.02	-	37.69	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	56.62	74.00	-17.38	49.86	3	Vertical	42	2.02	-	33.50	4.99	31.73
AV	5.1436G	44.10	54.00	-9.90	37.34	3	Vertical	42	2.02	-	33.50	4.99	31.73
PK	5.2336G	105.67	Inf	-Inf	98.69	3	Vertical	42	2.02	-	33.57	5.08	31.67
AV	5.2336G	93.44	Inf	-Inf	86.46	3	Vertical	42	2.02	-	33.57	5.08	31.67
PK	5.3674G	57.14	74.00	-16.86	49.96	3	Vertical	42	2.02	-	33.73	5.02	31.57
AV	5.3506G	44.25	54.00	-9.75	37.11	3	Vertical	42	2.02	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.20	74.00	-7.80	59.44	3	Horizontal	337	1.74	-	33.50	4.99	31.73
AV	5.1454G	52.85	54.00	-1.15	46.09	3	Horizontal	337	1.74	-	33.50	4.99	31.73
PK	5.2258G	122.27	Inf	-Inf	115.30	3	Horizontal	337	1.74	-	33.55	5.09	31.67
AV	5.2252G	110.03	Inf	-Inf	103.06	3	Horizontal	337	1.74	-	33.55	5.09	31.67
PK	5.3554G	60.54	74.00	-13.46	53.39	3	Horizontal	337	1.74	-	33.71	5.02	31.58
AV	5.3548G	47.13	54.00	-6.87	39.98	3	Horizontal	337	1.74	-	33.71	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68934G	52.36	74.00	-21.64	38.71	3	Vertical	53	2.16	-	37.42	9.09	32.86
AV	15.68884G	38.52	54.00	-15.48	24.87	3	Vertical	53	2.16	-	37.42	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68618G	52.36	74.00	-21.64	38.69	3	Horizontal	93	2.59	-	37.43	9.09	32.85
AV	15.69012G	38.64	54.00	-15.36	24.99	3	Horizontal	93	2.59	-	37.42	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	58.47	74.00	-15.53	51.73	3	Vertical	41	1.83	-	33.50	4.98	31.74
AV	5.1272G	44.08	54.00	-9.92	37.38	3	Vertical	41	1.83	-	33.50	4.95	31.75
PK	5.2652G	105.68	Inf	-Inf	98.62	3	Vertical	41	1.83	-	33.63	5.07	31.64
AV	5.273G	93.79	Inf	-Inf	86.72	3	Vertical	41	1.83	-	33.65	5.06	31.64
PK	5.4014G	56.98	74.00	-17.02	49.72	3	Vertical	41	1.83	-	33.80	5.00	31.54
AV	5.354G	44.84	54.00	-9.16	37.69	3	Vertical	41	1.83	-	33.71	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	60.12	74.00	-13.88	53.36	3	Horizontal	336	1.62	-	33.50	4.99	31.73
AV	5.1446G	47.07	54.00	-6.93	40.31	3	Horizontal	336	1.62	-	33.50	4.99	31.73
PK	5.2646G	123.09	Inf	-Inf	116.03	3	Horizontal	336	1.62	-	33.63	5.07	31.64
AV	5.2748G	110.04	Inf	-Inf	102.97	3	Horizontal	336	1.62	-	33.65	5.06	31.64
PK	5.3624G	66.66	74.00	-7.34	59.49	3	Horizontal	336	1.62	-	33.72	5.02	31.57
AV	5.3552G	52.76	54.00	-1.24	45.61	3	Horizontal	336	1.62	-	33.71	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80508G	52.43	74.00	-21.57	38.75	3	Vertical	16	1.15	-	37.41	9.13	32.86
AV	15.8096G	39.04	54.00	-14.96	25.36	3	Vertical	16	1.15	-	37.41	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80618G	52.23	74.00	-21.77	38.55	3	Horizontal	54	1.02	-	37.41	9.13	32.86
AV	15.81124G	39.09	54.00	-14.91	25.41	3	Horizontal	54	1.02	-	37.41	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




27/07/2021

EUT Y_2TX
Setting 35
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	101.05	Inf	-Inf	93.91	3	Vertical	43	1.77	-	33.70	5.05	31.61
AV	5.3088G	88.04	Inf	-Inf	80.90	3	Vertical	43	1.77	-	33.70	5.05	31.61
PK	5.3556G	57.28	74.00	-16.72	50.13	3	Vertical	43	1.77	-	33.71	5.02	31.58
AV	5.35G	44.86	54.00	-9.14	37.72	3	Vertical	43	1.77	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	116.64	Inf	-Inf	109.51	3	Horizontal	338	1.80	-	33.70	5.05	31.62
AV	5.3004G	103.58	Inf	-Inf	96.45	3	Horizontal	338	1.80	-	33.70	5.05	31.62
PK	5.3508G	65.71	74.00	-8.29	58.57	3	Horizontal	338	1.80	-	33.70	5.02	31.58
AV	5.3508G	53.63	54.00	-0.37	46.49	3	Horizontal	338	1.80	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92744G	52.54	74.00	-21.46	38.77	3	Vertical	184	2.92	-	37.47	9.17	32.87
AV	15.92738G	38.99	54.00	-15.01	25.22	3	Vertical	184	2.92	-	37.47	9.17	32.87

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 35
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92682G	53.30	74.00	-20.70	39.53	3	Horizontal	359	1.68	-	37.47	9.17	32.87
AV	15.92544G	38.98	54.00	-15.02	25.21	3	Horizontal	359	1.68	-	37.47	9.17	32.87

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 39
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.423G	57.61	74.00	-16.39	50.27	3	Vertical	35	1.83	-	33.85	5.02	31.53
AV	5.4428G	44.59	54.00	-9.41	37.17	3	Vertical	35	1.83	-	33.89	5.04	31.51
PK	5.4644G	56.83	68.20	-11.37	49.37	3	Vertical	35	1.83	-	33.90	5.06	31.50
PK	5.5124G	103.15	Inf	-Inf	95.61	3	Vertical	35	1.83	-	33.90	5.11	31.47
AV	5.513G	90.66	Inf	-Inf	83.12	3	Vertical	35	1.83	-	33.90	5.11	31.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 39
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	63.82	74.00	-10.18	56.38	3	Horizontal	3	1.72	-	33.90	5.05	31.51
AV	5.453G	50.67	54.00	-3.33	43.22	3	Horizontal	3	1.72	-	33.90	5.05	31.50
PK	5.4632G	67.76	68.20	-0.44	60.30	3	Horizontal	3	1.72	-	33.90	5.06	31.50
PK	5.5136G	120.19	Inf	-Inf	112.65	3	Horizontal	3	1.72	-	33.90	5.11	31.47
AV	5.513G	107.39	Inf	-Inf	99.85	3	Horizontal	3	1.72	-	33.90	5.11	31.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 39
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0238G	52.89	74.00	-21.11	39.68	3	Vertical	86	1.15	-	38.52	7.46	32.77
AV	11.01756G	38.47	54.00	-15.53	25.26	3	Vertical	86	1.15	-	38.52	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 39
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02126G	52.22	74.00	-21.78	39.01	3	Horizontal	171	2.84	-	38.52	7.46	32.77
AV	11.01738G	38.45	54.00	-15.55	25.24	3	Horizontal	171	2.84	-	38.52	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 45
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.418G	56.85	74.00	-17.15	49.52	3	Vertical	34	1.90	-	33.84	5.02	31.53
PK	5.4696G	56.65	68.20	-11.55	49.17	3	Vertical	34	1.90	-	33.90	5.07	31.49
AV	5.4564G	44.71	54.00	-9.29	37.25	3	Vertical	34	1.90	-	33.90	5.06	31.50
PK	5.5572G	105.75	Inf	-Inf	98.16	3	Vertical	34	1.90	-	33.90	5.16	31.47
AV	5.547G	92.56	Inf	-Inf	84.98	3	Vertical	34	1.90	-	33.90	5.15	31.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
 Setting 45
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	65.95	74.00	-8.05	58.49	3	Horizontal	3	1.64	-	33.90	5.06	31.50
AV	5.4582G	51.78	54.00	-2.22	44.32	3	Horizontal	3	1.64	-	33.90	5.06	31.50
PK	5.469G	67.84	68.20	-0.36	60.36	3	Horizontal	3	1.64	-	33.90	5.07	31.49
PK	5.5392G	122.35	Inf	-Inf	114.78	3	Horizontal	3	1.64	-	33.90	5.14	31.47
AV	5.5482G	110.14	Inf	-Inf	102.56	3	Horizontal	3	1.64	-	33.90	5.15	31.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 45
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0967G	52.09	74.00	-21.91	38.80	3	Vertical	210	2.70	-	38.60	7.48	32.79
AV	11.10438G	38.36	54.00	-15.64	25.07	3	Vertical	210	2.70	-	38.60	7.49	32.80

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 45
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09968G	52.31	74.00	-21.69	39.02	3	Horizontal	77	2.14	-	38.60	7.48	32.79
AV	11.09772G	38.42	54.00	-15.58	25.13	3	Horizontal	77	2.14	-	38.60	7.48	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6742G	102.85	Inf	-Inf	95.43	3	Vertical	315	1.77	-	33.75	5.13	31.46
AV	5.6742G	90.85	Inf	-Inf	83.43	3	Vertical	315	1.77	-	33.75	5.13	31.46
PK	5.8182G	57.88	68.20	-10.32	50.55	3	Vertical	315	1.77	-	33.74	5.05	31.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	121.86	Inf	-Inf	114.43	3	Horizontal	4	1.70	-	33.76	5.13	31.46
AV	5.6682G	109.27	Inf	-Inf	101.84	3	Horizontal	4	1.70	-	33.76	5.13	31.46
PK	5.7264G	67.93	68.20	-0.27	60.57	3	Horizontal	4	1.70	-	33.75	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34018G	51.82	74.00	-22.18	38.39	3	Vertical	1	2.07	-	38.74	7.57	32.88
AV	11.3407G	37.97	54.00	-16.03	24.54	3	Vertical	1	2.07	-	38.74	7.57	32.88

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34352G	51.75	74.00	-22.25	38.32	3	Horizontal	0	1.46	-	38.74	7.57	32.88
AV	11.34074G	37.83	54.00	-16.17	24.40	3	Horizontal	0	1.46	-	38.74	7.57	32.88


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
 Setting 46
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	56.88	74.00	-17.12	49.47	3	Vertical	316	1.70	-	33.88	5.04	31.51
AV	5.4388G	44.38	54.00	-9.62	36.98	3	Vertical	316	1.70	-	33.88	5.04	31.52
PK	5.464G	56.82	68.20	-11.38	49.36	3	Vertical	316	1.70	-	33.90	5.06	31.50
PK	5.7124G	105.67	Inf	-Inf	98.32	3	Vertical	316	1.70	-	33.72	5.09	31.46
AV	5.7028G	94.33	Inf	-Inf	86.98	3	Vertical	316	1.70	-	33.71	5.10	31.46
PK	5.9752G	58.41	68.20	-9.79	50.23	3	Vertical	316	1.70	-	34.10	5.53	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 46
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	59.37	74.00	-14.63	52.04	3	Horizontal	355	1.75	-	33.84	5.02	31.53
PK	5.4652G	59.35	68.20	-8.85	51.88	3	Horizontal	355	1.75	-	33.90	5.07	31.50
AV	5.4592G	46.92	54.00	-7.08	39.46	3	Horizontal	355	1.75	-	33.90	5.06	31.50
PK	5.7052G	122.81	Inf	-Inf	115.47	3	Horizontal	355	1.75	-	33.71	5.09	31.46
AV	5.7052G	111.08	Inf	-Inf	103.74	3	Horizontal	355	1.75	-	33.71	5.09	31.46
PK	5.8984G	59.94	68.20	-8.26	52.10	3	Horizontal	355	1.75	-	33.99	5.30	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42458G	52.49	74.00	-21.51	38.94	3	Vertical	27	1.79	-	38.85	7.60	32.90
AV	11.42166G	38.47	54.00	-15.53	24.93	3	Vertical	27	1.79	-	38.84	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4246G	52.51	74.00	-21.49	38.96	3	Horizontal	268	2.24	-	38.85	7.60	32.90
AV	11.42374G	38.54	54.00	-15.46	24.99	3	Horizontal	268	2.24	-	38.85	7.60	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	57.75	68.20	-10.45	50.21	3	Vertical	316	1.78	-	33.83	5.17	31.46
PK	5.759G	106.95	Inf	-Inf	99.59	3	Vertical	316	1.78	-	33.78	5.04	31.46
AV	5.759G	95.55	Inf	-Inf	88.19	3	Vertical	316	1.78	-	33.78	5.04	31.46
PK	6.005G	57.92	68.20	-10.28	49.66	3	Vertical	316	1.78	-	34.12	5.59	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	65.04	69.68	-4.64	57.55	3	Horizontal	0	1.66	-	33.80	5.15	31.46
PK	5.763G	123.05	Inf	-Inf	115.70	3	Horizontal	0	1.66	-	33.77	5.04	31.46
AV	5.752G	111.68	Inf	-Inf	104.29	3	Horizontal	0	1.66	-	33.80	5.05	31.46
PK	5.955G	60.21	68.20	-7.99	52.10	3	Horizontal	0	1.66	-	34.10	5.46	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5124G	52.24	74.00	-21.76	38.50	3	Vertical	254	1.48	-	39.04	7.63	32.93
AV	11.50528G	38.58	54.00	-15.42	24.86	3	Vertical	254	1.48	-	39.02	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50632G	52.04	74.00	-21.96	38.32	3	Horizontal	249	1.70	-	39.02	7.63	32.93
AV	11.51236G	38.51	54.00	-15.49	24.77	3	Horizontal	249	1.70	-	39.04	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	58.67	68.20	-9.53	51.10	3	Vertical	23	1.80	-	33.86	5.18	31.47
PK	5.783G	103.29	Inf	-Inf	96.00	3	Vertical	23	1.80	-	33.73	5.02	31.46
AV	5.784G	90.67	Inf	-Inf	83.38	3	Vertical	23	1.80	-	33.73	5.02	31.46
PK	6.03G	57.87	68.20	-10.33	49.55	3	Vertical	23	1.80	-	34.22	5.55	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	60.89	68.20	-7.31	53.28	3	Horizontal	4	1.57	-	33.89	5.19	31.47
PK	5.798G	122.70	Inf	-Inf	115.46	3	Horizontal	4	1.57	-	33.70	5.00	31.46
AV	5.789G	110.65	Inf	-Inf	103.38	3	Horizontal	4	1.57	-	33.72	5.01	31.46
PK	5.927G	61.25	68.20	-6.95	53.27	3	Horizontal	4	1.57	-	34.05	5.38	31.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5924G	52.78	74.00	-21.22	38.77	3	Vertical	240	1.98	-	39.28	7.66	32.93
AV	11.59134G	38.82	54.00	-15.18	24.82	3	Vertical	240	1.98	-	39.27	7.66	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59472G	52.68	74.00	-21.32	38.67	3	Horizontal	127	1.08	-	39.28	7.66	32.93
AV	11.58508G	38.89	54.00	-15.11	24.91	3	Horizontal	127	1.08	-	39.26	7.65	32.93

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 37
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.092G	57.31	74.00	-16.69	50.73	3	Vertical	42	1.95	-	33.47	4.88	31.77
AV	5.143G	44.03	54.00	-9.97	37.27	3	Vertical	42	1.95	-	33.50	4.99	31.73
PK	5.213G	98.80	Inf	-Inf	91.86	3	Vertical	42	1.95	-	33.53	5.09	31.68
AV	5.213G	85.68	Inf	-Inf	78.74	3	Vertical	42	1.95	-	33.53	5.09	31.68
PK	5.419G	57.10	74.00	-16.90	49.77	3	Vertical	42	1.95	-	33.84	5.02	31.53
AV	5.457G	44.31	54.00	-9.69	36.85	3	Vertical	42	1.95	-	33.90	5.06	31.50

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 37
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.09	74.00	-5.91	61.33	3	Horizontal	334	1.66	-	33.50	4.99	31.73
AV	5.145G	53.19	54.00	-0.81	46.43	3	Horizontal	334	1.66	-	33.50	4.99	31.73
PK	5.244G	114.28	Inf	-Inf	107.27	3	Horizontal	334	1.66	-	33.59	5.08	31.66
AV	5.214G	102.45	Inf	-Inf	95.51	3	Horizontal	334	1.66	-	33.53	5.09	31.68
PK	5.353G	59.34	74.00	-14.66	52.19	3	Horizontal	334	1.66	-	33.71	5.02	31.58
AV	5.354G	47.51	54.00	-6.49	40.36	3	Horizontal	334	1.66	-	33.71	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 37
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6307G	52.00	74.00	-22.00	38.24	3	Vertical	262	2.03	-	37.54	9.07	32.85
AV	15.62514G	38.54	54.00	-15.46	24.77	3	Vertical	262	2.03	-	37.55	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 37
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63358G	51.93	74.00	-22.07	38.18	3	Horizontal	228	2.66	-	37.53	9.07	32.85
AV	15.6308G	38.62	54.00	-15.38	24.86	3	Horizontal	228	2.66	-	37.54	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 32
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	56.67	74.00	-17.33	50.13	3	Vertical	41	1.80	-	33.45	4.87	31.78
AV	5.095G	43.93	54.00	-10.07	37.33	3	Vertical	41	1.80	-	33.48	4.89	31.77
PK	5.303G	96.17	Inf	-Inf	89.04	3	Vertical	41	1.80	-	33.70	5.05	31.62
AV	5.283G	83.26	Inf	-Inf	76.16	3	Vertical	41	1.80	-	33.67	5.06	31.63
PK	5.361G	57.43	74.00	-16.57	50.26	3	Vertical	41	1.80	-	33.72	5.02	31.57
AV	5.353G	45.00	54.00	-9.00	37.85	3	Vertical	41	1.80	-	33.71	5.02	31.58
PK	5.523G	56.72	68.20	-11.48	49.17	3	Vertical	41	1.80	-	33.90	5.12	31.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 32
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	57.36	74.00	-16.64	50.82	3	Horizontal	338	1.61	-	33.45	4.87	31.78
AV	5.146G	44.91	54.00	-9.09	38.15	3	Horizontal	338	1.61	-	33.50	4.99	31.73
PK	5.296G	111.75	Inf	-Inf	104.63	3	Horizontal	338	1.61	-	33.69	5.05	31.62
AV	5.276G	99.37	Inf	-Inf	92.30	3	Horizontal	338	1.61	-	33.65	5.06	31.64
PK	5.376G	65.38	74.00	-8.62	58.18	3	Horizontal	338	1.61	-	33.75	5.01	31.56
AV	5.355G	53.54	54.00	-0.46	46.39	3	Horizontal	338	1.61	-	33.71	5.02	31.58
PK	5.531G	57.34	68.20	-10.86	49.78	3	Horizontal	338	1.61	-	33.90	5.13	31.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 32
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87402G	52.37	74.00	-21.63	38.61	3	Vertical	285	1.13	-	37.47	9.16	32.87
AV	15.87286G	39.00	54.00	-15.00	25.24	3	Vertical	285	1.13	-	37.47	9.16	32.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 32
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8674G	52.66	74.00	-21.34	38.91	3	Horizontal	339	2.47	-	37.47	9.15	32.87
AV	15.86732G	38.99	54.00	-15.01	25.24	3	Horizontal	339	2.47	-	37.47	9.15	32.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 36
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	56.43	68.20	-11.77	49.29	3	Vertical	37	1.84	-	33.70	5.04	31.60
PK	5.434G	56.96	74.00	-17.04	49.58	3	Vertical	37	1.84	-	33.87	5.03	31.52
PK	5.47G	56.29	68.20	-11.91	48.81	3	Vertical	37	1.84	-	33.90	5.07	31.49
AV	5.453G	44.64	54.00	-9.36	37.19	3	Vertical	37	1.84	-	33.90	5.05	31.50
PK	5.522G	98.21	Inf	-Inf	90.66	3	Vertical	37	1.84	-	33.90	5.12	31.47
AV	5.513G	85.22	Inf	-Inf	77.68	3	Vertical	37	1.84	-	33.90	5.11	31.47
PK	5.74G	57.09	68.20	-11.11	49.71	3	Vertical	37	1.84	-	33.78	5.06	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 36
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	57.80	68.20	-10.40	50.65	3	Horizontal	360	1.64	-	33.70	5.03	31.58
PK	5.449G	65.39	74.00	-8.61	57.95	3	Horizontal	360	1.64	-	33.90	5.05	31.51
AV	5.452G	52.73	54.00	-1.27	45.29	3	Horizontal	360	1.64	-	33.90	5.05	31.51
PK	5.462G	67.19	68.20	-1.01	59.73	3	Horizontal	360	1.64	-	33.90	5.06	31.50
PK	5.532G	115.76	Inf	-Inf	108.20	3	Horizontal	360	1.64	-	33.90	5.13	31.47
AV	5.522G	102.22	Inf	-Inf	94.67	3	Horizontal	360	1.64	-	33.90	5.12	31.47
PK	5.761G	59.48	68.20	-8.72	52.12	3	Horizontal	360	1.64	-	33.78	5.04	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 36
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0569G	51.89	74.00	-22.11	38.64	3	Vertical	102	2.98	-	38.56	7.47	32.78
AV	11.05564G	38.03	54.00	-15.97	24.78	3	Vertical	102	2.98	-	38.56	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 36
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05818G	52.34	74.00	-21.66	39.09	3	Horizontal	258	1.33	-	38.56	7.47	32.78
AV	11.06026G	38.10	54.00	-15.90	24.85	3	Horizontal	258	1.33	-	38.56	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 44
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	57.32	74.00	-16.68	49.88	3	Vertical	36	1.80	-	33.90	5.05	31.51
AV	5.458G	44.54	54.00	-9.46	37.08	3	Vertical	36	1.80	-	33.90	5.06	31.50
PK	5.47G	57.02	68.20	-11.18	49.54	3	Vertical	36	1.80	-	33.90	5.07	31.49
PK	5.606G	99.66	Inf	-Inf	92.05	3	Vertical	36	1.80	-	33.89	5.19	31.47
AV	5.608G	87.49	Inf	-Inf	79.89	3	Vertical	36	1.80	-	33.88	5.19	31.47
PK	5.827G	57.08	68.20	-11.12	49.71	3	Vertical	36	1.80	-	33.75	5.08	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 44
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.73	74.00	-10.27	56.27	3	Horizontal	1	1.62	-	33.90	5.06	31.50
AV	5.457G	51.32	54.00	-2.68	43.86	3	Horizontal	1	1.62	-	33.90	5.06	31.50
PK	5.468G	65.33	68.20	-2.87	57.85	3	Horizontal	1	1.62	-	33.90	5.07	31.49
PK	5.617G	117.75	Inf	-Inf	110.17	3	Horizontal	1	1.62	-	33.87	5.18	31.47
AV	5.607G	105.57	Inf	-Inf	97.96	3	Horizontal	1	1.62	-	33.89	5.19	31.47
PK	5.729G	67.81	68.20	-0.39	60.44	3	Horizontal	1	1.62	-	33.76	5.07	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 44
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21918G	52.14	74.00	-21.86	38.74	3	Vertical	86	1.52	-	38.70	7.53	32.83
AV	11.21678G	38.23	54.00	-15.77	24.83	3	Vertical	86	1.52	-	38.70	7.53	32.83

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 44
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21974G	52.72	74.00	-21.28	39.32	3	Horizontal	166	2.48	-	38.70	7.53	32.83
AV	11.21752G	38.22	54.00	-15.78	24.82	3	Horizontal	166	2.48	-	38.70	7.53	32.83

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
Setting 46
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	55.89	74.00	-18.11	48.43	3	Vertical	313	1.71	-	33.90	5.06	31.50
AV	5.459G	44.30	54.00	-9.70	36.84	3	Vertical	313	1.71	-	33.90	5.06	31.50
PK	5.461G	56.16	68.20	-12.04	48.70	3	Vertical	313	1.71	-	33.90	5.06	31.50
PK	5.699G	102.61	Inf	-Inf	95.27	3	Vertical	313	1.71	-	33.70	5.10	31.46
AV	5.698G	90.32	Inf	-Inf	82.98	3	Vertical	313	1.71	-	33.70	5.10	31.46
PK	5.859G	57.83	68.20	-10.37	50.27	3	Vertical	313	1.71	-	33.84	5.18	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
 Setting 46
 02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.25	74.00	-12.75	53.79	3	Horizontal	3	1.70	-	33.90	5.06	31.50
AV	5.46G	48.41	54.00	-5.59	40.95	3	Horizontal	3	1.70	-	33.90	5.06	31.50
PK	5.464G	60.66	68.20	-7.54	53.20	3	Horizontal	3	1.70	-	33.90	5.06	31.50
PK	5.713G	119.91	Inf	-Inf	112.55	3	Horizontal	3	1.70	-	33.73	5.09	31.46
AV	5.683G	107.53	Inf	-Inf	100.14	3	Horizontal	3	1.70	-	33.73	5.12	31.46
PK	5.85G	65.84	68.20	-2.36	58.35	3	Horizontal	3	1.70	-	33.80	5.15	31.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38474G	52.68	74.00	-21.32	39.21	3	Vertical	131	2.10	-	38.78	7.58	32.89
AV	11.37666G	38.38	54.00	-15.62	24.91	3	Vertical	131	2.10	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 46
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3815G	51.93	74.00	-22.07	38.46	3	Horizontal	101	2.52	-	38.78	7.58	32.89
AV	11.37602G	38.32	54.00	-15.68	24.85	3	Horizontal	101	2.52	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.558G	58.01	68.20	-10.19	50.42	3	Vertical	314	1.77	-	33.90	5.16	31.47
PK	5.757G	102.65	Inf	-Inf	95.28	3	Vertical	314	1.77	-	33.79	5.04	31.46
AV	5.789G	89.76	Inf	-Inf	82.49	3	Vertical	314	1.77	-	33.72	5.01	31.46
PK	5.926G	58.68	68.20	-9.52	50.70	3	Vertical	314	1.77	-	34.05	5.38	31.45

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 42
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	68.02	68.20	-0.18	60.50	3	Horizontal	1	1.56	-	33.82	5.16	31.46
PK	5.753G	118.40	Inf	-Inf	111.02	3	Horizontal	1	1.56	-	33.79	5.05	31.46
AV	5.762G	106.07	Inf	-Inf	98.71	3	Horizontal	1	1.56	-	33.78	5.04	31.46
PK	5.923G	66.55	69.68	-3.13	58.58	3	Horizontal	1	1.56	-	34.05	5.37	31.45

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54986G	52.61	74.00	-21.39	38.75	3	Vertical	39	1.87	-	39.15	7.64	32.93
AV	11.55134G	38.48	54.00	-15.52	24.62	3	Vertical	39	1.87	-	39.15	7.64	32.93

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT Y_2TX
Setting 42
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55364G	52.46	74.00	-21.54	38.59	3	Horizontal	233	1.85	-	39.16	7.64	32.93
AV	11.54632G	38.53	54.00	-15.47	24.68	3	Horizontal	233	1.85	-	39.14	7.64	32.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.375G	53.99	54.00	-0.01	3	Horizontal	357	1.80	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.79	74.00	-13.21	56.00	3	Vertical	358.7	1.79	-	32.60	5.14	32.95
AV	5.088G	53.89	54.00	-0.11	49.10	3	Vertical	358.7	1.79	-	32.60	5.14	32.95
PK	5.182G	120.11	Inf	-Inf	115.20	3	Vertical	358.7	1.79	-	32.66	5.19	32.94
AV	5.177G	109.30	Inf	-Inf	104.40	3	Vertical	358.7	1.79	-	32.65	5.19	32.94
PK	5.378G	60.95	74.00	-13.05	55.41	3	Vertical	358.7	1.79	-	33.07	5.38	32.91
AV	5.376G	51.24	54.00	-2.76	45.71	3	Vertical	358.7	1.79	-	33.06	5.38	32.91

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.12	74.00	-14.88	54.33	3	Horizontal	360	1.80	-	32.60	5.14	32.95
AV	5.088G	51.43	54.00	-2.57	46.64	3	Horizontal	360	1.80	-	32.60	5.14	32.95
PK	5.177G	119.33	Inf	-Inf	114.43	3	Horizontal	360	1.80	-	32.65	5.19	32.94
AV	5.177G	109.50	Inf	-Inf	104.60	3	Horizontal	360	1.80	-	32.65	5.19	32.94
PK	5.411G	61.15	74.00	-12.85	55.42	3	Horizontal	360	1.80	-	33.24	5.40	32.91
AV	5.376G	52.46	54.00	-1.54	46.93	3	Horizontal	360	1.80	-	33.06	5.38	32.91

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53976G	59.54	74.00	-14.46	44.96	3	Vertical	237	1.57	-	38.18	9.21	32.81
AV	15.54132G	46.70	54.00	-7.30	32.12	3	Vertical	237	1.57	-	38.18	9.21	32.81

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54964G	60.01	74.00	-13.99	45.41	3	Horizontal	17	1.89	-	38.20	9.21	32.81
AV	15.53324G	46.52	54.00	-7.48	31.95	3	Horizontal	17	1.89	-	38.17	9.21	32.81

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	61.35	74.00	-12.65	56.56	3	Vertical	358	1.79	-	32.60	5.14	32.95
AV	5.088G	53.21	54.00	-0.79	48.42	3	Vertical	358	1.79	-	32.60	5.14	32.95
PK	5.202G	119.77	Inf	-Inf	114.81	3	Vertical	358	1.79	-	32.70	5.20	32.94
AV	5.201G	108.74	Inf	-Inf	103.78	3	Vertical	358	1.79	-	32.70	5.20	32.94
PK	5.435G	60.56	74.00	-13.44	54.73	3	Vertical	358	1.79	-	33.34	5.40	32.91
AV	5.376G	51.01	54.00	-2.99	45.48	3	Vertical	358	1.79	-	33.06	5.38	32.91

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 20
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.70	74.00	-13.30	55.91	3	Horizontal	360	1.80	-	32.60	5.14	32.95
AV	5.088G	51.10	54.00	-2.90	46.31	3	Horizontal	360	1.80	-	32.60	5.14	32.95
PK	5.197G	119.27	Inf	-Inf	114.32	3	Horizontal	360	1.80	-	32.69	5.20	32.94
AV	5.203G	109.22	Inf	-Inf	104.25	3	Horizontal	360	1.80	-	32.71	5.20	32.94
PK	5.425G	60.71	74.00	-13.29	54.92	3	Horizontal	360	1.80	-	33.30	5.40	32.91
AV	5.376G	52.42	54.00	-1.58	46.89	3	Horizontal	360	1.80	-	33.06	5.38	32.91

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5981G	57.10	74.00	-16.90	42.38	3	Vertical	71	1.70	-	38.30	9.22	32.80
AV	15.60047G	42.99	54.00	-11.01	28.27	3	Vertical	71	1.70	-	38.30	9.22	32.80

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 20
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59899G	56.45	74.00	-17.55	41.73	3	Horizontal	168	1.34	-	38.30	9.22	32.80
AV	15.59778G	42.98	54.00	-11.02	28.26	3	Horizontal	168	1.34	-	38.30	9.22	32.80

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 24
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.16	74.00	-13.84	55.37	3	Vertical	360	1.80	-	32.60	5.14	32.95
AV	5.088G	52.47	54.00	-1.53	47.68	3	Vertical	360	1.80	-	32.60	5.14	32.95
PK	5.242G	119.77	Inf	-Inf	114.68	3	Vertical	360	1.80	-	32.78	5.24	32.93
AV	5.241G	108.76	Inf	-Inf	103.67	3	Vertical	360	1.80	-	32.78	5.24	32.93
PK	5.442G	59.47	74.00	-14.53	53.61	3	Vertical	360	1.80	-	33.37	5.40	32.91
AV	5.376G	50.12	54.00	-3.88	44.59	3	Vertical	360	1.80	-	33.06	5.38	32.91
PK	5.473G	59.68	68.20	-8.52	53.73	3	Vertical	360	1.80	-	33.45	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 24
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.05G	60.49	74.00	-13.51	55.72	3	Horizontal	358	1.80	-	32.60	5.12	32.95
AV	5.088G	52.05	54.00	-1.95	47.26	3	Horizontal	358	1.80	-	32.60	5.14	32.95
PK	5.237G	121.20	Inf	-Inf	116.12	3	Horizontal	358	1.80	-	32.77	5.24	32.93
AV	5.237G	111.08	Inf	-Inf	106.00	3	Horizontal	358	1.80	-	32.77	5.24	32.93
PK	5.376G	61.77	74.00	-12.23	56.24	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.98	54.00	-0.02	48.45	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.469G	60.32	68.20	-7.88	54.38	3	Horizontal	358	1.80	-	33.44	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 24
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72079G	57.31	74.00	-16.69	42.45	3	Vertical	27	1.47	-	38.40	9.24	32.78
AV	15.72205G	43.31	54.00	-10.69	28.45	3	Vertical	27	1.47	-	38.40	9.24	32.78

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 24
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72004G	56.89	74.00	-17.11	42.03	3	Horizontal	133	1.99	-	38.40	9.24	32.78
AV	15.72233G	43.16	54.00	-10.84	28.30	3	Horizontal	133	1.99	-	38.40	9.24	32.78

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 22
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	58.93	74.00	-15.07	54.14	3	Vertical	359	1.80	-	32.60	5.14	32.95
AV	5.088G	52.58	54.00	-1.42	47.79	3	Vertical	359	1.80	-	32.60	5.14	32.95
PK	5.254G	118.78	Inf	-Inf	113.64	3	Vertical	359	1.80	-	32.82	5.25	32.93
AV	5.255G	107.93	Inf	-Inf	102.79	3	Vertical	359	1.80	-	32.82	5.25	32.93
PK	5.376G	59.38	74.00	-14.62	53.85	3	Vertical	359	1.80	-	33.06	5.38	32.91
AV	5.376G	50.16	54.00	-3.84	44.63	3	Vertical	359	1.80	-	33.06	5.38	32.91
PK	5.473G	60.81	68.20	-7.39	54.86	3	Vertical	359	1.80	-	33.45	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 22
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.068G	60.32	74.00	-13.68	55.54	3	Horizontal	358	1.80	-	32.60	5.13	32.95
AV	5.088G	52.05	54.00	-1.95	47.26	3	Horizontal	358	1.80	-	32.60	5.14	32.95
PK	5.257G	118.83	Inf	-Inf	113.67	3	Horizontal	358	1.80	-	32.83	5.26	32.93
AV	5.257G	108.63	Inf	-Inf	103.47	3	Horizontal	358	1.80	-	32.83	5.26	32.93
PK	5.376G	61.89	74.00	-12.11	56.36	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.97	54.00	-0.03	48.44	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.473G	60.30	68.20	-7.90	54.35	3	Horizontal	358	1.80	-	33.45	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 22
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77891G	56.77	74.00	-17.23	41.89	3	Vertical	288	2.48	-	38.40	9.26	32.78
AV	15.77978G	43.71	54.00	-10.29	28.83	3	Vertical	288	2.48	-	38.40	9.26	32.78

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 22
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77811G	56.89	74.00	-17.11	42.01	3	Horizontal	245	2.04	-	38.40	9.26	32.78
AV	15.77905G	43.63	54.00	-10.37	28.75	3	Horizontal	245	2.04	-	38.40	9.26	32.78

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	60.43	74.00	-13.57	55.64	3	Vertical	358.4	1.80	-	32.60	5.14	32.95
AV	5.088G	52.49	54.00	-1.51	47.70	3	Vertical	358.4	1.80	-	32.60	5.14	32.95
PK	5.302G	120.03	Inf	-Inf	114.65	3	Vertical	358.4	1.80	-	33.00	5.30	32.92
AV	5.303G	108.72	Inf	-Inf	103.35	3	Vertical	358.4	1.80	-	32.99	5.30	32.92
PK	5.4G	61.22	74.00	-12.78	55.53	3	Vertical	358.4	1.80	-	33.20	5.40	32.91
AV	5.376G	50.05	54.00	-3.95	44.52	3	Vertical	358.4	1.80	-	33.06	5.38	32.91
PK	5.472G	60.90	68.20	-7.30	54.96	3	Vertical	358.4	1.80	-	33.44	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	60.29	74.00	-13.71	55.48	3	Horizontal	357.8	1.79	-	32.60	5.16	32.95
AV	5.088G	51.76	54.00	-2.24	46.97	3	Horizontal	357.8	1.79	-	32.60	5.14	32.95
PK	5.296G	122.24	Inf	-Inf	116.88	3	Horizontal	357.8	1.79	-	32.98	5.30	32.92
AV	5.303G	111.95	Inf	-Inf	106.58	3	Horizontal	357.8	1.79	-	32.99	5.30	32.92
PK	5.376G	61.60	74.00	-12.40	56.07	3	Horizontal	357.8	1.79	-	33.06	5.38	32.91
AV	5.376G	53.51	54.00	-0.49	47.98	3	Horizontal	357.8	1.79	-	33.06	5.38	32.91
PK	5.489G	60.60	68.20	-7.60	54.62	3	Horizontal	357.8	1.79	-	33.48	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89993G	56.94	74.00	-17.06	41.82	3	Vertical	143	1.81	-	38.60	9.28	32.76
AV	15.90161G	43.81	54.00	-10.19	28.69	3	Vertical	143	1.81	-	38.60	9.28	32.76

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90201G	57.00	74.00	-17.00	41.88	3	Horizontal	51	1.04	-	38.60	9.28	32.76
AV	15.90213G	43.80	54.00	-10.20	28.68	3	Horizontal	51	1.04	-	38.60	9.28	32.76

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	60.35	74.00	-13.65	55.56	3	Vertical	358	1.69	-	32.60	5.14	32.95
AV	5.088G	52.77	54.00	-1.23	47.98	3	Vertical	358	1.69	-	32.60	5.14	32.95
PK	5.322G	120.07	Inf	-Inf	114.71	3	Vertical	358	1.69	-	32.96	5.32	32.92
AV	5.325G	109.07	Inf	-Inf	103.71	3	Vertical	358	1.69	-	32.95	5.33	32.92
PK	5.356G	60.18	74.00	-13.82	54.80	3	Vertical	358	1.69	-	32.94	5.36	32.92
AV	5.376G	49.85	54.00	-4.15	44.32	3	Vertical	358	1.69	-	33.06	5.38	32.91
PK	5.472G	60.29	68.20	-7.91	54.35	3	Vertical	358	1.69	-	33.44	5.40	32.90

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	60.13	74.00	-13.87	55.32	3	Horizontal	357.1	1.82	-	32.60	5.16	32.95
AV	5.088G	51.29	54.00	-2.71	46.50	3	Horizontal	357.1	1.82	-	32.60	5.14	32.95
PK	5.316G	122.09	Inf	-Inf	116.72	3	Horizontal	357.1	1.82	-	32.97	5.32	32.92
AV	5.321G	112.27	Inf	-Inf	106.91	3	Horizontal	357.1	1.82	-	32.96	5.32	32.92
PK	5.376G	61.31	74.00	-12.69	55.78	3	Horizontal	357.1	1.82	-	33.06	5.38	32.91
AV	5.376G	53.22	54.00	-0.78	47.69	3	Horizontal	357.1	1.82	-	33.06	5.38	32.91
PK	5.568G	60.73	68.20	-7.47	54.50	3	Horizontal	357.1	1.82	-	33.74	5.40	32.91

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95805G	56.64	74.00	-17.36	41.44	3	Vertical	39	2.26	-	38.66	9.29	32.75
AV	15.95896G	43.48	54.00	-10.52	28.28	3	Vertical	39	2.26	-	38.66	9.29	32.75

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95811G	56.39	74.00	-17.61	41.19	3	Horizontal	24	1.05	-	38.66	9.29	32.75
AV	15.96016G	43.46	54.00	-10.54	28.26	3	Horizontal	24	1.05	-	38.66	9.29	32.75

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	59.49	68.20	-8.71	54.22	3	Vertical	358	1.77	-	32.92	5.28	32.93
PK	5.449G	60.38	74.00	-13.62	54.49	3	Vertical	358	1.77	-	33.40	5.40	32.91
AV	5.376G	50.41	54.00	-3.59	44.88	3	Vertical	358	1.77	-	33.06	5.38	32.91
PK	5.465G	60.42	68.20	-7.78	54.49	3	Vertical	358	1.77	-	33.43	5.40	32.90
PK	5.497G	122.65	Inf	-Inf	116.66	3	Vertical	358	1.77	-	33.49	5.40	32.90
AV	5.497G	111.26	Inf	-Inf	105.27	3	Vertical	358	1.77	-	33.49	5.40	32.90
PK	5.742G	59.35	68.20	-8.85	52.73	3	Vertical	358	1.77	-	34.07	5.47	32.92

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.309G	61.42	68.20	-6.78	56.05	3	Horizontal	358	1.80	-	32.98	5.31	32.92
PK	5.41G	61.37	74.00	-12.63	55.64	3	Horizontal	358	1.80	-	33.24	5.40	32.91
AV	5.376G	53.24	54.00	-0.76	47.71	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.469G	61.22	68.20	-6.98	55.28	3	Horizontal	358	1.80	-	33.44	5.40	32.90
PK	5.497G	122.74	Inf	-Inf	116.75	3	Horizontal	358	1.80	-	33.49	5.40	32.90
AV	5.497G	112.83	Inf	-Inf	106.84	3	Horizontal	358	1.80	-	33.49	5.40	32.90
PK	5.728G	60.78	68.20	-7.42	54.23	3	Horizontal	358	1.80	-	34.01	5.46	32.92

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00081G	53.96	74.00	-20.04	40.86	3	Vertical	243	2.89	-	38.20	7.65	32.75
AV	11.00176G	40.75	54.00	-13.25	27.65	3	Vertical	243	2.89	-	38.20	7.65	32.75

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00177G	54.02	74.00	-19.98	40.92	3	Horizontal	91	2.39	-	38.20	7.65	32.75
AV	10.99899G	40.76	54.00	-13.24	27.66	3	Horizontal	91	2.39	-	38.20	7.65	32.75

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	58.83	68.20	-9.37	53.49	3	Vertical	358	1.82	-	32.92	5.34	32.92
AV	5.35G	46.65	54.00	-7.35	41.32	3	Vertical	358	1.82	-	32.90	5.35	32.92
PK	5.39G	61.16	74.00	-12.84	55.54	3	Vertical	358	1.82	-	33.14	5.39	32.91
AV	5.376G	51.25	54.00	-2.75	45.72	3	Vertical	358	1.82	-	33.06	5.38	32.91
PK	5.465G	60.63	68.20	-7.57	54.70	3	Vertical	358	1.82	-	33.43	5.40	32.90
PK	5.583G	123.31	Inf	-Inf	117.05	3	Vertical	358	1.82	-	33.77	5.40	32.91
AV	5.583G	112.55	Inf	-Inf	106.29	3	Vertical	358	1.82	-	33.77	5.40	32.91
PK	5.828G	60.19	68.20	-8.01	53.21	3	Vertical	358	1.82	-	34.41	5.50	32.93

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	59.22	68.20	-8.98	53.87	3	Horizontal	358	1.80	-	32.94	5.33	32.92
PK	5.376G	61.32	74.00	-12.68	55.79	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.26	54.00	-0.74	47.73	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.465G	59.97	68.20	-8.23	54.04	3	Horizontal	358	1.80	-	33.43	5.40	32.90
PK	5.579G	122.40	Inf	-Inf	116.15	3	Horizontal	358	1.80	-	33.76	5.40	32.91
AV	5.579G	112.79	Inf	-Inf	106.54	3	Horizontal	358	1.80	-	33.76	5.40	32.91
PK	5.813G	61.32	68.20	-6.88	54.40	3	Horizontal	358	1.80	-	34.35	5.50	32.93

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16227G	53.95	74.00	-20.05	40.77	3	Vertical	169	2.15	-	38.24	7.71	32.77
AV	11.1625G	41.02	54.00	-12.98	27.84	3	Vertical	169	2.15	-	38.24	7.71	32.77

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15982G	54.66	74.00	-19.34	41.48	3	Horizontal	63	1.85	-	38.24	7.71	32.77
AV	11.16175G	40.88	54.00	-13.12	27.70	3	Horizontal	63	1.85	-	38.24	7.71	32.77

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.246G	64.84	68.20	-3.36	59.73	3	Vertical	358	1.77	-	32.79	5.25	32.93
PK	5.376G	61.68	74.00	-12.32	56.15	3	Vertical	358	1.77	-	33.06	5.38	32.91
AV	5.376G	52.59	54.00	-1.41	47.06	3	Vertical	358	1.77	-	33.06	5.38	32.91
PK	5.464G	62.15	68.20	-6.05	56.22	3	Vertical	358	1.77	-	33.43	5.40	32.90
PK	5.704G	123.20	Inf	-Inf	116.75	3	Vertical	358	1.77	-	33.92	5.45	32.92
AV	5.704G	112.36	Inf	-Inf	105.91	3	Vertical	358	1.77	-	33.92	5.45	32.92
PK	5.726G	65.26	68.20	-2.94	58.72	3	Vertical	358	1.77	-	34.00	5.46	32.92

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.25G	61.16	68.20	-7.04	56.04	3	Horizontal	358	1.80	-	32.80	5.25	32.93
PK	5.376G	61.42	74.00	-12.58	55.89	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.34	54.00	-0.66	47.81	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.462G	59.54	68.20	-8.66	53.62	3	Horizontal	358	1.80	-	33.42	5.40	32.90
PK	5.702G	123.29	Inf	-Inf	116.85	3	Horizontal	358	1.80	-	33.91	5.45	32.92
AV	5.704G	113.61	Inf	-Inf	107.16	3	Horizontal	358	1.80	-	33.92	5.45	32.92
PK	5.728G	62.99	68.20	-5.21	56.44	3	Horizontal	358	1.80	-	34.01	5.46	32.92

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40195G	53.97	74.00	-20.03	40.58	3	Vertical	83	1.94	-	38.40	7.79	32.80
AV	11.40121G	41.25	54.00	-12.75	27.86	3	Vertical	83	1.94	-	38.40	7.79	32.80

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40152G	54.11	74.00	-19.89	40.72	3	Horizontal	163	2.20	-	38.40	7.79	32.80
AV	11.4018G	41.03	54.00	-12.97	27.64	3	Horizontal	163	2.20	-	38.40	7.79	32.80

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	63.58	68.20	-4.62	58.31	3	Vertical	358.3	1.80	-	32.92	5.28	32.93
PK	5.376G	61.85	74.00	-12.15	56.32	3	Vertical	358.3	1.80	-	33.06	5.38	32.91
AV	5.376G	52.41	54.00	-1.59	46.88	3	Vertical	358.3	1.80	-	33.06	5.38	32.91
PK	5.464G	61.07	68.20	-7.13	55.14	3	Vertical	358.3	1.80	-	33.43	5.40	32.90
PK	5.722G	123.81	Inf	-Inf	117.28	3	Vertical	358.3	1.80	-	33.99	5.46	32.92
AV	5.722G	112.47	Inf	-Inf	105.94	3	Vertical	358.3	1.80	-	33.99	5.46	32.92
PK	5.864G	62.18	68.20	-6.02	55.04	3	Vertical	358.3	1.80	-	34.58	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.278G	61.50	68.20	-6.70	56.24	3	Horizontal	358.7	1.80	-	32.91	5.28	32.93
PK	5.376G	61.21	74.00	-12.79	55.68	3	Horizontal	358.7	1.80	-	33.06	5.38	32.91
AV	5.376G	53.41	54.00	-0.59	47.88	3	Horizontal	358.7	1.80	-	33.06	5.38	32.91
PK	5.462G	59.99	68.20	-8.21	54.07	3	Horizontal	358.7	1.80	-	33.42	5.40	32.90
PK	5.724G	123.21	Inf	-Inf	116.67	3	Horizontal	358.7	1.80	-	34.00	5.46	32.92
AV	5.724G	113.35	Inf	-Inf	106.81	3	Horizontal	358.7	1.80	-	34.00	5.46	32.92
PK	5.952G	62.02	68.20	-6.18	54.46	3	Horizontal	358.7	1.80	-	35.01	5.50	32.95

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44052G	54.31	74.00	-19.69	40.91	3	Vertical	160	2.48	-	38.40	7.80	32.80
AV	11.43785G	41.34	54.00	-12.66	27.94	3	Vertical	160	2.48	-	38.40	7.80	32.80

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43832G	54.62	74.00	-19.38	41.22	3	Horizontal	245	1.21	-	38.40	7.80	32.80
AV	11.43851G	41.43	54.00	-12.57	28.03	3	Horizontal	245	1.21	-	38.40	7.80	32.80

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 33
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.293G	62.27	68.20	-5.93	56.93	3	Vertical	358	1.80	-	32.97	5.29	32.92
PK	5.411G	61.29	74.00	-12.71	55.56	3	Vertical	358	1.80	-	33.24	5.40	32.91
AV	5.375G	51.52	54.00	-2.48	46.01	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.549G	64.44	68.20	-3.76	58.24	3	Vertical	358	1.80	-	33.70	5.40	32.90
PK	5.741G	125.70	Inf	-Inf	119.09	3	Vertical	358	1.80	-	34.06	5.47	32.92
AV	5.741G	114.96	Inf	-Inf	108.35	3	Vertical	358	1.80	-	34.06	5.47	32.92
PK	5.967G	61.85	68.20	-6.35	54.23	3	Vertical	358	1.80	-	35.07	5.50	32.95

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 33
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	64.02	68.20	-4.18	58.66	3	Horizontal	358.5	1.79	-	32.98	5.30	32.92
PK	5.409G	61.87	74.00	-12.13	56.14	3	Horizontal	358.5	1.79	-	33.24	5.40	32.91
AV	5.375G	53.38	54.00	-0.62	47.87	3	Horizontal	358.5	1.79	-	33.05	5.37	32.91
PK	5.555G	64.39	68.20	-3.81	58.19	3	Horizontal	358.5	1.79	-	33.71	5.40	32.91
PK	5.741G	126.41	Inf	-Inf	119.80	3	Horizontal	358.5	1.79	-	34.06	5.47	32.92
AV	5.741G	116.20	Inf	-Inf	109.59	3	Horizontal	358.5	1.79	-	34.06	5.47	32.92
PK	5.953G	63.61	68.20	-4.59	56.05	3	Horizontal	358.5	1.79	-	35.01	5.50	32.95

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 33
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4917G	55.03	74.00	-18.97	41.62	3	Vertical	68	1.82	-	38.40	7.82	32.81
AV	11.4879G	41.68	54.00	-12.32	28.27	3	Vertical	68	1.82	-	38.40	7.82	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 33
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49G	55.76	74.00	-18.24	42.35	3	Horizontal	297	1.90	-	38.40	7.82	32.81
AV	11.4904G	42.61	54.00	-11.39	29.20	3	Horizontal	297	1.90	-	38.40	7.82	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 30
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	62.54	68.20	-5.66	57.21	3	Vertical	358	1.80	-	32.91	5.34	32.92
PK	5.375G	61.45	74.00	-12.55	55.94	3	Vertical	358	1.80	-	33.05	5.37	32.91
AV	5.375G	51.99	54.00	-2.01	46.48	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.585G	62.63	68.20	-5.57	56.37	3	Vertical	358	1.80	-	33.77	5.40	32.91
PK	5.781G	123.63	Inf	-Inf	116.85	3	Vertical	358	1.80	-	34.22	5.49	32.93
AV	5.787G	112.50	Inf	-Inf	105.69	3	Vertical	358	1.80	-	34.25	5.49	32.93
PK	5.935G	61.38	68.20	-6.82	53.88	3	Vertical	358	1.80	-	34.94	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 30
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	63.33	68.20	-4.87	58.00	3	Horizontal	357.9	1.75	-	32.91	5.34	32.92
PK	5.375G	63.11	74.00	-10.89	57.60	3	Horizontal	357.9	1.75	-	33.05	5.37	32.91
AV	5.375G	53.87	54.00	-0.13	48.36	3	Horizontal	357.9	1.75	-	33.05	5.37	32.91
PK	5.595G	63.15	68.20	-5.05	56.87	3	Horizontal	357.9	1.75	-	33.79	5.40	32.91
PK	5.787G	122.44	Inf	-Inf	115.63	3	Horizontal	357.9	1.75	-	34.25	5.49	32.93
AV	5.789G	112.83	Inf	-Inf	106.01	3	Horizontal	357.9	1.75	-	34.26	5.49	32.93
PK	5.953G	63.28	68.20	-4.92	55.72	3	Horizontal	357.9	1.75	-	35.01	5.50	32.95

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 30
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57218G	54.13	74.00	-19.87	40.70	3	Vertical	191	1.66	-	38.40	7.85	32.82
AV	11.56921G	40.80	54.00	-13.20	27.37	3	Vertical	191	1.66	-	38.40	7.85	32.82

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 30
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56884G	54.62	74.00	-19.38	41.19	3	Horizontal	297	1.11	-	38.40	7.85	32.82
AV	11.57101G	40.89	54.00	-13.11	27.46	3	Horizontal	297	1.11	-	38.40	7.85	32.82

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 30
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	57.32	68.20	-10.88	51.96	3	Vertical	358	1.80	-	32.95	5.33	32.92
PK	5.375G	62.22	74.00	-11.78	56.71	3	Vertical	358	1.80	-	33.05	5.37	32.91
AV	5.375G	53.35	54.00	-0.65	47.84	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.635G	62.07	68.20	-6.13	55.69	3	Vertical	358	1.80	-	33.87	5.42	32.91
PK	5.821G	122.62	Inf	-Inf	115.67	3	Vertical	358	1.80	-	34.38	5.50	32.93
AV	5.821G	111.58	Inf	-Inf	104.63	3	Vertical	358	1.80	-	34.38	5.50	32.93
PK	5.925G	62.47	68.20	-5.73	55.01	3	Vertical	358	1.80	-	34.90	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 30
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	57.43	68.20	-10.77	52.08	3	Horizontal	358	1.78	-	32.94	5.33	32.92
PK	5.375G	63.21	74.00	-10.79	57.70	3	Horizontal	358	1.78	-	33.05	5.37	32.91
AV	5.375G	53.34	54.00	-0.66	47.83	3	Horizontal	358	1.78	-	33.05	5.37	32.91
PK	5.629G	63.02	68.20	-5.18	56.66	3	Horizontal	358	1.78	-	33.86	5.41	32.91
PK	5.827G	122.90	Inf	-Inf	115.92	3	Horizontal	358	1.78	-	34.41	5.50	32.93
AV	5.827G	111.59	Inf	-Inf	104.61	3	Horizontal	358	1.78	-	34.41	5.50	32.93
PK	5.925G	61.63	68.20	-6.57	54.17	3	Horizontal	358	1.78	-	34.90	5.50	32.94

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 30
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64841G	54.00	74.00	-20.00	40.50	3	Vertical	164	1.23	-	38.45	7.88	32.83
AV	11.64839G	41.18	54.00	-12.82	27.68	3	Vertical	164	1.23	-	38.45	7.88	32.83

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 30
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64814G	54.47	74.00	-19.53	40.97	3	Horizontal	166	1.63	-	38.45	7.88	32.83
AV	11.65206G	41.11	54.00	-12.89	27.61	3	Horizontal	166	1.63	-	38.45	7.88	32.83

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	62.20	74.00	-11.80	57.41	3	Vertical	358	1.80	-	32.60	5.14	32.95
AV	5.088G	53.54	54.00	-0.46	48.75	3	Vertical	358	1.80	-	32.60	5.14	32.95
PK	5.174G	122.62	Inf	-Inf	117.72	3	Vertical	358	1.80	-	32.65	5.19	32.94
AV	5.181G	109.93	Inf	-Inf	105.02	3	Vertical	358	1.80	-	32.66	5.19	32.94
PK	5.376G	61.07	74.00	-12.93	55.54	3	Vertical	358	1.80	-	33.06	5.38	32.91
AV	5.376G	51.33	54.00	-2.67	45.80	3	Vertical	358	1.80	-	33.06	5.38	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.23	74.00	-11.77	57.40	3	Horizontal	357.5	1.78	-	32.60	5.17	32.94
AV	5.088G	52.67	54.00	-1.33	47.88	3	Horizontal	357.5	1.78	-	32.60	5.14	32.95
PK	5.181G	124.14	Inf	-Inf	119.23	3	Horizontal	357.5	1.78	-	32.66	5.19	32.94
AV	5.182G	110.73	Inf	-Inf	105.82	3	Horizontal	357.5	1.78	-	32.66	5.19	32.94
PK	5.376G	62.08	74.00	-11.92	56.55	3	Horizontal	357.5	1.78	-	33.06	5.38	32.91
AV	5.376G	53.87	54.00	-0.13	48.34	3	Horizontal	357.5	1.78	-	33.06	5.38	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54231G	56.13	74.00	-17.87	41.55	3	Vertical	237	2.19	-	38.18	9.21	32.81
AV	15.54034G	42.06	54.00	-11.94	27.48	3	Vertical	237	2.19	-	38.18	9.21	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54174G	55.85	74.00	-18.15	41.27	3	Horizontal	13	1.42	-	38.18	9.21	32.81
AV	15.53778G	42.25	54.00	-11.75	27.67	3	Horizontal	13	1.42	-	38.18	9.21	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.86	74.00	-13.14	56.07	3	Vertical	360	1.80	-	32.60	5.14	32.95
AV	5.088G	52.09	54.00	-1.91	47.30	3	Vertical	360	1.80	-	32.60	5.14	32.95
PK	5.197G	121.72	Inf	-Inf	116.77	3	Vertical	360	1.80	-	32.69	5.20	32.94
AV	5.197G	108.56	Inf	-Inf	103.61	3	Vertical	360	1.80	-	32.69	5.20	32.94
PK	5.377G	59.87	74.00	-14.13	54.34	3	Vertical	360	1.80	-	33.06	5.38	32.91
AV	5.376G	49.19	54.00	-4.81	43.66	3	Vertical	360	1.80	-	33.06	5.38	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.45	74.00	-13.55	55.66	3	Horizontal	357	1.80	-	32.60	5.14	32.95
AV	5.088G	52.03	54.00	-1.97	47.24	3	Horizontal	357	1.80	-	32.60	5.14	32.95
PK	5.201G	123.02	Inf	-Inf	118.06	3	Horizontal	357	1.80	-	32.70	5.20	32.94
AV	5.198G	110.01	Inf	-Inf	105.05	3	Horizontal	357	1.80	-	32.70	5.20	32.94
PK	5.376G	61.33	74.00	-12.67	55.80	3	Horizontal	357	1.80	-	33.06	5.38	32.91
AV	5.376G	53.70	54.00	-0.30	48.17	3	Horizontal	357	1.80	-	33.06	5.38	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59813G	56.35	74.00	-17.65	41.63	3	Vertical	61	1.76	-	38.30	9.22	32.80
AV	15.59957G	42.60	54.00	-11.40	27.88	3	Vertical	61	1.76	-	38.30	9.22	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60142G	56.72	74.00	-17.28	42.00	3	Horizontal	217	1.39	-	38.30	9.22	32.80
AV	15.60098G	42.54	54.00	-11.46	27.82	3	Horizontal	217	1.39	-	38.30	9.22	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.96	74.00	-14.04	55.17	3	Vertical	356.7	1.69	-	32.60	5.14	32.95
AV	5.088G	52.62	54.00	-1.38	47.83	3	Vertical	356.7	1.69	-	32.60	5.14	32.95
PK	5.238G	122.56	Inf	-Inf	117.47	3	Vertical	356.7	1.69	-	32.78	5.24	32.93
AV	5.237G	109.42	Inf	-Inf	104.34	3	Vertical	356.7	1.69	-	32.77	5.24	32.93
PK	5.455G	59.62	74.00	-14.38	53.72	3	Vertical	356.7	1.69	-	33.41	5.40	32.91
AV	5.376G	49.99	54.00	-4.01	44.46	3	Vertical	356.7	1.69	-	33.06	5.38	32.91
PK	5.472G	60.61	68.20	-7.59	54.67	3	Vertical	356.7	1.69	-	33.44	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.055G	60.94	74.00	-13.06	56.16	3	Horizontal	357.9	1.81	-	32.60	5.13	32.95
AV	5.088G	52.05	54.00	-1.95	47.26	3	Horizontal	357.9	1.81	-	32.60	5.14	32.95
PK	5.237G	124.15	Inf	-Inf	119.07	3	Horizontal	357.9	1.81	-	32.77	5.24	32.93
AV	5.237G	111.05	Inf	-Inf	105.97	3	Horizontal	357.9	1.81	-	32.77	5.24	32.93
PK	5.376G	61.66	74.00	-12.34	56.13	3	Horizontal	357.9	1.81	-	33.06	5.38	32.91
AV	5.376G	53.94	54.00	-0.06	48.41	3	Horizontal	357.9	1.81	-	33.06	5.38	32.91
PK	5.472G	60.60	68.20	-7.60	54.66	3	Horizontal	357.9	1.81	-	33.44	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71985G	56.50	74.00	-17.50	41.64	3	Vertical	227	1.55	-	38.40	9.24	32.78
AV	15.72076G	42.85	54.00	-11.15	27.99	3	Vertical	227	1.55	-	38.40	9.24	32.78

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71785G	56.66	74.00	-17.34	41.81	3	Horizontal	349	1.41	-	38.40	9.24	32.79
AV	15.71771G	42.75	54.00	-11.25	27.90	3	Horizontal	349	1.41	-	38.40	9.24	32.79

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.80	74.00	-14.20	55.01	3	Vertical	358	1.80	-	32.60	5.14	32.95
AV	5.088G	52.95	54.00	-1.05	48.16	3	Vertical	358	1.80	-	32.60	5.14	32.95
PK	5.256G	122.65	Inf	-Inf	117.50	3	Vertical	358	1.80	-	32.82	5.26	32.93
AV	5.256G	110.20	Inf	-Inf	105.05	3	Vertical	358	1.80	-	32.82	5.26	32.93
PK	5.455G	60.08	74.00	-13.92	54.18	3	Vertical	358	1.80	-	33.41	5.40	32.91
AV	5.376G	49.76	54.00	-4.24	44.23	3	Vertical	358	1.80	-	33.06	5.38	32.91
PK	5.472G	60.24	68.20	-7.96	54.30	3	Vertical	358	1.80	-	33.44	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.068G	60.82	74.00	-13.18	56.04	3	Horizontal	359	1.80	-	32.60	5.13	32.95
AV	5.088G	52.16	54.00	-1.84	47.37	3	Horizontal	359	1.80	-	32.60	5.14	32.95
PK	5.255G	123.23	Inf	-Inf	118.09	3	Horizontal	359	1.80	-	32.82	5.25	32.93
AV	5.257G	110.18	Inf	-Inf	105.02	3	Horizontal	359	1.80	-	32.83	5.26	32.93
PK	5.376G	61.53	74.00	-12.47	56.00	3	Horizontal	359	1.80	-	33.06	5.38	32.91
AV	5.376G	53.61	54.00	-0.39	48.08	3	Horizontal	359	1.80	-	33.06	5.38	32.91
PK	5.473G	60.98	68.20	-7.22	55.03	3	Horizontal	359	1.80	-	33.45	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78155G	56.43	74.00	-17.57	41.54	3	Vertical	178	1.09	-	38.40	9.26	32.77
AV	15.77839G	43.21	54.00	-10.79	28.33	3	Vertical	178	1.09	-	38.40	9.26	32.78

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78089G	56.58	74.00	-17.42	41.70	3	Horizontal	198	2.23	-	38.40	9.26	32.78
AV	15.78021G	43.17	54.00	-10.83	28.29	3	Horizontal	198	2.23	-	38.40	9.26	32.78

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.76	74.00	-14.24	54.97	3	Vertical	357.1	1.80	-	32.60	5.14	32.95
AV	5.088G	52.62	54.00	-1.38	47.83	3	Vertical	357.1	1.80	-	32.60	5.14	32.95
PK	5.301G	120.17	Inf	-Inf	114.79	3	Vertical	357.1	1.80	-	33.00	5.30	32.92
AV	5.301G	106.89	Inf	-Inf	101.51	3	Vertical	357.1	1.80	-	33.00	5.30	32.92
PK	5.368G	59.59	74.00	-14.41	54.13	3	Vertical	357.1	1.80	-	33.01	5.37	32.92
AV	5.376G	49.77	54.00	-4.23	44.24	3	Vertical	357.1	1.80	-	33.06	5.38	32.91
PK	5.472G	61.40	68.20	-6.80	55.46	3	Vertical	357.1	1.80	-	33.44	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.115G	59.57	74.00	-14.43	54.76	3	Horizontal	358	1.80	-	32.60	5.16	32.95
AV	5.088G	51.42	54.00	-2.58	46.63	3	Horizontal	358	1.80	-	32.60	5.14	32.95
PK	5.301G	123.75	Inf	-Inf	118.37	3	Horizontal	358	1.80	-	33.00	5.30	32.92
AV	5.302G	110.14	Inf	-Inf	104.76	3	Horizontal	358	1.80	-	33.00	5.30	32.92
PK	5.376G	61.02	74.00	-12.98	55.49	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.20	54.00	-0.80	47.67	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.492G	60.09	68.20	-8.11	54.11	3	Horizontal	358	1.80	-	33.48	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89826G	57.31	74.00	-16.69	42.19	3	Vertical	223	2.54	-	38.60	9.28	32.76
AV	15.89811G	43.50	54.00	-10.50	28.38	3	Vertical	223	2.54	-	38.60	9.28	32.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90222G	56.89	74.00	-17.11	41.77	3	Horizontal	107	2.58	-	38.60	9.28	32.76
AV	15.90017G	43.42	54.00	-10.58	28.30	3	Horizontal	107	2.58	-	38.60	9.28	32.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.89	74.00	-14.11	55.10	3	Vertical	359.6	1.75	-	32.60	5.14	32.95
AV	5.088G	52.02	54.00	-1.98	47.23	3	Vertical	359.6	1.75	-	32.60	5.14	32.95
PK	5.325G	120.02	Inf	-Inf	114.66	3	Vertical	359.6	1.75	-	32.95	5.33	32.92
AV	5.324G	107.00	Inf	-Inf	101.65	3	Vertical	359.6	1.75	-	32.95	5.32	32.92
PK	5.36G	59.61	74.00	-14.39	54.21	3	Vertical	359.6	1.75	-	32.96	5.36	32.92
AV	5.376G	49.53	54.00	-4.47	44.00	3	Vertical	359.6	1.75	-	33.06	5.38	32.91
PK	5.519G	60.19	68.20	-8.01	54.11	3	Vertical	359.6	1.75	-	33.58	5.40	32.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	59.78	74.00	-14.22	54.96	3	Horizontal	357.9	1.81	-	32.60	5.16	32.94
AV	5.087G	51.46	54.00	-2.54	46.67	3	Horizontal	357.9	1.81	-	32.60	5.14	32.95
PK	5.326G	123.31	Inf	-Inf	117.95	3	Horizontal	357.9	1.81	-	32.95	5.33	32.92
AV	5.317G	110.90	Inf	-Inf	105.53	3	Horizontal	357.9	1.81	-	32.97	5.32	32.92
PK	5.376G	61.63	74.00	-12.37	56.10	3	Horizontal	357.9	1.81	-	33.06	5.38	32.91
AV	5.376G	53.01	54.00	-0.99	47.48	3	Horizontal	357.9	1.81	-	33.06	5.38	32.91
PK	5.568G	60.69	68.20	-7.51	54.46	3	Horizontal	357.9	1.81	-	33.74	5.40	32.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95942G	57.09	74.00	-16.91	41.89	3	Vertical	198	1.91	-	38.66	9.29	32.75
AV	15.96105G	43.15	54.00	-10.85	27.95	3	Vertical	198	1.91	-	38.66	9.29	32.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95994G	56.65	74.00	-17.35	41.45	3	Horizontal	44	2.44	-	38.66	9.29	32.75
AV	15.95897G	43.04	54.00	-10.96	27.84	3	Horizontal	44	2.44	-	38.66	9.29	32.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	61.13	68.20	-7.07	55.77	3	Vertical	357.6	1.80	-	32.97	5.31	32.92
PK	5.408G	61.64	74.00	-12.36	55.92	3	Vertical	357.6	1.80	-	33.23	5.40	32.91
AV	5.376G	53.01	54.00	-0.99	47.48	3	Vertical	357.6	1.80	-	33.06	5.38	32.91
PK	5.467G	62.12	68.20	-6.08	56.19	3	Vertical	357.6	1.80	-	33.43	5.40	32.90
PK	5.497G	123.88	Inf	-Inf	117.89	3	Vertical	357.6	1.80	-	33.49	5.40	32.90
AV	5.493G	111.14	Inf	-Inf	105.15	3	Vertical	357.6	1.80	-	33.49	5.40	32.90
PK	5.749G	60.82	68.20	-7.38	54.17	3	Vertical	357.6	1.80	-	34.10	5.47	32.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	60.60	68.20	-7.60	55.22	3	Horizontal	356.3	1.80	-	33.00	5.30	32.92
PK	5.376G	61.53	74.00	-12.47	56.00	3	Horizontal	356.3	1.80	-	33.06	5.38	32.91
AV	5.376G	52.70	54.00	-1.30	47.17	3	Horizontal	356.3	1.80	-	33.06	5.38	32.91
PK	5.47G	61.10	68.20	-7.10	55.16	3	Horizontal	356.3	1.80	-	33.44	5.40	32.90
PK	5.501G	123.49	Inf	-Inf	117.49	3	Horizontal	356.3	1.80	-	33.50	5.40	32.90
AV	5.502G	110.82	Inf	-Inf	104.81	3	Horizontal	356.3	1.80	-	33.51	5.40	32.90
PK	5.738G	59.93	68.20	-8.27	53.33	3	Horizontal	356.3	1.80	-	34.05	5.47	32.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99778G	54.54	74.00	-19.46	41.44	3	Vertical	147	2.49	-	38.20	7.65	32.75
AV	11.00137G	40.20	54.00	-13.80	27.10	3	Vertical	147	2.49	-	38.20	7.65	32.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99766G	53.54	74.00	-20.46	40.44	3	Horizontal	283	2.09	-	38.20	7.65	32.75
AV	10.9979G	40.18	54.00	-13.82	27.08	3	Horizontal	283	2.09	-	38.20	7.65	32.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.40	68.20	-8.80	54.06	3	Vertical	357.8	1.78	-	32.91	5.35	32.92
AV	5.376G	50.89	54.00	-3.11	45.36	3	Vertical	357.8	1.78	-	33.06	5.38	32.91
PK	5.44G	61.56	74.00	-12.44	55.71	3	Vertical	357.8	1.78	-	33.36	5.40	32.91
PK	5.466G	60.13	68.20	-8.07	54.20	3	Vertical	357.8	1.78	-	33.43	5.40	32.90
PK	5.582G	125.10	Inf	-Inf	118.85	3	Vertical	357.8	1.78	-	33.76	5.40	32.91
AV	5.576G	111.32	Inf	-Inf	105.08	3	Vertical	357.8	1.78	-	33.75	5.40	32.91
PK	5.743G	60.53	68.20	-7.67	53.91	3	Vertical	357.8	1.78	-	34.07	5.47	32.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.59	68.20	-8.61	54.24	3	Horizontal	357.5	1.80	-	32.94	5.33	32.92
PK	5.376G	60.87	74.00	-13.13	55.34	3	Horizontal	357.5	1.80	-	33.06	5.38	32.91
AV	5.376G	53.09	54.00	-0.91	47.56	3	Horizontal	357.5	1.80	-	33.06	5.38	32.91
PK	5.469G	59.72	68.20	-8.48	53.78	3	Horizontal	357.5	1.80	-	33.44	5.40	32.90
PK	5.578G	124.01	Inf	-Inf	117.76	3	Horizontal	357.5	1.80	-	33.76	5.40	32.91
AV	5.578G	111.87	Inf	-Inf	105.62	3	Horizontal	357.5	1.80	-	33.76	5.40	32.91
PK	5.81G	60.84	68.20	-7.36	53.93	3	Horizontal	357.5	1.80	-	34.34	5.50	32.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1622G	54.25	74.00	-19.75	41.07	3	Vertical	74	1.30	-	38.24	7.71	32.77
AV	11.15775G	40.46	54.00	-13.54	27.28	3	Vertical	74	1.30	-	38.24	7.71	32.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15906G	54.67	74.00	-19.33	41.49	3	Horizontal	348	1.04	-	38.24	7.71	32.77
AV	11.16025G	40.37	54.00	-13.63	27.19	3	Horizontal	348	1.04	-	38.24	7.71	32.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




29/07/2021

EUT V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.258G	61.99	68.20	-6.21	56.83	3	Vertical	358.7	1.72	-	32.83	5.26	32.93
PK	5.376G	60.48	74.00	-13.52	54.95	3	Vertical	358.7	1.72	-	33.06	5.38	32.91
AV	5.376G	51.44	54.00	-2.56	45.91	3	Vertical	358.7	1.72	-	33.06	5.38	32.91
PK	5.466G	60.19	68.20	-8.01	54.26	3	Vertical	358.7	1.72	-	33.43	5.40	32.90
PK	5.696G	122.20	Inf	-Inf	115.77	3	Vertical	358.7	1.72	-	33.90	5.45	32.92
AV	5.698G	110.25	Inf	-Inf	103.82	3	Vertical	358.7	1.72	-	33.90	5.45	32.92
PK	5.726G	67.48	68.20	-0.72	60.94	3	Vertical	358.7	1.72	-	34.00	5.46	32.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.252G	61.37	68.20	-6.83	56.24	3	Horizontal	357.4	1.80	-	32.81	5.25	32.93
PK	5.376G	60.94	74.00	-13.06	55.41	3	Horizontal	357.4	1.80	-	33.06	5.38	32.91
AV	5.376G	53.20	54.00	-0.80	47.67	3	Horizontal	357.4	1.80	-	33.06	5.38	32.91
PK	5.47G	61.59	68.20	-6.61	55.65	3	Horizontal	357.4	1.80	-	33.44	5.40	32.90
PK	5.702G	125.18	Inf	-Inf	118.74	3	Horizontal	357.4	1.80	-	33.91	5.45	32.92
AV	5.698G	111.76	Inf	-Inf	105.33	3	Horizontal	357.4	1.80	-	33.90	5.45	32.92
PK	5.726G	67.65	68.20	-0.55	61.11	3	Horizontal	357.4	1.80	-	34.00	5.46	32.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39908G	54.10	74.00	-19.90	40.71	3	Vertical	262	2.08	-	38.40	7.79	32.80
AV	11.40214G	40.55	54.00	-13.45	27.16	3	Vertical	262	2.08	-	38.40	7.79	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39844G	54.39	74.00	-19.61	41.00	3	Horizontal	286	2.67	-	38.40	7.79	32.80
AV	11.40177G	40.54	54.00	-13.46	27.15	3	Horizontal	286	2.67	-	38.40	7.79	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	61.55	68.20	-6.65	56.28	3	Vertical	358	1.80	-	32.92	5.28	32.93
PK	5.404G	60.55	74.00	-13.45	54.84	3	Vertical	358	1.80	-	33.22	5.40	32.91
AV	5.376G	50.48	54.00	-3.52	44.95	3	Vertical	358	1.80	-	33.06	5.38	32.91
PK	5.462G	60.28	68.20	-7.92	54.36	3	Vertical	358	1.80	-	33.42	5.40	32.90
PK	5.718G	123.82	Inf	-Inf	117.31	3	Vertical	358	1.80	-	33.97	5.46	32.92
AV	5.718G	110.97	Inf	-Inf	104.46	3	Vertical	358	1.80	-	33.97	5.46	32.92
PK	5.858G	60.46	68.20	-7.74	53.35	3	Vertical	358	1.80	-	34.55	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.282G	61.19	68.20	-7.01	55.91	3	Horizontal	357.4	1.83	-	32.93	5.28	32.93
PK	5.376G	61.53	74.00	-12.47	56.00	3	Horizontal	357.4	1.83	-	33.06	5.38	32.91
AV	5.376G	53.15	54.00	-0.85	47.62	3	Horizontal	357.4	1.83	-	33.06	5.38	32.91
PK	5.47G	59.77	68.20	-8.43	53.83	3	Horizontal	357.4	1.83	-	33.44	5.40	32.90
PK	5.716G	124.17	Inf	-Inf	117.67	3	Horizontal	357.4	1.83	-	33.96	5.46	32.92
AV	5.724G	111.77	Inf	-Inf	105.23	3	Horizontal	357.4	1.83	-	34.00	5.46	32.92
PK	5.898G	60.80	68.20	-7.40	53.45	3	Horizontal	357.4	1.83	-	34.79	5.50	32.94


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_2TX
 Setting 28
 01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44231G	54.48	74.00	-19.52	41.08	3	Vertical	142	2.88	-	38.40	7.80	32.80
AV	11.43852G	40.85	54.00	-13.15	27.45	3	Vertical	142	2.88	-	38.40	7.80	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 28
 01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43783G	54.69	74.00	-19.31	41.29	3	Horizontal	178	2.50	-	38.40	7.80	32.80
AV	11.43848G	40.95	54.00	-13.05	27.55	3	Horizontal	178	2.50	-	38.40	7.80	32.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 34
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	62.94	68.20	-5.26	57.62	3	Vertical	358	1.80	-	32.96	5.29	32.93
PK	5.437G	61.71	74.00	-12.29	55.87	3	Vertical	358	1.80	-	33.35	5.40	32.91
AV	5.375G	51.60	54.00	-2.40	46.09	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.557G	64.46	68.20	-3.74	58.26	3	Vertical	358	1.80	-	33.71	5.40	32.91
PK	5.749G	126.66	Inf	-Inf	120.01	3	Vertical	358	1.80	-	34.10	5.47	32.92
AV	5.741G	114.17	Inf	-Inf	107.56	3	Vertical	358	1.80	-	34.06	5.47	32.92
PK	5.943G	62.01	68.20	-6.19	54.48	3	Vertical	358	1.80	-	34.97	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 34
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	63.06	68.20	-5.14	57.69	3	Horizontal	357.1	1.80	-	32.99	5.30	32.92
PK	5.375G	63.39	74.00	-10.61	57.88	3	Horizontal	357.1	1.80	-	33.05	5.37	32.91
AV	5.375G	53.35	54.00	-0.65	47.84	3	Horizontal	357.1	1.80	-	33.05	5.37	32.91
PK	5.547G	65.72	68.20	-2.48	59.53	3	Horizontal	357.1	1.80	-	33.69	5.40	32.90
PK	5.747G	127.43	Inf	-Inf	120.79	3	Horizontal	357.1	1.80	-	34.09	5.47	32.92
AV	5.747G	115.44	Inf	-Inf	108.80	3	Horizontal	357.1	1.80	-	34.09	5.47	32.92
PK	5.953G	63.47	68.20	-4.73	55.91	3	Horizontal	357.1	1.80	-	35.01	5.50	32.95

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 34
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48959G	54.84	74.00	-19.16	41.43	3	Vertical	212	2.97	-	38.40	7.82	32.81
AV	11.48951G	40.60	54.00	-13.40	27.19	3	Vertical	212	2.97	-	38.40	7.82	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 34
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48854G	54.75	74.00	-19.25	41.34	3	Horizontal	107	1.62	-	38.40	7.82	32.81
AV	11.48801G	40.70	54.00	-13.30	27.29	3	Horizontal	107	1.62	-	38.40	7.82	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUTY_2TX
Setting 32
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	63.17	68.20	-5.03	57.81	3	Vertical	358	1.80	-	32.95	5.33	32.92
PK	5.367G	61.37	74.00	-12.63	55.92	3	Vertical	358	1.80	-	33.00	5.37	32.92
AV	5.375G	51.94	54.00	-2.06	46.43	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.593G	63.29	68.20	-4.91	57.01	3	Vertical	358	1.80	-	33.79	5.40	32.91
PK	5.779G	125.32	Inf	-Inf	118.54	3	Vertical	358	1.80	-	34.22	5.49	32.93
AV	5.789G	112.22	Inf	-Inf	105.40	3	Vertical	358	1.80	-	34.26	5.49	32.93
PK	5.927G	62.01	68.20	-6.19	54.54	3	Vertical	358	1.80	-	34.91	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 32
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	63.36	68.20	-4.84	58.01	3	Horizontal	357	1.80	-	32.94	5.33	32.92
PK	5.375G	63.39	74.00	-10.61	57.88	3	Horizontal	357	1.80	-	33.05	5.37	32.91
AV	5.375G	53.99	54.00	-0.01	48.48	3	Horizontal	357	1.80	-	33.05	5.37	32.91
PK	5.599G	64.05	68.20	-4.15	57.76	3	Horizontal	357	1.80	-	33.80	5.40	32.91
PK	5.789G	125.17	Inf	-Inf	118.35	3	Horizontal	357	1.80	-	34.26	5.49	32.93
AV	5.789G	112.42	Inf	-Inf	105.60	3	Horizontal	357	1.80	-	34.26	5.49	32.93
PK	5.953G	63.47	68.20	-4.73	55.91	3	Horizontal	357	1.80	-	35.01	5.50	32.95

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 32
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5685G	54.05	74.00	-19.95	40.62	3	Vertical	138	2.70	-	38.40	7.85	32.82
AV	11.572G	40.42	54.00	-13.58	26.99	3	Vertical	138	2.70	-	38.40	7.85	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 32
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56759G	53.57	74.00	-20.43	40.14	3	Horizontal	32	1.83	-	38.40	7.85	32.82
AV	11.56926G	40.38	54.00	-13.62	26.95	3	Horizontal	32	1.83	-	38.40	7.85	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




29/07/2021

EUTY_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	57.49	68.20	-10.71	52.13	3	Vertical	359	1.80	-	32.95	5.33	32.92
PK	5.375G	62.31	74.00	-11.69	56.80	3	Vertical	359	1.80	-	33.05	5.37	32.91
AV	5.375G	52.53	54.00	-1.47	47.02	3	Vertical	359	1.80	-	33.05	5.37	32.91
PK	5.471G	61.62	68.20	-6.58	55.68	3	Vertical	359	1.80	-	33.44	5.40	32.90
PK	5.827G	122.09	Inf	-Inf	115.11	3	Vertical	359	1.80	-	34.41	5.50	32.93
AV	5.823G	109.22	Inf	-Inf	102.26	3	Vertical	359	1.80	-	34.39	5.50	32.93
PK	5.927G	61.43	68.20	-6.77	53.96	3	Vertical	359	1.80	-	34.91	5.50	32.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	58.17	68.20	-10.03	52.83	3	Horizontal	358	1.80	-	32.93	5.33	32.92
PK	5.375G	62.05	74.00	-11.95	56.54	3	Horizontal	358	1.80	-	33.05	5.37	32.91
AV	5.375G	53.04	54.00	-0.96	47.53	3	Horizontal	358	1.80	-	33.05	5.37	32.91
PK	5.637G	63.58	68.20	-4.62	57.20	3	Horizontal	358	1.80	-	33.87	5.42	32.91
PK	5.823G	125.55	Inf	-Inf	118.59	3	Horizontal	358	1.80	-	34.39	5.50	32.93
AV	5.823G	112.58	Inf	-Inf	105.62	3	Horizontal	358	1.80	-	34.39	5.50	32.93
PK	5.953G	62.20	68.20	-6.00	54.64	3	Horizontal	358	1.80	-	35.01	5.50	32.95

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64894G	54.21	74.00	-19.79	40.71	3	Vertical	267	1.91	-	38.45	7.88	32.83
AV	11.64909G	40.62	54.00	-13.38	27.12	3	Vertical	267	1.91	-	38.45	7.88	32.83

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6483G	54.79	74.00	-19.21	41.29	3	Horizontal	100	1.15	-	38.45	7.88	32.83
AV	11.64869G	40.61	54.00	-13.39	27.11	3	Horizontal	100	1.15	-	38.45	7.88	32.83

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.12	74.00	-11.88	57.29	3	Vertical	357.6	1.81	-	32.60	5.17	32.94
AV	5.088G	52.99	54.00	-1.01	48.20	3	Vertical	357.6	1.81	-	32.60	5.14	32.95
PK	5.2G	119.96	Inf	-Inf	115.00	3	Vertical	357.6	1.81	-	32.70	5.20	32.94
AV	5.192G	107.15	Inf	-Inf	102.21	3	Vertical	357.6	1.81	-	32.68	5.20	32.94
PK	5.376G	61.09	74.00	-12.91	55.56	3	Vertical	357.6	1.81	-	33.06	5.38	32.91
AV	5.376G	51.19	54.00	-2.81	45.66	3	Vertical	357.6	1.81	-	33.06	5.38	32.91

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.26	74.00	-9.74	59.43	3	Horizontal	360	1.80	-	32.60	5.17	32.94
AV	5.15G	52.01	54.00	-1.99	47.18	3	Horizontal	360	1.80	-	32.60	5.17	32.94
PK	5.181G	121.37	Inf	-Inf	116.46	3	Horizontal	360	1.80	-	32.66	5.19	32.94
AV	5.193G	107.55	Inf	-Inf	102.60	3	Horizontal	360	1.80	-	32.69	5.20	32.94
PK	5.376G	62.02	74.00	-11.98	56.49	3	Horizontal	360	1.80	-	33.06	5.38	32.91
AV	5.376G	53.22	54.00	-0.78	47.69	3	Horizontal	360	1.80	-	33.06	5.38	32.91

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56904G	55.61	74.00	-18.39	40.97	3	Vertical	58	1.22	-	38.24	9.21	32.81
AV	15.56993G	42.21	54.00	-11.79	27.57	3	Vertical	58	1.22	-	38.24	9.21	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57002G	55.52	74.00	-18.48	40.88	3	Horizontal	265	2.31	-	38.24	9.21	32.81
AV	15.57176G	42.24	54.00	-11.76	27.60	3	Horizontal	265	2.31	-	38.24	9.21	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.80	74.00	-13.20	56.01	3	Vertical	357	1.80	-	32.60	5.14	32.95
AV	5.088G	52.18	54.00	-1.82	47.39	3	Vertical	357	1.80	-	32.60	5.14	32.95
PK	5.229G	119.49	Inf	-Inf	114.43	3	Vertical	357	1.80	-	32.76	5.23	32.93
AV	5.227G	106.80	Inf	-Inf	101.75	3	Vertical	357	1.80	-	32.75	5.23	32.93
PK	5.377G	59.85	74.00	-14.15	54.32	3	Vertical	357	1.80	-	33.06	5.38	32.91
AV	5.376G	50.03	54.00	-3.97	44.50	3	Vertical	357	1.80	-	33.06	5.38	32.91
PK	5.473G	60.15	68.20	-8.05	54.20	3	Vertical	357	1.80	-	33.45	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	61.11	74.00	-12.89	56.32	3	Horizontal	357.9	1.76	-	32.60	5.14	32.95
AV	5.088G	51.88	54.00	-2.12	47.09	3	Horizontal	357.9	1.76	-	32.60	5.14	32.95
PK	5.235G	120.96	Inf	-Inf	115.88	3	Horizontal	357.9	1.76	-	32.77	5.24	32.93
AV	5.226G	108.18	Inf	-Inf	103.13	3	Horizontal	357.9	1.76	-	32.75	5.23	32.93
PK	5.377G	62.12	74.00	-11.88	56.59	3	Horizontal	357.9	1.76	-	33.06	5.38	32.91
AV	5.376G	53.74	54.00	-0.26	48.21	3	Horizontal	357.9	1.76	-	33.06	5.38	32.91
PK	5.472G	61.28	68.20	-6.92	55.34	3	Horizontal	357.9	1.76	-	33.44	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68758G	56.66	74.00	-17.34	41.82	3	Vertical	343	2.44	-	38.39	9.24	32.79
AV	15.68914G	42.62	54.00	-11.38	27.78	3	Vertical	343	2.44	-	38.39	9.24	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69029G	56.27	74.00	-17.73	41.43	3	Horizontal	284	2.28	-	38.39	9.24	32.79
AV	15.68806G	42.67	54.00	-11.33	27.83	3	Horizontal	284	2.28	-	38.39	9.24	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	60.47	74.00	-13.53	55.68	3	Vertical	357.4	1.80	-	32.60	5.14	32.95
AV	5.088G	52.71	54.00	-1.29	47.92	3	Vertical	357.4	1.80	-	32.60	5.14	32.95
PK	5.274G	118.06	Inf	-Inf	112.82	3	Vertical	357.4	1.80	-	32.90	5.27	32.93
AV	5.262G	105.67	Inf	-Inf	100.49	3	Vertical	357.4	1.80	-	32.85	5.26	32.93
PK	5.377G	60.67	74.00	-13.33	55.14	3	Vertical	357.4	1.80	-	33.06	5.38	32.91
AV	5.376G	50.14	54.00	-3.86	44.61	3	Vertical	357.4	1.80	-	33.06	5.38	32.91
PK	5.473G	60.81	68.20	-7.39	54.86	3	Vertical	357.4	1.80	-	33.45	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	61.73	74.00	-12.27	56.94	3	Horizontal	357	1.78	-	32.60	5.14	32.95
AV	5.088G	51.94	54.00	-2.06	47.15	3	Horizontal	357	1.78	-	32.60	5.14	32.95
PK	5.273G	118.89	Inf	-Inf	113.66	3	Horizontal	357	1.78	-	32.89	5.27	32.93
AV	5.271G	106.17	Inf	-Inf	100.95	3	Horizontal	357	1.78	-	32.88	5.27	32.93
PK	5.399G	61.91	74.00	-12.09	56.23	3	Horizontal	357	1.78	-	33.19	5.40	32.91
AV	5.376G	53.09	54.00	-0.91	47.56	3	Horizontal	357	1.78	-	33.06	5.38	32.91
PK	5.473G	60.71	68.20	-7.49	54.76	3	Horizontal	357	1.78	-	33.45	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81165G	57.26	74.00	-16.74	42.35	3	Vertical	113	2.12	-	38.42	9.26	32.77
AV	15.81025G	43.29	54.00	-10.71	28.38	3	Vertical	113	2.12	-	38.42	9.26	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80968G	56.93	74.00	-17.07	42.02	3	Horizontal	58	2.54	-	38.42	9.26	32.77
AV	15.81113G	43.28	54.00	-10.72	28.37	3	Horizontal	58	2.54	-	38.42	9.26	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	61.53	74.00	-12.47	56.74	3	Vertical	358	1.80	-	32.60	5.14	32.95
AV	5.088G	52.78	54.00	-1.22	47.99	3	Vertical	358	1.80	-	32.60	5.14	32.95
PK	5.3G	116.82	Inf	-Inf	111.44	3	Vertical	358	1.80	-	33.00	5.30	32.92
AV	5.3G	104.16	Inf	-Inf	98.78	3	Vertical	358	1.80	-	33.00	5.30	32.92
PK	5.353G	64.17	74.00	-9.83	58.82	3	Vertical	358	1.80	-	32.92	5.35	32.92
AV	5.35G	51.19	54.00	-2.81	45.86	3	Vertical	358	1.80	-	32.90	5.35	32.92
PK	5.472G	60.75	68.20	-7.45	54.81	3	Vertical	358	1.80	-	33.44	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	59.54	74.00	-14.46	54.75	3	Horizontal	358.1	1.76	-	32.60	5.14	32.95
AV	5.087G	51.69	54.00	-2.31	46.90	3	Horizontal	358.1	1.76	-	32.60	5.14	32.95
PK	5.32G	121.96	Inf	-Inf	116.60	3	Horizontal	358.1	1.76	-	32.96	5.32	32.92
AV	5.312G	107.80	Inf	-Inf	102.43	3	Horizontal	358.1	1.76	-	32.98	5.31	32.92
PK	5.351G	65.24	74.00	-8.76	59.90	3	Horizontal	358.1	1.76	-	32.91	5.35	32.92
AV	5.376G	53.06	54.00	-0.94	47.53	3	Horizontal	358.1	1.76	-	33.06	5.38	32.91
PK	5.472G	60.29	68.20	-7.91	54.35	3	Horizontal	358.1	1.76	-	33.44	5.40	32.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9283G	57.27	74.00	-16.73	42.10	3	Vertical	33	1.48	-	38.63	9.29	32.75
AV	15.92766G	43.64	54.00	-10.36	28.47	3	Vertical	33	1.48	-	38.63	9.29	32.75

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93221G	57.75	74.00	-16.25	42.58	3	Horizontal	293	2.15	-	38.63	9.29	32.75
AV	15.92958G	43.64	54.00	-10.36	28.47	3	Horizontal	293	2.15	-	38.63	9.29	32.75

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUTY_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	59.47	68.20	-8.73	54.11	3	Vertical	358	1.70	-	32.95	5.33	32.92
AV	5.376G	50.84	54.00	-3.16	45.31	3	Vertical	358	1.70	-	33.06	5.38	32.91
PK	5.459G	62.20	74.00	-11.80	56.28	3	Vertical	358	1.70	-	33.42	5.40	32.90
PK	5.468G	61.87	68.20	-6.33	55.93	3	Vertical	358	1.70	-	33.44	5.40	32.90
PK	5.507G	120.74	Inf	-Inf	114.71	3	Vertical	358	1.70	-	33.53	5.40	32.90
AV	5.512G	107.41	Inf	-Inf	101.36	3	Vertical	358	1.70	-	33.55	5.40	32.90
PK	5.73G	59.33	68.20	-8.87	52.77	3	Vertical	358	1.70	-	34.02	5.46	32.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	60.78	68.20	-7.42	55.41	3	Horizontal	358	1.80	-	32.98	5.31	32.92
AV	5.376G	53.07	54.00	-0.93	47.54	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.46G	62.37	74.00	-11.63	56.45	3	Horizontal	358	1.80	-	33.42	5.40	32.90
PK	5.469G	64.86	68.20	-3.34	58.92	3	Horizontal	358	1.80	-	33.44	5.40	32.90
PK	5.505G	121.71	Inf	-Inf	115.69	3	Horizontal	358	1.80	-	33.52	5.40	32.90
AV	5.513G	108.83	Inf	-Inf	102.78	3	Horizontal	358	1.80	-	33.55	5.40	32.90
PK	5.73G	61.08	68.20	-7.12	54.52	3	Horizontal	358	1.80	-	34.02	5.46	32.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01901G	54.38	74.00	-19.62	41.25	3	Vertical	93	1.80	-	38.22	7.66	32.75
AV	11.02059G	40.29	54.00	-13.71	27.16	3	Vertical	93	1.80	-	38.22	7.66	32.75

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01978G	53.80	74.00	-20.20	40.67	3	Horizontal	184	1.19	-	38.22	7.66	32.75
AV	11.02143G	40.24	54.00	-13.76	27.11	3	Horizontal	184	1.19	-	38.22	7.66	32.75

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	59.67	68.20	-8.53	54.32	3	Vertical	358	1.80	-	32.93	5.34	32.92
AV	5.376G	50.87	54.00	-3.13	45.34	3	Vertical	358	1.80	-	33.06	5.38	32.91
PK	5.448G	61.21	74.00	-12.79	55.33	3	Vertical	358	1.80	-	33.39	5.40	32.91
PK	5.467G	61.29	68.20	-6.91	55.36	3	Vertical	358	1.80	-	33.43	5.40	32.90
PK	5.549G	120.00	Inf	-Inf	113.80	3	Vertical	358	1.80	-	33.70	5.40	32.90
AV	5.544G	107.50	Inf	-Inf	101.32	3	Vertical	358	1.80	-	33.68	5.40	32.90
PK	5.739G	60.46	68.20	-7.74	53.85	3	Vertical	358	1.80	-	34.06	5.47	32.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUTY_2TX
Setting 27
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	60.29	68.20	-7.91	54.94	3	Horizontal	358	1.76	-	32.94	5.33	32.92
PK	5.376G	61.80	74.00	-12.20	56.27	3	Horizontal	358	1.76	-	33.06	5.38	32.91
AV	5.376G	52.41	54.00	-1.59	46.88	3	Horizontal	358	1.76	-	33.06	5.38	32.91
PK	5.47G	60.95	68.20	-7.25	55.01	3	Horizontal	358	1.76	-	33.44	5.40	32.90
PK	5.546G	122.76	Inf	-Inf	116.58	3	Horizontal	358	1.76	-	33.68	5.40	32.90
AV	5.548G	109.25	Inf	-Inf	103.06	3	Horizontal	358	1.76	-	33.69	5.40	32.90
PK	5.76G	60.69	68.20	-7.51	54.00	3	Horizontal	358	1.76	-	34.14	5.48	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09921G	53.81	74.00	-20.19	40.59	3	Vertical	78	1.00	-	38.30	7.68	32.76
AV	11.10053G	40.48	54.00	-13.52	27.25	3	Vertical	78	1.00	-	38.30	7.69	32.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 27
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09874G	54.88	74.00	-19.12	41.66	3	Horizontal	328	1.55	-	38.30	7.68	32.76
AV	11.09879G	40.51	54.00	-13.49	27.29	3	Horizontal	328	1.55	-	38.30	7.68	32.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.232G	62.38	68.20	-5.82	57.32	3	Vertical	358	1.80	-	32.76	5.23	32.93
PK	5.376G	63.13	74.00	-10.87	57.60	3	Vertical	358	1.80	-	33.06	5.38	32.91
AV	5.376G	52.45	54.00	-1.55	46.92	3	Vertical	358	1.80	-	33.06	5.38	32.91
PK	5.462G	62.81	68.20	-5.39	56.89	3	Vertical	358	1.80	-	33.42	5.40	32.90
PK	5.668G	122.94	Inf	-Inf	116.53	3	Vertical	358	1.80	-	33.90	5.43	32.92
AV	5.658G	109.97	Inf	-Inf	103.56	3	Vertical	358	1.80	-	33.90	5.43	32.92
PK	5.728G	65.20	68.20	-3.00	58.65	3	Vertical	358	1.80	-	34.01	5.46	32.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.246G	60.58	68.20	-7.62	55.47	3	Horizontal	358	1.80	-	32.79	5.25	32.93
PK	5.376G	61.29	74.00	-12.71	55.76	3	Horizontal	358	1.80	-	33.06	5.38	32.91
AV	5.376G	53.56	54.00	-0.44	48.03	3	Horizontal	358	1.80	-	33.06	5.38	32.91
PK	5.462G	60.67	68.20	-7.53	54.75	3	Horizontal	358	1.80	-	33.42	5.40	32.90
PK	5.666G	121.25	Inf	-Inf	114.84	3	Horizontal	358	1.80	-	33.90	5.43	32.92
AV	5.664G	109.69	Inf	-Inf	103.28	3	Horizontal	358	1.80	-	33.90	5.43	32.92
PK	5.806G	62.57	68.20	-5.63	55.68	3	Horizontal	358	1.80	-	34.32	5.50	32.93

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34246G	55.46	74.00	-18.54	42.14	3	Vertical	335	1.93	-	38.34	7.77	32.79
AV	11.34039G	40.38	54.00	-13.62	27.06	3	Vertical	335	1.93	-	38.34	7.77	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34087G	53.82	74.00	-20.18	40.50	3	Horizontal	151	2.72	-	38.34	7.77	32.79
AV	11.34211G	40.32	54.00	-13.68	27.00	3	Horizontal	151	2.72	-	38.34	7.77	32.79

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




29/07/2021

EUT_V_2TX
 Setting 28
 01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.254G	63.07	68.20	-5.13	57.93	3	Vertical	357	1.80	-	32.82	5.25	32.93
PK	5.448G	62.07	74.00	-11.93	56.19	3	Vertical	357	1.80	-	33.39	5.40	32.91
AV	5.376G	52.18	54.00	-1.82	46.65	3	Vertical	357	1.80	-	33.06	5.38	32.91
PK	5.464G	61.69	68.20	-6.51	55.76	3	Vertical	357	1.80	-	33.43	5.40	32.90
PK	5.716G	121.38	Inf	-Inf	114.88	3	Vertical	357	1.80	-	33.96	5.46	32.92
AV	5.718G	108.69	Inf	-Inf	102.18	3	Vertical	357	1.80	-	33.97	5.46	32.92
PK	5.876G	62.38	68.20	-5.82	55.16	3	Vertical	357	1.80	-	34.66	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.262G	60.69	68.20	-7.51	55.51	3	Horizontal	357.3	1.79	-	32.85	5.26	32.93
PK	5.454G	60.88	74.00	-13.12	54.98	3	Horizontal	357.3	1.79	-	33.41	5.40	32.91
AV	5.376G	53.39	54.00	-0.61	47.86	3	Horizontal	357.3	1.79	-	33.06	5.38	32.91
PK	5.462G	60.39	68.20	-7.81	54.47	3	Horizontal	357.3	1.79	-	33.42	5.40	32.90
PK	5.714G	122.51	Inf	-Inf	116.01	3	Horizontal	357.3	1.79	-	33.96	5.46	32.92
AV	5.714G	109.75	Inf	-Inf	103.25	3	Horizontal	357.3	1.79	-	33.96	5.46	32.92
PK	5.856G	62.02	68.20	-6.18	54.92	3	Horizontal	357.3	1.79	-	34.54	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 28
 01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42003G	56.05	74.00	-17.95	42.65	3	Vertical	341	2.43	-	38.40	7.80	32.80
AV	11.41799G	41.01	54.00	-12.99	27.61	3	Vertical	341	2.43	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41945G	54.29	74.00	-19.71	40.89	3	Horizontal	101	2.04	-	38.40	7.80	32.80
AV	11.42172G	41.04	54.00	-12.96	27.64	3	Horizontal	101	2.04	-	38.40	7.80	32.80

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUTY_2TX
Setting 34
01-B-B-2-10

Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw (dBUV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.299G	62.77	68.20	-5.43	57.39	3	Vertical	358	1.80	-	33.00	5.30	32.92
PK	5.375G	60.87	74.00	-13.13	55.36	3	Vertical	358	1.80	-	33.05	5.37	32.91
AV	5.375G	52.44	54.00	-1.56	46.93	3	Vertical	358	1.80	-	33.05	5.37	32.91
PK	5.567G	64.60	68.20	-3.60	58.38	3	Vertical	358	1.80	-	33.73	5.40	32.91
PK	5.759G	124.18	Inf	-Inf	117.49	3	Vertical	358	1.80	-	34.14	5.48	32.93
AV	5.749G	111.11	Inf	-Inf	104.46	3	Vertical	358	1.80	-	34.10	5.47	32.92
PK	5.949G	62.73	68.20	-5.47	55.17	3	Vertical	358	1.80	-	35.00	5.50	32.94

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 34
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.303G	63.88	68.20	-4.32	58.51	3	Horizontal	357	1.80	-	32.99	5.30	32.92
PK	5.375G	61.67	74.00	-12.33	56.16	3	Horizontal	357	1.80	-	33.05	5.37	32.91
AV	5.375G	53.28	54.00	-0.72	47.77	3	Horizontal	357	1.80	-	33.05	5.37	32.91
PK	5.567G	64.62	68.20	-3.58	58.40	3	Horizontal	357	1.80	-	33.73	5.40	32.91
PK	5.739G	124.64	Inf	-Inf	118.03	3	Horizontal	357	1.80	-	34.06	5.47	32.92
AV	5.747G	112.40	Inf	-Inf	105.76	3	Horizontal	357	1.80	-	34.09	5.47	32.92
PK	5.953G	63.50	68.20	-4.70	55.94	3	Horizontal	357	1.80	-	35.01	5.50	32.95

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 34
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50949G	53.89	74.00	-20.11	40.47	3	Vertical	357	2.86	-	38.40	7.83	32.81
AV	11.50986G	40.50	54.00	-13.50	27.08	3	Vertical	357	2.86	-	38.40	7.83	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 34
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5116G	54.30	74.00	-19.70	40.88	3	Horizontal	120	1.93	-	38.40	7.83	32.81
AV	11.51123G	40.49	54.00	-13.51	27.07	3	Horizontal	120	1.93	-	38.40	7.83	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	61.34	68.20	-6.86	56.00	3	Vertical	357.2	1.76	-	32.91	5.35	32.92
PK	5.371G	62.01	74.00	-11.99	56.53	3	Vertical	357.2	1.76	-	33.03	5.37	32.92
AV	5.375G	52.18	54.00	-1.82	46.67	3	Vertical	357.2	1.76	-	33.05	5.37	32.91
PK	5.649G	62.24	68.20	-5.96	55.83	3	Vertical	357.2	1.76	-	33.90	5.42	32.91
PK	5.805G	120.35	Inf	-Inf	113.46	3	Vertical	357.2	1.76	-	34.32	5.50	32.93
AV	5.803G	107.72	Inf	-Inf	100.84	3	Vertical	357.2	1.76	-	34.31	5.50	32.93
PK	5.969G	62.54	68.20	-5.66	54.91	3	Vertical	357.2	1.76	-	35.08	5.50	32.95

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	60.43	68.20	-7.77	55.10	3	Horizontal	356.9	1.80	-	32.90	5.35	32.92
PK	5.375G	61.38	74.00	-12.62	55.87	3	Horizontal	356.9	1.80	-	33.05	5.37	32.91
AV	5.375G	52.05	54.00	-1.95	46.54	3	Horizontal	356.9	1.80	-	33.05	5.37	32.91
PK	5.609G	62.12	68.20	-6.08	55.81	3	Horizontal	356.9	1.80	-	33.82	5.40	32.91
PK	5.809G	121.92	Inf	-Inf	115.01	3	Horizontal	356.9	1.80	-	34.34	5.50	32.93
AV	5.803G	109.49	Inf	-Inf	102.61	3	Horizontal	356.9	1.80	-	34.31	5.50	32.93
PK	5.953G	63.34	68.20	-4.86	55.78	3	Horizontal	356.9	1.80	-	35.01	5.50	32.95

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58831G	54.28	74.00	-19.72	40.84	3	Vertical	25	2.99	-	38.40	7.86	32.82
AV	11.58976G	40.44	54.00	-13.56	27.00	3	Vertical	25	2.99	-	38.40	7.86	32.82

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5877G	54.37	74.00	-19.63	40.93	3	Horizontal	169	2.67	-	38.40	7.86	32.82
AV	11.59025G	40.37	54.00	-13.63	26.93	3	Horizontal	169	2.67	-	38.40	7.86	32.82

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	67.09	74.00	-6.91	62.30	3	Vertical	358	1.72	-	32.60	5.14	32.95
AV	5.088G	53.24	54.00	-0.76	48.45	3	Vertical	358	1.72	-	32.60	5.14	32.95
PK	5.225G	116.92	Inf	-Inf	111.87	3	Vertical	358	1.72	-	32.75	5.23	32.93
AV	5.227G	103.54	Inf	-Inf	98.49	3	Vertical	358	1.72	-	32.75	5.23	32.93
PK	5.354G	61.14	74.00	-12.86	55.79	3	Vertical	358	1.72	-	32.92	5.35	32.92
AV	5.376G	50.69	54.00	-3.31	45.16	3	Vertical	358	1.72	-	33.06	5.38	32.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	63.94	74.00	-10.06	59.11	3	Horizontal	357.1	1.82	-	32.60	5.17	32.94
AV	5.088G	52.57	54.00	-1.43	47.78	3	Horizontal	357.1	1.82	-	32.60	5.14	32.95
PK	5.228G	118.69	Inf	-Inf	113.63	3	Horizontal	357.1	1.82	-	32.76	5.23	32.93
AV	5.225G	104.63	Inf	-Inf	99.58	3	Horizontal	357.1	1.82	-	32.75	5.23	32.93
PK	5.376G	62.01	74.00	-11.99	56.48	3	Horizontal	357.1	1.82	-	33.06	5.38	32.91
AV	5.376G	53.86	54.00	-0.14	48.33	3	Horizontal	357.1	1.82	-	33.06	5.38	32.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62915G	56.17	74.00	-17.83	41.41	3	Vertical	197	1.24	-	38.33	9.23	32.80
AV	15.63095G	42.41	54.00	-11.59	27.65	3	Vertical	197	1.24	-	38.33	9.23	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62761G	55.91	74.00	-18.09	41.15	3	Horizontal	92	2.92	-	38.33	9.23	32.80
AV	15.6275G	42.39	54.00	-11.61	27.63	3	Horizontal	92	2.92	-	38.33	9.23	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 22
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	60.76	74.00	-13.24	55.97	3	Vertical	357.3	1.74	-	32.60	5.14	32.95
AV	5.088G	53.01	54.00	-0.99	48.22	3	Vertical	357.3	1.74	-	32.60	5.14	32.95
PK	5.263G	113.36	Inf	-Inf	108.18	3	Vertical	357.3	1.74	-	32.85	5.26	32.93
AV	5.276G	100.25	Inf	-Inf	95.00	3	Vertical	357.3	1.74	-	32.90	5.28	32.93
PK	5.41G	66.99	74.00	-7.01	61.26	3	Vertical	357.3	1.74	-	33.24	5.40	32.91
AV	5.376G	51.67	54.00	-2.33	46.14	3	Vertical	357.3	1.74	-	33.06	5.38	32.91
PK	5.472G	61.48	68.20	-6.72	55.54	3	Vertical	357.3	1.74	-	33.44	5.40	32.90

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 22
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	59.67	74.00	-14.33	54.88	3	Horizontal	357.6	1.80	-	32.60	5.14	32.95
AV	5.088G	51.85	54.00	-2.15	47.06	3	Horizontal	357.6	1.80	-	32.60	5.14	32.95
PK	5.305G	114.60	Inf	-Inf	109.23	3	Horizontal	357.6	1.80	-	32.99	5.30	32.92
AV	5.317G	102.24	Inf	-Inf	96.87	3	Horizontal	357.6	1.80	-	32.97	5.32	32.92
PK	5.35G	64.78	74.00	-9.22	59.45	3	Horizontal	357.6	1.80	-	32.90	5.35	32.92
AV	5.376G	53.79	54.00	-0.21	48.26	3	Horizontal	357.6	1.80	-	33.06	5.38	32.91
PK	5.465G	60.88	68.20	-7.32	54.95	3	Horizontal	357.6	1.80	-	33.43	5.40	32.90

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 22
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8692G	56.47	74.00	-17.53	41.42	3	Vertical	322	2.98	-	38.54	9.27	32.76
AV	15.86848G	43.08	54.00	-10.92	28.03	3	Vertical	322	2.98	-	38.54	9.27	32.76

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 22
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86948G	57.03	74.00	-16.97	41.98	3	Horizontal	43	1.54	-	38.54	9.27	32.76
AV	15.87021G	43.11	54.00	-10.89	28.06	3	Horizontal	43	1.54	-	38.54	9.27	32.76

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	60.16	68.20	-8.04	54.83	3	Vertical	357.8	1.76	-	32.90	5.35	32.92
PK	5.455G	65.56	74.00	-8.44	59.66	3	Vertical	357.8	1.76	-	33.41	5.40	32.91
AV	5.459G	52.86	54.00	-1.14	46.94	3	Vertical	357.8	1.76	-	33.42	5.40	32.90
PK	5.466G	65.37	68.20	-2.83	59.44	3	Vertical	357.8	1.76	-	33.43	5.40	32.90
PK	5.545G	117.51	Inf	-Inf	111.33	3	Vertical	357.8	1.76	-	33.68	5.40	32.90
AV	5.534G	104.14	Inf	-Inf	98.00	3	Vertical	357.8	1.76	-	33.64	5.40	32.90
PK	5.725G	60.74	68.20	-7.46	54.20	3	Vertical	357.8	1.76	-	34.00	5.46	32.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 26
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	60.26	68.20	-7.94	54.91	3	Horizontal	356.9	1.80	-	32.94	5.33	32.92
PK	5.41G	66.85	74.00	-7.15	61.12	3	Horizontal	356.9	1.80	-	33.24	5.40	32.91
PK	5.466G	66.70	68.20	-1.50	60.77	3	Horizontal	356.9	1.80	-	33.43	5.40	32.90
AV	5.458G	53.45	54.00	-0.55	47.54	3	Horizontal	356.9	1.80	-	33.42	5.40	32.91
PK	5.528G	118.74	Inf	-Inf	112.63	3	Horizontal	356.9	1.80	-	33.61	5.40	32.90
AV	5.539G	105.83	Inf	-Inf	99.67	3	Horizontal	356.9	1.80	-	33.66	5.40	32.90
PK	5.736G	60.83	68.20	-7.37	54.24	3	Horizontal	356.9	1.80	-	34.04	5.47	32.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05905G	54.88	74.00	-19.12	41.71	3	Vertical	232	2.47	-	38.26	7.67	32.76
AV	11.06187G	40.46	54.00	-13.54	27.29	3	Vertical	232	2.47	-	38.26	7.67	32.76

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 26
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05819G	54.08	74.00	-19.92	40.91	3	Horizontal	195	1.38	-	38.26	7.67	32.76
AV	11.05997G	40.53	54.00	-13.47	27.36	3	Horizontal	195	1.38	-	38.26	7.67	32.76

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT V_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.91	74.00	-9.09	58.99	3	Vertical	358	1.80	-	33.42	5.40	32.90
AV	5.376G	52.79	54.00	-1.21	47.26	3	Vertical	358	1.80	-	33.06	5.38	32.91
PK	5.464G	64.36	68.20	-3.84	58.43	3	Vertical	358	1.80	-	33.43	5.40	32.90
PK	5.608G	119.80	Inf	-Inf	113.49	3	Vertical	358	1.80	-	33.82	5.40	32.91
AV	5.591G	106.52	Inf	-Inf	100.25	3	Vertical	358	1.80	-	33.78	5.40	32.91
PK	5.728G	67.13	68.20	-1.07	60.58	3	Vertical	358	1.80	-	34.01	5.46	32.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




29/07/2021

EUT V_2TX
Setting 29
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	62.06	74.00	-11.94	56.21	3	Horizontal	357.5	1.80	-	33.36	5.40	32.91
AV	5.375G	53.08	54.00	-0.92	47.57	3	Horizontal	357.5	1.80	-	33.05	5.37	32.91
PK	5.466G	60.96	68.20	-7.24	55.03	3	Horizontal	357.5	1.80	-	33.43	5.40	32.90
PK	5.615G	120.16	Inf	-Inf	113.83	3	Horizontal	357.5	1.80	-	33.83	5.41	32.91
AV	5.614G	106.59	Inf	-Inf	100.26	3	Horizontal	357.5	1.80	-	33.83	5.41	32.91
PK	5.73G	67.16	68.20	-1.04	60.60	3	Horizontal	357.5	1.80	-	34.02	5.46	32.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22091G	53.84	74.00	-20.16	40.67	3	Vertical	98	1.13	-	38.22	7.73	32.78
AV	11.21793G	40.23	54.00	-13.77	27.06	3	Vertical	98	1.13	-	38.22	7.73	32.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 29
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21837G	53.70	74.00	-20.30	40.53	3	Horizontal	162	1.15	-	38.22	7.73	32.78
AV	11.22053G	40.25	54.00	-13.75	27.08	3	Horizontal	162	1.15	-	38.22	7.73	32.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.24G	62.50	68.20	-5.70	57.41	3	Vertical	358	1.78	-	32.78	5.24	32.93
PK	5.46G	62.60	74.00	-11.40	56.68	3	Vertical	358	1.78	-	33.42	5.40	32.90
AV	5.376G	52.41	54.00	-1.59	46.88	3	Vertical	358	1.78	-	33.06	5.38	32.91
PK	5.466G	62.89	68.20	-5.31	56.96	3	Vertical	358	1.78	-	33.43	5.40	32.90
PK	5.66G	118.77	Inf	-Inf	112.36	3	Vertical	358	1.78	-	33.90	5.43	32.92
AV	5.658G	105.83	Inf	-Inf	99.42	3	Vertical	358	1.78	-	33.90	5.43	32.92
PK	5.856G	62.90	68.20	-5.30	55.80	3	Vertical	358	1.78	-	34.54	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




29/07/2021

EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.242G	60.49	68.20	-7.71	55.40	3	Horizontal	356.9	1.80	-	32.78	5.24	32.93
PK	5.376G	61.22	74.00	-12.78	55.69	3	Horizontal	356.9	1.80	-	33.06	5.38	32.91
AV	5.376G	53.29	54.00	-0.71	47.76	3	Horizontal	356.9	1.80	-	33.06	5.38	32.91
PK	5.462G	60.87	68.20	-7.33	54.95	3	Horizontal	356.9	1.80	-	33.42	5.40	32.90
PK	5.676G	119.29	Inf	-Inf	112.87	3	Horizontal	356.9	1.80	-	33.90	5.44	32.92
AV	5.664G	106.51	Inf	-Inf	100.10	3	Horizontal	356.9	1.80	-	33.90	5.43	32.92
PK	5.856G	62.30	68.20	-5.90	55.20	3	Horizontal	356.9	1.80	-	34.54	5.50	32.94

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38104G	54.17	74.00	-19.83	40.81	3	Vertical	133	1.24	-	38.38	7.78	32.80
AV	11.37908G	40.29	54.00	-13.71	26.93	3	Vertical	133	1.24	-	38.38	7.78	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37878G	53.60	74.00	-20.40	40.24	3	Horizontal	88	2.05	-	38.38	7.78	32.80
AV	11.38223G	40.34	54.00	-13.66	26.98	3	Horizontal	88	2.05	-	38.38	7.78	32.80

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	51.74	54.00	-2.26	46.23	3	Vertical	356.6	1.76	-	33.05	5.37	32.91
PK	5.653G	69.35	70.42	-1.07	62.94	3	Vertical	356.6	1.76	-	33.90	5.43	32.92
PK	5.781G	117.43	Inf	-Inf	110.65	3	Vertical	356.6	1.76	-	34.22	5.49	32.93
AV	5.779G	104.74	Inf	-Inf	97.96	3	Vertical	356.6	1.76	-	34.22	5.49	32.93
PK	5.925G	62.56	68.20	-5.64	55.10	3	Vertical	356.6	1.76	-	34.90	5.50	32.94
PK	5.375G	62.81	74.00	-11.19	57.30	3	Vertical	356.6	1.76	-	33.05	5.37	32.91
PK	5.341G	61.21	68.20	-6.99	55.87	3	Vertical	356.6	1.76	-	32.92	5.34	32.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUTY_2TX
Setting 28
01-B-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	62.01	68.20	-6.19	56.64	3	Horizontal	357.4	1.80	-	32.97	5.32	32.92
PK	5.385G	61.67	74.00	-12.33	56.08	3	Horizontal	357.4	1.80	-	33.11	5.39	32.91
AV	5.375G	53.99	54.00	-0.01	48.48	3	Horizontal	357.4	1.80	-	33.05	5.37	32.91
PK	5.655G	68.25	71.90	-3.65	61.84	3	Horizontal	357.4	1.80	-	33.90	5.43	32.92
PK	5.779G	118.05	Inf	-Inf	111.27	3	Horizontal	357.4	1.80	-	34.22	5.49	32.93
AV	5.807G	106.06	Inf	-Inf	99.16	3	Horizontal	357.4	1.80	-	34.33	5.50	32.93
PK	5.953G	62.46	68.20	-5.74	54.90	3	Horizontal	357.4	1.80	-	35.01	5.50	32.95

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 28
01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54865G	54.27	74.00	-19.73	40.85	3	Vertical	324	2.90	-	38.40	7.84	32.82
AV	11.54798G	40.70	54.00	-13.30	27.28	3	Vertical	324	2.90	-	38.40	7.84	32.82

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT Y_2TX
Setting 28
01-B-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54887G	54.66	74.00	-19.34	41.24	3	Horizontal	234	1.49	-	38.40	7.84	32.82
AV	11.55031G	40.48	54.00	-13.52	27.06	3	Horizontal	234	1.49	-	38.40	7.84	32.82



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.95711G	22.83	54.00	-31.17	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.95928G	35.15	74.00	-38.85	-7.68	3	Vertical	256	1.11	-	42.83	25.74	3.76	37.18
AV	1.95777G	22.82	54.00	-31.18	-7.69	3	Vertical	256	1.11	"Worst"	30.51	25.73	3.76	37.18

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.95741G	34.87	74.00	-39.13	-7.69	3	Horizontal	123	1.00	-	42.56	25.73	3.76	37.18
AV	1.95711G	22.83	54.00	-31.17	-7.69	3	Horizontal	123	1.00	"Worst"	30.52	25.73	3.76	37.18



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.75444G	22.00	54.00	-32.00	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.75212G	34.79	74.00	-39.21	-8.83	3	Vertical	110	1.00	-	43.62	24.91	3.55	37.29
AV	1.75444G	22.00	54.00	-32.00	-8.82	3	Vertical	110	1.00	"Worst"	30.82	24.92	3.55	37.29

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.75698G	37.47	74.00	-36.53	-8.80	3	Horizontal	222	1.00	-	46.27	24.93	3.56	37.29
AV	1.75476G	22.00	54.00	-32.00	-8.82	3	Horizontal	222	1.00	"Worst"	30.82	24.92	3.55	37.29