

5 Measurement Uncertainty

Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.7 dB
--	--------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.6 dB
--	--------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.2 dB
--	--------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.1 dB
--	--------

Appendix A. Test Result of Conducted Test Items

Test Engineer:	Venkata Kondepudi	Temperature:	15.2~23.8	°C
Test Date:	2023/12/15~2024/5/8	Relative Humidity:	28.03~64.8	%

TEST RESULTS DATA
26dB and 99% OBW

U-NII-5 MIMO antenna										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
					Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	001	5955	17.13	17.13	23.34	23.40	320.00	Pass
11a	6Mbps	2	045	6175	16.98	17.13	22.38	22.74	320.00	Pass
11a	6Mbps	2	093	6415	16.98	17.08	22.62	22.80	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO antenna													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
					Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	001	5955	22.30	22.21		2.40	1.90	24.70	24.11	36.00	Pass
11a	6Mbps	2	045	6175	22.06	22.23		2.40	1.90	24.46	24.13	36.00	Pass
11a	6Mbps	2	093	6415	22.17	22.07		2.40	1.90	24.57	23.97	36.00	Pass
HT20	MCS0	2	001	5955	21.87	21.85		2.40	1.90	24.27	23.75	36.00	Pass
HT20	MCS0	2	045	6175	21.46	21.62		2.40	1.90	23.86	23.52	36.00	Pass
HT20	MCS0	2	093	6415	21.54	21.51		2.40	1.90	23.94	23.41	36.00	Pass
HT40	MCS0	2	003	5965	21.41	21.66		2.40	1.90	23.81	23.56	36.00	Pass
HT40	MCS0	2	043	6165	21.05	21.53		2.40	1.90	23.45	23.43	36.00	Pass
HT40	MCS0	2	091	6405	20.98	21.49		2.40	1.90	23.38	23.39	36.00	Pass
VHT20	MCS0	2	001	5955	21.97	21.88		2.40	1.90	24.37	23.78	36.00	Pass
VHT20	MCS0	2	045	6175	21.44	21.62		2.40	1.90	23.84	23.52	36.00	Pass
VHT20	MCS0	2	093	6415	21.54	21.49		2.40	1.90	23.94	23.39	36.00	Pass
VHT40	MCS0	2	003	5965	21.54	21.71		2.40	1.90	23.94	23.61	36.00	Pass
VHT40	MCS0	2	043	6165	21.14	21.54		2.40	1.90	23.54	23.44	36.00	Pass
VHT40	MCS0	2	091	6405	21.16	21.51		2.40	1.90	23.56	23.41	36.00	Pass
VHT80	MCS0	2	007	5985	21.64	21.98		2.40	1.90	24.04	23.88	36.00	Pass
VHT80	MCS0	2	039	6145	21.07	21.44		2.40	1.90	23.47	23.34	36.00	Pass
VHT80	MCS0	2	087	6385	20.96	21.20		2.40	1.90	23.36	23.10	36.00	Pass
VHT160	MCS0	2	015	6025	21.60	21.76		2.40	1.90	24.00	23.66	36.00	Pass
VHT160	MCS0	2	047	6185	21.41	21.73		2.40	1.90	23.81	23.63	36.00	Pass
VHT160	MCS0	2	079	6345	21.71	21.75		2.40	1.90	24.11	23.65	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.
Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-5 MIMO antenna															
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
					Ant 4	Ant 2	Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	001	5955	0.02	0.02	10.12	9.78		2.40	1.90	12.52	11.68	23.00	Pass
11a	6Mbps	2	045	6175	0.02	0.02	9.74	9.37		2.40	1.90	12.14	11.27	23.00	Pass
11a	6Mbps	2	093	6415	0.02	0.02	9.86	9.50		2.40	1.90	12.26	11.40	23.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
26dB and 99% OBW

U-NII-7 MIMO antenna										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
					Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	117	6535	17.08	17.23	23.52	22.64	320.00	Pass
11a	6Mbps	2	149	6695	16.98	17.13	22.64	22.80	320.00	Pass
11a	6Mbps	2	181	6855	17.03	17.08	23.28	22.48	320.00	Pass

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO antenna													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
					Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	117	6535	22.30	22.14		2.50	1.70	24.80	23.84	36.00	Pass
11a	6Mbps	2	149	6695	22.59	21.59		2.50	1.70	25.09	23.29	36.00	Pass
11a	6Mbps	2	181	6855	22.51	21.74		2.50	1.70	25.01	23.44	36.00	Pass
HT20	MCS0	2	117	6535	21.66	21.88		2.50	1.70	24.16	23.58	36.00	Pass
HT20	MCS0	2	149	6695	22.09	21.20		2.50	1.70	24.59	22.90	36.00	Pass
HT20	MCS0	2	181	6855	21.76	21.23		2.50	1.70	24.26	22.93	36.00	Pass
HT40	MCS0	2	123	6565	21.10	21.35		2.50	1.70	23.60	23.05	36.00	Pass
HT40	MCS0	2	147	6685	21.72	21.26		2.50	1.70	24.22	22.96	36.00	Pass
HT40	MCS0	2	179	6845	21.61	21.23		2.50	1.70	24.11	22.93	36.00	Pass
VHT20	MCS0	2	117	6535	21.69	21.90		2.50	1.70	24.19	23.60	36.00	Pass
VHT20	MCS0	2	149	6695	22.13	21.21		2.50	1.70	24.63	22.91	36.00	Pass
VHT20	MCS0	2	181	6855	21.81	21.28		2.50	1.70	24.31	22.98	36.00	Pass
VHT40	MCS0	2	123	6565	21.60	21.81		2.50	1.70	24.10	23.51	36.00	Pass
VHT40	MCS0	2	147	6685	21.73	21.23		2.50	1.70	24.23	22.93	36.00	Pass
VHT40	MCS0	2	179	6845	21.63	21.24		2.50	1.70	24.13	22.94	36.00	Pass
VHT80	MCS0	2	135	6625	21.35	21.43		2.50	1.70	23.85	23.13	36.00	Pass
VHT80	MCS0	2	151	6705	21.47	20.95		2.50	1.70	23.97	22.65	36.00	Pass
VHT80	MCS0	2	167	6785	21.46	21.12		2.50	1.70	23.96	22.82	36.00	Pass
VHT160	MCS0	2	143	6665	21.69	21.47		2.50	1.70	24.19	23.17	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-7 MIMO antenna															
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)			DG (dBi)		EIRP Power Density (dBm/MHz)		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
					Ant 4	Ant 2	Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
11a	6Mbps	2	117	6535	0.02	0.02	9.66	9.87		2.50	1.70	12.16	11.57	23.00	Pass
11a	6Mbps	2	149	6695	0.02	0.02	10.14	9.21		2.50	1.70	12.64	10.91	23.00	Pass
11a	6Mbps	2	181	6855	0.02	0.02	10.05	9.29		2.50	1.70	12.55	10.99	23.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO antenna														
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
HE20	MCS0	2	001	5955	Full	22.03	21.96		2.40	1.90	24.43	23.86	36.00	Pass
HE20	MCS0	2	045	6175	Full	21.73	21.74		2.40	1.90	24.13	23.64	36.00	Pass
HE20	MCS0	2	093	6415	Full	21.77	21.55		2.40	1.90	24.17	23.45	36.00	Pass
HE40	MCS0	2	003	5965	Full	21.67	21.60		2.40	1.90	24.07	23.50	36.00	Pass
HE40	MCS0	2	043	6165	Full	21.15	21.55		2.40	1.90	23.55	23.45	36.00	Pass
HE40	MCS0	2	091	6405	Full	21.17	21.55		2.40	1.90	23.57	23.45	36.00	Pass
HE80	MCS0	2	007	5985	Full	21.69	22.03		2.40	1.90	24.09	23.93	36.00	Pass
HE80	MCS0	2	039	6145	Full	21.09	21.50		2.40	1.90	23.49	23.40	36.00	Pass
HE80	MCS0	2	087	6385	Full	20.97	21.26		2.40	1.90	23.37	23.16	36.00	Pass
HE160	MCS0	2	015	6025	Full	21.66	21.77		2.40	1.90	24.06	23.67	36.00	Pass
HE160	MCS0	2	047	6185	Full	21.47	21.78		2.40	1.90	23.87	23.68	36.00	Pass
HE160	MCS0	2	079	6345	Full	21.72	21.76		2.40	1.90	24.12	23.66	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO antenna														
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)			DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant 4	Ant 2	SUM	Ant 4	Ant 2	Ant 4	Ant 2		
HE20	MCS0	2	117	6535	Full	21.85	22.10		2.50	1.70	24.35	23.80	36.00	Pass
HE20	MCS0	2	149	6695	Full	22.22	21.35		2.50	1.70	24.72	23.05	36.00	Pass
HE20	MCS0	2	181	6855	Full	21.86	21.36		2.50	1.70	24.36	23.06	36.00	Pass
HE40	MCS0	2	123	6565	Full	21.63	21.83		2.50	1.70	24.13	23.53	36.00	Pass
HE40	MCS0	2	147	6685	Full	21.74	21.24		2.50	1.70	24.24	22.94	36.00	Pass
HE40	MCS0	2	179	6845	Full	21.68	21.29		2.50	1.70	24.18	22.99	36.00	Pass
HE80	MCS0	2	135	6625	Full	21.38	21.46		2.50	1.70	23.88	23.16	36.00	Pass
HE80	MCS0	2	151	6705	Full	21.48	20.98		2.50	1.70	23.98	22.68	36.00	Pass
HE80	MCS0	2	167	6785	Full	21.47	21.15		2.50	1.70	23.97	22.85	36.00	Pass
HE160	MCS0	2	143	6665	Full	21.71	21.50		2.50	1.70	24.21	23.20	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
26dB and 99% OBW

U-NII-5 MIMO antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	001	5955	Full	19.23	19.28	23.64	23.40	320.00	Pass
EHT20	MCS0	2	045	6175	Full	19.23	9.13	23.70	23.46	320.00	Pass
EHT20	MCS0	2	093	6415	Full	19.23	19.18	23.64	23.46	320.00	Pass
EHT40	MCS0	2	003	5965	Full	38.56	38.46	45.76	45.12	320.00	Pass
EHT40	MCS0	2	043	6165	Full	38.56	38.56	46.32	45.96	320.00	Pass
EHT40	MCS0	2	091	6405	Full	38.56	38.66	46.44	46.68	320.00	Pass
EHT80	MCS0	2	007	5985	Full	77.80	77.92	91.44	90.48	320.00	Pass
EHT80	MCS0	2	039	6145	Full	77.92	78.04	89.76	90.24	320.00	Pass
EHT80	MCS0	2	087	6385	Full	77.80	77.92	90.72	89.04	320.00	Pass
EHT160	MCS0	2	015	6025	Full	157.52	157.76	173.28	174.24	320.00	Pass
EHT160	MCS0	2	047	6185	Full	157.76	157.76	172.80	177.12	320.00	Pass
EHT160	MCS0	2	079	6345	Full	157.76	157.76	176.16	173.28	320.00	Pass

Note: 26dB BW of EHT20/EHT40/EHT80/EHT160 should be less than 320MHz

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO antenna													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	001	5955	Full	22.41	22.23	2.40	1.90	24.81	24.13	36.00	Pass
EHT20	MCS0	2	045	6175	Full	22.14	22.32	2.40	1.90	24.54	24.22	36.00	Pass
EHT20	MCS0	2	093	6415	Full	22.26	22.09	2.40	1.90	24.66	23.99	36.00	Pass
EHT40	MCS0	2	003	5965	Full	22.74	22.44	2.40	1.90	25.14	24.34	36.00	Pass
EHT40	MCS0	2	043	6165	Full	21.73	21.87	2.40	1.90	24.13	23.77	36.00	Pass
EHT40	MCS0	2	091	6405	Full	21.97	21.75	2.40	1.90	24.37	23.65	36.00	Pass
EHT80	MCS0	2	007	5985	Full	21.90	22.36	2.40	1.90	24.30	24.26	36.00	Pass
EHT80	MCS0	2	039	6145	Full	21.54	22.06	2.40	1.90	23.94	23.96	36.00	Pass
EHT80	MCS0	2	087	6385	Full	21.60	21.77	2.40	1.90	24.00	23.67	36.00	Pass
EHT160	MCS0	2	015	6025	Full	22.19	22.38	2.40	1.90	24.59	24.28	36.00	Pass
EHT160	MCS0	2	047	6185	Full	22.06	22.38	2.40	1.90	24.46	24.28	36.00	Pass
EHT160	MCS0	2	079	6345	Full	22.44	22.19	2.40	1.90	24.84	24.09	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-5 MIMO antenna															
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)		DG (dBi)		EIRP Power Density (dBm/MHz)		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	001	5955	Full	0.02	0.03	9.67	9.25	2.40	1.90	12.07	11.15	23.00	Pass
EHT20	MCS0	2	045	6175	Full	0.02	0.03	9.26	8.85	2.40	1.90	11.66	10.75	23.00	Pass
EHT20	MCS0	2	093	6415	Full	0.02	0.03	9.44	8.86	2.40	1.90	11.84	10.76	23.00	Pass
EHT40	MCS0	2	003	5965	Full	0.03	0.04	6.96	6.91	2.40	1.90	9.36	8.81	23.00	Pass
EHT40	MCS0	2	043	6165	Full	0.03	0.04	5.82	5.76	2.40	1.90	8.22	7.66	23.00	Pass
EHT40	MCS0	2	091	6405	Full	0.03	0.04	6.07	5.69	2.40	1.90	8.47	7.59	23.00	Pass
EHT80	MCS0	2	007	5985	Full	0.04	0.04	3.84	3.50	2.40	1.90	6.24	5.40	23.00	Pass
EHT80	MCS0	2	039	6145	Full	0.04	0.04	2.80	2.80	2.40	1.90	5.20	4.70	23.00	Pass
EHT80	MCS0	2	087	6385	Full	0.04	0.04	3.04	2.72	2.40	1.90	5.44	4.62	23.00	Pass
EHT160	MCS0	2	015	6025	Full	0.03	0.03	0.63	0.69	2.40	1.90	3.03	2.59	23.00	Pass
EHT160	MCS0	2	047	6185	Full	0.03	0.03	0.45	0.30	2.40	1.90	2.85	2.20	23.00	Pass
EHT160	MCS0	2	079	6345	Full	0.03	0.03	0.85	0.59	2.40	1.90	3.25	2.49	23.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
26dB and 99% OBW

U-NII-7 MIMO antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	117	6535	Full	19.18	19.18	24.00	23.44	320.00	Pass
EHT20	MCS0	2	149	6695	Full	19.23	19.18	24.00	23.44	320.00	Pass
EHT20	MCS0	2	181	6855	Full	19.23	19.18	23.28	23.20	320.00	Pass
EHT40	MCS0	2	123	6565	Full	38.46	38.46	45.60	46.40	320.00	Pass
EHT40	MCS0	2	147	6685	Full	38.56	38.56	44.96	46.72	320.00	Pass
EHT40	MCS0	2	179	6845	Full	38.56	38.56	46.08	46.08	320.00	Pass
EHT80	MCS0	2	135	6625	Full	77.92	78.04	93.12	89.92	320.00	Pass
EHT80	MCS0	2	151	6705	Full	77.80	78.04	89.28	89.92	320.00	Pass
EHT80	MCS0	2	167	6785	Full	77.80	78.04	91.20	90.56	320.00	Pass
EHT160	MCS0	2	143	6665	Full	157.52	157.76	173.32	173.28	320.00	Pass

Note: 26dB BW of EHT20/EHT40/EHT80/EHT160 should be less than 320MHz

TEST RESULTS DATA
EIRP Power Table

U-NII-7 MIMO antenna													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	117	6535	Full	22.49	22.23	2.50	1.70	24.99	23.93	36.00	Pass
EHT20	MCS0	2	149	6695	Full	22.70	21.62	2.50	1.70	25.20	23.32	36.00	Pass
EHT20	MCS0	2	181	6855	Full	22.50	21.79	2.50	1.70	25.00	23.49	36.00	Pass
EHT40	MCS0	2	123	6565	Full	21.96	21.90	2.50	1.70	24.46	23.60	36.00	Pass
EHT40	MCS0	2	147	6685	Full	22.12	21.25	2.50	1.70	24.62	22.95	36.00	Pass
EHT40	MCS0	2	179	6845	Full	22.11	21.59	2.50	1.70	24.61	23.29	36.00	Pass
EHT80	MCS0	2	135	6625	Full	21.91	21.61	2.50	1.70	24.41	23.31	36.00	Pass
EHT80	MCS0	2	151	6705	Full	22.01	21.27	2.50	1.70	24.51	22.97	36.00	Pass
EHT80	MCS0	2	167	6785	Full	22.06	21.46	2.50	1.70	24.56	23.16	36.00	Pass
EHT160	MCS0	2	143	6665	Full	22.24	21.80	2.50	1.70	24.74	23.50	36.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-7 MIMO antenna															
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)		DG (dBi)		EIRP Power Density (dBm/MHz)		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT20	MCS0	2	117	6535	Full	0.02	0.03	9.72	8.95	2.50	1.70	12.22	10.65	23.00	Pass
EHT20	MCS0	2	149	6695	Full	0.02	0.03	10.12	8.80	2.50	1.70	12.62	10.50	23.00	Pass
EHT20	MCS0	2	181	6855	Full	0.02	0.03	9.95	8.80	2.50	1.70	12.45	10.50	23.00	Pass
EHT40	MCS0	2	123	6565	Full	0.03	0.04	6.98	6.26	2.50	1.70	9.48	7.96	23.00	Pass
EHT40	MCS0	2	147	6685	Full	0.03	0.04	6.86	5.99	2.50	1.70	9.36	7.69	23.00	Pass
EHT40	MCS0	2	179	6845	Full	0.03	0.04	6.95	6.01	2.50	1.70	9.45	7.71	23.00	Pass
EHT80	MCS0	2	135	6625	Full	0.04	0.04	3.86	3.46	2.50	1.70	6.36	5.16	23.00	Pass
EHT80	MCS0	2	151	6705	Full	0.04	0.04	3.85	3.17	2.50	1.70	6.35	4.87	23.00	Pass
EHT80	MCS0	2	167	6785	Full	0.04	0.04	3.96	3.14	2.50	1.70	6.46	4.84	23.00	Pass
EHT160	MCS0	2	143	6665	Full	0.03	0.03	1.26	0.66	2.50	1.70	3.76	2.36	23.00	Pass

Note 1: The device has 2 antennas, each of which has one of two polarizations that are orthogonal to one another.

Each polarization has 1 antenna

Note 2: One of the polarization is a 90-degree phase-shifted replica of the other.

EIRP of each polarization must individually be below the limit

TEST RESULTS DATA
26dB EBW and 99% OBW

U-NII-5 MIMO antenna											
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	99% Bandwidth (MHz)		26 dB Bandwidth (MHz)		Emission Bandwidth Limit (MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT320	MCS0	2	031	6105	Full	315.70	315.85	342.72	340.90	320.00	Pass
EHT320	MCS0	2	063	6265	Full	316.19	316.45	492.58	489.70	320.00	Pass

Note: 99% OBW of EHT320 should be less than 320MHz

TEST RESULTS DATA
EIRP Power Table

U-NII-5 MIMO antenna													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Conducted Power (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT320	MCS0	2	031	6105	Full	22.26	22.61	2.40	1.90	24.66	24.51	36.00	Pass
EHT320	MCS0	2	063	6265	Full	22.68	22.50	2.40	1.90	25.08	24.40	36.00	Pass

TEST RESULTS DATA
EIRP Power Spectral Density

U-NII-5 MIMO antenna															
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Conducted Power Density with Duty Factor (dBm/MHz)		DG (dBi)		EIRP Power Density (dBm/MHz)		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
						Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2	Ant. 4	Ant. 2		
EHT320	MCS0	2	031	6105	Full	0.04	0.03	-1.74	-1.84	2.40	1.90	0.66	0.06	23.00	Pass
EHT320	MCS0	2	063	6265	Full	0.04	0.03	-1.53	-1.65	2.40	1.90	0.87	0.25	23.00	Pass



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Yuan Lee	Temperature :	20.6~21.2℃
		Relative Humidity :	43.5~46.3%

EUT Information

Test Site Location :
Project
Power:

CO01-CA
231214001
120Vac/60Hz

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	CAverage (dBµV)	Limit (dBµV)	Margin (dB)	Line	Filter	Corr. (dB)
0.358530	---	40.85	48.76	7.91	L1	OFF	20.3
0.358530	45.96	---	58.76	12.80	L1	OFF	20.3
0.365397	---	41.85	48.61	6.75	L1	OFF	20.3
0.365397	47.29	---	58.61	11.31	L1	OFF	20.3
0.379077	---	43.33	48.30	4.97	L1	OFF	20.3
0.379077	48.50	---	58.30	9.80	L1	OFF	20.3
0.380319	---	43.62	48.27	4.65	L1	OFF	20.3
0.380319	48.65	---	58.27	9.62	L1	OFF	20.3
0.391173	---	43.95	48.04	4.09	L1	OFF	20.3
0.391173	48.57	---	58.04	9.47	L1	OFF	20.3
0.409128	---	38.03	47.67	9.64	L1	OFF	20.3
0.409128	43.67	---	57.67	14.00	L1	OFF	20.3
0.420153	---	35.63	47.45	11.82	L1	OFF	20.3
0.420153	43.15	---	57.45	14.30	L1	OFF	20.3
0.426534	---	34.10	47.32	13.22	L1	OFF	20.3
0.426534	42.93	---	57.32	14.39	L1	OFF	20.3
0.442365	---	30.93	47.02	16.09	L1	OFF	20.3
0.442365	40.52	---	57.02	16.50	L1	OFF	20.3
0.452031	---	30.99	46.84	15.85	L1	OFF	20.3
0.452031	38.94	---	56.84	17.90	L1	OFF	20.3

EUT Information

Test Site Location :

CO01-CA


Project

231214001

Power:

120Vac/60Hz

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.346020	---	38.04	49.06	11.02	N	OFF	20.3
0.346020	45.76	---	59.06	13.30	N	OFF	20.3
0.355290	---	41.00	48.84	7.84	N	OFF	20.3
0.355290	46.55	---	58.84	12.29	N	OFF	20.3
0.368745	---	42.96	48.53	5.57	N	OFF	20.3
0.368745	48.76	---	58.53	9.77	N	OFF	20.3
0.377817	---	44.12	48.33	4.21	N	OFF	20.3
0.377817	49.38	---	58.33	8.95	N	OFF	20.3
0.379095	---	44.24	48.30	4.06	N	OFF	20.3
0.379095	49.48	---	58.30	8.82	N	OFF	20.3
0.391263	---	44.88	48.04	3.16	N	OFF	20.3
0.391263	49.47	---	58.04	8.57	N	OFF	20.3
0.397518	---	43.19	47.91	4.72	N	OFF	20.3
0.397518	48.45	---	57.91	9.46	N	OFF	20.3
0.411036	---	38.47	47.63	9.16	N	OFF	20.3
0.411036	44.22	---	57.63	13.41	N	OFF	20.3
0.423348	---	35.95	47.38	11.43	N	OFF	20.3
0.423348	44.11	---	57.38	13.27	N	OFF	20.3
0.432870	---	33.53	47.20	13.67	N	OFF	20.3
0.432870	43.15	---	57.20	14.05	N	OFF	20.3
0.436830	---	32.75	47.12	14.37	N	OFF	20.3

Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.436830	42.40	---	57.12	14.72	N	OFF	20.3
0.444903	---	31.67	46.97	15.30	N	OFF	20.3
0.444903	41.22	---	56.97	15.75	N	OFF	20.3
0.452643	---	31.82	46.83	15.01	N	OFF	20.3
0.452643	40.23	---	56.83	16.60	N	OFF	20.3
0.459600	---	32.28	46.70	14.42	N	OFF	20.3
0.459600	39.42	---	56.70	17.28	N	OFF	20.3



Appendix C. Radiated Spurious Emission

Test Engineer :	Jesse and Leo Liu	Temperature :	17.4~20.3°C
		Relative Humidity :	41.6~54.8%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5924.96	72.15	-16.05	88.2	53.93	34.22	12.09	28.09	299	309	P	H
		5924.96	61.92	-6.28	68.2	43.7	34.22	12.09	28.09	299	309	A	H
	*	5955	118.29	-	-	100.23	34.22	12.11	28.27	299	309	P	H
	*	5955	111.56	-	-	93.5	34.22	12.11	28.27	299	309	A	H
		7734	52.27	-1.73	54	32.48	36.59	13.85	30.65	-	-	A	H
													H
		5923.98	69.2	-19	88.2	51.05	34.15	12.09	28.09	101	302	P	V
		5924.96	58.44	-9.76	68.2	40.29	34.15	12.09	28.09	101	302	A	V
	*	5955	115.96	-	-	97.97	34.15	12.11	28.27	101	302	P	V
	*	5955	109.17	-	-	91.18	34.15	12.11	28.27	101	302	A	V
		7713	52.27	-1.73	54	32.61	36.49	13.83	30.66	-	-	A	V
													V
802.11a CH 45 6175MHz	*	6175	118.92	-	-	101.69	34.23	12.33	29.33	317	298	P	H
	*	6175	111.19	-	-	93.96	34.23	12.33	29.33	317	298	A	H
		7734	52.8	-1.2	54	33.01	36.59	13.85	30.65	317	298	A	H
													H
													H
													H
	*	6175	118.42	-	-	101.31	34.11	12.33	29.33	330	298	P	V
	*	6175	110.82	-	-	93.71	34.11	12.33	29.33	330	298	A	V
		7258	52.64	-1.36	54	32.93	36.91	13.41	30.61	330	298	A	V
													V
													V
													V



802.11a CH 93 6415MHz	*	6415	118.67	-	-	101.05	34.84	12.49	29.71	300	307	P	H
	*	6415	111.5	-	-	93.88	34.84	12.49	29.71	300	307	A	H
		7734	52.28	-1.72	54	32.49	36.59	13.85	30.65	300	307	A	H
													H
													H
													H
	*	6415	117.54	-	-	99.97	34.79	12.49	29.71	197	297	P	V
	*	6415	110.67	-	-	93.1	34.79	12.49	29.71	197	297	A	V
		7741	52.7	-1.3	54	32.88	36.61	13.86	30.65	197	297	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	57.91	-16.09	74	68.59	38.91	17.19	66.78	219	313	P	H
		11910	49.33	-4.67	54	60.01	38.91	17.19	66.78	219	313	A	H
		17865	54.74	-19.26	74	58.57	41.97	21.26	67.06	222	12	P	H
		17865	42.43	-11.57	54	46.26	41.97	21.26	67.06	222	12	A	H
		23820	61.13	-12.87	74	57.38	38.5	15.43	50.18	197	304	P	H
		23820	51.28	-2.72	54	47.53	38.5	15.43	50.18	197	304	A	H
													H
													H
													H
													H
													H
													H
		11910	57.59	-16.41	74	68.29	38.89	17.19	66.78	100	121	P	V
		11910	47.62	-6.38	54	58.32	38.89	17.19	66.78	100	121	A	V
		17865	53.98	-20.02	74	57.81	41.97	21.26	67.06	100	12	P	V
		17865	42.37	-11.63	54	46.2	41.97	21.26	67.06	100	12	A	V
		23820	60.61	-13.39	74	56.87	38.49	15.43	50.18	203	353	P	V
		23820	50.9	-3.1	54	47.16	38.49	15.43	50.18	203	353	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 45 6175MHz		12350	55.12	-18.88	74	64.8	39.03	17.53	66.24	212	1	P	H
		12350	43.65	-10.35	54	53.33	39.03	17.53	66.24	212	1	A	H
		18525	41.72	-32.28	74	45.83	37.6	11.92	53.63	-	-	P	H
		24700	54.59	-33.61	88.2	49.19	38.81	15.68	49.09	158	312	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12350	50.32	-23.68	74	60	39.03	17.53	66.24	216	2	P	V
		12350	42.2	-11.8	54	51.88	39.03	17.53	66.24	216	2	A	V
		18525	42.3	-31.7	74	46.34	37.67	11.92	53.63	-	-	P	V
		24700	51.56	-36.64	88.2	46.2	38.77	15.68	49.09	177	0	P	V
													V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11a CH 93 6415MHz		12830	54.12	-34.08	88.2	63	39.63	17.95	66.46	198	62	P	H	
		12830	43.62	-24.58	68.2	52.5	39.63	17.95	66.46	198	62	A	H	
		19245	61.86	-12.14	74	65.83	37.53	12.46	53.96	176	360	P	H	
		19245	51.48	-2.52	54	55.45	37.53	12.46	53.96	176	360	A	H	
		25660	63.25	-24.95	88.2	59.32	38.77	16.5	51.34	169	27	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
		12830	50.16	-38.04	88.2	59.14	39.53	17.95	66.46	363	360	P	V	
		12830	42.02	-26.18	68.2	51	39.53	17.95	66.46	363	360	A	V	
		19245	55.55	-18.45	74	59.46	37.59	12.46	53.96	107	333	P	V	
		19245	45.32	-8.68	54	49.23	37.59	12.46	53.96	107	333	A	V	
		25660	61.07	-27.13	88.2	57.13	38.78	16.5	51.34	168	360	P	V	
														V
														V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found.													
	2. All results are PASS against Peak and Average limit line.													
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		5921.74	75.07	-13.13	88.2	56.84	34.22	12.09	28.08	299	293	P	H
		5924.96	63.52	-4.68	68.2	45.3	34.22	12.09	28.09	299	293	A	H
	*	5955	117.27	-	-	99.21	34.22	12.11	28.27	299	293	P	H
	*	5955	110.29	-	-	92.23	34.22	12.11	28.27	299	293	A	H
		7713	52.17	-1.83	54	32.47	36.53	13.83	30.66	299	293	A	H
													H
		5924.82	73.31	-14.89	88.2	55.16	34.15	12.09	28.09	300	309	P	V
		5924.96	62.58	-5.62	68.2	44.43	34.15	12.09	28.09	300	309	A	V
	*	5955	117.25	-	-	99.26	34.15	12.11	28.27	300	309	P	V
	*	5955	109.19	-	-	91.2	34.15	12.11	28.27	300	309	A	V
		7692	52.08	-1.92	54	32.52	36.42	13.81	30.67	300	309	A	V
													V
802.11be EHT20 Full CH 45 6175MHz	*	6175	118.16	-	-	100.93	34.23	12.33	29.33	316	297	P	H
	*	6175	110.26	-	-	93.03	34.23	12.33	29.33	316	297	A	H
		7727	52.59	-1.41	54	32.82	36.57	13.85	30.65	316	297	A	H
													H
													H
													H
	*	6175	117.56	-	-	100.45	34.11	12.33	29.33	330	299	P	V
	*	6175	110.31	-	-	93.2	34.11	12.33	29.33	330	299	A	V
		7734	52.56	-1.44	54	32.78	36.58	13.85	30.65	330	299	A	V
													V
													V
													V



802.11be EHT20 Full CH 93 6415MHz	*	6415	118.8	-	-	101.18	34.84	12.49	29.71	400	318	P	H
	*	6415	111.1	-	-	93.48	34.84	12.49	29.71	400	318	A	H
		7706	52.33	-1.67	54	32.68	36.5	13.82	30.67	400	318	A	H
													H
													H
													H
	*	6418	117.15	-	-	99.58	34.8	12.49	29.72	101	302	P	V
	*	6415	109.28	-	-	91.71	34.79	12.49	29.71	101	302	A	V
		7335	52.31	-1.69	54	32.72	36.85	13.46	30.72	101	302	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		11910	57.82	-16.18	74	68.5	38.91	17.19	66.78	292	352	P	H
		11910	48.43	-5.57	54	59.11	38.91	17.19	66.78	292	352	A	H
		17865	55.47	-18.53	74	59.3	41.97	21.26	67.06	300	10	P	H
		17865	42.37	-11.63	54	46.2	41.97	21.26	67.06	300	10	A	H
		23820	59.97	-14.03	74	56.22	38.5	15.43	50.18	201	301	P	H
		23820	49.7	-4.3	54	45.95	38.5	15.43	50.18	201	301	A	H
													H
													H
													H
													H
													H
													H
													H
		11910	57.46	-16.54	74	68.16	38.89	17.19	66.78	101	22	P	V
		11910	47.51	-6.49	54	58.21	38.89	17.19	66.78	101	22	A	V
		17865	54.01	-19.99	74	57.84	41.97	21.26	67.06	100	12	P	V
		17865	42.05	-11.95	54	45.88	41.97	21.26	67.06	100	12	A	V
		23820	60	-14	74	56.26	38.49	15.43	50.18	198	2	P	V
		23820	50.32	-3.68	54	46.58	38.49	15.43	50.18	198	2	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 45 6175MHz		12350	53.32	-20.68	74	63	39.03	17.53	66.24	298	302	P	H
		12350	43.87	-10.13	54	53.55	39.03	17.53	66.24	298	302	A	H
		18525	41.09	-32.91	74	45.2	37.6	11.92	53.63	-	-	P	H
		24700	53.82	-34.38	88.2	48.42	38.81	15.68	49.09	222	167	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12350	51.9	-22.1	74	61.58	39.03	17.53	66.24	270	0	P	V
		12350	42.02	-11.98	54	51.7	39.03	17.53	66.24	270	0	A	V
		18525	41.97	-32.03	74	46.01	37.67	11.92	53.63	-	-	P	V
		24700	53.23	-34.97	88.2	47.87	38.77	15.68	49.09	189	360	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		5923.26	74.17	-14.03	88.2	55.94	34.22	12.09	28.08	304	285	P	H
		5925	65.22	-2.98	68.2	47.01	34.22	12.09	28.1	304	285	A	H
	*	5965	116.42	-	-	98.43	34.21	12.11	28.33	304	285	P	H
	*	5965	106.94	-	-	88.95	34.21	12.11	28.33	304	285	A	H
		7748	51.18	-2.82	54	31.31	36.64	13.87	30.64	304	285	A	H
													H
		5923.62	75.96	-12.24	88.2	57.81	34.15	12.09	28.09	299	144	P	V
		5925	66.92	-1.28	68.2	48.78	34.15	12.09	28.1	299	144	A	V
	*	5965	119.23	-	-	101.31	34.14	12.11	28.33	299	144	P	V
	*	5965	109.36	-	-	91.44	34.14	12.11	28.33	299	144	A	V
802.11be EHT40 Full CH 43 6165MHz		7748	51.05	-2.95	54	31.18	36.64	13.87	30.64	299	144	A	V
													V
	*	6165	112.62	-	-	95.4	34.22	12.32	29.32	283	296	P	H
	*	6165	104.13	-	-	86.91	34.22	12.32	29.32	283	296	A	H
		7307	52.72	-1.28	54	33.07	36.89	13.44	30.68	283	296	A	H
													H
	*	6165	113.48	-	-	96.37	34.11	12.32	29.32	243	294	P	V
	*	6165	104.11	-	-	87	34.11	12.32	29.32	243	294	A	V
		7748	52.75	-1.25	54	32.88	36.64	13.87	30.64	243	294	A	V
													V



802.11be EHT40 Full CH 91 6405MHz	*	6405	116.11	-	-	98.5	34.81	12.48	29.68	400	318	P	H
	*	6405	108.63	-	-	91.02	34.81	12.48	29.68	400	318	A	H
		7734	52.45	-1.55	54	32.66	36.59	13.85	30.65	400	318	A	H
													H
													H
													H
	*	6405	113.91	-	-	96.36	34.75	12.48	29.68	100	301	P	V
	*	6405	106.21	-	-	88.66	34.75	12.48	29.68	100	301	A	V
		7727	52.31	-1.69	54	32.56	36.55	13.85	30.65	100	301	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		11930	54.05	-19.95	74	64.69	38.95	17.2	66.79	199	13	P	H
		11930	44.68	-9.32	54	55.32	38.95	17.2	66.79	199	13	A	H
		17895	56.27	-17.73	74	59.73	42.29	21.28	67.03	200	3	P	H
		17895	42.77	-11.23	54	46.23	42.29	21.28	67.03	200	3	A	H
		23860	55.34	-18.66	74	51.69	38.47	15.44	50.26	199	302	P	H
		23860	45.83	-8.17	54	42.18	38.47	15.44	50.26	199	302	A	H
													H
													H
													H
													H
													H
													H
													H
		11930	53.22	-20.78	74	63.88	38.93	17.2	66.79	100	22	P	V
		11930	44.57	-9.43	54	55.23	38.93	17.2	66.79	100	22	A	V
		17895	54.21	-19.79	74	57.68	42.28	21.28	67.03	102	10	P	V
		17895	42.96	-11.04	54	46.43	42.28	21.28	67.03	102	10	A	V
		23860	55.48	-18.52	74	51.83	38.47	15.44	50.26	204	4	P	V
		23860	45.18	-8.82	54	41.53	38.47	15.44	50.26	204	4	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 43 6165MHz		12330	51.36	-22.64	74	61.05	39.07	17.51	66.27	400	52	P	H
		12330	42.02	-11.98	54	51.71	39.07	17.51	66.27	400	52	A	H
		18495	35.58	-38.42	74	39.87	37.59	11.9	53.78	-	-	P	H
		24656	46.99	-41.21	88.2	41.72	38.77	15.66	49.16	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12330	52.56	-21.44	74	62.26	39.06	17.51	66.27	378	276	P	V
		12330	43.73	-10.27	54	53.43	39.06	17.51	66.27	378	276	A	V
		18495	35.85	-38.15	74	40.07	37.66	11.9	53.78	-	-	P	V
		24660	43.34	-44.86	88.2	38.09	38.74	15.66	49.15	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		5919.24	74.13	-14.07	88.2	55.88	34.22	12.09	28.06	400	300	P	H
		5917.8	65.15	-3.05	68.2	46.9	34.22	12.08	28.05	400	300	A	H
	*	5985	113.26	-	-	95.41	34.19	12.12	28.46	400	300	P	H
	*	5985	105.94	-	-	88.09	34.19	12.12	28.46	400	300	A	H
		7734	51.92	-2.08	54	32.13	36.59	13.85	30.65	400	300	A	H
													H
		5921	75.84	-12.36	88.2	57.67	34.15	12.09	28.07	200	300	P	V
		5923.4	65.22	-2.98	68.2	47.07	34.15	12.09	28.09	200	300	A	V
	*	5985	113.07	-	-	95.28	34.13	12.12	28.46	200	300	P	V
	*	5985	105.27	-	-	87.48	34.13	12.12	28.46	200	300	A	V
		7741	52.05	-1.95	54	32.23	36.61	13.86	30.65	200	300	A	V
													V
802.11be EHT80 Full CH 39 6145MHz	*	6145	112.6	-	-	95.39	34.2	12.3	29.29	346	304	P	H
	*	6145	103.86	-	-	86.65	34.2	12.3	29.29	346	304	A	H
		7734	52.3	-1.7	54	32.51	36.59	13.85	30.65	346	304	A	H
													H
													H
													H
	*	6145	113.65	-	-	96.54	34.1	12.3	29.29	100	302	P	V
	*	6145	103.33	-	-	86.22	34.1	12.3	29.29	100	302	A	V
		7734	52.2	-1.8	54	32.42	36.58	13.85	30.65	100	302	A	V
													V
													V
													V



802.11be EHT80 Full CH 87 6385MHz	*	6385	114.39	-	-	96.82	34.74	12.46	29.63	299	311	P	H
	*	6385	105.63	-	-	88.06	34.74	12.46	29.63	299	311	A	H
		7272	52.14	-1.86	54	32.36	36.99	13.42	30.63	299	311	A	H
													H
													H
													H
	*	6385	112.06	-	-	94.54	34.69	12.46	29.63	188	303	P	V
	*	6385	103.71	-	-	86.19	34.69	12.46	29.63	188	303	A	V
		7272	52	-2	54	32.29	36.92	13.42	30.63	188	303	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		11970	51.44	-22.56	74	61.99	39.02	17.22	66.79	134	26	P	H
		11970	39.99	-14.01	54	50.54	39.02	17.22	66.79	134	26	A	H
		17955	54.69	-19.31	74	57.51	42.82	21.31	66.95	111	1	P	H
		17955	40.4	-13.6	54	43.22	42.82	21.31	66.95	111	1	A	H
		23940	51.57	-22.43	74	48.11	38.44	15.45	50.43	199	321	P	H
		23940	43.1	-10.9	54	39.64	38.44	15.45	50.43	199	321	A	H
													H
													H
													H
													H
													H
													H
													H
		11970	50.63	-23.37	74	61.22	38.98	17.22	66.79	100	101	P	V
		11970	40.14	-13.86	54	50.73	38.98	17.22	66.79	100	101	A	V
		17955	55.04	-18.96	74	57.91	42.77	21.31	66.95	100	292	P	V
		17955	40.35	-13.65	54	43.22	42.77	21.31	66.95	100	292	A	V
		23940	51.3	-22.7	74	47.82	38.46	15.45	50.43	202	4	P	V
		23940	42.17	-11.83	54	38.69	38.46	15.45	50.43	202	4	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 39 6145MHz		12290	50.5	-23.5	74	60.23	39.13	17.48	66.34	211	10	P	H
		12290	41.21	-12.79	54	50.94	39.13	17.48	66.34	211	10	A	H
		24580	47.55	-40.65	88.2	42.5	38.71	15.64	49.3	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12290	48.79	-25.21	74	58.53	39.12	17.48	66.34	100	355	P	V
		12290	40.35	-13.65	54	50.09	39.12	17.48	66.34	100	355	A	V
		24580	47.61	-40.59	88.2	42.57	38.7	15.64	49.3	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		5916.84	72.94	-15.26	88.2	54.69	34.22	12.08	28.05	248	310	P	H
		5913.32	63.11	-5.09	68.2	44.84	34.22	12.08	28.03	248	310	A	H
	*	6025	112.56	-	-	94.96	34.16	12.16	28.72	248	310	P	H
	*	6025	104.05	-	-	86.45	34.16	12.16	28.72	248	310	A	H
		7279	51.5	-2.5	54	31.74	36.97	13.43	30.64	248	310	A	H
													H
		5921.64	75.84	-12.36	88.2	57.68	34.15	12.09	28.08	190	298	P	V
		5925	67.75	-0.45	68.2	49.61	34.15	12.09	28.1	190	298	A	V
	*	6025	110.52	-	-	92.94	34.14	12.16	28.72	190	298	P	V
	*	6025	101.67	-	-	84.09	34.14	12.16	28.72	190	298	A	V
		7258	51.49	-2.51	54	31.78	36.91	13.41	30.61	190	298	A	V
													V
802.11be EHT160 Full CH 47 6185MHz	*	6185	110.31	-	-	93.08	34.24	12.34	29.35	400	315	P	H
	*	6185	101.05	-	-	83.82	34.24	12.34	29.35	400	315	A	H
		7727	51.5	-2.5	54	31.73	36.57	13.85	30.65	400	315	A	H
													H
													H
													H
	*	6185	108.79	-	-	91.69	34.11	12.34	29.35	100	301	P	V
	*	6185	100.71	-	-	83.61	34.11	12.34	29.35	100	301	A	V
		7279	51.34	-2.66	54	31.62	36.93	13.43	30.64	100	301	A	V
													V
													V
													V



802.11be EHT160 Full CH 79 6345MHz	*	6345	111.4	-	-	93.9	34.6	12.44	29.54	400	317	P	H
	*	6345	102.68	-	-	85.18	34.6	12.44	29.54	400	317	A	H
		7279	51.37	-2.63	54	31.61	36.97	13.43	30.64	400	317	A	H
													H
													H
													H
	*	6345	108.3	-	-	90.82	34.58	12.44	29.54	201	301	P	V
	*	6345	101.1	-	-	83.62	34.58	12.44	29.54	201	301	A	V
		7286	51.37	-2.63	54	31.65	36.94	13.43	30.65	201	301	A	V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		12050	52.58	-21.42	74	62.88	39.15	17.27	66.72	202	17	P	H
		12050	40.98	-13.02	54	51.28	39.15	17.27	66.72	202	17	A	H
		18075	35.89	-38.11	74	41.25	37.33	11.65	54.34	-	-	P	H
		24100	45.34	-42.86	88.2	42.23	38.48	15.49	50.86	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12050	51.7	-22.3	74	62.09	39.06	17.27	66.72	100	28	P	V
		12050	40.63	-13.37	54	51.02	39.06	17.27	66.72	100	28	A	V
		18075	35.12	-38.88	74	40.37	37.44	11.65	54.34	-	-	P	V
		24100	44.82	-43.38	88.2	41.7	38.49	15.49	50.86	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	52.26	-21.74	74	61.91	39.01	17.55	66.21	202	51	P	H
		12370	40.54	-13.46	54	50.19	39.01	17.55	66.21	202	51	A	H
		18555	36.86	-37.14	74	40.81	37.61	11.94	53.5	-	-	P	H
		24740	47.25	-40.95	88.2	41.8	38.82	15.69	49.06	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12370	50.97	-23.03	74	60.62	39.01	17.55	66.21	328	0	P	V
		12370	39.4	-14.6	54	49.05	39.01	17.55	66.21	328	0	A	V
		18555	35.51	-38.49	74	39.39	37.68	11.94	53.5	-	-	P	V
		24740	44.66	-43.54	88.2	39.23	38.8	15.69	49.06	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	49.43	-24.57	74	58.56	39.32	17.82	66.27	301	343	P	H
		12690	38.72	-15.28	54	47.85	39.32	17.82	66.27	301	343	A	H
		19035	47.78	-26.22	74	51.54	37.65	12.24	53.65	-	-	P	H
		25380	46.5	-41.7	88.2	42.77	38.85	16.19	51.31	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 31 6105MHz		5920.04	73.62	-14.58	88.2	55.38	34.22	12.09	28.07	400	289	P	H
		5925	65.51	-2.69	68.2	47.3	34.22	12.09	28.1	400	289	A	H
	*	6105	105.76	-	-	88.6	34.14	12.25	29.23	400	289	P	H
	*	6105	96.65	-	-	79.49	34.14	12.25	29.23	400	289	A	H
		7699	51.9	-2.1	54	32.28	36.48	13.81	30.67	400	289	A	H
													H
		5916.2	71.29	-16.91	88.2	53.1	34.15	12.08	28.04	100	343	P	V
		5923.24	62.47	-5.73	68.2	44.31	34.15	12.09	28.08	100	343	A	V
	*	6105	104.45	-	-	87.33	34.1	12.25	29.23	100	343	P	V
	*	6105	96.25	-	-	79.13	34.1	12.25	29.23	100	343	A	V
		7300	51.96	-2.04	54	32.24	36.95	13.44	30.67	100	343	A	V
													V
802.11be EHT320 Full CH 63 6265MHz	*	6285	107.85	-	-	90.42	34.46	12.41	29.44	400	317	P	H
	*	6285	99.77	-	-	82.34	34.46	12.41	29.44	400	317	A	H
		7265	52.07	-1.93	54	32.26	37.01	13.42	30.62	400	317	A	H
													H
													H
													H
	*	6265	105.52	-	-	88.24	34.33	12.4	29.45	300	298	P	V
	*	6265	97.55	-	-	80.27	34.33	12.4	29.45	300	298	A	V
		7307	52.06	-1.94	54	32.37	36.93	13.44	30.68	300	298	A	V
													V
Remark													V
													V
													V

1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 31 6105MHz		12210	51.79	-22.21	74	61.62	39.22	17.41	66.46	298	364	P	H
		12210	40.06	-13.94	54	49.89	39.22	17.41	66.46	298	364	A	H
		18315	34.75	-39.25	74	40.37	37.47	11.79	54.88	-	-	P	H
		24420	44.8	-43.4	88.2	40.58	38.62	15.59	49.99	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		12210	51.72	-22.28	74	61.54	39.23	17.41	66.46	207	326	P	V
		12210	39.75	-14.25	54	49.57	39.23	17.41	66.46	207	326	A	V
		18315	37.48	-36.52	74	42.99	37.58	11.79	54.88	-	-	P	V
		24420	44.46	-43.74	88.2	40.27	38.59	15.59	49.99	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 63 6265MHz		12530	49.61	-24.39	74	58.99	38.98	17.68	66.04	289	266	P	H
		12530	39.05	-14.95	54	48.43	38.98	17.68	66.04	289	266	A	H
		18795	42.98	-31.02	74	45.94	37.72	12.08	52.76	-	-	P	H
		25060	43.58	-44.62	88.2	39.07	38.92	15.84	50.25	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz	*	6535	118.89	-	-	100.98	35.36	12.63	30.08	301	303	P	H
	*	6535	111.75	-	-	93.84	35.36	12.63	30.08	301	303	A	H
		7748	52.42	-1.58	54	32.55	36.64	13.87	30.64	301	303	A	H
													H
													H
													H
	*	6535	119.21	-	-	101.28	35.38	12.63	30.08	400	300	P	V
	*	6535	111.95	-	-	94.02	35.38	12.63	30.08	400	300	A	V
		7727	52.4	-1.6	54	32.65	36.55	13.85	30.65	400	300	A	V
													V
													V
													V
802.11a CH 149 6695MHz	*	6695	117.71	-	-	99.39	35.99	12.82	30.49	312	303	P	H
	*	6695	110.56	-	-	92.24	35.99	12.82	30.49	312	303	A	H
		7272	52.42	-1.58	54	32.64	36.99	13.42	30.63	312	303	A	H
													H
													H
													H
	*	6695	118.05	-	-	99.69	36.03	12.82	30.49	267	294	P	V
	*	6695	110.72	-	-	92.36	36.03	12.82	30.49	267	294	A	V
		7748	52.43	-1.57	54	32.56	36.64	13.87	30.64	267	294	A	V
													V
													V
													V



802.11a CH 181 6855MHz	*	6855	119.77	-	-	101.23	35.93	12.99	30.38	396	332	P	H
	*	6855	111.26	-	-	92.72	35.93	12.99	30.38	396	332	A	H
		7748	51.31	-2.69	54	31.44	36.64	13.87	30.64	396	332	A	H
		7162.32	60.18	-28.02	88.2	40.49	36.79	13.32	30.42	396	332	P	H
		7241.88	50.26	-17.94	68.2	30.41	37.03	13.4	30.58	396	332	A	H
													H
	*	6855	118.18	-	-	99.67	35.9	12.99	30.38	100	335	P	V
	*	6855	109.97	-	-	91.46	35.9	12.99	30.38	100	335	A	V
		7748	51.27	-2.73	54	31.4	36.64	13.87	30.64	100	335	A	V
		7226.67	60.47	-27.73	88.2	40.77	36.86	13.39	30.55	100	335	P	V
		7168.95	50.18	-18.02	68.2	30.49	36.8	13.32	30.43	100	335	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		13070	58.86	-29.34	88.2	67.69	39.69	18.12	66.64	203	45	P	H
		13070	47.74	-20.46	68.2	56.57	39.69	18.12	66.64	203	45	A	H
		19605	57.49	-16.51	74	58.99	37.46	12.81	51.77	172	0	P	H
		19605	47.17	-6.83	54	48.67	37.46	12.81	51.77	172	0	A	H
		26140	60.98	-27.22	88.2	56.14	38.92	16.91	50.99	221	104	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	54.69	-33.51	88.2	63.62	39.59	18.12	66.64	399	0	P	V
		13070	43.95	-24.25	68.2	52.88	39.59	18.12	66.64	399	0	A	V
		19605	51.84	-22.16	74	53.34	37.46	12.81	51.77	176	0	P	V
		19605	42.39	-11.61	54	43.89	37.46	12.81	51.77	176	0	A	V
		26140	52.83	-35.37	88.2	47.98	38.93	16.91	50.99	371	0	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	59.28	-14.72	74	67.29	40.14	18.24	66.39	197	49	P	H
		13390	47.72	-6.28	54	55.73	40.14	18.24	66.39	197	49	A	H
		20085	56.2	-17.8	74	57.24	37.51	13.23	51.78	192	360	P	H
		20085	46.08	-7.92	54	47.12	37.51	13.23	51.78	192	360	A	H
		26780	51.86	-36.34	88.2	47.11	39.43	17.07	51.75	202	166	P	H
													H
													H
													H
													H
													H
													H
													H
		13390	54.91	-19.09	74	63.01	40.05	18.24	66.39	400	56	P	V
		13390	44.17	-9.83	54	52.27	40.05	18.24	66.39	400	56	A	V
		20085	54.1	-19.9	74	55.12	37.53	13.23	51.78	182	360	P	V
		20085	44.02	-9.98	54	45.04	37.53	13.23	51.78	182	360	A	V
		26780	45.64	-42.56	88.2	40.87	39.45	17.07	51.75	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 117 6535MHz	*	6535	117.68	-	-	99.77	35.36	12.63	30.08	302	302	P	H
	*	6535	110.7	-	-	92.79	35.36	12.63	30.08	302	302	A	H
		7741	52.43	-1.57	54	32.61	36.61	13.86	30.65	302	302	A	H
													H
													H
													H
	*	6535	119.13	-	-	101.2	35.38	12.63	30.08	354	299	P	V
	*	6535	112.06	-	-	94.13	35.38	12.63	30.08	354	299	A	V
		7748	52.47	-1.53	54	32.6	36.64	13.87	30.64	354	299	A	V
													V
													V
													V
802.11be EHT20 Full CH 149 6695MHz	*	6695	118.02	-	-	99.7	35.99	12.82	30.49	298	302	P	H
	*	6695	110.11	-	-	91.79	35.99	12.82	30.49	298	302	A	H
		7748	52.41	-1.59	54	32.54	36.64	13.87	30.64	298	302	A	H
													H
													H
													H
	*	6695	118	-	-	99.64	36.03	12.82	30.49	299	301	P	V
	*	6695	110.07	-	-	91.71	36.03	12.82	30.49	299	301	A	V
		7748	52.48	-1.52	54	32.61	36.64	13.87	30.64	299	301	A	V
													V
													V
													V



802.11be EHT20 Full CH 181 6855MHz	*	6855	120.99	-	-	102.45	35.93	12.99	30.38	397	333	P	H
	*	6855	110.4	-	-	91.86	35.93	12.99	30.38	397	333	A	H
		7251	51	-3	54	31.15	37.04	13.41	30.6	397	333	A	H
		7169.73	60.91	-27.29	88.2	41.18	36.83	13.33	30.43	397	333	P	H
		7245	50.19	-18.01	68.2	30.34	37.04	13.4	30.59	397	333	A	H
													H
	*	6855	118.29	-	-	99.78	35.9	12.99	30.38	100	335	P	V
	*	6855	109.12	-	-	90.61	35.9	12.99	30.38	100	335	A	V
		7748	51.02	-2.98	54	31.15	36.64	13.87	30.64	100	335	A	V
		7191.57	61.05	-27.15	88.2	41.36	36.81	13.36	30.48	100	335	P	V
		7170.51	50.12	-18.08	68.2	30.43	36.8	13.33	30.44	100	335	A	V
													V
	Remark 1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 7 - 6525~6875MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 117 6535MHz		13070	58.06	-30.14	88.2	66.89	39.69	18.12	66.64	207	70	P	H
		13070	45.88	-22.32	68.2	54.71	39.69	18.12	66.64	207	70	A	H
		19605	59.57	-14.43	74	61.07	37.46	12.81	51.77	174	0	P	H
		19605	46.95	-7.05	54	48.45	37.46	12.81	51.77	174	0	A	H
		26140	61.25	-26.95	88.2	56.41	38.92	16.91	50.99	164	30	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	53.3	-34.9	88.2	62.23	39.59	18.12	66.64	357	360	P	V
		13070	42.15	-26.05	68.2	51.08	39.59	18.12	66.64	357	360	A	V
		19605	53.75	-20.25	74	55.25	37.46	12.81	51.77	177	360	P	V
		19605	43.89	-10.11	54	45.39	37.46	12.81	51.77	177	360	A	V
		26140	56.99	-31.21	88.2	52.14	38.93	16.91	50.99	169	0	P	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 149 6695MHz		13390	59.05	-14.95	74	67.06	40.14	18.24	66.39	193	8	P	H
		13390	47.35	-6.65	54	55.36	40.14	18.24	66.39	193	8	A	H
		20085	55.91	-18.09	74	56.95	37.51	13.23	51.78	176	0	P	H
		20085	46.74	-7.26	54	47.78	37.51	13.23	51.78	176	0	A	H
		26780	54.01	-34.19	88.2	49.26	39.43	17.07	51.75	204	66	P	H
													H
													H
													H
													H
													H
													H
													H
		13390	56.31	-17.69	74	64.41	40.05	18.24	66.39	400	55	P	V
		13390	44.14	-9.86	54	52.24	40.05	18.24	66.39	400	55	A	V
		20085	56.12	-17.88	74	57.14	37.53	13.23	51.78	172	0	P	V
		20085	45.43	-8.57	54	46.45	37.53	13.23	51.78	172	0	A	V
		26780	45.31	-42.89	88.2	40.54	39.45	17.07	51.75	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 123 6565MHz	*	6565	114.73	-	-	96.71	35.53	12.66	30.17	298	303	P	H
	*	6565	107.6	-	-	89.58	35.53	12.66	30.17	298	303	A	H
		7748	52.4	-1.6	54	32.53	36.64	13.87	30.64	298	303	A	H
													H
													H
													H
	*	6565	115.9	-	-	97.9	35.51	12.66	30.17	381	297	P	V
	*	6565	108.39	-	-	90.39	35.51	12.66	30.17	381	297	A	V
		7748	52.49	-1.51	54	32.62	36.64	13.87	30.64	381	297	A	V
													V
													V
													V
802.11be EHT40 Full CH 147 6685MHz	*	6685	115.64	-	-	97.33	35.98	12.81	30.48	312	303	P	H
	*	6685	107.17	-	-	88.86	35.98	12.81	30.48	312	303	A	H
		7748	52.84	-1.16	54	32.97	36.64	13.87	30.64	312	303	A	H
													H
													H
													H
	*	6685	114.65	-	-	96.34	35.98	12.81	30.48	316	297	P	V
	*	6685	107.53	-	-	89.22	35.98	12.81	30.48	316	297	A	V
		7734	52.74	-1.26	54	32.96	36.58	13.85	30.65	316	297	A	V
													V
													V
													V



802.11be EHT40 Full CH 179 6845MHz	*	6845	117.72	-	-	99.2	35.94	12.98	30.4	397	332	P	H
	*	6845	109.14	-	-	90.62	35.94	12.98	30.4	397	332	A	H
		7251	52.6	-1.4	54	32.75	37.04	13.41	30.6	397	332	A	H
		7215	59.87	-28.33	88.2	40.02	37	13.38	30.53	397	332	P	H
		7243.4	50.2	-18	68.2	30.35	37.04	13.4	30.59	397	332	A	H
													H
	*	6845	117.35	-	-	98.89	35.88	12.98	30.4	100	331	P	V
	*	6845	107.77	-	-	89.31	35.88	12.98	30.4	100	331	A	V
		7748	52.52	-1.48	54	32.65	36.64	13.87	30.64	100	331	A	V
		7191.4	60.46	-27.74	88.2	40.77	36.81	13.36	30.48	100	331	P	V
		7243	50.04	-18.16	68.2	30.34	36.89	13.4	30.59	100	331	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 147 6685MHz		13370	57.15	-16.85	74	65.24	40.07	18.24	66.4	203	49	P	H
		13370	44.64	-9.36	54	52.73	40.07	18.24	66.4	203	49	A	H
		20055	52.36	-21.64	74	53.43	37.5	13.22	51.79	180	360	P	H
		20055	43.08	-10.92	54	44.15	37.5	13.22	51.79	180	360	A	H
		26740	47.88	-40.32	88.2	42.87	39.52	17.06	51.57	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		13370	54.38	-19.62	74	62.53	40.01	18.24	66.4	400	54	P	V
		13370	42.6	-11.4	54	50.75	40.01	18.24	66.4	400	54	A	V
		20055	54.53	-19.47	74	55.58	37.52	13.22	51.79	173	360	P	V
		20055	43.27	-10.73	54	44.32	37.52	13.22	51.79	173	360	A	V
		26740	44.21	-43.99	88.2	39.16	39.56	17.06	51.57	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 135 6625MHz	*	6625	111.66	-	-	93.4	35.88	12.73	30.35	329	305	P	H
	*	6625	104.15	-	-	85.89	35.88	12.73	30.35	329	305	A	H
		7727	52.77	-1.23	54	33	36.57	13.85	30.65	329	305	A	H
													H
													H
													H
	*	6625	112.86	-	-	94.77	35.71	12.73	30.35	308	296	P	V
	*	6625	104.41	-	-	86.32	35.71	12.73	30.35	308	296	A	V
		7748	52.79	-1.21	54	32.92	36.64	13.87	30.64	308	296	A	V
													V
													V
													V
802.11be EHT80 Full CH 151 6705MHz	*	6705	113.44	-	-	95.11	35.99	12.83	30.49	286	302	P	H
	*	6705	104.74	-	-	86.41	35.99	12.83	30.49	286	302	A	H
		7258	52.82	-1.18	54	33	37.02	13.41	30.61	286	302	A	H
													H
													H
													H
	*	6705	112.31	-	-	93.92	36.05	12.83	30.49	302	299	P	V
	*	6705	104.95	-	-	86.56	36.05	12.83	30.49	302	299	A	V
		7741	52.86	-1.14	54	33.04	36.61	13.86	30.65	302	299	A	V
													V
													V
													V



802.11be EHT80 Full CH 167 6785MHz	*	6785	114.15	-	-	95.63	36.02	12.93	30.43	400	338	P	H
	*	6785	104.59	-	-	86.07	36.02	12.93	30.43	400	338	A	H
		7251	51.31	-2.69	54	31.46	37.04	13.41	30.6	400	338	A	H
		7175.5	60.3	-27.9	88.2	40.57	36.85	13.33	30.45	400	338	P	H
		7244.5	50.5	-17.7	68.2	30.65	37.04	13.4	30.59	400	338	A	H
													H
	*	6785	115.16	-	-	96.76	35.9	12.93	30.43	304	298	P	V
	*	6785	104.65	-	-	86.25	35.9	12.93	30.43	304	298	A	V
		7748	51.44	-2.56	54	31.57	36.64	13.87	30.64	304	298	A	V
		7212.5	60.79	-27.41	88.2	41.09	36.84	13.38	30.52	304	298	P	V
		7232.5	50.31	-17.89	68.2	30.62	36.87	13.39	30.57	304	298	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 151 6705MHz		13410	50.51	-37.69	88.2	58.44	40.19	18.25	66.37	217	52	P	H
		20115	52.68	-21.32	74	53.73	37.53	13.24	51.82	246	112	P	H
		20115	42.44	-11.56	54	43.49	37.53	13.24	51.82	246	112	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13410	50.51	-37.69	88.2	58.52	40.11	18.25	66.37	388	279	P	V
		20115	51.13	-22.87	74	52.16	37.55	13.24	51.82	203	0	P	V
		20115	41.32	-12.68	54	42.35	37.55	13.24	51.82	203	0	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 4+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 143 6665MHz	*	6665	109.81	-	-	91.51	35.98	12.78	30.46	301	303	P	H
	*	6665	101.48	-	-	83.18	35.98	12.78	30.46	301	303	A	H
		7265	52.41	-1.59	54	32.6	37.01	13.42	30.62	301	303	A	H
		7220.76	59.99	-28.21	88.2	40.14	37.01	13.38	30.54	301	303	P	H
		7287.72	59.56	-14.44	74	39.83	36.95	13.43	30.65	301	303	P	H
		7226.52	50.83	-17.37	68.2	30.98	37.01	13.39	30.55	301	303	A	H
		7260.36	50.84	-3.16	54	31.02	37.02	13.41	30.61	301	303	A	H
	*	6665	109.47	-	-	91.27	35.88	12.78	30.46	345	301	P	V
	*	6665	101.33	-	-	83.13	35.88	12.78	30.46	345	301	A	V
		7748	52.37	-1.63	54	32.5	36.64	13.87	30.64	345	301	A	V
		7125.72	60.13	-28.07	88.2	40.59	36.63	13.26	30.35	345	301	P	V
		7292.04	60.31	-13.69	74	40.6	36.94	13.43	30.66	345	301	P	V
		7233	50.64	-17.56	68.2	30.95	36.87	13.39	30.57	345	301	A	V
		7261.08	50.66	-3.34	54	30.96	36.91	13.41	30.62	345	301	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

[illegible]

Emission below 1GHz

WIFI 802.11be EHT40 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT40 Full LF		76.56	32.64	-7.36	40	50.02	13.16	1.6	32.14	-	-	P	H
		157.07	33.81	-9.69	43.5	47.15	16.59	2.24	32.17	-	-	P	H
		176.47	28.05	-15.45	43.5	42.54	15.31	2.35	32.15	-	-	P	H
		317.12	26.83	-19.17	46	36.55	19.44	3.07	32.23	-	-	P	H
		749.74	36.39	-9.61	46	35.53	28.09	4.77	32	-	-	P	H
		965.08	35.11	-18.89	54	29.29	31.1	5.37	30.65	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		38.73	35.95	-4.05	40	46.59	20.36	1.16	32.16	100	43	Q	V
		77.53	38.9	-1.1	40	56.11	13.31	1.62	32.14	100	62	Q	V
		155.13	26.64	-16.86	43.5	39.78	16.79	2.24	32.17	-	-	P	V
		184.23	27.03	-16.47	43.5	41.98	14.85	2.38	32.18	-	-	P	V
		500.45	30.09	-15.91	46	34.6	24	3.81	32.32	-	-	P	V
		947.62	34.95	-11.05	46	29.58	30.9	5.29	30.82	-	-	P	V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												

Emission below 1GHz

WIFI 802.11be EHT160 Full (LF @ 3m)

[illegible]

Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	P eak or A verage
H/V	H orizontal or V ertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin(dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 74(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54 (dBμV/m)
2. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54(dBμV/m) – 54(dBμV/m)
 = -24.66(dB)





Both peak and average measured complies with the limit line, so test result is “PASS”.









Appendix D. Radiated Spurious Emission Plots



Test Engineer :	Jesse and Leo Liu	Temperature :	17.4~20.3°C
		Relative Humidity :	41.6~54.8%



UNII-5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AV6_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH45 6175MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH45 6175MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH93 6415MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11a CH93 6415MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



UNII-5 5925~6425MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_AE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_AE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_AE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_AE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH45 6175MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH45 6175MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





UNII-5 5925~6425MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNII)_6E 3m HORN_R2115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_R2115_230809 HORIZONTAL :
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNII)_6E 3m HORN_R2115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_R2115_230809 HORIZONTAL :





WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNII)_6E 3m HORN_02115_230809 VERTICAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AVG_BE(UNII)_6E 3m HORN_02115_230809 VERTICAL :	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_02115_230809 VERTICAL :







WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH43 6165MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	
Avg.	Left blank	







WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH43 6165MHz	
4+2	Vertical	Fundamental
Peak	Left blank	
Avg.	Left blank	









WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



UNII-5 5925~6425MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto
Avg.		





WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



UNII-5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)



WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT1)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT1)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto



WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.300KHz SWT:Auto



UNII-5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto





WIFI	UNII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
4+2	Vertical	Fundamental
Peak	 Level (dBm/100MHz) vs Frequency (MHz) plot for Vertical polarization. The plot shows a sharp peak at approximately 5925 MHz, reaching a level of about 130 dBm/100MHz. The x-axis ranges from 5825 to 6250 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz. A red line indicates the peak level. Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at approximately 5925 MHz, reaching a level of about 130 dBm/100MHz. The x-axis ranges from 5825 to 6250 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz. A red line indicates the peak level. Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Level (dBm/100MHz) vs Frequency (MHz) plot for Vertical polarization. The plot shows a sharp peak at approximately 5925 MHz, reaching a level of about 130 dBm/100MHz. The x-axis ranges from 5825 to 6250 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz. A red line indicates the peak level. Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at approximately 5925 MHz, reaching a level of about 130 dBm/100MHz. The x-axis ranges from 5825 to 6250 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz. A red line indicates the peak level. Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto
Avg.		





WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
4+2	Horizontal	Fundamental
Peak	Left Blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left Blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto

WIFI	UNII-5 5925~6425MHz Fundamental @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
4+2	Vertical	Fundamental
Peak	Left Blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left Blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto



UNII-5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a Full CH01 5955MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH45 6175MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH45 6175MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL



UNII-5 - 5925~6425MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH01 5955MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL









WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH01 5955MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH45 6175MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak



WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH45 6175MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak



WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH93 6415MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak






WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT20 Full CH93 6415MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





UNII-5 - 5925~6425MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH03 5965MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_GE 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_GE 3m HORN_02115_230809 VERTICAL :






WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH03 5965MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_02115_230009 HORIZONTAL : .	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_02115_230009 VERTICAL : .
	38.6G ~ 40G Avg.	 Site : 03CH01-CA Condition : AVG(UNII)_6E 1m SHF_HORN_842_230717 HORIZONTAL : .





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH43 6165MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 1m SHF_HORH_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 1m SHF_HORH_842_230717 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH43 6165MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_02115_230009 HORIZONTAL : .	 Site : 03CH01-CA Condition : AVG(UNII)_6E 3m HORN_02115_230009 VERTICAL : .
	38.6G ~ 40G Avg.	 Site : 03CH01-CA Condition : AVG(UNII)_6E 1m SHF_HORN_842_230717 HORIZONTAL : .



WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH91 6405MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH91 6405MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-5 - 5925~6425MHz



WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH07 5985MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH07 5985MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH39 6145MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH39 6145MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL



WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH87 6385MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11 be EHT80 Full CH87 6385MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL :
38.6G ~ 40G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-5 - 5925~6425MHz



WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL
38.6G ~ 40G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL



WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL





WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL :
38.6G ~ 40G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-5 - 5925~6425MHz



WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :







WIFI	UNII-5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :

UNII-7 - 6525~6875MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH117 6535MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH117 6535MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH149 6695MHz	
4+2	Horizontal	Vertical
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11a CH149 6695MHz	
4+2	Horizontal	Vertical
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11a CH181 6855MHz	
4+2	Horizontal	Fundamental
Peak	Level (dBm/100kHz) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the spectrum and a red line for the peak. The peak is labeled 'PEAK_UNII_7E'. The frequency range is from 6555 to 7245 MHz, and the level range is from 10.0 to 140.0 dBm/100kHz. Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Level (dBm/100kHz) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line representing the spectrum and a red line for the peak. The peak is labeled 'PEAK_UNII_7E'. The frequency range is from 1000 to 8000 MHz, and the level range is from 10.0 to 140.0 dBm/100kHz. Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Level (dBm/100kHz) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue line representing the average spectrum. The frequency range is from 6555 to 7245 MHz, and the level range is from 10.0 to 140.0 dBm/100kHz. Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Level (dBm/100kHz) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line representing the average spectrum. The frequency range is from 1000 to 8000 MHz, and the level range is from 10.0 to 140.0 dBm/100kHz. Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11a CH181 6855MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

UNII-7 - 6525~6875MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT20 Full CH117 6535MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT20 Full CH117 6535MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT20 Full CH149 6695MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT20 Full CH149 6695MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11 be EHT20 Full CH181 6855MHz	
4+2	Horizontal	Fundamental
Peak	Horizontal Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 6855 to 7245 MHz. The plot shows a blue line representing the spectrum and a red line representing the peak level. A peak is labeled 'PEAK_UNI7_6E'. Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Fundamental Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 8000 MHz. The plot shows a blue line representing the spectrum and a red line representing the peak level. A peak is labeled 'PEAK_UNI7_6E'. Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 6855 to 7245 MHz. The plot shows a blue line representing the spectrum and a red line representing the average level. A peak is labeled 'AVG_UNI7_6E'. Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Fundamental Avg. Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 8000 MHz. The plot shows a blue line representing the spectrum and a red line representing the average level. A peak is labeled 'AVG_UNI7_6E'. Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11 be EHT20 Full CH181 6855MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		





UNII-7 - 6525~6875MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)





WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT40 Full CH123 6565MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT40 Full CH123 6565MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT40 Full CH147 6685MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT40 Full CH147 6685MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11 be EHT40 Full CH179 6845MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VSW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VSW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VSW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VSW:0.010KHz SWT:Auto



WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT40 Full CH179 6845MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		





UNII-7 - 6525~6875MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)





WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT80 Full CH135 6625MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT80 Full CH135 6625MHz	
4+2	Vertical	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto





WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT80 Full CH151 6705MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT80 Full CH151 6705MHz	
4+2	Horizontal	Fundamental
Peak	Left blank	 Site : 03CH01-CA Condition : PEAK(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Left blank	 Site : 03CH01-CA Condition : AVG(UNIT)_SE 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto





WIFI	UNII-7 6525~6875MHz Band Edge @ 3m	
ANT	802.11 be EHT80 Full CH167 6785MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.		

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11 be EHT80 Full CH167 6785MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.		

UNII-7 - 6525~6875MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
4+2	Horizontal	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto



WIFI	UNII-7 6525~6875MHz Fundamental @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
4+2	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition : PEAK_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : PEAK_UNB_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH01-CA Condition : AVG_BE(UNIT)_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH01-CA Condition : AVG_UNB_6E 3m HORN_02115_230809 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto







UNII-7 - 6525~6875MHz



WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
4+2	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-7 - 6525~6875MHz



WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
4+2	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-7 - 6525~6875MHz



WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
4+2	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	Level (dBuV/m) Date: 12-20-2023 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL :





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :







UNII-7 - 6525~6875MHz



WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 HORIZONTAL	 Site : 03CH01-CA Condition : PEAK[UNII]_6E 3m HORN_02115_230809 VERTICAL







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02140_230109 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak





WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak







WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL Detector : Peak
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL Detector : Peak	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL Detector : Peak



UNII-7 6525~6875MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
4+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : PEAK(UNII)_6E 3m HORN_02115_230809 VERTICAL :



WIFI	UNII-7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
4+2	Horizontal	Vertical
10.6G ~ 18G Avg.	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 3m HORN_02115_230809 VERTICAL :
	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 HORIZONTAL :	 Site : 03CH01-CA Condition : AV6(UNIT)_6E 1m SHF_HORN_842_230717 VERTICAL :

Emission below 1GHz
6GHz WIFI 802.11be EHT40 Full (LF)

WIFI	6GHz WIFI	
ANT	802.11be EHT40 Full LF	
4+2	Horizontal	Vertical
QP / Peak	 Site : 03CH01-CA Condition : QP 3m BILOG_54683_231113 HORIZONTAL	 Site : 03CH01-CA Condition : QP 3m BILOG_54683_231113 VERTICAL





Emission below 1GHz
6GHz WIFI 802.11be EHT160 Full (LF)

WIFI	6GHz WIFI	
ANT	802.11be EHT160 Full LF	
4+2	Horizontal	Vertical
QP / Peak	Level (dBuV/m) Date: 01-04-2024 Site : 03CH01-CA Condition : QP 3m BILOG_S4683_231113 HORIZONTAL :	Level (dBuV/m) Date: 01-04-2024 Site : 03CH01-CA Condition : QP 3m BILOG_S4683_231113 VERTICAL :

Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+2	802.11a	99.00	-	-	10Hz
4+2	6GHz 802.11be EHT20 Full RU	98.55	-	-	10Hz
4+2	6GHz 802.11be EHT40 Full RU	98.35	-	-	10Hz
4+2	6GHz 802.11be EHT80 Full RU	95.42	5310	0.19	300Hz
4+2	6GHz 802.11be EHT160 Full RU	96.25	5140	0.19	300Hz
4+2	6GHz 802.11be EHT320 Full RU	97.95	2630	0.38	1kHz

MIMO <Ant. 4+2>





6GHz 802.11be EHT160 Full RU



6GHz 802.11be EHT320 Full RU

