


802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5320MHz\_TX




EUT Z\_4TX  
Setting 39  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64768G	55.36	74.00	-18.64	41.18	3	Vertical	348	2.96	-	38.36	10.04	34.22
AV	10.62578G	41.75	54.00	-12.25	27.57	3	Vertical	348	2.96	-	38.36	10.04	34.22
PK	15.96132G	58.15	74.00	-15.85	43.15	3	Vertical	64	1.51	-	37.62	11.84	34.46
AV	15.97128G	44.61	54.00	-9.39	29.62	3	Vertical	64	1.51	-	37.59	11.85	34.45

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5320MHz\_TX




EUT\_Z\_4TX  
Setting 39  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62746G	55.09	74.00	-18.91	40.91	3	Horizontal	43	2.40	-	38.36	10.04	34.22
AV	10.63502G	41.86	54.00	-12.14	27.68	3	Horizontal	43	2.40	-	38.36	10.04	34.22
PK	15.95712G	57.63	74.00	-16.37	42.62	3	Horizontal	135	2.17	-	37.63	11.84	34.46
AV	15.97158G	44.65	54.00	-9.35	29.66	3	Horizontal	135	2.17	-	37.59	11.85	34.45

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5500MHz\_TX




EUT Z\_4TX  
Setting 40  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4028G	63.50	74.00	-10.50	56.05	3	Vertical	183	1.80	-	34.30	6.93	33.78
AV	5.4016G	50.94	54.00	-3.06	43.49	3	Vertical	183	1.80	-	34.30	6.93	33.78
PK	5.476G	63.76	68.20	-4.44	56.17	3	Vertical	183	1.80	-	34.37	6.99	33.77
PK	5.4976G	124.99	Inf	-Inf	117.34	3	Vertical	183	1.80	-	34.40	7.01	33.76
AV	5.4982G	112.46	Inf	-Inf	104.81	3	Vertical	183	1.80	-	34.40	7.01	33.76

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 40  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4082G	63.81	74.00	-10.19	56.34	3	Horizontal	177	1.80	-	34.31	6.94	33.78
AV	5.4082G	51.73	54.00	-2.27	44.26	3	Horizontal	177	1.80	-	34.31	6.94	33.78
PK	5.4682G	67.19	68.20	-1.01	59.61	3	Horizontal	177	1.80	-	34.37	6.98	33.77
PK	5.5048G	124.30	Inf	-Inf	116.65	3	Horizontal	177	1.80	-	34.40	7.01	33.76
AV	5.5054G	112.31	Inf	-Inf	104.67	3	Horizontal	177	1.80	-	34.39	7.01	33.76

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5500MHz\_TX




EUT Z\_4TX  
Setting 40  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98524G	53.56	74.00	-20.44	39.29	3	Vertical	176	1.69	-	38.40	10.10	34.23
AV	11.00378G	40.24	54.00	-13.76	25.97	3	Vertical	176	1.69	-	38.40	10.10	34.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5500MHz\_TX




EUT Z\_4TX  
Setting 40  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00042G	53.31	74.00	-20.69	39.04	3	Horizontal	237	2.44	-	38.40	10.10	34.23
AV	10.98968G	40.19	54.00	-13.81	25.92	3	Horizontal	237	2.44	-	38.40	10.10	34.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.52	74.00	-11.48	54.95	3	Vertical	181	1.80	-	34.36	6.98	33.77
AV	5.4432G	49.27	54.00	-4.73	41.74	3	Vertical	181	1.80	-	34.34	6.96	33.77
PK	5.4696G	62.28	68.20	-5.92	54.69	3	Vertical	181	1.80	-	34.37	6.99	33.77
PK	5.5776G	127.80	Inf	-Inf	120.25	3	Vertical	181	1.80	-	34.32	7.02	33.79
AV	5.5776G	115.82	Inf	-Inf	108.27	3	Vertical	181	1.80	-	34.32	7.02	33.79
PK	5.7704G	63.78	68.20	-4.42	56.41	3	Vertical	181	1.80	-	34.20	7.04	33.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5580MHz\_TX



EUT Z\_4TX  
Setting 46  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.41	74.00	-11.59	54.84	3	Horizontal	187	1.80	-	34.36	6.98	33.77
AV	5.4544G	49.68	54.00	-4.32	42.13	3	Horizontal	187	1.80	-	34.35	6.97	33.77
PK	5.4672G	62.27	68.20	-5.93	54.69	3	Horizontal	187	1.80	-	34.37	6.98	33.77
PK	5.5824G	129.28	Inf	-Inf	121.73	3	Horizontal	187	1.80	-	34.32	7.02	33.79
AV	5.5832G	116.52	Inf	-Inf	108.97	3	Horizontal	187	1.80	-	34.32	7.02	33.79
PK	5.7712G	62.10	68.20	-6.10	54.73	3	Horizontal	187	1.80	-	34.20	7.04	33.87



802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5580MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16534G	54.68	74.00	-19.32	40.28	3	Vertical	156	2.93	-	38.52	10.12	34.24
AV	11.15184G	41.55	54.00	-12.45	27.16	3	Vertical	156	2.93	-	38.51	10.12	34.24

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5580MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1471G	55.78	74.00	-18.22	41.40	3	Horizontal	120	2.97	-	38.50	10.12	34.24
AV	11.1528G	41.60	54.00	-12.40	27.21	3	Horizontal	120	2.97	-	38.51	10.12	34.24

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 36  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	123.33	Inf	-Inf	115.94	3	Vertical	177	1.91	-	34.20	7.03	33.84
AV	5.7014G	109.85	Inf	-Inf	102.46	3	Vertical	177	1.91	-	34.20	7.03	33.84
PK	5.7254G	63.93	68.20	-4.27	56.55	3	Vertical	177	1.91	-	34.20	7.03	33.85

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 36  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	125.01	Inf	-Inf	117.62	3	Horizontal	182	1.90	-	34.20	7.03	33.84
AV	5.7064G	112.11	Inf	-Inf	104.72	3	Horizontal	182	1.90	-	34.20	7.03	33.84
PK	5.726G	67.05	68.20	-1.15	59.67	3	Horizontal	182	1.90	-	34.20	7.03	33.85

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5700MHz\_TX




EUT Z\_4TX  
Setting 36  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40636G	54.44	74.00	-19.56	39.88	3	Vertical	59	1.65	-	38.68	10.15	34.27
AV	11.38842G	40.92	54.00	-13.08	26.36	3	Vertical	59	1.65	-	38.67	10.15	34.26

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5700MHz\_TX




EUT Z\_4TX  
Setting 36  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40702G	54.45	74.00	-19.55	39.89	3	Horizontal	192	1.20	-	38.68	10.15	34.27
AV	11.4054G	40.94	54.00	-13.06	26.38	3	Horizontal	192	1.20	-	38.68	10.15	34.27

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	61.81	74.00	-12.19	54.36	3	Vertical	189	1.80	-	34.30	6.93	33.78
PK	5.46G	60.79	68.20	-7.41	53.22	3	Vertical	189	1.80	-	34.36	6.98	33.77
AV	5.4554G	48.84	54.00	-5.16	41.28	3	Vertical	189	1.80	-	34.36	6.97	33.77
PK	5.7186G	126.09	Inf	-Inf	118.71	3	Vertical	189	1.80	-	34.20	7.03	33.85
AV	5.7172G	113.50	Inf	-Inf	106.12	3	Vertical	189	1.80	-	34.20	7.03	33.85
PK	5.9524G	60.60	68.20	-7.60	52.92	3	Vertical	189	1.80	-	34.56	7.06	33.94

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3924G	62.79	74.00	-11.21	55.36	3	Horizontal	180	1.91	-	34.29	6.92	33.78
AV	5.3756G	50.45	54.00	-3.55	43.04	3	Horizontal	180	1.91	-	34.28	6.91	33.78
PK	5.468G	63.34	68.20	-4.86	55.76	3	Horizontal	180	1.91	-	34.37	6.98	33.77
PK	5.7228G	129.90	Inf	-Inf	122.52	3	Horizontal	180	1.91	-	34.20	7.03	33.85
AV	5.7228G	116.76	Inf	-Inf	109.38	3	Horizontal	180	1.91	-	34.20	7.03	33.85
PK	5.8684G	61.77	68.20	-6.43	54.29	3	Horizontal	180	1.91	-	34.34	7.05	33.91



802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44606G	54.59	74.00	-19.41	39.99	3	Vertical	236	1.82	-	38.71	10.16	34.27
AV	11.43754G	40.99	54.00	-13.01	26.39	3	Vertical	236	1.82	-	38.71	10.16	34.27

802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45008G	54.68	74.00	-19.32	40.07	3	Horizontal	302	1.39	-	38.72	10.16	34.27
AV	11.43784G	40.95	54.00	-13.05	26.35	3	Horizontal	302	1.39	-	38.71	10.16	34.27

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5745MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.09	68.20	-5.11	55.64	3	Vertical	176	1.80	-	34.25	7.02	33.82
PK	5.744G	124.99	Inf	-Inf	117.62	3	Vertical	176	1.80	-	34.20	7.03	33.86
AV	5.743G	112.85	Inf	-Inf	105.48	3	Vertical	176	1.80	-	34.20	7.03	33.86
PK	5.942G	60.92	68.20	-7.28	53.28	3	Vertical	176	1.80	-	34.53	7.05	33.94

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5745MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	68.12	68.20	-0.08	60.66	3	Horizontal	183	1.80	-	34.26	7.02	33.82
PK	5.744G	129.60	Inf	-Inf	122.23	3	Horizontal	183	1.80	-	34.20	7.03	33.86
AV	5.743G	116.15	Inf	-Inf	108.78	3	Horizontal	183	1.80	-	34.20	7.03	33.86
PK	5.971G	61.64	68.20	-6.56	53.92	3	Horizontal	183	1.80	-	34.61	7.06	33.95

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5745MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48466G	54.56	74.00	-19.44	39.93	3	Vertical	56	2.75	-	38.74	10.16	34.27
AV	11.50278G	40.91	54.00	-13.09	26.27	3	Vertical	56	2.75	-	38.75	10.17	34.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5745MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50254G	54.98	74.00	-19.02	40.34	3	Horizontal	310	1.22	-	38.75	10.17	34.28
AV	11.50266G	40.87	54.00	-13.13	26.23	3	Horizontal	310	1.22	-	38.75	10.17	34.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5785MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	61.68	68.20	-6.52	54.22	3	Vertical	177	1.80	-	34.26	7.02	33.82
PK	5.777G	123.45	Inf	-Inf	116.08	3	Vertical	177	1.80	-	34.20	7.04	33.87
AV	5.777G	112.21	Inf	-Inf	104.84	3	Vertical	177	1.80	-	34.20	7.04	33.87
PK	5.96G	61.30	68.20	-6.90	53.60	3	Vertical	177	1.80	-	34.58	7.06	33.94

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5785MHz\_TX



EUT Z\_4TX  
Setting 46  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	63.97	68.20	-4.23	56.44	3	Horizontal	188	1.83	-	34.31	7.02	33.80
PK	5.779G	126.54	Inf	-Inf	119.17	3	Horizontal	188	1.83	-	34.20	7.04	33.87
AV	5.78G	115.52	Inf	-Inf	108.15	3	Horizontal	188	1.83	-	34.20	7.04	33.87
PK	5.973G	61.88	68.20	-6.32	54.15	3	Horizontal	188	1.83	-	34.62	7.06	33.95



802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5785MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57552G	54.50	74.00	-19.50	39.81	3	Vertical	45	1.53	-	38.80	10.17	34.28
AV	11.58008G	40.99	54.00	-13.01	26.28	3	Vertical	45	1.53	-	38.81	10.18	34.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5785MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58206G	54.61	74.00	-19.39	39.90	3	Horizontal	118	1.86	-	38.81	10.18	34.28
AV	11.57954G	40.98	54.00	-13.02	26.27	3	Horizontal	118	1.86	-	38.81	10.18	34.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5825MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	63.09	68.20	-5.11	55.61	3	Vertical	178	1.78	-	34.27	7.02	33.81
PK	5.818G	124.95	Inf	-Inf	117.56	3	Vertical	178	1.78	-	34.24	7.04	33.89
AV	5.818G	112.84	Inf	-Inf	105.45	3	Vertical	178	1.78	-	34.24	7.04	33.89
PK	5.943G	61.45	68.20	-6.75	53.81	3	Vertical	178	1.78	-	34.53	7.05	33.94

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5825MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	63.26	68.20	-4.94	55.71	3	Horizontal	183	1.89	-	34.32	7.02	33.79
PK	5.824G	128.47	Inf	-Inf	121.07	3	Horizontal	183	1.89	-	34.25	7.04	33.89
AV	5.822G	115.64	Inf	-Inf	108.25	3	Horizontal	183	1.89	-	34.24	7.04	33.89
PK	5.926G	63.02	68.20	-5.18	55.42	3	Horizontal	183	1.89	-	34.48	7.05	33.93

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5825MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65444G	55.08	74.00	-18.92	40.32	3	Vertical	203	1.80	-	38.86	10.19	34.29
AV	11.6548G	41.68	54.00	-12.32	26.92	3	Vertical	203	1.80	-	38.86	10.19	34.29

802.11ax HEW20\_Nss1,(MCS0)\_4TX

01/07/2020

5825MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64652G	54.79	74.00	-19.21	40.05	3	Horizontal	147	1.80	-	38.85	10.18	34.29
AV	11.65006G	41.77	54.00	-12.23	27.02	3	Horizontal	147	1.80	-	38.86	10.18	34.29

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5190MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	67.02	74.00	-6.98	60.23	3	Vertical	174	2.06	-	33.90	6.73	33.84
AV	5.1468G	53.65	54.00	-0.35	46.86	3	Vertical	174	2.06	-	33.90	6.73	33.84
PK	5.1852G	117.40	Inf	-Inf	110.57	3	Vertical	174	2.06	-	33.90	6.76	33.83
AV	5.1856G	105.09	Inf	-Inf	98.26	3	Vertical	174	2.06	-	33.90	6.76	33.83

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5190MHz\_TX



EUT Z\_4TX  
Setting 32  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	66.30	74.00	-7.70	59.51	3	Horizontal	185	1.80	-	33.90	6.73	33.84
AV	5.1404G	51.80	54.00	-2.20	45.01	3	Horizontal	185	1.80	-	33.90	6.73	33.84
PK	5.2G	117.22	Inf	-Inf	110.38	3	Horizontal	185	1.80	-	33.90	6.77	33.83
AV	5.1792G	104.94	Inf	-Inf	98.11	3	Horizontal	185	1.80	-	33.90	6.76	33.83






802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5190MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57444G	59.73	74.00	-14.27	43.83	3	Vertical	262	1.51	-	38.78	11.64	34.52
AV	15.58188G	46.35	54.00	-7.65	30.47	3	Vertical	262	1.51	-	38.75	11.65	34.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5190MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5727G	59.80	74.00	-14.20	43.90	3	Horizontal	174	1.36	-	38.78	11.64	34.52
AV	15.58032G	46.41	54.00	-7.59	30.52	3	Horizontal	174	1.36	-	38.76	11.65	34.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5230MHz\_TX




EUT Z\_4TX  
Setting 44  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	66.10	74.00	-7.90	59.31	3	Vertical	175	2.00	-	33.90	6.73	33.84
AV	5.15G	53.66	54.00	-0.34	46.87	3	Vertical	175	2.00	-	33.90	6.73	33.84
PK	5.2252G	123.66	Inf	-Inf	116.71	3	Vertical	175	2.00	-	33.98	6.79	33.82
AV	5.245G	112.32	Inf	-Inf	105.29	3	Vertical	175	2.00	-	34.04	6.81	33.82
PK	5.3506G	62.68	74.00	-11.32	55.32	3	Vertical	175	2.00	-	34.25	6.90	33.79
AV	5.3782G	49.65	54.00	-4.35	42.24	3	Vertical	175	2.00	-	34.28	6.91	33.78

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5230MHz\_TX




EUT Z\_4TX  
Setting 44  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	66.28	74.00	-7.72	59.49	3	Horizontal	186	1.94	-	33.90	6.73	33.84
AV	5.1406G	53.35	54.00	-0.65	46.56	3	Horizontal	186	1.94	-	33.90	6.73	33.84
PK	5.2408G	127.74	Inf	-Inf	120.73	3	Horizontal	186	1.94	-	34.02	6.81	33.82
AV	5.2402G	113.38	Inf	-Inf	106.37	3	Horizontal	186	1.94	-	34.02	6.81	33.82
PK	5.3668G	62.70	74.00	-11.30	55.31	3	Horizontal	186	1.94	-	34.27	6.91	33.79
AV	5.3764G	50.22	54.00	-3.78	42.81	3	Horizontal	186	1.94	-	34.28	6.91	33.78

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5230MHz\_TX




EUT Z\_4TX  
Setting 44  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69108G	58.85	74.00	-15.15	43.22	3	Vertical	66	1.77	-	38.43	11.70	34.50
AV	15.67842G	45.58	54.00	-8.42	29.92	3	Vertical	66	1.77	-	38.46	11.70	34.50

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5230MHz\_TX




EUT Z\_4TX  
Setting 44  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68574G	58.93	74.00	-15.07	43.29	3	Horizontal	355	1.34	-	38.44	11.70	34.50
AV	15.67878G	45.54	54.00	-8.46	29.88	3	Horizontal	355	1.34	-	38.46	11.70	34.50

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5270MHz\_TX




EUT Z\_4TX  
Setting 41  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	60.07	74.00	-13.93	53.30	3	Vertical	175	1.80	-	33.90	6.72	33.85
AV	5.1416G	47.00	54.00	-7.00	40.21	3	Vertical	175	1.80	-	33.90	6.73	33.84
PK	5.2682G	122.82	Inf	-Inf	115.70	3	Vertical	175	1.80	-	34.10	6.83	33.81
AV	5.2688G	110.68	Inf	-Inf	103.55	3	Vertical	175	1.80	-	34.11	6.83	33.81
PK	5.35G	63.28	74.00	-10.72	55.92	3	Vertical	175	1.80	-	34.25	6.90	33.79
AV	5.35G	51.24	54.00	-2.76	43.88	3	Vertical	175	1.80	-	34.25	6.90	33.79

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5270MHz\_TX



EUT Z\_4TX  
Setting 41  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	61.21	74.00	-12.79	54.43	3	Horizontal	168	2.03	-	33.90	6.72	33.84
AV	5.15G	47.65	54.00	-6.35	40.86	3	Horizontal	168	2.03	-	33.90	6.73	33.84
PK	5.2748G	124.75	Inf	-Inf	117.60	3	Horizontal	168	2.03	-	34.12	6.84	33.81
AV	5.2754G	112.44	Inf	-Inf	105.28	3	Horizontal	168	2.03	-	34.13	6.84	33.81
PK	5.3528G	65.70	74.00	-8.30	58.34	3	Horizontal	168	2.03	-	34.25	6.90	33.79
AV	5.3528G	52.93	54.00	-1.07	45.57	3	Horizontal	168	2.03	-	34.25	6.90	33.79



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5270MHz\_TX




EUT Z\_4TX  
Setting 41  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80502G	58.32	74.00	-15.68	42.96	3	Vertical	126	2.21	-	38.08	11.76	34.48
AV	15.8211G	43.93	54.00	-10.07	28.60	3	Vertical	126	2.21	-	38.04	11.77	34.48

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5270MHz\_TX




EUT Z\_4TX  
Setting 41  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81786G	57.57	74.00	-16.43	42.23	3	Horizontal	156	1.59	-	38.05	11.77	34.48
AV	15.81384G	43.97	54.00	-10.03	28.62	3	Horizontal	156	1.59	-	38.06	11.77	34.48

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5310MHz\_TX




EUT Z\_4TX  
Setting 29  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	116.47	Inf	-Inf	109.21	3	Vertical	176	1.80	-	34.20	6.86	33.80
AV	5.3056G	104.04	Inf	-Inf	96.77	3	Vertical	176	1.80	-	34.21	6.86	33.80
PK	5.3508G	66.01	74.00	-7.99	58.65	3	Vertical	176	1.80	-	34.25	6.90	33.79
AV	5.35G	53.05	54.00	-0.95	45.69	3	Vertical	176	1.80	-	34.25	6.90	33.79

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5310MHz\_TX




EUT\_Z\_4TX  
Setting 29  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	118.34	Inf	-Inf	111.06	3	Horizontal	170	1.91	-	34.21	6.87	33.80
AV	5.3064G	105.86	Inf	-Inf	98.59	3	Horizontal	170	1.91	-	34.21	6.86	33.80
PK	5.3508G	62.97	74.00	-11.03	55.61	3	Horizontal	170	1.91	-	34.25	6.90	33.79
AV	5.35G	51.13	54.00	-2.87	43.77	3	Horizontal	170	1.91	-	34.25	6.90	33.79

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5310MHz\_TX




EUT Z\_4TX  
Setting 29  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62618G	56.08	74.00	-17.92	41.90	3	Vertical	71	2.62	-	38.36	10.04	34.22
AV	10.6332G	42.11	54.00	-11.89	27.93	3	Vertical	71	2.62	-	38.36	10.04	34.22
PK	15.94284G	58.19	74.00	-15.81	43.15	3	Vertical	164	2.75	-	37.67	11.83	34.46
AV	15.94284G	44.17	54.00	-9.83	29.13	3	Vertical	164	2.75	-	37.67	11.83	34.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5310MHz\_TX




EUT Z\_4TX  
Setting 29  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61766G	55.67	74.00	-18.33	41.49	3	Horizontal	13	1.32	-	38.36	10.04	34.22
AV	10.62912G	42.05	54.00	-11.95	27.87	3	Horizontal	13	1.32	-	38.36	10.04	34.22
PK	15.94284G	57.26	74.00	-16.74	42.22	3	Horizontal	271	1.69	-	37.67	11.83	34.46
AV	15.94266G	44.12	54.00	-9.88	29.08	3	Horizontal	271	1.69	-	37.67	11.83	34.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5510MHz\_TX



EUT\_Z\_4TX  
Setting 32  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.53	74.00	-10.47	55.96	3	Vertical	177	1.80	-	34.36	6.98	33.77
AV	5.46G	49.96	54.00	-4.04	42.39	3	Vertical	177	1.80	-	34.36	6.98	33.77
PK	5.4636G	65.22	68.20	-2.98	57.65	3	Vertical	177	1.80	-	34.36	6.98	33.77
PK	5.5016G	117.74	Inf	-Inf	110.09	3	Vertical	177	1.80	-	34.40	7.01	33.76
AV	5.502G	104.98	Inf	-Inf	97.33	3	Vertical	177	1.80	-	34.40	7.01	33.76



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5510MHz\_TX



EUT Z\_4TX  
Setting 32  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	62.32	74.00	-11.68	54.81	3	Horizontal	177	1.84	-	34.33	6.95	33.77
PK	5.468G	68.11	68.20	-0.09	60.53	3	Horizontal	177	1.84	-	34.37	6.98	33.77
AV	5.4532G	49.81	54.00	-4.19	42.26	3	Horizontal	177	1.84	-	34.35	6.97	33.77
PK	5.508G	120.26	Inf	-Inf	112.62	3	Horizontal	177	1.84	-	34.39	7.01	33.76
AV	5.5068G	107.54	Inf	-Inf	99.90	3	Horizontal	177	1.84	-	34.39	7.01	33.76



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5510MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02726G	54.40	74.00	-19.60	40.11	3	Vertical	161	2.38	-	38.42	10.10	34.23
AV	11.035G	40.63	54.00	-13.37	26.34	3	Vertical	161	2.38	-	38.42	10.10	34.23

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5510MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00524G	53.76	74.00	-20.24	39.49	3	Horizontal	215	2.65	-	38.40	10.10	34.23
AV	11.0275G	40.69	54.00	-13.31	26.40	3	Horizontal	215	2.65	-	38.42	10.10	34.23

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 43  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4292G	65.12	74.00	-8.88	57.61	3	Vertical	175	1.80	-	34.33	6.95	33.77
PK	5.4604G	63.65	68.20	-4.55	56.08	3	Vertical	175	1.80	-	34.36	6.98	33.77
AV	5.4588G	52.20	54.00	-1.80	44.63	3	Vertical	175	1.80	-	34.36	6.98	33.77
PK	5.5404G	123.90	Inf	-Inf	116.31	3	Vertical	175	1.80	-	34.36	7.01	33.78
AV	5.5404G	111.35	Inf	-Inf	103.76	3	Vertical	175	1.80	-	34.36	7.01	33.78
PK	5.7268G	60.89	68.20	-7.31	53.51	3	Vertical	175	1.80	-	34.20	7.03	33.85

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 43  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.31	74.00	-8.69	57.74	3	Horizontal	182	1.80	-	34.36	6.98	33.77
AV	5.458G	53.85	54.00	-0.15	46.28	3	Horizontal	182	1.80	-	34.36	6.98	33.77
PK	5.4612G	65.10	68.20	-3.10	57.53	3	Horizontal	182	1.80	-	34.36	6.98	33.77
PK	5.5556G	124.88	Inf	-Inf	117.30	3	Horizontal	182	1.80	-	34.34	7.02	33.78
AV	5.5556G	112.94	Inf	-Inf	105.36	3	Horizontal	182	1.80	-	34.34	7.02	33.78
PK	5.7292G	62.35	68.20	-5.85	54.97	3	Horizontal	182	1.80	-	34.20	7.03	33.85

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5550MHz\_TX



EUT Z\_4TX  
Setting 43  
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.085G	55.55	74.00	-18.45	41.22	3	Vertical	73	1.19	-	38.46	10.11	34.24
AV	11.09124G	41.72	54.00	-12.28	27.39	3	Vertical	73	1.19	-	38.46	10.11	34.24



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5550MHz\_TX




EUT Z\_4TX  
Setting 43  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08992G	55.26	74.00	-18.74	40.93	3	Horizontal	260	1.70	-	38.46	10.11	34.24
AV	11.09172G	41.77	54.00	-12.23	27.44	3	Horizontal	260	1.70	-	38.46	10.11	34.24

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5670MHz\_TX



EUT Z\_4TX  
Setting 38  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6706G	119.94	Inf	-Inf	112.51	3	Vertical	182	1.95	-	34.23	7.03	33.83
AV	5.6712G	108.30	Inf	-Inf	100.87	3	Vertical	182	1.95	-	34.23	7.03	33.83
PK	5.7306G	66.46	68.20	-1.74	59.08	3	Vertical	182	1.95	-	34.20	7.03	33.85



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5670MHz\_TX



EUT\_Z\_4TX  
Setting 38  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	122.26	Inf	-Inf	114.83	3	Horizontal	177	1.90	-	34.23	7.03	33.83
AV	5.6664G	110.21	Inf	-Inf	102.78	3	Horizontal	177	1.90	-	34.23	7.03	33.83
PK	5.7252G	66.94	68.20	-1.26	59.56	3	Horizontal	177	1.90	-	34.20	7.03	33.85



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5670MHz\_TX




EUT Z\_4TX  
Setting 38  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34444G	54.66	74.00	-19.34	40.14	3	Vertical	78	1.58	-	38.64	10.14	34.26
AV	11.33046G	41.38	54.00	-12.62	26.87	3	Vertical	78	1.58	-	38.63	10.14	34.26

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5670MHz\_TX




EUT Z\_4TX  
Setting 38  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3394G	54.84	74.00	-19.16	40.32	3	Horizontal	148	2.52	-	38.64	10.14	34.26
AV	11.32764G	41.32	54.00	-12.68	26.81	3	Horizontal	148	2.52	-	38.63	10.14	34.26

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3684G	62.03	74.00	-11.97	54.64	3	Vertical	176	1.91	-	34.27	6.91	33.79
PK	5.46G	62.00	68.20	-6.20	54.43	3	Vertical	176	1.91	-	34.36	6.98	33.77
AV	5.4496G	49.12	54.00	-4.88	41.57	3	Vertical	176	1.91	-	34.35	6.97	33.77
PK	5.7002G	122.49	Inf	-Inf	115.10	3	Vertical	176	1.91	-	34.20	7.03	33.84
AV	5.7016G	110.52	Inf	-Inf	103.13	3	Vertical	176	1.91	-	34.20	7.03	33.84
PK	5.8794G	60.55	68.20	-7.65	53.05	3	Vertical	176	1.91	-	34.36	7.05	33.91

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	62.66	74.00	-11.34	55.10	3	Horizontal	186	1.97	-	34.36	6.97	33.77
AV	5.3754G	49.89	54.00	-4.11	42.48	3	Horizontal	186	1.97	-	34.28	6.91	33.78
PK	5.4678G	61.81	68.20	-6.39	54.23	3	Horizontal	186	1.97	-	34.37	6.98	33.77
PK	5.7044G	125.25	Inf	-Inf	117.86	3	Horizontal	186	1.97	-	34.20	7.03	33.84
AV	5.703G	112.34	Inf	-Inf	104.95	3	Horizontal	186	1.97	-	34.20	7.03	33.84
PK	5.8878G	61.00	68.20	-7.20	53.49	3	Horizontal	186	1.97	-	34.38	7.05	33.92



802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40974G	54.40	74.00	-19.60	39.83	3	Vertical	67	1.48	-	38.69	10.15	34.27
AV	11.42894G	41.32	54.00	-12.68	26.73	3	Vertical	67	1.48	-	38.70	10.16	34.27

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41808G	56.00	74.00	-18.00	41.43	3	Horizontal	304	2.30	-	38.69	10.15	34.27
AV	11.43122G	41.35	54.00	-12.65	26.76	3	Horizontal	304	2.30	-	38.70	10.16	34.27

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5755MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.571G	62.87	68.20	-5.33	55.31	3	Vertical	182	1.96	-	34.33	7.02	33.79
PK	5.756G	122.83	Inf	-Inf	115.45	3	Vertical	182	1.96	-	34.20	7.04	33.86
AV	5.756G	111.38	Inf	-Inf	104.00	3	Vertical	182	1.96	-	34.20	7.04	33.86
PK	5.949G	60.67	68.20	-7.53	53.01	3	Vertical	182	1.96	-	34.55	7.05	33.94

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5755MHz\_TX



EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	66.06	68.20	-2.14	58.60	3	Horizontal	182	1.95	-	34.26	7.02	33.82
PK	5.76G	126.94	Inf	-Inf	119.56	3	Horizontal	182	1.95	-	34.20	7.04	33.86
AV	5.76G	113.60	Inf	-Inf	106.22	3	Horizontal	182	1.95	-	34.20	7.04	33.86
PK	5.926G	61.19	68.20	-7.01	53.59	3	Horizontal	182	1.95	-	34.48	7.05	33.93



802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5755MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51126G	54.83	74.00	-19.17	40.18	3	Vertical	151	1.08	-	38.76	10.17	34.28
AV	11.5232G	41.41	54.00	-12.59	26.75	3	Vertical	151	1.08	-	38.77	10.17	34.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5755MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51198G	54.73	74.00	-19.27	40.08	3	Horizontal	263	1.14	-	38.76	10.17	34.28
AV	11.52356G	41.40	54.00	-12.60	26.74	3	Horizontal	263	1.14	-	38.77	10.17	34.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5795MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	61.81	68.20	-6.39	54.35	3	Vertical	179	1.83	-	34.26	7.02	33.82
PK	5.791G	122.51	Inf	-Inf	115.15	3	Vertical	179	1.83	-	34.20	7.04	33.88
AV	5.788G	110.60	Inf	-Inf	103.24	3	Vertical	179	1.83	-	34.20	7.04	33.88
PK	5.972G	60.82	68.20	-7.38	53.09	3	Vertical	179	1.83	-	34.62	7.06	33.95

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5795MHz\_TX




EUT\_Z\_4TX  
Setting 46  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	62.71	68.20	-5.49	55.16	3	Horizontal	182	2.06	-	34.32	7.02	33.79
PK	5.8G	124.14	Inf	-Inf	116.78	3	Horizontal	182	2.06	-	34.20	7.04	33.88
AV	5.801G	112.19	Inf	-Inf	104.83	3	Horizontal	182	2.06	-	34.20	7.04	33.88
PK	5.962G	61.22	68.20	-6.98	53.51	3	Horizontal	182	2.06	-	34.59	7.06	33.94

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5795MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59894G	55.55	74.00	-18.45	40.83	3	Vertical	77	1.13	-	38.82	10.18	34.28
AV	11.58796G	41.59	54.00	-12.41	26.88	3	Vertical	77	1.13	-	38.81	10.18	34.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX

01/07/2020

5795MHz\_TX




EUT Z\_4TX  
Setting 46  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58592G	54.75	74.00	-19.25	40.04	3	Horizontal	228	1.98	-	38.81	10.18	34.28
AV	11.5852G	41.61	54.00	-12.39	26.90	3	Horizontal	228	1.98	-	38.81	10.18	34.28

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5210MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.62	74.00	-6.38	60.83	3	Vertical	175	1.89	-	33.90	6.73	33.84
AV	5.15G	53.48	54.00	-0.52	46.69	3	Vertical	175	1.89	-	33.90	6.73	33.84
PK	5.246G	112.39	Inf	-Inf	105.36	3	Vertical	175	1.89	-	34.04	6.81	33.82
AV	5.245G	100.91	Inf	-Inf	93.88	3	Vertical	175	1.89	-	34.04	6.81	33.82
PK	5.403G	61.77	74.00	-12.23	54.32	3	Vertical	175	1.89	-	34.30	6.93	33.78
AV	5.357G	48.66	54.00	-5.34	41.29	3	Vertical	175	1.89	-	34.26	6.90	33.79

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5210MHz\_TX



EUT Z\_4TX  
Setting 30  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	66.83	74.00	-7.17	60.04	3	Horizontal	183	2.01	-	33.90	6.73	33.84
AV	5.146G	53.95	54.00	-0.05	47.16	3	Horizontal	183	2.01	-	33.90	6.73	33.84
PK	5.246G	113.58	Inf	-Inf	106.55	3	Horizontal	183	2.01	-	34.04	6.81	33.82
AV	5.245G	101.45	Inf	-Inf	94.42	3	Horizontal	183	2.01	-	34.04	6.81	33.82
PK	5.43G	61.19	74.00	-12.81	53.68	3	Horizontal	183	2.01	-	34.33	6.95	33.77
AV	5.441G	48.56	54.00	-5.44	41.03	3	Horizontal	183	2.01	-	34.34	6.96	33.77



802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5210MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63114G	59.44	74.00	-14.56	43.67	3	Vertical	61	1.39	-	38.61	11.67	34.51
AV	15.61506G	45.79	54.00	-8.21	29.99	3	Vertical	61	1.39	-	38.65	11.66	34.51

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5210MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61854G	58.98	74.00	-15.02	43.18	3	Horizontal	184	1.24	-	38.64	11.67	34.51
AV	15.615G	45.75	54.00	-8.25	29.94	3	Horizontal	184	1.24	-	38.66	11.66	34.51

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5290MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.06	74.00	-13.94	53.27	3	Vertical	177	2.03	-	33.90	6.73	33.84
AV	5.141G	47.24	54.00	-6.76	40.45	3	Vertical	177	2.03	-	33.90	6.73	33.84
PK	5.28G	114.07	Inf	-Inf	106.90	3	Vertical	177	2.03	-	34.14	6.84	33.81
AV	5.279G	102.24	Inf	-Inf	95.07	3	Vertical	177	2.03	-	34.14	6.84	33.81
PK	5.358G	65.99	74.00	-8.01	58.62	3	Vertical	177	2.03	-	34.26	6.90	33.79
AV	5.359G	53.17	54.00	-0.83	45.80	3	Vertical	177	2.03	-	34.26	6.90	33.79
PK	5.474G	61.01	68.20	-7.19	53.42	3	Vertical	177	2.03	-	34.37	6.99	33.77

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5290MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	60.90	74.00	-13.10	54.12	3	Horizontal	176	1.97	-	33.90	6.72	33.84
AV	5.136G	47.19	54.00	-6.81	40.40	3	Horizontal	176	1.97	-	33.90	6.73	33.84
PK	5.275G	114.82	Inf	-Inf	107.67	3	Horizontal	176	1.97	-	34.12	6.84	33.81
AV	5.316G	103.50	Inf	-Inf	96.21	3	Horizontal	176	1.97	-	34.22	6.87	33.80
PK	5.356G	67.32	74.00	-6.68	59.95	3	Horizontal	176	1.97	-	34.26	6.90	33.79
AV	5.355G	53.97	54.00	-0.03	46.60	3	Horizontal	176	1.97	-	34.26	6.90	33.79
PK	5.473G	61.85	68.20	-6.35	54.26	3	Horizontal	176	1.97	-	34.37	6.99	33.77

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5290MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86124G	57.24	74.00	-16.76	42.00	3	Vertical	188	2.05	-	37.92	11.79	34.47
AV	15.88272G	43.99	54.00	-10.01	28.81	3	Vertical	188	2.05	-	37.85	11.80	34.47

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5290MHz\_TX




EUT Z\_4TX  
Setting 30  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86706G	57.43	74.00	-16.57	42.21	3	Horizontal	192	1.04	-	37.90	11.79	34.47
AV	15.88254G	43.98	54.00	-10.02	28.80	3	Horizontal	192	1.04	-	37.85	11.80	34.47

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5530MHz\_TX




EUT Z\_4TX  
Setting 26  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	60.72	68.20	-7.48	53.51	3	Vertical	175	1.85	-	34.16	6.85	33.80
PK	5.41G	66.46	74.00	-7.54	58.99	3	Vertical	175	1.85	-	34.31	6.94	33.78
PK	5.462G	63.55	68.20	-4.65	55.98	3	Vertical	175	1.85	-	34.36	6.98	33.77
AV	5.46G	51.41	54.00	-2.59	43.84	3	Vertical	175	1.85	-	34.36	6.98	33.77
PK	5.52G	112.00	Inf	-Inf	104.38	3	Vertical	175	1.85	-	34.38	7.01	33.77
AV	5.518G	99.13	Inf	-Inf	91.51	3	Vertical	175	1.85	-	34.38	7.01	33.77
PK	5.772G	59.95	68.20	-8.25	52.58	3	Vertical	175	1.85	-	34.20	7.04	33.87

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5530MHz\_TX



EUT Z\_4TX  
Setting 26  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	60.68	68.20	-7.52	53.41	3	Horizontal	178	1.80	-	34.21	6.86	33.80
PK	5.449G	64.64	74.00	-9.36	57.09	3	Horizontal	178	1.80	-	34.35	6.97	33.77
AV	5.455G	51.65	54.00	-2.35	44.10	3	Horizontal	178	1.80	-	34.35	6.97	33.77
PK	5.469G	66.72	68.20	-1.48	59.13	3	Horizontal	178	1.80	-	34.37	6.99	33.77
PK	5.508G	111.79	Inf	-Inf	104.15	3	Horizontal	178	1.80	-	34.39	7.01	33.76
AV	5.507G	100.11	Inf	-Inf	92.47	3	Horizontal	178	1.80	-	34.39	7.01	33.76
PK	5.743G	59.98	68.20	-8.22	52.61	3	Horizontal	178	1.80	-	34.20	7.03	33.86






802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5530MHz\_TX




EUT Z\_4TX  
Setting 26  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05148G	54.45	74.00	-19.55	40.13	3	Vertical	251	1.04	-	38.44	10.11	34.23
AV	11.07494G	41.18	54.00	-12.82	26.86	3	Vertical	251	1.04	-	38.45	10.11	34.24

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5530MHz\_TX




EUT Z\_4TX  
Setting 26  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07224G	54.71	74.00	-19.29	40.39	3	Horizontal	358	1.41	-	38.45	10.11	34.24
AV	11.07494G	41.10	54.00	-12.90	26.78	3	Horizontal	358	1.41	-	38.45	10.11	34.24

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5610MHz\_TX




EUT Z\_4TX  
Setting 34  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.86	74.00	-11.14	55.31	3	Vertical	181	1.80	-	34.35	6.97	33.77
AV	5.452G	49.55	54.00	-4.45	42.00	3	Vertical	181	1.80	-	34.35	6.97	33.77
PK	5.467G	64.79	68.20	-3.41	57.21	3	Vertical	181	1.80	-	34.37	6.98	33.77
PK	5.59G	115.46	Inf	-Inf	107.93	3	Vertical	181	1.80	-	34.31	7.02	33.80
AV	5.59G	103.34	Inf	-Inf	95.81	3	Vertical	181	1.80	-	34.31	7.02	33.80
PK	5.731G	68.12	68.20	-0.08	60.74	3	Vertical	181	1.80	-	34.20	7.03	33.85

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5610MHz\_TX



EUT Z\_4TX  
Setting 34  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	63.20	74.00	-10.80	55.67	3	Horizontal	176	1.80	-	34.34	6.96	33.77
AV	5.453G	50.59	54.00	-3.41	43.04	3	Horizontal	176	1.80	-	34.35	6.97	33.77
PK	5.466G	65.49	68.20	-2.71	57.91	3	Horizontal	176	1.80	-	34.37	6.98	33.77
PK	5.587G	116.11	Inf	-Inf	108.57	3	Horizontal	176	1.80	-	34.31	7.02	33.79
AV	5.587G	104.71	Inf	-Inf	97.17	3	Horizontal	176	1.80	-	34.31	7.02	33.79
PK	5.725G	66.57	68.20	-1.63	59.19	3	Horizontal	176	1.80	-	34.20	7.03	33.85



802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5610MHz\_TX




EUT Z\_4TX  
Setting 34  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21604G	54.95	74.00	-19.05	40.52	3	Vertical	273	2.80	-	38.55	10.13	34.25
AV	11.21208G	41.56	54.00	-12.44	27.13	3	Vertical	273	2.80	-	38.55	10.13	34.25

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5610MHz\_TX




EUT Z\_4TX  
Setting 34  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2296G	55.18	74.00	-18.82	40.74	3	Horizontal	77	1.91	-	38.56	10.13	34.25
AV	11.20626G	41.51	54.00	-12.49	27.09	3	Horizontal	77	1.91	-	38.54	10.13	34.25

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 38  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4428G	62.83	74.00	-11.17	55.30	3	Vertical	182	1.89	-	34.34	6.96	33.77
AV	5.4536G	50.04	54.00	-3.96	42.49	3	Vertical	182	1.89	-	34.35	6.97	33.77
PK	5.468G	62.17	68.20	-6.03	54.59	3	Vertical	182	1.89	-	34.37	6.98	33.77
PK	5.6708G	116.76	Inf	-Inf	109.33	3	Vertical	182	1.89	-	34.23	7.03	33.83
AV	5.6708G	104.87	Inf	-Inf	97.44	3	Vertical	182	1.89	-	34.23	7.03	33.83
PK	5.8544G	66.55	68.20	-1.65	59.09	3	Vertical	182	1.89	-	34.31	7.05	33.90

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 38  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	64.27	74.00	-9.73	56.72	3	Horizontal	176	1.80	-	34.35	6.97	33.77
AV	5.4548G	52.03	54.00	-1.97	44.48	3	Horizontal	176	1.80	-	34.35	6.97	33.77
PK	5.4692G	65.13	68.20	-3.07	57.54	3	Horizontal	176	1.80	-	34.37	6.99	33.77
PK	5.684G	117.95	Inf	-Inf	110.53	3	Horizontal	176	1.80	-	34.22	7.03	33.83
AV	5.666G	106.01	Inf	-Inf	98.58	3	Horizontal	176	1.80	-	34.23	7.03	33.83
PK	5.8652G	67.80	68.20	-0.40	60.33	3	Horizontal	176	1.80	-	34.33	7.05	33.91





802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 38  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38864G	54.29	74.00	-19.71	39.73	3	Vertical	149	2.37	-	38.67	10.15	34.26
AV	11.39122G	41.15	54.00	-12.85	26.60	3	Vertical	149	2.37	-	38.67	10.15	34.27

802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

01/07/2020




EUT Z\_4TX  
Setting 38  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.386G	55.01	74.00	-18.99	40.45	3	Horizontal	330	2.23	-	38.67	10.15	34.26
AV	11.39338G	41.19	54.00	-12.81	26.63	3	Horizontal	330	2.23	-	38.68	10.15	34.27

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5775MHz\_TX




EUT\_Z\_4TX  
Setting 37  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	67.37	68.20	-0.83	59.89	3	Vertical	181	1.80	-	34.27	7.02	33.81
PK	5.774G	115.90	Inf	-Inf	108.53	3	Vertical	181	1.80	-	34.20	7.04	33.87
AV	5.756G	104.00	Inf	-Inf	96.62	3	Vertical	181	1.80	-	34.20	7.04	33.86
PK	5.928G	68.01	68.20	-0.19	60.41	3	Vertical	181	1.80	-	34.48	7.05	33.93

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5775MHz\_TX




EUT\_Z\_4TX  
Setting 37  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	66.91	68.20	-1.29	59.43	3	Horizontal	177	1.80	-	34.27	7.02	33.81
PK	5.751G	116.44	Inf	-Inf	109.06	3	Horizontal	177	1.80	-	34.20	7.04	33.86
AV	5.77G	104.29	Inf	-Inf	96.92	3	Horizontal	177	1.80	-	34.20	7.04	33.87
PK	5.931G	67.81	68.20	-0.39	60.20	3	Horizontal	177	1.80	-	34.49	7.05	33.93

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5775MHz\_TX




EUT Z\_4TX  
Setting 37  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54844G	54.05	74.00	-19.95	39.38	3	Vertical	43	2.88	-	38.78	10.17	34.28
AV	11.53644G	41.09	54.00	-12.91	26.42	3	Vertical	43	2.88	-	38.78	10.17	34.28

802.11ax HEW80\_Nss1,(MCS0)\_4TX

01/07/2020

5775MHz\_TX



EUT Z\_4TX  
Setting 37  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53524G	54.95	74.00	-19.05	40.29	3	Horizontal	223	1.54	-	38.77	10.17	34.28
AV	11.5371G	41.08	54.00	-12.92	26.41	3	Horizontal	223	1.54	-	38.78	10.17	34.28



<160MHz (80+80MHz)>:

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	Pass	AV	5.0492G	53.93	54.00	-0.07	3	Horizontal	180	1.82	-



802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX



EUT\_Z\_4TX  
Setting 32  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.09G	66.32	74.00	-7.68	59.60	3	Vertical	182	1.93	-	33.88	6.69	33.85
AV	5.15G	53.52	54.00	-0.48	46.73	3	Vertical	182	1.93	-	33.90	6.73	33.84
PK	5.2292G	112.43	Inf	-Inf	105.46	3	Vertical	182	1.93	-	33.99	6.80	33.82
AV	5.2292G	99.70	Inf	-Inf	92.73	3	Vertical	182	1.93	-	33.99	6.80	33.82
PK	5.3552G	62.77	74.00	-11.23	55.40	3	Vertical	182	1.93	-	34.26	6.90	33.79
AV	5.3708G	51.86	54.00	-2.14	44.47	3	Vertical	182	1.93	-	34.27	6.91	33.79
PK	5.468G	61.40	68.20	-6.80	53.82	3	Vertical	182	1.93	-	34.37	6.98	33.77






802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX



EUT Z\_4TX  
Setting 32  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	64.12	74.00	-9.88	57.33	3	Horizontal	180	1.82	-	33.90	6.73	33.84
AV	5.0492G	53.93	54.00	-0.07	47.33	3	Horizontal	180	1.82	-	33.80	6.66	33.86
PK	5.2196G	110.76	Inf	-Inf	103.83	3	Horizontal	180	1.82	-	33.96	6.79	33.82
AV	5.216G	98.50	Inf	-Inf	91.60	3	Horizontal	180	1.82	-	33.95	6.78	33.83
PK	5.3564G	64.17	74.00	-9.83	56.80	3	Horizontal	180	1.82	-	34.26	6.90	33.79
AV	5.3552G	50.82	54.00	-3.18	43.45	3	Horizontal	180	1.82	-	34.26	6.90	33.79
PK	5.4908G	60.83	68.20	-7.37	53.20	3	Horizontal	180	1.82	-	34.39	7.00	33.76



802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6174G	59.89	74.00	-14.11	44.09	3	Vertical	125	1.01	-	38.65	11.66	34.51
AV	15.61656G	46.01	54.00	-7.99	30.21	3	Vertical	125	1.01	-	38.65	11.66	34.51

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62004G	59.88	74.00	-14.12	44.08	3	Horizontal	7	1.80	-	38.64	11.67	34.51
AV	15.61602G	45.93	54.00	-8.07	30.13	3	Horizontal	7	1.80	-	38.65	11.66	34.51

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	64.07	74.00	-9.93	57.28	3	Vertical	173	1.80	-	33.90	6.73	33.84
AV	5.1496G	52.94	54.00	-1.06	46.15	3	Vertical	173	1.80	-	33.90	6.73	33.84
PK	5.2084G	111.02	Inf	-Inf	104.14	3	Vertical	173	1.80	-	33.93	6.78	33.83
AV	5.2276G	98.41	Inf	-Inf	91.46	3	Vertical	173	1.80	-	33.98	6.79	33.82
PK	5.3536G	63.54	74.00	-10.46	56.18	3	Vertical	173	1.80	-	34.25	6.90	33.79
AV	5.35G	50.82	54.00	-3.18	43.46	3	Vertical	173	1.80	-	34.25	6.90	33.79
PK	5.4808G	61.53	68.20	-6.67	53.92	3	Vertical	173	1.80	-	34.38	6.99	33.76

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	64.67	74.00	-9.33	57.88	3	Horizontal	169	1.88	-	33.90	6.73	33.84
AV	5.1448G	52.34	54.00	-1.66	45.55	3	Horizontal	169	1.88	-	33.90	6.73	33.84
PK	5.2204G	113.03	Inf	-Inf	106.10	3	Horizontal	169	1.88	-	33.96	6.79	33.82
AV	5.2168G	98.48	Inf	-Inf	91.56	3	Horizontal	169	1.88	-	33.95	6.79	33.82
PK	5.3548G	63.06	74.00	-10.94	55.70	3	Horizontal	169	1.88	-	34.25	6.90	33.79
AV	5.3524G	51.33	54.00	-2.67	43.97	3	Horizontal	169	1.88	-	34.25	6.90	33.79
PK	5.53G	61.19	68.20	-7.01	53.58	3	Horizontal	169	1.88	-	34.37	7.01	33.77

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88356G	57.76	74.00	-16.24	42.58	3	Vertical	16	1.19	-	37.85	11.80	34.47
AV	15.88452G	44.05	54.00	-9.95	28.87	3	Vertical	16	1.19	-	37.85	11.80	34.47

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Z\_4TX  
Setting 32  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87786G	58.43	74.00	-15.57	43.23	3	Horizontal	355	1.80	-	37.87	11.80	34.47
AV	15.88386G	44.11	54.00	-9.89	28.93	3	Horizontal	355	1.80	-	37.85	11.80	34.47

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX



EUT Z\_4TX  
Setting 20  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2828G	60.47	68.20	-7.73	53.29	3	Vertical	183	1.80	-	34.15	6.84	33.81
PK	5.4112G	61.45	74.00	-12.55	53.98	3	Vertical	183	1.80	-	34.31	6.94	33.78
PK	5.47G	60.71	68.20	-7.49	53.12	3	Vertical	183	1.80	-	34.37	6.99	33.77
AV	5.4496G	50.69	54.00	-3.31	43.14	3	Vertical	183	1.80	-	34.35	6.97	33.77
PK	5.5264G	106.58	Inf	-Inf	98.97	3	Vertical	183	1.80	-	34.37	7.01	33.77
AV	5.5444G	93.88	Inf	-Inf	86.29	3	Vertical	183	1.80	-	34.36	7.01	33.78
PK	5.74G	60.09	68.20	-8.11	52.72	3	Vertical	183	1.80	-	34.20	7.03	33.86



802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX




EUT Z\_4TX  
Setting 20  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2528G	60.55	68.20	-7.65	53.48	3	Horizontal	179	1.87	-	34.06	6.82	33.81
PK	5.458G	62.12	74.00	-11.88	54.55	3	Horizontal	179	1.87	-	34.36	6.98	33.77
AV	5.3692G	53.58	54.00	-0.42	46.19	3	Horizontal	179	1.87	-	34.27	6.91	33.79
PK	5.464G	62.42	68.20	-5.78	54.85	3	Horizontal	179	1.87	-	34.36	6.98	33.77
PK	5.5168G	107.51	Inf	-Inf	99.89	3	Horizontal	179	1.87	-	34.38	7.01	33.77
AV	5.5168G	93.98	Inf	-Inf	86.36	3	Horizontal	179	1.87	-	34.38	7.01	33.77
PK	5.746G	60.07	68.20	-8.13	52.70	3	Horizontal	179	1.87	-	34.20	7.03	33.86

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX




EUT Z\_4TX  
Setting 20  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04692G	54.80	74.00	-19.20	40.49	3	Vertical	6	1.98	-	38.43	10.11	34.23
AV	11.0747G	41.09	54.00	-12.91	26.77	3	Vertical	6	1.98	-	38.45	10.11	34.24

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX




EUT Z\_4TX  
Setting 20  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07452G	54.21	74.00	-19.79	39.89	3	Horizontal	360	1.22	-	38.45	10.11	34.24
AV	11.07482G	41.15	54.00	-12.85	26.83	3	Horizontal	360	1.22	-	38.45	10.11	34.24

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX



EUT Z\_4TX  
Setting 20  
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	60.16	68.20	-8.04	52.87	3	Vertical	174	1.78	-	34.22	6.87	33.80
PK	5.4096G	62.07	74.00	-11.93	54.60	3	Vertical	174	1.78	-	34.31	6.94	33.78
PK	5.4696G	60.35	68.20	-7.85	52.76	3	Vertical	174	1.78	-	34.37	6.99	33.77
AV	5.4492G	50.57	54.00	-3.43	43.02	3	Vertical	174	1.78	-	34.35	6.97	33.77
PK	5.544G	105.05	Inf	-Inf	97.46	3	Vertical	174	1.78	-	34.36	7.01	33.78
AV	5.5428G	92.67	Inf	-Inf	85.08	3	Vertical	174	1.78	-	34.36	7.01	33.78
PK	5.8956G	60.15	68.20	-8.05	52.63	3	Vertical	174	1.78	-	34.39	7.05	33.92



802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX




EUT Z\_4TX  
Setting 20  
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3484G	59.70	68.20	-8.50	52.35	3	Horizontal	184	1.85	-	34.25	6.89	33.79
AV	5.37G	51.31	54.00	-2.69	43.92	3	Horizontal	184	1.85	-	34.27	6.91	33.79
PK	5.4444G	61.44	74.00	-12.56	53.90	3	Horizontal	184	1.85	-	34.34	6.97	33.77
PK	5.4696G	63.13	68.20	-5.07	55.54	3	Horizontal	184	1.85	-	34.37	6.99	33.77
PK	5.5128G	106.35	Inf	-Inf	98.72	3	Horizontal	184	1.85	-	34.39	7.01	33.77
AV	5.5152G	94.28	Inf	-Inf	86.66	3	Horizontal	184	1.85	-	34.38	7.01	33.77
PK	5.9076G	59.89	68.20	-8.31	52.34	3	Horizontal	184	1.85	-	34.42	7.05	33.92

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX




EUT Z\_4TX  
Setting 20  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20632G	55.74	74.00	-18.26	41.32	3	Vertical	333	1.68	-	38.54	10.13	34.25
AV	11.22342G	41.46	54.00	-12.54	27.02	3	Vertical	333	1.68	-	38.56	10.13	34.25

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX



EUT Z\_4TX  
Setting 20  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2128G	54.86	74.00	-19.14	40.43	3	Horizontal	359	1.80	-	38.55	10.13	34.25
AV	11.20632G	41.61	54.00	-12.39	27.19	3	Horizontal	359	1.80	-	38.54	10.13	34.25



For Internal antenna  
<20MHz, 40MHz, 80MHz>  
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.1448G	68.19	68.20	-0.01	3	Horizontal	303	1.56	-



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5180MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.33	74.00	-9.67	55.81	3	Vertical	44	1.68	-	34.55	5.60	31.63
AV	5.15G	51.70	54.00	-2.30	43.18	3	Vertical	44	1.68	-	34.55	5.60	31.63
PK	5.1832G	116.38	Inf	-Inf	107.79	3	Vertical	44	1.68	-	34.65	5.60	31.66
AV	5.1836G	106.71	Inf	-Inf	98.12	3	Vertical	44	1.68	-	34.65	5.60	31.66



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	66.72	74.00	-7.28	58.21	3	Horizontal	23	1.69	-	34.54	5.60	31.63
AV	5.1452G	53.86	54.00	-0.14	45.35	3	Horizontal	23	1.69	-	34.54	5.60	31.63
PK	5.1832G	122.39	Inf	-Inf	113.80	3	Horizontal	23	1.69	-	34.65	5.60	31.66
AV	5.1832G	112.82	Inf	-Inf	104.23	3	Horizontal	23	1.69	-	34.65	5.60	31.66

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5180MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36584G	56.94	68.20	-11.26	43.49	3	Vertical	86	1.92	-	39.59	7.73	33.87
PK	15.5402G	64.33	74.00	-9.67	46.65	3	Vertical	12	2.80	-	43.18	8.75	34.25
AV	15.5434G	51.92	54.00	-2.08	34.25	3	Vertical	12	2.80	-	43.17	8.75	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5180MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3616G	60.53	68.20	-7.67	47.09	3	Horizontal	292	2.40	-	39.58	7.73	33.87
PK	15.53928G	66.16	74.00	-7.84	48.48	3	Horizontal	294	1.59	-	43.18	8.75	34.25
AV	15.54036G	53.01	54.00	-0.99	35.33	3	Horizontal	294	1.59	-	43.18	8.75	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	61.69	74.00	-12.31	53.29	3	Vertical	352	1.78	-	34.40	5.60	31.60
AV	5.1496G	49.05	54.00	-4.95	40.53	3	Vertical	352	1.78	-	34.55	5.60	31.63
PK	5.203G	118.50	Inf	-Inf	109.87	3	Vertical	352	1.78	-	34.70	5.60	31.67
AV	5.2036G	108.86	Inf	-Inf	100.23	3	Vertical	352	1.78	-	34.70	5.60	31.67

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5200MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	62.93	74.00	-11.07	54.54	3	Horizontal	355	1.66	-	34.39	5.60	31.60
AV	5.0968G	51.06	54.00	-2.94	42.67	3	Horizontal	355	1.66	-	34.39	5.60	31.60
PK	5.1964G	124.98	Inf	-Inf	116.36	3	Horizontal	355	1.66	-	34.69	5.60	31.67
AV	5.197G	114.70	Inf	-Inf	106.08	3	Horizontal	355	1.66	-	34.69	5.60	31.67



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5200MHz\_TX



EUT V\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60186G	66.23	74.00	-7.77	48.60	3	Vertical	0	2.18	-	43.14	8.74	34.25
AV	15.60222G	53.76	54.00	-0.24	36.13	3	Vertical	0	2.18	-	43.14	8.74	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5200MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59736G	65.49	74.00	-8.51	47.86	3	Horizontal	331	1.80	-	43.14	8.74	34.25
AV	15.597G	52.84	54.00	-1.16	35.21	3	Horizontal	331	1.80	-	43.14	8.74	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1008G	61.05	74.00	-12.95	52.65	3	Vertical	40	1.80	-	34.40	5.60	31.60
AV	5.1476G	48.58	54.00	-5.42	40.07	3	Vertical	40	1.80	-	34.54	5.60	31.63
PK	5.243G	119.00	Inf	-Inf	110.36	3	Vertical	40	1.80	-	34.70	5.64	31.70
AV	5.2436G	109.26	Inf	-Inf	100.62	3	Vertical	40	1.80	-	34.70	5.64	31.70
PK	5.363G	61.13	74.00	-12.87	52.51	3	Vertical	40	1.80	-	34.64	5.76	31.78
AV	5.3708G	49.00	54.00	-5.00	40.39	3	Vertical	40	1.80	-	34.63	5.77	31.79

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5240MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.32	74.00	-11.68	53.82	3	Horizontal	22	1.67	-	34.53	5.60	31.63
AV	5.147G	50.58	54.00	-3.42	42.07	3	Horizontal	22	1.67	-	34.54	5.60	31.63
PK	5.2406G	125.26	Inf	-Inf	116.62	3	Horizontal	22	1.67	-	34.70	5.64	31.70
AV	5.2412G	115.72	Inf	-Inf	107.08	3	Horizontal	22	1.67	-	34.70	5.64	31.70
PK	5.3642G	61.84	74.00	-12.16	53.22	3	Horizontal	22	1.67	-	34.64	5.76	31.78
AV	5.3876G	50.15	54.00	-3.85	41.55	3	Horizontal	22	1.67	-	34.61	5.79	31.80



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5240MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7252G	65.81	74.00	-8.19	48.27	3	Vertical	357	2.05	-	43.06	8.73	34.25
AV	15.7255G	52.75	54.00	-1.25	35.21	3	Vertical	357	2.05	-	43.06	8.73	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7219G	65.01	74.00	-8.99	47.46	3	Horizontal	330	1.76	-	43.07	8.73	34.25
AV	15.7226G	52.45	54.00	-1.55	34.90	3	Horizontal	330	1.76	-	43.07	8.73	34.25

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.32	74.00	-13.68	51.81	3	Vertical	23	1.93	-	34.54	5.60	31.63
AV	5.1358G	48.63	54.00	-5.37	40.15	3	Vertical	23	1.93	-	34.51	5.60	31.63
PK	5.2654G	119.08	Inf	-Inf	110.43	3	Vertical	23	1.93	-	34.70	5.67	31.72
AV	5.2654G	109.80	Inf	-Inf	101.15	3	Vertical	23	1.93	-	34.70	5.67	31.72
PK	5.3992G	61.08	74.00	-12.92	52.49	3	Vertical	23	1.93	-	34.60	5.80	31.81
AV	5.3638G	49.25	54.00	-4.75	40.63	3	Vertical	23	1.93	-	34.64	5.76	31.78

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	61.49	74.00	-12.51	53.01	3	Horizontal	355	1.65	-	34.51	5.60	31.63
AV	5.1298G	49.34	54.00	-4.66	40.87	3	Horizontal	355	1.65	-	34.49	5.60	31.62
PK	5.257G	126.31	Inf	-Inf	117.66	3	Horizontal	355	1.65	-	34.70	5.66	31.71
AV	5.2564G	115.85	Inf	-Inf	107.20	3	Horizontal	355	1.65	-	34.70	5.66	31.71
PK	5.3554G	63.50	74.00	-10.50	54.88	3	Horizontal	355	1.65	-	34.64	5.76	31.78
AV	5.3548G	52.34	54.00	-1.66	43.72	3	Horizontal	355	1.65	-	34.65	5.75	31.78



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77796G	66.63	74.00	-7.37	49.13	3	Vertical	357	2.18	-	43.03	8.72	34.25
AV	15.77928G	53.83	54.00	-0.17	36.33	3	Vertical	357	2.18	-	43.03	8.72	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78252G	64.63	74.00	-9.37	47.13	3	Horizontal	53	1.80	-	43.03	8.72	34.25
AV	15.78216G	51.75	54.00	-2.25	34.25	3	Horizontal	53	1.80	-	43.03	8.72	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	119.36	Inf	-Inf	110.70	3	Vertical	360	1.80	-	34.70	5.70	31.74
AV	5.2948G	109.99	Inf	-Inf	101.34	3	Vertical	360	1.80	-	34.70	5.69	31.74
PK	5.3924G	61.87	74.00	-12.13	53.27	3	Vertical	360	1.80	-	34.61	5.79	31.80
AV	5.3924G	49.57	54.00	-4.43	40.97	3	Vertical	360	1.80	-	34.61	5.79	31.80

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	124.66	Inf	-Inf	116.00	3	Horizontal	16	1.77	-	34.70	5.70	31.74
AV	5.2996G	114.63	Inf	-Inf	105.97	3	Horizontal	16	1.77	-	34.70	5.70	31.74
PK	5.3984G	63.86	74.00	-10.14	55.27	3	Horizontal	16	1.77	-	34.60	5.80	31.81
AV	5.3968G	52.40	54.00	-1.60	43.81	3	Horizontal	16	1.77	-	34.60	5.80	31.81



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90356G	64.72	74.00	-9.28	47.30	3	Vertical	0	2.15	-	42.96	8.71	34.25
AV	15.90412G	51.46	54.00	-2.54	34.04	3	Vertical	0	2.15	-	42.96	8.71	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9044G	64.02	74.00	-9.98	46.60	3	Horizontal	52	1.80	-	42.96	8.71	34.25
AV	15.90336G	51.15	54.00	-2.85	33.73	3	Horizontal	52	1.80	-	42.96	8.71	34.25

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	119.25	Inf	-Inf	110.60	3	Vertical	28	1.80	-	34.68	5.72	31.75
AV	5.317G	109.04	Inf	-Inf	100.39	3	Vertical	28	1.80	-	34.68	5.72	31.75
PK	5.3572G	65.04	74.00	-8.96	56.42	3	Vertical	28	1.80	-	34.64	5.76	31.78
AV	5.35G	52.76	54.00	-1.24	44.13	3	Vertical	28	1.80	-	34.65	5.75	31.77
PK	5.46G	60.81	68.20	-7.39	52.50	3	Vertical	28	1.80	-	34.36	5.80	31.85

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	124.07	Inf	-Inf	115.43	3	Horizontal	350	1.63	-	34.68	5.72	31.76
AV	5.3236G	114.44	Inf	-Inf	105.80	3	Horizontal	350	1.63	-	34.68	5.72	31.76
PK	5.35G	64.75	74.00	-9.25	56.12	3	Horizontal	350	1.63	-	34.65	5.75	31.77
AV	5.35G	53.90	54.00	-0.10	45.27	3	Horizontal	350	1.63	-	34.65	5.75	31.77
PK	5.4664G	62.49	68.20	-5.71	54.21	3	Horizontal	350	1.63	-	34.33	5.80	31.85

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63346G	57.48	74.00	-16.52	43.64	3	Vertical	341	1.66	-	40.01	7.82	33.99
AV	10.6325G	43.91	54.00	-10.09	30.07	3	Vertical	341	1.66	-	40.01	7.82	33.99
PK	15.95574G	63.42	74.00	-10.58	46.04	3	Vertical	0	2.19	-	42.93	8.70	34.25
AV	15.95532G	50.47	54.00	-3.53	33.09	3	Vertical	0	2.19	-	42.93	8.70	34.25



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63784G	60.40	74.00	-13.60	46.55	3	Horizontal	328	2.35	-	40.02	7.82	33.99
AV	10.63796G	47.76	54.00	-6.24	33.91	3	Horizontal	328	2.35	-	40.02	7.82	33.99
PK	15.95796G	63.83	74.00	-10.17	46.45	3	Horizontal	57	1.80	-	42.93	8.70	34.25
AV	15.95706G	50.82	54.00	-3.18	33.44	3	Horizontal	57	1.80	-	42.93	8.70	34.25






802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4094G	61.16	74.00	-12.84	52.62	3	Vertical	344	1.59	-	34.56	5.80	31.82
AV	5.4094G	49.54	54.00	-4.46	41.00	3	Vertical	344	1.59	-	34.56	5.80	31.82
PK	5.4664G	63.34	68.20	-4.86	55.06	3	Vertical	344	1.59	-	34.33	5.80	31.85
PK	5.5072G	116.32	Inf	-Inf	108.20	3	Vertical	344	1.59	-	34.19	5.80	31.87
AV	5.5072G	106.92	Inf	-Inf	98.80	3	Vertical	344	1.59	-	34.19	5.80	31.87

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4082G	64.15	74.00	-9.85	55.59	3	Horizontal	354	1.70	-	34.57	5.80	31.81
AV	5.4058G	53.32	54.00	-0.68	44.75	3	Horizontal	354	1.70	-	34.58	5.80	31.81
PK	5.4676G	68.12	68.20	-0.08	59.84	3	Horizontal	354	1.70	-	34.33	5.80	31.85
PK	5.5036G	124.43	Inf	-Inf	116.30	3	Horizontal	354	1.70	-	34.20	5.80	31.87
AV	5.5036G	114.65	Inf	-Inf	106.52	3	Horizontal	354	1.70	-	34.20	5.80	31.87

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5500MHz\_TX



EUT Y\_4TX  
Setting 42  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00708G	57.52	74.00	-16.48	43.12	3	Vertical	332	2.69	-	40.61	7.95	34.16
AV	10.99888G	44.44	54.00	-9.56	30.05	3	Vertical	332	2.69	-	40.60	7.95	34.16
PK	16.50548G	63.26	68.20	-4.94	44.81	3	Vertical	5	1.00	-	43.71	9.03	34.29



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0026G	58.81	74.00	-15.19	44.41	3	Horizontal	307	2.81	-	40.61	7.95	34.16
AV	11.00604G	45.76	54.00	-8.24	31.36	3	Horizontal	307	2.81	-	40.61	7.95	34.16
PK	16.50928G	63.64	68.20	-4.56	45.19	3	Horizontal	0	1.80	-	43.71	9.03	34.29

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	61.10	74.00	-12.90	52.69	3	Vertical	342	1.70	-	34.44	5.80	31.83
AV	5.3928G	48.99	54.00	-5.01	40.39	3	Vertical	342	1.70	-	34.61	5.79	31.80
PK	5.4672G	60.48	68.20	-7.72	52.20	3	Vertical	342	1.70	-	34.33	5.80	31.85
PK	5.5872G	118.66	Inf	-Inf	110.58	3	Vertical	342	1.70	-	34.11	5.80	31.83
AV	5.5864G	109.25	Inf	-Inf	101.17	3	Vertical	342	1.70	-	34.11	5.80	31.83
PK	5.7704G	61.42	68.20	-6.78	53.12	3	Vertical	342	1.70	-	34.07	5.97	31.74



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	62.25	74.00	-11.75	53.65	3	Horizontal	353	1.71	-	34.62	5.78	31.80
AV	5.4256G	50.21	54.00	-3.79	41.74	3	Horizontal	353	1.71	-	34.50	5.80	31.83
PK	5.4664G	61.32	68.20	-6.88	53.04	3	Horizontal	353	1.71	-	34.33	5.80	31.85
PK	5.576G	124.27	Inf	-Inf	116.18	3	Horizontal	353	1.71	-	34.12	5.80	31.83
AV	5.5744G	114.54	Inf	-Inf	106.44	3	Horizontal	353	1.71	-	34.13	5.80	31.83
PK	5.772G	62.45	68.20	-5.75	54.15	3	Horizontal	353	1.71	-	34.07	5.97	31.74



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15512G	57.49	74.00	-16.51	42.72	3	Vertical	17	2.28	-	40.93	8.00	34.16
AV	11.1574G	44.27	54.00	-9.73	29.49	3	Vertical	17	2.28	-	40.93	8.01	34.16
PK	16.73984G	63.65	68.20	-4.55	44.70	3	Vertical	17	1.80	-	44.08	9.18	34.31

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16316G	59.28	74.00	-14.72	44.49	3	Horizontal	302	1.57	-	40.94	8.01	34.16
AV	11.16248G	46.73	54.00	-7.27	31.94	3	Horizontal	302	1.57	-	40.94	8.01	34.16
PK	16.73868G	65.68	68.20	-2.52	46.73	3	Horizontal	308	1.62	-	44.08	9.18	34.31



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	118.57	Inf	-Inf	110.45	3	Vertical	343	1.80	-	34.00	5.89	31.77
AV	5.697G	108.93	Inf	-Inf	100.81	3	Vertical	343	1.80	-	34.00	5.89	31.77
PK	5.7252G	65.17	68.20	-3.03	56.98	3	Vertical	343	1.80	-	34.03	5.92	31.76

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5700MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	125.48	Inf	-Inf	117.36	3	Horizontal	354	1.68	-	34.00	5.89	31.77
AV	5.697G	115.27	Inf	-Inf	107.15	3	Horizontal	354	1.68	-	34.00	5.89	31.77
PK	5.7252G	68.18	68.20	-0.02	59.99	3	Horizontal	354	1.68	-	34.03	5.92	31.76



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39538G	57.55	74.00	-16.45	42.19	3	Vertical	358	2.52	-	41.43	8.09	34.16
AV	11.39598G	44.85	54.00	-9.15	29.49	3	Vertical	358	2.52	-	41.43	8.09	34.16
PK	17.10534G	65.21	68.20	-2.99	45.36	3	Vertical	320	1.37	-	44.75	9.42	34.32

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5700MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39892G	59.75	74.00	-14.25	44.38	3	Horizontal	302	1.99	-	41.44	8.09	34.16
AV	11.39808G	47.17	54.00	-6.83	31.80	3	Horizontal	302	1.99	-	41.44	8.09	34.16
PK	17.09136G	66.43	68.20	-1.77	46.62	3	Horizontal	46	1.80	-	44.72	9.41	34.32



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	117.53	Inf	-Inf	109.36	3	Vertical	13	1.57	-	34.02	5.91	31.76
AV	5.7208G	108.07	Inf	-Inf	99.90	3	Vertical	13	1.57	-	34.02	5.91	31.76
PK	5.9G	61.00	68.20	-7.20	52.32	3	Vertical	13	1.57	-	34.40	5.95	31.67



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	124.12	Inf	-Inf	115.95	3	Horizontal	349	1.64	-	34.02	5.91	31.76
AV	5.7144G	114.08	Inf	-Inf	105.92	3	Horizontal	349	1.64	-	34.01	5.91	31.76
PK	5.876G	62.54	68.20	-5.66	53.93	3	Horizontal	349	1.64	-	34.33	5.96	31.68

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44424G	60.41	74.00	-13.59	44.93	3	Vertical	17	2.56	-	41.53	8.11	34.16
AV	11.44564G	45.39	54.00	-8.61	29.90	3	Vertical	17	2.56	-	41.54	8.11	34.16
PK	17.15824G	65.68	68.20	-2.52	45.67	3	Vertical	4	1.76	-	44.88	9.45	34.32

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4392G	63.77	74.00	-10.23	48.31	3	Horizontal	303	1.79	-	41.52	8.10	34.16
AV	11.43816G	48.68	54.00	-5.32	33.22	3	Horizontal	303	1.79	-	41.52	8.10	34.16
PK	17.16676G	67.89	68.20	-0.31	47.84	3	Horizontal	299	1.61	-	44.90	9.46	34.31



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5745MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.52	68.20	-7.68	52.43	3	Vertical	348	1.56	-	34.05	5.84	31.80
PK	5.74G	117.46	Inf	-Inf	109.24	3	Vertical	348	1.56	-	34.04	5.93	31.75
AV	5.74G	108.09	Inf	-Inf	99.87	3	Vertical	348	1.56	-	34.04	5.93	31.75
PK	5.927G	60.94	68.20	-7.26	52.23	3	Vertical	348	1.56	-	34.43	5.94	31.66



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.67	68.20	-4.53	55.57	3	Horizontal	356	1.66	-	34.06	5.84	31.80
PK	5.742G	123.45	Inf	-Inf	115.22	3	Horizontal	356	1.66	-	34.04	5.94	31.75
AV	5.742G	114.24	Inf	-Inf	106.01	3	Horizontal	356	1.66	-	34.04	5.94	31.75
PK	5.936G	61.21	68.20	-6.99	52.50	3	Horizontal	356	1.66	-	34.44	5.93	31.66

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49124G	59.38	74.00	-14.62	43.79	3	Vertical	333	1.02	-	41.63	8.12	34.16
AV	11.49524G	45.55	54.00	-8.45	29.95	3	Vertical	333	1.02	-	41.64	8.12	34.16
PK	17.2364G	65.57	68.20	-2.63	45.31	3	Vertical	327	1.80	-	45.07	9.50	34.31

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5745MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49216G	61.71	74.00	-12.29	46.12	3	Horizontal	314	2.30	-	41.63	8.12	34.16
AV	11.494G	47.27	54.00	-6.73	31.67	3	Horizontal	314	2.30	-	41.64	8.12	34.16
PK	17.23112G	67.98	68.20	-0.22	47.74	3	Horizontal	297	1.54	-	45.05	9.50	34.31



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.541G	61.03	68.20	-7.17	52.92	3	Vertical	52	1.76	-	34.16	5.80	31.85
PK	5.782G	116.36	Inf	-Inf	108.04	3	Vertical	52	1.76	-	34.08	5.98	31.74
AV	5.782G	106.71	Inf	-Inf	98.39	3	Vertical	52	1.76	-	34.08	5.98	31.74
PK	5.938G	61.85	68.20	-6.35	53.13	3	Vertical	52	1.76	-	34.44	5.93	31.65

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5785MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	62.38	68.20	-5.82	54.29	3	Horizontal	354	1.68	-	34.08	5.82	31.81
PK	5.788G	123.43	Inf	-Inf	115.08	3	Horizontal	354	1.68	-	34.09	5.99	31.73
AV	5.788G	113.47	Inf	-Inf	105.12	3	Horizontal	354	1.68	-	34.09	5.99	31.73
PK	5.931G	62.15	68.20	-6.05	53.45	3	Horizontal	354	1.68	-	34.43	5.93	31.66



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5785MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57072G	63.01	74.00	-10.99	47.23	3	Vertical	321	1.61	-	41.80	8.15	34.17
AV	11.56996G	47.01	54.00	-6.99	31.23	3	Vertical	321	1.61	-	41.80	8.15	34.17
PK	17.35428G	64.72	68.20	-3.48	44.09	3	Vertical	316	1.80	-	45.35	9.58	34.30



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5785MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5748G	64.53	74.00	-9.47	48.74	3	Horizontal	315	1.79	-	41.81	8.15	34.17
AV	11.57404G	48.39	54.00	-5.61	32.60	3	Horizontal	315	1.79	-	41.81	8.15	34.17
PK	17.34836G	67.97	68.20	-0.23	47.35	3	Horizontal	305	1.61	-	45.34	9.58	34.30



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5825MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	61.18	68.20	-7.02	53.09	3	Vertical	326	1.65	-	34.11	5.80	31.82
PK	5.828G	119.05	Inf	-Inf	110.59	3	Vertical	326	1.65	-	34.18	5.99	31.71
AV	5.828G	109.27	Inf	-Inf	100.81	3	Vertical	326	1.65	-	34.18	5.99	31.71
PK	5.941G	62.22	68.20	-5.98	53.50	3	Vertical	326	1.65	-	34.44	5.93	31.65



802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.35	68.20	-5.85	54.26	3	Horizontal	354	1.59	-	34.05	5.84	31.80
PK	5.822G	124.72	Inf	-Inf	116.28	3	Horizontal	354	1.59	-	34.17	5.99	31.72
AV	5.822G	114.43	Inf	-Inf	105.99	3	Horizontal	354	1.59	-	34.17	5.99	31.72
PK	5.974G	61.97	68.20	-6.23	53.23	3	Horizontal	354	1.59	-	34.47	5.91	31.64

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64916G	67.04	74.00	-6.96	51.07	3	Vertical	325	2.48	-	41.96	8.18	34.17
AV	11.65186G	52.17	54.00	-1.83	36.19	3	Vertical	325	2.48	-	41.97	8.18	34.17
PK	17.47092G	67.25	68.20	-0.95	46.25	3	Vertical	320	1.80	-	45.63	9.66	34.29

802.11a\_Nss1,(6Mbps)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6422G	71.20	74.00	-2.80	55.24	3	Horizontal	332	2.53	-	41.95	8.18	34.17
AV	11.64328G	53.83	54.00	-0.17	37.87	3	Horizontal	332	2.53	-	41.95	8.18	34.17
PK	17.47744G	68.14	68.20	-0.06	47.11	3	Horizontal	28	1.67	-	45.65	9.67	34.29

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.53	74.00	-9.47	56.02	3	Vertical	47	1.80	-	34.54	5.60	31.63
AV	5.1476G	51.89	54.00	-2.11	43.38	3	Vertical	47	1.80	-	34.54	5.60	31.63
PK	5.1824G	118.13	Inf	-Inf	109.54	3	Vertical	47	1.80	-	34.65	5.60	31.66
AV	5.1812G	105.85	Inf	-Inf	97.27	3	Vertical	47	1.80	-	34.64	5.60	31.66

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	67.23	74.00	-6.77	58.74	3	Horizontal	343	1.61	-	34.52	5.60	31.63
AV	5.1398G	53.84	54.00	-0.16	45.35	3	Horizontal	343	1.61	-	34.52	5.60	31.63
PK	5.1776G	125.46	Inf	-Inf	116.88	3	Horizontal	343	1.61	-	34.63	5.60	31.65
AV	5.1782G	112.39	Inf	-Inf	103.81	3	Horizontal	343	1.61	-	34.63	5.60	31.65

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.365G	56.49	68.20	-11.71	43.05	3	Vertical	346	1.80	-	39.58	7.73	33.87
PK	15.54604G	66.53	74.00	-7.47	48.86	3	Vertical	8	2.85	-	43.17	8.75	34.25
AV	15.54604G	51.46	54.00	-2.54	33.79	3	Vertical	8	2.85	-	43.17	8.75	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5180MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3584G	60.26	68.20	-7.94	46.82	3	Horizontal	298	1.80	-	39.57	7.73	33.86
PK	15.53252G	67.45	74.00	-6.55	49.77	3	Horizontal	330	1.56	-	43.18	8.75	34.25
AV	15.53892G	51.32	54.00	-2.68	33.64	3	Horizontal	330	1.56	-	43.18	8.75	34.25



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.02	74.00	-12.98	52.51	3	Vertical	49	1.80	-	34.54	5.60	31.63
AV	5.1488G	49.00	54.00	-5.00	40.48	3	Vertical	49	1.80	-	34.55	5.60	31.63
PK	5.2016G	120.61	Inf	-Inf	111.98	3	Vertical	49	1.80	-	34.70	5.60	31.67
AV	5.2016G	107.91	Inf	-Inf	99.28	3	Vertical	49	1.80	-	34.70	5.60	31.67
PK	5.3696G	60.89	74.00	-13.11	52.28	3	Vertical	49	1.80	-	34.63	5.77	31.79
AV	5.376G	48.70	54.00	-5.30	40.09	3	Vertical	49	1.80	-	34.62	5.78	31.79

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1056G	62.91	74.00	-11.09	54.49	3	Horizontal	343	1.57	-	34.42	5.60	31.60
AV	5.1016G	50.63	54.00	-3.37	42.23	3	Horizontal	343	1.57	-	34.40	5.60	31.60
PK	5.1992G	126.18	Inf	-Inf	117.55	3	Horizontal	343	1.57	-	34.70	5.60	31.67
AV	5.1984G	113.74	Inf	-Inf	105.11	3	Horizontal	343	1.57	-	34.70	5.60	31.67
PK	5.3944G	63.94	74.00	-10.06	55.35	3	Horizontal	343	1.57	-	34.61	5.79	31.81
AV	5.3936G	50.86	54.00	-3.14	42.27	3	Horizontal	343	1.57	-	34.61	5.79	31.81

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40066G	57.82	68.20	-10.38	44.32	3	Vertical	337	1.03	-	39.64	7.74	33.88
PK	15.60306G	67.23	74.00	-6.77	49.60	3	Vertical	0	2.05	-	43.14	8.74	34.25
AV	15.60204G	52.41	54.00	-1.59	34.78	3	Vertical	0	2.05	-	43.14	8.74	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3991G	60.88	68.20	-7.32	47.38	3	Horizontal	285	2.73	-	39.64	7.74	33.88
PK	15.59874G	66.40	74.00	-7.60	48.77	3	Horizontal	301	1.26	-	43.14	8.74	34.25
AV	15.5961G	51.71	54.00	-2.29	34.08	3	Horizontal	301	1.26	-	43.14	8.74	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	61.24	74.00	-12.76	52.85	3	Vertical	337	1.80	-	34.39	5.60	31.60
AV	5.1398G	48.32	54.00	-5.68	39.83	3	Vertical	337	1.80	-	34.52	5.60	31.63
PK	5.2418G	120.57	Inf	-Inf	111.93	3	Vertical	337	1.80	-	34.70	5.64	31.70
AV	5.2418G	108.18	Inf	-Inf	99.54	3	Vertical	337	1.80	-	34.70	5.64	31.70
PK	5.3708G	61.45	74.00	-12.55	52.84	3	Vertical	337	1.80	-	34.63	5.77	31.79
AV	5.3546G	48.77	54.00	-5.23	40.15	3	Vertical	337	1.80	-	34.65	5.75	31.78

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5240MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	62.14	74.00	-11.86	53.65	3	Horizontal	342	1.63	-	34.52	5.60	31.63
AV	5.1422G	50.25	54.00	-3.75	41.75	3	Horizontal	342	1.63	-	34.53	5.60	31.63
PK	5.2382G	126.48	Inf	-Inf	117.84	3	Horizontal	342	1.63	-	34.70	5.64	31.70
AV	5.2406G	114.15	Inf	-Inf	105.51	3	Horizontal	342	1.63	-	34.70	5.64	31.70
PK	5.3774G	62.86	74.00	-11.14	54.25	3	Horizontal	342	1.63	-	34.62	5.78	31.79
AV	5.3768G	49.95	54.00	-4.05	41.34	3	Horizontal	342	1.63	-	34.62	5.78	31.79



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4836G	58.17	68.20	-10.03	44.55	3	Vertical	338	1.57	-	39.77	7.77	33.92
PK	15.71814G	67.21	74.00	-6.79	49.66	3	Vertical	0	2.24	-	43.07	8.73	34.25
AV	15.71808G	52.33	54.00	-1.67	34.78	3	Vertical	0	2.24	-	43.07	8.73	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5240MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47772G	59.89	68.20	-8.31	46.28	3	Horizontal	22	1.80	-	39.76	7.77	33.92
PK	15.72438G	66.34	74.00	-7.66	48.79	3	Horizontal	330	1.84	-	43.07	8.73	34.25
AV	15.72516G	51.84	54.00	-2.16	34.30	3	Horizontal	330	1.84	-	43.06	8.73	34.25



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.51	74.00	-12.49	53.00	3	Vertical	352	1.80	-	34.54	5.60	31.63
AV	5.15G	48.22	54.00	-5.78	39.70	3	Vertical	352	1.80	-	34.55	5.60	31.63
PK	5.257G	121.05	Inf	-Inf	112.40	3	Vertical	352	1.80	-	34.70	5.66	31.71
AV	5.257G	109.16	Inf	-Inf	100.51	3	Vertical	352	1.80	-	34.70	5.66	31.71
PK	5.3506G	61.40	74.00	-12.60	52.78	3	Vertical	352	1.80	-	34.65	5.75	31.78
AV	5.3536G	49.40	54.00	-4.60	40.78	3	Vertical	352	1.80	-	34.65	5.75	31.78

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	61.12	74.00	-12.88	52.69	3	Horizontal	352	1.65	-	34.44	5.60	31.61
AV	5.1124G	49.02	54.00	-4.98	40.59	3	Horizontal	352	1.65	-	34.44	5.60	31.61
PK	5.2552G	126.35	Inf	-Inf	117.70	3	Horizontal	352	1.65	-	34.70	5.66	31.71
AV	5.257G	114.07	Inf	-Inf	105.42	3	Horizontal	352	1.65	-	34.70	5.66	31.71
PK	5.3542G	64.00	74.00	-10.00	55.38	3	Horizontal	352	1.65	-	34.65	5.75	31.78
AV	5.35G	51.15	54.00	-2.85	42.52	3	Horizontal	352	1.65	-	34.65	5.75	31.77

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52522G	59.14	68.20	-9.06	45.46	3	Vertical	340	1.66	-	39.84	7.78	33.94
PK	15.77964G	67.36	74.00	-6.64	49.86	3	Vertical	360	2.16	-	43.03	8.72	34.25
AV	15.78036G	52.66	54.00	-1.34	35.16	3	Vertical	360	2.16	-	43.03	8.72	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51838G	59.66	68.20	-8.54	45.99	3	Horizontal	21	1.77	-	39.83	7.78	33.94
PK	15.79008G	66.70	74.00	-7.30	49.20	3	Horizontal	59	1.80	-	43.03	8.72	34.25
AV	15.7704G	51.93	54.00	-2.07	34.42	3	Horizontal	59	1.80	-	43.04	8.72	34.25

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	120.10	Inf	-Inf	111.44	3	Vertical	357	1.74	-	34.70	5.70	31.74
AV	5.3042G	108.42	Inf	-Inf	99.76	3	Vertical	357	1.74	-	34.70	5.70	31.74
PK	5.3594G	61.43	74.00	-12.57	52.81	3	Vertical	357	1.74	-	34.64	5.76	31.78
AV	5.3762G	49.20	54.00	-4.80	40.59	3	Vertical	357	1.74	-	34.62	5.78	31.79

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3006G	127.32	Inf	-Inf	118.66	3	Horizontal	18	1.77	-	34.70	5.70	31.74
AV	5.2988G	113.65	Inf	-Inf	104.99	3	Horizontal	18	1.77	-	34.70	5.70	31.74
PK	5.3936G	63.72	74.00	-10.28	55.13	3	Horizontal	18	1.77	-	34.61	5.79	31.81
AV	5.3954G	51.14	54.00	-2.86	42.55	3	Horizontal	18	1.77	-	34.60	5.80	31.81

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90894G	66.58	74.00	-7.42	49.17	3	Vertical	0	2.22	-	42.95	8.71	34.25
AV	15.90858G	51.49	54.00	-2.51	34.08	3	Vertical	0	2.22	-	42.95	8.71	34.25



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89814G	64.85	74.00	-9.15	47.43	3	Horizontal	59	1.80	-	42.96	8.71	34.25
AV	15.89814G	50.82	54.00	-3.18	33.40	3	Horizontal	59	1.80	-	42.96	8.71	34.25






802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	117.77	Inf	-Inf	109.12	3	Vertical	0	1.80	-	34.68	5.72	31.75
AV	5.3188G	106.99	Inf	-Inf	98.34	3	Vertical	0	1.80	-	34.68	5.72	31.75
PK	5.3518G	67.33	74.00	-6.67	58.71	3	Vertical	0	1.80	-	34.65	5.75	31.78
AV	5.3524G	53.86	54.00	-0.14	45.24	3	Vertical	0	1.80	-	34.65	5.75	31.78
PK	5.467G	59.94	68.20	-8.26	51.66	3	Vertical	0	1.80	-	34.33	5.80	31.85

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	123.90	Inf	-Inf	115.26	3	Horizontal	9	1.59	-	34.68	5.72	31.76
AV	5.3218G	112.93	Inf	-Inf	104.29	3	Horizontal	9	1.59	-	34.68	5.72	31.76
PK	5.3584G	66.27	74.00	-7.73	57.65	3	Horizontal	9	1.59	-	34.64	5.76	31.78
AV	5.3602G	53.14	54.00	-0.86	44.52	3	Horizontal	9	1.59	-	34.64	5.76	31.78
PK	5.47G	61.07	68.20	-7.13	52.80	3	Horizontal	9	1.59	-	34.32	5.80	31.85



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96954G	65.12	74.00	-8.88	47.75	3	Vertical	0	2.15	-	42.92	8.70	34.25
AV	15.96852G	50.33	54.00	-3.67	32.96	3	Vertical	0	2.15	-	42.92	8.70	34.25



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96G	66.14	74.00	-7.86	48.77	3	Horizontal	60	1.80	-	42.92	8.70	34.25
AV	15.96024G	50.89	54.00	-3.11	33.52	3	Horizontal	60	1.80	-	42.92	8.70	34.25



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 41  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	61.91	74.00	-12.09	53.44	3	Vertical	60	1.72	-	34.50	5.80	31.83
AV	5.3968G	48.65	54.00	-5.35	40.06	3	Vertical	60	1.72	-	34.60	5.80	31.81
PK	5.467G	61.01	68.20	-7.19	52.73	3	Vertical	60	1.72	-	34.33	5.80	31.85
PK	5.5006G	117.45	Inf	-Inf	109.32	3	Vertical	60	1.72	-	34.20	5.80	31.87
AV	5.5006G	105.29	Inf	-Inf	97.16	3	Vertical	60	1.72	-	34.20	5.80	31.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 41  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4118G	63.85	74.00	-10.15	55.32	3	Horizontal	351	1.74	-	34.55	5.80	31.82
AV	5.4112G	51.52	54.00	-2.48	42.98	3	Horizontal	351	1.74	-	34.56	5.80	31.82
PK	5.4694G	68.14	68.20	-0.06	59.87	3	Horizontal	351	1.74	-	34.32	5.80	31.85
PK	5.5054G	124.22	Inf	-Inf	116.10	3	Horizontal	351	1.74	-	34.19	5.80	31.87
AV	5.5054G	111.90	Inf	-Inf	103.78	3	Horizontal	351	1.74	-	34.19	5.80	31.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 41  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99592G	57.70	74.00	-16.30	43.32	3	Vertical	318	1.23	-	40.59	7.95	34.16
AV	11.00204G	44.22	54.00	-9.78	29.83	3	Vertical	318	1.23	-	40.60	7.95	34.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5500MHz\_TX



EUT Y\_4TX  
Setting 41  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99616G	58.23	74.00	-15.77	43.85	3	Horizontal	318	1.76	-	40.59	7.95	34.16
AV	10.99778G	45.15	54.00	-8.85	30.76	3	Horizontal	318	1.76	-	40.60	7.95	34.16



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.90	74.00	-13.10	52.58	3	Vertical	347	1.63	-	34.37	5.80	31.85
AV	5.4288G	48.45	54.00	-5.55	40.00	3	Vertical	347	1.63	-	34.48	5.80	31.83
PK	5.464G	60.75	68.20	-7.45	52.46	3	Vertical	347	1.63	-	34.34	5.80	31.85
PK	5.5752G	121.89	Inf	-Inf	113.80	3	Vertical	347	1.63	-	34.12	5.80	31.83
AV	5.5752G	108.12	Inf	-Inf	100.03	3	Vertical	347	1.63	-	34.12	5.80	31.83
PK	5.7456G	61.76	68.20	-6.44	53.52	3	Vertical	347	1.63	-	34.05	5.94	31.75

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	62.07	74.00	-11.93	53.61	3	Horizontal	344	1.58	-	34.49	5.80	31.83
AV	5.4328G	49.50	54.00	-4.50	41.06	3	Horizontal	344	1.58	-	34.47	5.80	31.83
PK	5.4608G	60.41	68.20	-7.79	52.10	3	Horizontal	344	1.58	-	34.36	5.80	31.85
PK	5.5776G	125.36	Inf	-Inf	117.27	3	Horizontal	344	1.58	-	34.12	5.80	31.83
AV	5.5784G	113.20	Inf	-Inf	105.11	3	Horizontal	344	1.58	-	34.12	5.80	31.83
PK	5.7672G	62.97	68.20	-5.23	54.68	3	Horizontal	344	1.58	-	34.07	5.96	31.74



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 46  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15418G	58.53	74.00	-15.47	43.77	3	Vertical	317	1.80	-	40.92	8.00	34.16
AV	11.15556G	44.37	54.00	-9.63	29.60	3	Vertical	317	1.80	-	40.93	8.00	34.16
PK	16.73772G	64.60	68.20	-3.60	45.65	3	Vertical	360	1.31	-	44.08	9.18	34.31



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1648G	60.71	74.00	-13.29	45.91	3	Horizontal	303	1.79	-	40.95	8.01	34.16
AV	11.16312G	47.43	54.00	-6.57	32.64	3	Horizontal	303	1.79	-	40.94	8.01	34.16
PK	16.73844G	68.03	68.20	-0.17	49.08	3	Horizontal	306	1.61	-	44.08	9.18	34.31

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6946G	120.29	Inf	-Inf	112.16	3	Vertical	349	1.72	-	34.01	5.89	31.77
AV	5.6952G	107.78	Inf	-Inf	99.66	3	Vertical	349	1.72	-	34.00	5.89	31.77
PK	5.7282G	65.70	68.20	-2.50	57.51	3	Vertical	349	1.72	-	34.03	5.92	31.76

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	125.29	Inf	-Inf	117.17	3	Horizontal	346	1.65	-	34.00	5.89	31.77
AV	5.6976G	113.43	Inf	-Inf	105.31	3	Horizontal	346	1.65	-	34.00	5.89	31.77
PK	5.7324G	67.98	68.20	-0.22	59.78	3	Horizontal	346	1.65	-	34.03	5.93	31.76

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39652G	59.78	74.00	-14.22	44.42	3	Vertical	347	2.94	-	41.43	8.09	34.16
AV	11.39682G	45.53	54.00	-8.47	30.17	3	Vertical	347	2.94	-	41.43	8.09	34.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5700MHz\_TX



EUT Y\_4TX  
Setting 42  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39256G	59.70	74.00	-14.30	44.35	3	Horizontal	318	1.73	-	41.42	8.09	34.16
AV	11.39256G	46.13	54.00	-7.87	30.77	3	Horizontal	318	1.73	-	41.43	8.09	34.16






802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	120.27	Inf	-Inf	112.10	3	Vertical	348	1.62	-	34.02	5.91	31.76
AV	5.7248G	108.28	Inf	-Inf	100.10	3	Vertical	348	1.62	-	34.02	5.92	31.76
PK	5.8544G	62.04	68.20	-6.16	53.51	3	Vertical	348	1.62	-	34.26	5.97	31.70

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	123.74	Inf	-Inf	115.57	3	Horizontal	15	1.80	-	34.02	5.91	31.76
AV	5.7168G	111.82	Inf	-Inf	103.65	3	Horizontal	15	1.80	-	34.02	5.91	31.76
PK	5.8928G	61.48	68.20	-6.72	52.82	3	Horizontal	15	1.80	-	34.38	5.95	31.67



802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

12/08/2020




EUT Y\_4TX  
Setting 43  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4406G	64.73	74.00	-9.27	49.26	3	Vertical	333	2.29	-	41.53	8.10	34.16
AV	11.44144G	46.43	54.00	-7.57	30.96	3	Vertical	333	2.29	-	41.53	8.10	34.16
PK	17.17296G	65.76	68.20	-2.44	45.69	3	Vertical	21	1.80	-	44.92	9.46	34.31



802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

12/08/2020



EUT Y\_4TX  
Setting 43  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43796G	66.04	74.00	-7.96	50.58	3	Horizontal	307	1.58	-	41.52	8.10	34.16
AV	11.44102G	46.49	54.00	-7.51	31.02	3	Horizontal	307	1.58	-	41.53	8.10	34.16
PK	17.1636G	67.99	68.20	-0.21	47.96	3	Horizontal	68	1.80	-	44.89	9.46	34.32



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 41  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	60.98	68.20	-7.22	52.89	3	Vertical	347	1.61	-	34.08	5.82	31.81
PK	5.749G	121.72	Inf	-Inf	113.48	3	Vertical	347	1.61	-	34.05	5.94	31.75
AV	5.75G	109.69	Inf	-Inf	101.44	3	Vertical	347	1.61	-	34.05	5.95	31.75
PK	5.929G	60.88	68.20	-7.32	52.17	3	Vertical	347	1.61	-	34.43	5.94	31.66

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5745MHz\_TX



EUT Y\_4TX  
Setting 41  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.21	68.20	-4.99	55.12	3	Horizontal	356	1.73	-	34.05	5.84	31.80
PK	5.75G	127.26	Inf	-Inf	119.01	3	Horizontal	356	1.73	-	34.05	5.95	31.75
AV	5.748G	114.45	Inf	-Inf	106.21	3	Horizontal	356	1.73	-	34.05	5.94	31.75
PK	5.94G	61.84	68.20	-6.36	53.12	3	Horizontal	356	1.73	-	34.44	5.93	31.65



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5745MHz\_TX



EUT Y\_4TX  
Setting 41  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49896G	60.97	74.00	-13.03	45.36	3	Vertical	333	1.85	-	41.65	8.12	34.16
AV	11.49648G	45.72	54.00	-8.28	30.12	3	Vertical	333	1.85	-	41.64	8.12	34.16
PK	17.24532G	66.29	68.20	-1.91	46.00	3	Vertical	75	1.80	-	45.09	9.51	34.31



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5745MHz\_TX



EUT Y\_4TX  
Setting 41  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49736G	60.07	74.00	-13.93	44.47	3	Horizontal	317	1.78	-	41.64	8.12	34.16
AV	11.48608G	47.31	54.00	-6.69	31.73	3	Horizontal	317	1.78	-	41.62	8.12	34.16
PK	17.23508G	67.98	68.20	-0.22	47.73	3	Horizontal	299	1.69	-	45.06	9.50	34.31



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 40  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	60.61	68.20	-7.59	52.53	3	Vertical	347	1.80	-	34.10	5.80	31.82
PK	5.781G	118.12	Inf	-Inf	109.80	3	Vertical	347	1.80	-	34.08	5.98	31.74
AV	5.78G	106.02	Inf	-Inf	97.70	3	Vertical	347	1.80	-	34.08	5.98	31.74
PK	5.954G	60.80	68.20	-7.40	52.08	3	Vertical	347	1.80	-	34.45	5.92	31.65

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5785MHz\_TX



EUT Y\_4TX  
Setting 40  
06-F-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	61.32	68.20	-6.88	53.23	3	Horizontal	354	1.63	-	34.11	5.80	31.82
PK	5.786G	122.78	Inf	-Inf	114.45	3	Horizontal	354	1.63	-	34.09	5.98	31.74
AV	5.789G	110.00	Inf	-Inf	101.65	3	Horizontal	354	1.63	-	34.09	5.99	31.73
PK	5.929G	61.46	68.20	-6.74	52.75	3	Horizontal	354	1.63	-	34.43	5.94	31.66



802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 40  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5704G	64.68	74.00	-9.32	48.90	3	Vertical	322	1.72	-	41.80	8.15	34.17
AV	11.57016G	46.62	54.00	-7.38	30.84	3	Vertical	322	1.72	-	41.80	8.15	34.17
PK	17.36492G	65.89	68.20	-2.31	45.22	3	Vertical	337	1.50	-	45.38	9.59	34.30

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 40  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57248G	68.34	74.00	-5.66	52.56	3	Horizontal	320	2.04	-	41.80	8.15	34.17
AV	11.57488G	47.76	54.00	-6.24	31.97	3	Horizontal	320	2.04	-	41.81	8.15	34.17
PK	17.35716G	67.99	68.20	-0.21	47.35	3	Horizontal	64	1.59	-	45.36	9.58	34.30

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	61.24	68.20	-6.96	53.15	3	Vertical	329	1.65	-	34.09	5.81	31.81
PK	5.821G	118.60	Inf	-Inf	110.17	3	Vertical	329	1.65	-	34.16	5.99	31.72
AV	5.821G	106.53	Inf	-Inf	98.10	3	Vertical	329	1.65	-	34.16	5.99	31.72
PK	5.941G	60.77	68.20	-7.43	52.05	3	Vertical	329	1.65	-	34.44	5.93	31.65

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	61.77	68.20	-6.43	53.68	3	Horizontal	353	1.64	-	34.12	5.80	31.83
PK	5.83G	126.20	Inf	-Inf	117.73	3	Horizontal	353	1.64	-	34.19	5.99	31.71
AV	5.83G	113.04	Inf	-Inf	104.57	3	Horizontal	353	1.64	-	34.19	5.99	31.71
PK	5.926G	63.87	68.20	-4.33	55.16	3	Horizontal	353	1.64	-	34.43	5.94	31.66

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65528G	68.50	74.00	-5.50	52.51	3	Vertical	325	1.80	-	41.98	8.18	34.17
AV	11.65032G	49.10	54.00	-4.90	33.12	3	Vertical	325	1.80	-	41.97	8.18	34.17
PK	17.46924G	66.91	68.20	-1.29	45.91	3	Vertical	317	2.01	-	45.63	9.66	34.29

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/08/2020

5825MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6456G	73.88	74.00	-0.12	57.91	3	Horizontal	331	2.41	-	41.96	8.18	34.17
AV	11.64576G	52.31	54.00	-1.69	36.34	3	Horizontal	331	2.41	-	41.96	8.18	34.17
PK	17.46844G	67.80	68.20	-0.40	46.82	3	Horizontal	67	1.72	-	45.62	9.65	34.29



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 28  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	61.93	74.00	-12.07	53.43	3	Vertical	353	1.80	-	34.53	5.60	31.63
AV	5.1472G	49.44	54.00	-4.56	40.93	3	Vertical	353	1.80	-	34.54	5.60	31.63
PK	5.2072G	110.90	Inf	-Inf	102.27	3	Vertical	353	1.80	-	34.70	5.61	31.68
AV	5.1868G	97.91	Inf	-Inf	89.31	3	Vertical	353	1.80	-	34.66	5.60	31.66

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5190MHz\_TX



EUT Y\_4TX  
Setting 28  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	66.98	74.00	-7.02	58.46	3	Horizontal	351	1.74	-	34.55	5.60	31.63
AV	5.1472G	53.87	54.00	-0.13	45.36	3	Horizontal	351	1.74	-	34.54	5.60	31.63
PK	5.1864G	117.28	Inf	-Inf	108.68	3	Horizontal	351	1.74	-	34.66	5.60	31.66
AV	5.1864G	104.74	Inf	-Inf	96.14	3	Horizontal	351	1.74	-	34.66	5.60	31.66



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5190MHz\_TX



EUT Y\_4TX  
Setting 28  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57672G	63.98	74.00	-10.02	46.34	3	Vertical	360	2.16	-	43.15	8.74	34.25
AV	15.58088G	50.23	54.00	-3.77	32.59	3	Vertical	360	2.16	-	43.15	8.74	34.25



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 28  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.5736G	50.36	54.00	-3.64	32.71	3	Horizontal	302	1.56	-	43.16	8.74	34.25
PK	15.58368G	63.87	74.00	-10.13	46.23	3	Horizontal	302	1.56	-	43.15	8.74	34.25

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.06	74.00	-8.94	56.55	3	Vertical	356	1.77	-	34.54	5.60	31.63
AV	5.1484G	50.95	54.00	-3.05	42.43	3	Vertical	356	1.77	-	34.55	5.60	31.63
PK	5.221G	118.81	Inf	-Inf	110.17	3	Vertical	356	1.77	-	34.70	5.62	31.68
AV	5.2408G	106.39	Inf	-Inf	97.75	3	Vertical	356	1.77	-	34.70	5.64	31.70
PK	5.3584G	61.82	74.00	-12.18	53.20	3	Vertical	356	1.77	-	34.64	5.76	31.78
AV	5.3764G	49.38	54.00	-4.62	40.77	3	Vertical	356	1.77	-	34.62	5.78	31.79

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	67.25	74.00	-6.75	58.75	3	Horizontal	346	1.80	-	34.53	5.60	31.63
AV	5.1424G	53.59	54.00	-0.41	45.09	3	Horizontal	346	1.80	-	34.53	5.60	31.63
PK	5.2384G	125.64	Inf	-Inf	117.00	3	Horizontal	346	1.80	-	34.70	5.64	31.70
AV	5.2378G	112.67	Inf	-Inf	104.03	3	Horizontal	346	1.80	-	34.70	5.64	31.70
PK	5.3764G	63.01	74.00	-10.99	54.40	3	Horizontal	346	1.80	-	34.62	5.78	31.79
AV	5.3788G	50.54	54.00	-3.46	41.94	3	Horizontal	346	1.80	-	34.62	5.78	31.80

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45968G	57.80	68.20	-10.40	44.21	3	Vertical	29	2.90	-	39.74	7.76	33.91
PK	15.6838G	65.32	74.00	-8.68	47.75	3	Vertical	0	2.22	-	43.09	8.73	34.25
AV	15.6932G	52.23	54.00	-1.77	34.67	3	Vertical	0	2.22	-	43.08	8.73	34.25

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5230MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45766G	59.03	68.20	-9.17	45.45	3	Horizontal	18	1.91	-	39.73	7.76	33.91
PK	15.69266G	64.27	74.00	-9.73	46.71	3	Horizontal	331	1.80	-	43.08	8.73	34.25
AV	15.69366G	51.73	54.00	-2.27	34.17	3	Horizontal	331	1.80	-	43.08	8.73	34.25



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.39	74.00	-12.61	52.87	3	Vertical	356	1.88	-	34.55	5.60	31.63
AV	5.1338G	48.70	54.00	-5.30	40.22	3	Vertical	356	1.88	-	34.50	5.60	31.62
PK	5.2652G	118.72	Inf	-Inf	110.07	3	Vertical	356	1.88	-	34.70	5.67	31.72
AV	5.2646G	106.27	Inf	-Inf	97.63	3	Vertical	356	1.88	-	34.70	5.66	31.72
PK	5.4188G	62.78	74.00	-11.22	54.28	3	Vertical	356	1.88	-	34.52	5.80	31.82
AV	5.35G	50.73	54.00	-3.27	42.11	3	Vertical	356	1.88	-	34.65	5.75	31.78

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	62.23	74.00	-11.77	53.74	3	Horizontal	354	1.61	-	34.51	5.60	31.62
AV	5.1488G	49.52	54.00	-4.48	41.00	3	Horizontal	354	1.61	-	34.55	5.60	31.63
PK	5.2664G	125.83	Inf	-Inf	117.18	3	Horizontal	354	1.61	-	34.70	5.67	31.72
AV	5.264G	112.64	Inf	-Inf	103.99	3	Horizontal	354	1.61	-	34.70	5.66	31.71
PK	5.35G	66.09	74.00	-7.91	57.46	3	Horizontal	354	1.61	-	34.65	5.75	31.77
AV	5.35G	53.74	54.00	-0.26	45.11	3	Horizontal	354	1.61	-	34.65	5.75	31.77

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82424G	64.46	74.00	-9.54	46.98	3	Vertical	360	2.18	-	43.01	8.72	34.25
AV	15.80424G	51.50	54.00	-2.50	34.01	3	Vertical	360	2.18	-	43.02	8.72	34.25



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 44  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81384G	64.77	74.00	-9.23	47.29	3	Horizontal	59	1.65	-	43.01	8.72	34.25
AV	15.812G	51.61	54.00	-2.39	34.13	3	Horizontal	59	1.65	-	43.01	8.72	34.25



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3164G	114.33	Inf	-Inf	105.68	3	Vertical	360	1.76	-	34.68	5.72	31.75
AV	5.3152G	100.97	Inf	-Inf	92.32	3	Vertical	360	1.76	-	34.68	5.72	31.75
PK	5.3552G	63.18	74.00	-10.82	54.56	3	Vertical	360	1.76	-	34.64	5.76	31.78
AV	5.3556G	50.63	54.00	-3.37	42.01	3	Vertical	360	1.76	-	34.64	5.76	31.78

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5310MHz\_TX



EUT Y\_4TX  
Setting 34  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	118.69	Inf	-Inf	110.04	3	Horizontal	353	1.74	-	34.69	5.71	31.75
AV	5.3152G	105.69	Inf	-Inf	97.04	3	Horizontal	353	1.74	-	34.68	5.72	31.75
PK	5.3564G	67.88	74.00	-6.12	59.26	3	Horizontal	353	1.74	-	34.64	5.76	31.78
AV	5.3548G	53.60	54.00	-0.40	44.98	3	Horizontal	353	1.74	-	34.65	5.75	31.78



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63408G	57.01	74.00	-16.99	43.17	3	Vertical	147	1.41	-	40.01	7.82	33.99
AV	10.62048G	43.58	54.00	-10.42	29.76	3	Vertical	147	1.41	-	39.99	7.82	33.99

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5310MHz\_TX



EUT Y\_4TX  
Setting 34  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6124G	57.17	74.00	-16.83	43.36	3	Horizontal	236	1.30	-	39.98	7.81	33.98
AV	10.6324G	43.80	54.00	-10.20	29.96	3	Horizontal	236	1.30	-	40.01	7.82	33.99



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5510MHz\_TX



EUT Y\_4TX  
Setting 34  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	61.33	74.00	-12.67	52.81	3	Vertical	346	1.61	-	34.54	5.80	31.82
PK	5.4696G	62.11	68.20	-6.09	53.84	3	Vertical	346	1.61	-	34.32	5.80	31.85
AV	5.4576G	48.61	54.00	-5.39	40.28	3	Vertical	346	1.61	-	34.37	5.80	31.84
PK	5.512G	113.53	Inf	-Inf	105.40	3	Vertical	346	1.61	-	34.19	5.80	31.86
AV	5.5112G	100.66	Inf	-Inf	92.53	3	Vertical	346	1.61	-	34.19	5.80	31.86



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	63.49	74.00	-10.51	55.11	3	Horizontal	352	1.77	-	34.42	5.80	31.84
AV	5.4292G	49.90	54.00	-4.10	41.45	3	Horizontal	352	1.77	-	34.48	5.80	31.83
PK	5.4684G	67.82	68.20	-0.38	59.54	3	Horizontal	352	1.77	-	34.33	5.80	31.85
PK	5.5056G	120.61	Inf	-Inf	112.49	3	Horizontal	352	1.77	-	34.19	5.80	31.87
AV	5.506G	106.98	Inf	-Inf	98.86	3	Horizontal	352	1.77	-	34.19	5.80	31.87

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00344G	58.11	74.00	-15.89	43.71	3	Vertical	359	2.02	-	40.61	7.95	34.16
AV	11.02304G	44.58	54.00	-9.42	30.13	3	Vertical	359	2.02	-	40.65	7.96	34.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02568G	57.64	74.00	-16.36	43.19	3	Horizontal	273	1.40	-	40.65	7.96	34.16
AV	11.01568G	44.68	54.00	-9.32	30.25	3	Horizontal	273	1.40	-	40.63	7.96	34.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5550MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4048G	61.56	74.00	-12.44	52.99	3	Vertical	345	1.67	-	34.58	5.80	31.81
PK	5.47G	61.67	68.20	-6.53	53.40	3	Vertical	345	1.67	-	34.32	5.80	31.85
AV	5.457G	48.71	54.00	-5.29	40.38	3	Vertical	345	1.67	-	34.37	5.80	31.84
PK	5.5512G	118.08	Inf	-Inf	109.97	3	Vertical	345	1.67	-	34.15	5.80	31.84
AV	5.5512G	105.70	Inf	-Inf	97.59	3	Vertical	345	1.67	-	34.15	5.80	31.84



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4462G	64.95	74.00	-9.05	56.57	3	Horizontal	353	1.66	-	34.42	5.80	31.84
AV	5.4492G	52.05	54.00	-1.95	43.69	3	Horizontal	353	1.66	-	34.40	5.80	31.84
PK	5.469G	67.95	68.20	-0.25	59.68	3	Horizontal	353	1.66	-	34.32	5.80	31.85
PK	5.5476G	124.54	Inf	-Inf	116.44	3	Horizontal	353	1.66	-	34.15	5.80	31.85
AV	5.5446G	111.28	Inf	-Inf	103.17	3	Horizontal	353	1.66	-	34.16	5.80	31.85

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0908G	58.02	74.00	-15.98	43.41	3	Vertical	66	2.99	-	40.79	7.98	34.16
AV	11.11032G	44.31	54.00	-9.69	29.65	3	Vertical	66	2.99	-	40.83	7.99	34.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5550MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1096G	59.00	74.00	-15.00	44.34	3	Horizontal	327	2.97	-	40.83	7.99	34.16
AV	11.10728G	45.70	54.00	-8.30	31.04	3	Horizontal	327	2.97	-	40.83	7.99	34.16



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 38  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6742G	115.53	Inf	-Inf	107.41	3	Vertical	342	1.80	-	34.03	5.87	31.78
AV	5.6736G	102.67	Inf	-Inf	94.55	3	Vertical	342	1.80	-	34.03	5.87	31.78
PK	5.8008G	65.95	68.20	-2.25	57.58	3	Vertical	342	1.80	-	34.10	6.00	31.73

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5670MHz\_TX



EUT Y\_4TX  
Setting 38  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	121.79	Inf	-Inf	113.69	3	Horizontal	352	1.63	-	34.03	5.86	31.79
AV	5.6658G	108.87	Inf	-Inf	100.77	3	Horizontal	352	1.63	-	34.03	5.86	31.79
PK	5.7282G	67.89	68.20	-0.31	59.70	3	Horizontal	352	1.63	-	34.03	5.92	31.76



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5670MHz\_TX



EUT Y\_4TX  
Setting 38  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32968G	58.18	74.00	-15.82	42.98	3	Vertical	63	1.26	-	41.29	8.07	34.16
AV	11.34168G	44.79	54.00	-9.21	29.56	3	Vertical	63	1.26	-	41.32	8.07	34.16



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 38  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35208G	58.13	74.00	-15.87	42.88	3	Horizontal	211	2.37	-	41.34	8.07	34.16
AV	11.34656G	44.88	54.00	-9.12	29.64	3	Horizontal	211	2.37	-	41.33	8.07	34.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 44  
06-F-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	119.90	Inf	-Inf	111.74	3	Vertical	343	1.80	-	34.01	5.91	31.76
AV	5.714G	107.07	Inf	-Inf	98.91	3	Vertical	343	1.80	-	34.01	5.91	31.76
PK	5.8804G	61.69	68.20	-6.51	53.07	3	Vertical	343	1.80	-	34.34	5.96	31.68

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

12/08/2020




EUT Y\_4TX  
Setting 44  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	125.91	Inf	-Inf	117.79	3	Horizontal	348	1.70	-	34.00	5.89	31.77
AV	5.7068G	112.80	Inf	-Inf	104.66	3	Horizontal	348	1.70	-	34.01	5.90	31.77
PK	5.8932G	62.89	68.20	-5.31	54.23	3	Horizontal	348	1.70	-	34.38	5.95	31.67



802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

12/08/2020




EUT Y\_4TX  
Setting 44  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41448G	60.84	74.00	-13.16	45.43	3	Vertical	252	2.57	-	41.47	8.10	34.16
AV	11.4192G	45.95	54.00	-8.05	30.53	3	Vertical	252	2.57	-	41.48	8.10	34.16
PK	17.11944G	66.03	68.20	-2.17	46.13	3	Vertical	317	1.95	-	44.79	9.43	34.32

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

12/08/2020



EUT Y\_4TX  
Setting 44  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41736G	67.89	74.00	-6.11	52.47	3	Horizontal	302	2.03	-	41.48	8.10	34.16
AV	11.41952G	48.14	54.00	-5.86	32.72	3	Horizontal	302	2.03	-	41.48	8.10	34.16
PK	17.1448G	68.19	68.20	-0.01	48.22	3	Horizontal	303	1.56	-	44.85	9.44	34.32






802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	61.78	68.20	-6.42	53.69	3	Vertical	345	1.70	-	34.11	5.80	31.82
PK	5.757G	118.85	Inf	-Inf	110.59	3	Vertical	345	1.70	-	34.06	5.95	31.75
AV	5.756G	107.53	Inf	-Inf	99.27	3	Vertical	345	1.70	-	34.06	5.95	31.75
PK	5.96G	60.70	68.20	-7.50	51.97	3	Vertical	345	1.70	-	34.46	5.92	31.65

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.87	68.94	-5.07	55.76	3	Horizontal	348	1.67	-	34.05	5.85	31.79
PK	5.75G	125.43	Inf	-Inf	117.18	3	Horizontal	348	1.67	-	34.05	5.95	31.75
AV	5.752G	112.31	Inf	-Inf	104.06	3	Horizontal	348	1.67	-	34.05	5.95	31.75
PK	5.948G	62.61	68.20	-5.59	53.88	3	Horizontal	348	1.67	-	34.45	5.93	31.65

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50744G	65.07	74.00	-8.93	49.44	3	Vertical	298	2.93	-	41.67	8.13	34.17
AV	11.51032G	47.92	54.00	-6.08	32.29	3	Vertical	298	2.93	-	41.67	8.13	34.17
PK	17.2687G	67.52	68.20	-0.68	47.17	3	Vertical	316	1.80	-	45.14	9.52	34.31

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52096G	68.22	74.00	-5.78	52.57	3	Horizontal	299	1.97	-	41.69	8.13	34.17
AV	11.50752G	49.74	54.00	-4.26	34.11	3	Horizontal	299	1.97	-	41.67	8.13	34.17
PK	17.2655G	67.99	68.20	-0.21	47.64	3	Horizontal	64	1.66	-	45.14	9.52	34.31

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	61.69	68.20	-6.51	53.59	3	Vertical	58	1.78	-	34.15	5.80	31.85
PK	5.788G	119.01	Inf	-Inf	110.66	3	Vertical	58	1.78	-	34.09	5.99	31.73
AV	5.8G	107.09	Inf	-Inf	98.72	3	Vertical	58	1.78	-	34.10	6.00	31.73
PK	5.936G	61.25	68.20	-6.95	52.54	3	Vertical	58	1.78	-	34.44	5.93	31.66

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 42  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	62.55	68.20	-5.65	54.46	3	Horizontal	346	1.60	-	34.11	5.80	31.82
PK	5.792G	123.46	Inf	-Inf	115.11	3	Horizontal	346	1.60	-	34.09	5.99	31.73
AV	5.792G	111.47	Inf	-Inf	103.12	3	Horizontal	346	1.60	-	34.09	5.99	31.73
PK	5.935G	63.00	68.20	-5.20	54.29	3	Horizontal	346	1.60	-	34.44	5.93	31.66

802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5795MHz\_TX



EUT Y\_4TX  
Setting 42  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59104G	65.68	74.00	-8.32	49.85	3	Vertical	324	1.69	-	41.84	8.16	34.17
AV	11.5896G	48.82	54.00	-5.18	32.99	3	Vertical	324	1.69	-	41.84	8.16	34.17
PK	17.36564G	65.65	68.20	-2.55	44.98	3	Vertical	295	1.03	-	45.38	9.59	34.30



802.11ax HEW40\_Nss1,(MCS0)\_4TX

12/08/2020

5795MHz\_TX



EUT Y\_4TX  
Setting 42  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59504G	69.45	74.00	-4.55	53.61	3	Horizontal	330	2.98	-	41.85	8.16	34.17
AV	11.5844G	53.97	54.00	-0.03	38.16	3	Horizontal	330	2.98	-	41.83	8.15	34.17
PK	17.40436G	67.53	68.20	-0.67	46.74	3	Horizontal	304	1.56	-	45.47	9.61	34.29



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.36	74.00	-11.64	53.85	3	Vertical	355	1.71	-	34.54	5.60	31.63
AV	5.148G	50.46	54.00	-3.54	41.95	3	Vertical	355	1.71	-	34.54	5.60	31.63
PK	5.227G	109.01	Inf	-Inf	100.37	3	Vertical	355	1.71	-	34.70	5.63	31.69
AV	5.207G	95.94	Inf	-Inf	87.30	3	Vertical	355	1.71	-	34.70	5.61	31.67
PK	5.432G	61.98	74.00	-12.02	53.54	3	Vertical	355	1.71	-	34.47	5.80	31.83
AV	5.368G	48.62	54.00	-5.38	40.01	3	Vertical	355	1.71	-	34.63	5.77	31.79

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5210MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	66.83	74.00	-7.17	58.35	3	Horizontal	17	1.72	-	34.51	5.60	31.63
AV	5.14G	53.93	54.00	-0.07	45.44	3	Horizontal	17	1.72	-	34.52	5.60	31.63
PK	5.221G	115.22	Inf	-Inf	106.58	3	Horizontal	17	1.72	-	34.70	5.62	31.68
AV	5.221G	102.05	Inf	-Inf	93.41	3	Horizontal	17	1.72	-	34.70	5.62	31.68
PK	5.382G	63.15	74.00	-10.85	54.55	3	Horizontal	17	1.72	-	34.62	5.78	31.80
AV	5.375G	49.03	54.00	-4.97	40.42	3	Horizontal	17	1.72	-	34.62	5.78	31.79



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5210MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63536G	63.08	74.00	-10.92	45.47	3	Vertical	129	2.10	-	43.12	8.74	34.25
AV	15.61624G	50.01	54.00	-3.99	32.39	3	Vertical	129	2.10	-	43.13	8.74	34.25



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62752G	64.22	74.00	-9.78	46.61	3	Horizontal	336	1.16	-	43.12	8.74	34.25
AV	15.61544G	50.00	54.00	-4.00	32.38	3	Horizontal	336	1.16	-	43.13	8.74	34.25

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 35  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	61.37	74.00	-12.63	52.92	3	Vertical	357	1.76	-	34.46	5.60	31.61
AV	5.149G	48.51	54.00	-5.49	39.99	3	Vertical	357	1.76	-	34.55	5.60	31.63
PK	5.305G	110.55	Inf	-Inf	101.88	3	Vertical	357	1.76	-	34.70	5.71	31.74
AV	5.305G	98.31	Inf	-Inf	89.64	3	Vertical	357	1.76	-	34.70	5.71	31.74
PK	5.351G	62.89	74.00	-11.11	54.27	3	Vertical	357	1.76	-	34.65	5.75	31.78
AV	5.351G	50.70	54.00	-3.30	42.08	3	Vertical	357	1.76	-	34.65	5.75	31.78
PK	5.481G	60.93	68.20	-7.27	52.71	3	Vertical	357	1.76	-	34.28	5.80	31.86

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 35  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.099G	61.41	74.00	-12.59	53.01	3	Horizontal	16	1.77	-	34.40	5.60	31.60
AV	5.145G	48.79	54.00	-5.21	40.28	3	Horizontal	16	1.77	-	34.54	5.60	31.63
PK	5.28G	116.60	Inf	-Inf	107.95	3	Horizontal	16	1.77	-	34.70	5.68	31.73
AV	5.279G	103.77	Inf	-Inf	95.12	3	Horizontal	16	1.77	-	34.70	5.68	31.73
PK	5.36G	66.52	74.00	-7.48	57.90	3	Horizontal	16	1.77	-	34.64	5.76	31.78
AV	5.359G	53.65	54.00	-0.35	45.03	3	Horizontal	16	1.77	-	34.64	5.76	31.78
PK	5.508G	61.61	68.20	-6.59	53.49	3	Horizontal	16	1.77	-	34.19	5.80	31.87



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 35  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85496G	61.99	74.00	-12.01	44.54	3	Vertical	197	2.21	-	42.99	8.71	34.25
AV	15.86184G	48.64	54.00	-5.36	31.20	3	Vertical	197	2.21	-	42.98	8.71	34.25

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 35  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86528G	62.16	74.00	-11.84	44.72	3	Horizontal	120	1.49	-	42.98	8.71	34.25
AV	15.8872G	48.59	54.00	-5.41	31.16	3	Horizontal	120	1.49	-	42.97	8.71	34.25



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	61.22	68.20	-6.98	52.56	3	Vertical	348	1.57	-	34.69	5.71	31.74
PK	5.445G	62.83	74.00	-11.17	54.45	3	Vertical	348	1.57	-	34.42	5.80	31.84
AV	5.451G	50.57	54.00	-3.43	42.21	3	Vertical	348	1.57	-	34.40	5.80	31.84
PK	5.47G	63.10	68.20	-5.10	54.83	3	Vertical	348	1.57	-	34.32	5.80	31.85
PK	5.532G	111.50	Inf	-Inf	103.38	3	Vertical	348	1.57	-	34.17	5.80	31.85
AV	5.531G	98.56	Inf	-Inf	90.44	3	Vertical	348	1.57	-	34.17	5.80	31.85
PK	5.748G	61.77	68.20	-6.43	53.53	3	Vertical	348	1.57	-	34.05	5.94	31.75

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	62.53	68.20	-5.67	53.89	3	Horizontal	353	1.71	-	34.67	5.73	31.76
PK	5.448G	65.71	74.00	-8.29	57.34	3	Horizontal	353	1.71	-	34.41	5.80	31.84
AV	5.448G	53.01	54.00	-0.99	44.64	3	Horizontal	353	1.71	-	34.41	5.80	31.84
PK	5.468G	67.90	68.20	-0.30	59.62	3	Horizontal	353	1.71	-	34.33	5.80	31.85
PK	5.527G	117.82	Inf	-Inf	109.71	3	Horizontal	353	1.71	-	34.17	5.80	31.86
AV	5.526G	104.80	Inf	-Inf	96.69	3	Horizontal	353	1.71	-	34.17	5.80	31.86
PK	5.768G	62.11	68.20	-6.09	53.82	3	Horizontal	353	1.71	-	34.07	5.96	31.74

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5530MHz\_TX



EUT Y\_4TX  
Setting 34  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05176G	56.92	74.00	-17.08	42.40	3	Vertical	37	2.34	-	40.71	7.97	34.16
AV	11.06312G	43.89	54.00	-10.11	29.35	3	Vertical	37	2.34	-	40.73	7.97	34.16



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 34  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05144G	57.07	74.00	-16.93	42.55	3	Horizontal	83	1.97	-	40.71	7.97	34.16
AV	11.04344G	43.89	54.00	-10.11	29.39	3	Horizontal	83	1.97	-	40.69	7.97	34.16

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 43  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.374G	62.56	74.00	-11.44	53.95	3	Vertical	345	1.77	-	34.63	5.77	31.79
PK	5.47G	60.80	68.20	-7.40	52.53	3	Vertical	345	1.77	-	34.32	5.80	31.85
AV	5.447G	49.02	54.00	-4.98	40.65	3	Vertical	345	1.77	-	34.41	5.80	31.84
PK	5.615G	115.46	Inf	-Inf	107.37	3	Vertical	345	1.77	-	34.09	5.81	31.81
AV	5.614G	102.80	Inf	-Inf	94.71	3	Vertical	345	1.77	-	34.09	5.81	31.81
PK	5.734G	64.81	68.20	-3.39	56.61	3	Vertical	345	1.77	-	34.03	5.93	31.76

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.14	74.00	-9.86	55.83	3	Horizontal	13	1.80	-	34.36	5.80	31.85
AV	5.459G	51.46	54.00	-2.54	43.15	3	Horizontal	13	1.80	-	34.36	5.80	31.85
PK	5.464G	63.89	68.20	-4.31	55.60	3	Horizontal	13	1.80	-	34.34	5.80	31.85
PK	5.616G	120.06	Inf	-Inf	111.98	3	Horizontal	13	1.80	-	34.08	5.81	31.81
AV	5.598G	107.57	Inf	-Inf	99.49	3	Horizontal	13	1.80	-	34.10	5.80	31.82
PK	5.737G	67.73	68.20	-0.47	59.52	3	Horizontal	13	1.80	-	34.04	5.93	31.76



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21592G	57.53	74.00	-16.47	42.61	3	Vertical	89	2.75	-	41.05	8.03	34.16
AV	11.21672G	44.08	54.00	-9.92	29.15	3	Vertical	89	2.75	-	41.06	8.03	34.16



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 43  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2216G	58.58	74.00	-15.42	43.64	3	Horizontal	303	1.77	-	41.07	8.03	34.16
AV	11.22168G	45.64	54.00	-8.36	30.70	3	Horizontal	303	1.77	-	41.07	8.03	34.16



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	61.19	74.00	-12.81	52.85	3	Vertical	343	1.72	-	34.38	5.80	31.84
AV	5.45G	48.69	54.00	-5.31	40.33	3	Vertical	343	1.72	-	34.40	5.80	31.84
PK	5.466G	60.65	68.20	-7.55	52.36	3	Vertical	343	1.72	-	34.34	5.80	31.85
PK	5.713G	115.96	Inf	-Inf	107.81	3	Vertical	343	1.72	-	34.01	5.90	31.76
AV	5.694G	104.53	Inf	-Inf	96.41	3	Vertical	343	1.72	-	34.01	5.88	31.77
PK	5.855G	62.95	68.20	-5.25	54.41	3	Vertical	343	1.72	-	34.27	5.97	31.70

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 46  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.78	74.00	-11.22	54.45	3	Horizontal	352	1.60	-	34.37	5.80	31.84
AV	5.448G	50.38	54.00	-3.62	42.01	3	Horizontal	352	1.60	-	34.41	5.80	31.84
PK	5.468G	63.49	68.20	-4.71	55.21	3	Horizontal	352	1.60	-	34.33	5.80	31.85
PK	5.705G	122.67	Inf	-Inf	114.53	3	Horizontal	352	1.60	-	34.01	5.90	31.77
AV	5.685G	110.03	Inf	-Inf	101.91	3	Horizontal	352	1.60	-	34.02	5.88	31.78
PK	5.85G	68.09	68.20	-0.11	59.57	3	Horizontal	352	1.60	-	34.25	5.97	31.70



802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

12/08/2020




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36616G	57.98	74.00	-16.02	42.69	3	Vertical	129	2.89	-	41.37	8.08	34.16
AV	11.3816G	44.37	54.00	-9.63	29.05	3	Vertical	129	2.89	-	41.40	8.08	34.16



802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

12/08/2020




EUT Y\_4TX  
Setting 46  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3748G	60.01	74.00	-13.99	44.70	3	Horizontal	320	1.98	-	41.39	8.08	34.16
AV	11.37576G	45.76	54.00	-8.24	30.45	3	Horizontal	320	1.98	-	41.39	8.08	34.16

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 45  
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	65.88	70.42	-4.54	57.77	3	Vertical	56	1.69	-	34.05	5.85	31.79
PK	5.76G	115.31	Inf	-Inf	107.04	3	Vertical	56	1.69	-	34.06	5.96	31.75
AV	5.76G	103.99	Inf	-Inf	95.72	3	Vertical	56	1.69	-	34.06	5.96	31.75
PK	5.928G	60.76	68.20	-7.44	52.05	3	Vertical	56	1.69	-	34.43	5.94	31.66

802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5775MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	66.55	68.20	-1.65	58.45	3	Horizontal	17	1.63	-	34.06	5.84	31.80
PK	5.765G	120.67	Inf	-Inf	112.39	3	Horizontal	17	1.63	-	34.06	5.96	31.74
AV	5.763G	108.85	Inf	-Inf	100.57	3	Horizontal	17	1.63	-	34.06	5.96	31.74
PK	5.925G	64.11	68.20	-4.09	55.40	3	Horizontal	17	1.63	-	34.43	5.94	31.66



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5775MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56496G	64.35	74.00	-9.65	48.58	3	Vertical	326	2.42	-	41.79	8.15	34.17
AV	11.54376G	50.28	54.00	-3.72	34.57	3	Vertical	326	2.42	-	41.74	8.14	34.17



802.11ax HEW80\_Nss1,(MCS0)\_4TX

12/08/2020

5775MHz\_TX



EUT Y\_4TX  
Setting 45  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53856G	70.91	74.00	-3.09	55.21	3	Horizontal	331	2.43	-	41.73	8.14	34.17
AV	11.56408G	53.88	54.00	-0.12	38.12	3	Horizontal	331	2.43	-	41.78	8.15	34.17





<160MHz (80+80MHz)>:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_4TX	Pass	AV	5.4496G	53.11	54.00	-0.89	3	Horizontal	14	1.67	-

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	61.84	74.00	-12.16	53.36	3	Vertical	354	1.73	-	34.50	5.60	31.62
AV	5.1444G	49.29	54.00	-4.71	40.79	3	Vertical	354	1.73	-	34.53	5.60	31.63
PK	5.222G	105.88	Inf	-Inf	97.25	3	Vertical	354	1.73	-	34.70	5.62	31.69
AV	5.222G	93.58	Inf	-Inf	84.95	3	Vertical	354	1.73	-	34.70	5.62	31.69
PK	5.4012G	61.98	74.00	-12.02	53.39	3	Vertical	354	1.73	-	34.60	5.80	31.81
AV	5.3548G	48.65	54.00	-5.35	40.03	3	Vertical	354	1.73	-	34.65	5.75	31.78

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	63.92	74.00	-10.08	55.43	3	Horizontal	20	1.78	-	34.51	5.60	31.62
AV	5.13G	52.28	54.00	-1.72	43.81	3	Horizontal	20	1.78	-	34.49	5.60	31.62
PK	5.2308G	109.46	Inf	-Inf	100.82	3	Horizontal	20	1.78	-	34.70	5.63	31.69
AV	5.23G	97.33	Inf	-Inf	88.69	3	Horizontal	20	1.78	-	34.70	5.63	31.69
PK	5.374G	62.06	74.00	-11.94	53.45	3	Horizontal	20	1.78	-	34.63	5.77	31.79
AV	5.3652G	49.99	54.00	-4.01	41.38	3	Horizontal	20	1.78	-	34.63	5.77	31.79

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX



EUT Y\_4TX  
Setting 29  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7388G	62.18	74.00	-11.82	44.64	3	Vertical	163	2.05	-	43.06	8.73	34.25
AV	15.666G	49.65	54.00	-4.35	32.07	3	Vertical	163	2.05	-	43.10	8.73	34.25



802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

#5210MHz,5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6748G	62.82	74.00	-11.18	45.24	3	Horizontal	75	2.95	-	43.10	8.73	34.25
AV	15.6764G	49.79	54.00	-4.21	32.22	3	Horizontal	75	2.95	-	43.09	8.73	34.25

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0908G	60.84	74.00	-13.16	52.47	3	Vertical	24	1.80	-	34.36	5.60	31.59
AV	5.1476G	48.96	54.00	-5.04	40.45	3	Vertical	24	1.80	-	34.54	5.60	31.63
PK	5.294G	102.93	Inf	-Inf	94.28	3	Vertical	24	1.80	-	34.70	5.69	31.74
AV	5.294G	89.99	Inf	-Inf	81.34	3	Vertical	24	1.80	-	34.70	5.69	31.74
PK	5.3868G	61.55	74.00	-12.45	52.95	3	Vertical	24	1.80	-	34.61	5.79	31.80
AV	5.3524G	48.78	54.00	-5.22	40.16	3	Vertical	24	1.80	-	34.65	5.75	31.78
PK	5.474G	60.72	68.20	-7.48	52.47	3	Vertical	24	1.80	-	34.30	5.80	31.85

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	63.26	74.00	-10.74	54.77	3	Horizontal	13	1.69	-	34.52	5.60	31.63
AV	5.13G	52.26	54.00	-1.74	43.79	3	Horizontal	13	1.69	-	34.49	5.60	31.62
PK	5.226G	108.71	Inf	-Inf	100.07	3	Horizontal	13	1.69	-	34.70	5.63	31.69
AV	5.2076G	95.89	Inf	-Inf	87.26	3	Horizontal	13	1.69	-	34.70	5.61	31.68
PK	5.3516G	62.17	74.00	-11.83	53.55	3	Horizontal	13	1.69	-	34.65	5.75	31.78
AV	5.3556G	50.48	54.00	-3.52	41.86	3	Horizontal	13	1.69	-	34.64	5.76	31.78
PK	5.4748G	61.11	68.20	-7.09	52.86	3	Horizontal	13	1.69	-	34.30	5.80	31.85

802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX



EUT Y\_4TX  
Setting 29  
06-F-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.694G	62.82	74.00	-11.18	45.26	3	Vertical	261	1.95	-	43.08	8.73	34.25
AV	15.6852G	49.71	54.00	-4.29	32.14	3	Vertical	261	1.95	-	43.09	8.73	34.25



802.11ax HEW80+80\_Nss1,(MCS0)\_4TX

12/06/2020

5210MHz,#5290MHz\_TX




EUT Y\_4TX  
Setting 29  
06-F-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6988G	61.91	74.00	-12.09	44.35	3	Horizontal	298	1.04	-	43.08	8.73	34.25
AV	15.698G	49.54	54.00	-4.46	31.98	3	Horizontal	298	1.04	-	43.08	8.73	34.25

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2576G	61.79	68.20	-6.41	53.14	3	Vertical	350	1.76	-	34.70	5.66	31.71
PK	5.4532G	61.44	74.00	-12.56	53.09	3	Vertical	350	1.76	-	34.39	5.80	31.84
AV	5.4544G	48.95	54.00	-5.05	40.61	3	Vertical	350	1.76	-	34.38	5.80	31.84
PK	5.47G	59.69	68.20	-8.51	51.42	3	Vertical	350	1.76	-	34.32	5.80	31.85
PK	5.512G	105.97	Inf	-Inf	97.84	3	Vertical	350	1.76	-	34.19	5.80	31.86
AV	5.5324G	93.54	Inf	-Inf	85.42	3	Vertical	350	1.76	-	34.17	5.80	31.85
PK	5.764G	61.37	68.20	-6.83	53.09	3	Vertical	350	1.76	-	34.06	5.96	31.74

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2624G	62.31	68.20	-5.89	53.66	3	Horizontal	14	1.67	-	34.70	5.66	31.71
PK	5.458G	62.81	74.00	-11.19	54.48	3	Horizontal	14	1.67	-	34.37	5.80	31.84
AV	5.4496G	53.11	54.00	-0.89	44.75	3	Horizontal	14	1.67	-	34.40	5.80	31.84
PK	5.4616G	61.42	68.20	-6.78	53.12	3	Horizontal	14	1.67	-	34.35	5.80	31.85
PK	5.5396G	111.00	Inf	-Inf	102.89	3	Horizontal	14	1.67	-	34.16	5.80	31.85
AV	5.5348G	97.86	Inf	-Inf	89.74	3	Horizontal	14	1.67	-	34.17	5.80	31.85
PK	5.812G	61.65	68.20	-6.55	53.24	3	Horizontal	14	1.67	-	34.14	5.99	31.72



802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06498G	57.97	74.00	-16.03	43.42	3	Vertical	1	1.80	-	40.74	7.97	34.16
AV	11.05756G	43.88	54.00	-10.12	29.35	3	Vertical	1	1.80	-	40.72	7.97	34.16



802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

#5530MHz,5610MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06456G	57.31	74.00	-16.69	42.76	3	Horizontal	270	1.80	-	40.74	7.97	34.16
AV	11.055G	43.78	54.00	-10.22	29.25	3	Horizontal	270	1.80	-	40.72	7.97	34.16

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	60.52	68.20	-7.68	51.89	3	Vertical	27	1.60	-	34.66	5.74	31.77
PK	5.4576G	60.63	74.00	-13.37	52.30	3	Vertical	27	1.60	-	34.37	5.80	31.84
AV	5.4588G	48.65	54.00	-5.35	40.34	3	Vertical	27	1.60	-	34.36	5.80	31.85
PK	5.4636G	60.49	68.20	-7.71	52.19	3	Vertical	27	1.60	-	34.35	5.80	31.85
PK	5.5224G	101.72	Inf	-Inf	93.60	3	Vertical	27	1.60	-	34.18	5.80	31.86
AV	5.5224G	90.08	Inf	-Inf	81.96	3	Vertical	27	1.60	-	34.18	5.80	31.86
PK	5.8176G	61.36	68.20	-6.84	52.94	3	Vertical	27	1.60	-	34.15	5.99	31.72

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX




EUT Y\_4TX  
Setting 30  
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	61.49	68.20	-6.71	52.85	3	Horizontal	13	1.67	-	34.67	5.73	31.76
PK	5.4492G	63.57	74.00	-10.43	55.21	3	Horizontal	13	1.67	-	34.40	5.80	31.84
AV	5.4492G	52.86	54.00	-1.14	44.50	3	Horizontal	13	1.67	-	34.40	5.80	31.84
PK	5.4672G	62.29	68.20	-5.91	54.01	3	Horizontal	13	1.67	-	34.33	5.80	31.85
PK	5.5356G	110.72	Inf	-Inf	102.61	3	Horizontal	13	1.67	-	34.16	5.80	31.85
AV	5.5344G	97.83	Inf	-Inf	89.71	3	Horizontal	13	1.67	-	34.17	5.80	31.85
PK	5.7276G	61.96	68.20	-6.24	53.77	3	Horizontal	13	1.67	-	34.03	5.92	31.76

802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21516G	57.74	74.00	-16.26	42.82	3	Vertical	307	2.92	-	41.05	8.03	34.16
AV	11.22156G	44.11	54.00	-9.89	29.17	3	Vertical	307	2.92	-	41.07	8.03	34.16



802.11ax HEW80+80\_Nss2,(MCS0)\_4TX

12/06/2020

5530MHz,#5610MHz\_TX



EUT Y\_4TX  
Setting 30  
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2155G	57.61	74.00	-16.39	42.69	3	Horizontal	84	2.86	-	41.05	8.03	34.16
AV	11.2193G	44.21	54.00	-9.79	29.28	3	Horizontal	84	2.86	-	41.06	8.03	34.16



## RSE Co-location Result

Appendix F


### Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.73724G	30.92	54.00	-23.08	Horizontal



Test Mode: Mode 2


24/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	1.73747G	39.51	74.00	-34.49	-5.91	3	Vertical	21	1.62	-	45.42	25.41	3.54	34.86
AV	1.737G	28.42	54.00	-25.58	-5.91	3	Vertical	21	1.62	"Worst"	34.33	25.41	3.54	34.86



24/08/2020



Legend:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	1.73944G	39.30	74.00	-34.70	-5.89	3	Horizontal	180	1.84	-	45.19	25.42	3.55	34.86
AV	1.73724G	30.92	54.00	-23.08	-5.91	3	Horizontal	180	1.84	"Worst"	36.83	25.41	3.54	34.86