

TITLE: MARKING BLUENRG-M2SP**1. PURPOSE**

Purpose of this document is to show the information about marking phase.

2. SCOPE

Site : ASE KR (996G).

Operation : Marking of BLUENRG-M2SP module.

Product : BLUENRG-M2SP

Area : Manufacturing.

3. REFERENCE DOCUMENTS**3.1 DMS reference documents**



For DMS references see "REFERENCES" on Cover page C.

4. DEFINITIONS: N/A**5. GENERAL: N/A****6. SAFETY REQUIREMENTS: N/A****7. PROCEDURE: N/A****8. QUALITY REQUIREMENTS: N/A****9. ENVIRONMENTAL / ECOLOGICAL REQUIREMENTS: N/A**

NA

REV.	DATE	DESCRIPTION OF REVISION AND AUTHOR
V1	22.11.18	First issue Galli

Distance between PCB edge and External shield



Subsystem Product Group
 Use of this form is settled by DMS
 procedure No.CD17612109.
 Copyright STMicroelectronics.
 Unauthorized reproduction and
 communication are strictly prohibited.

MARKING

Doc. ref.: **BLUENRG-M2SP**

Drawing No.: **DM00553019.V1**

Drawn by: Approved by:

Passed by: Date: Sheet **1** of **1**

PC92BV01_SMB

FCCID: S9NBNRGM2SP
IC: 8976C-BNRGM2SP



PC92B
V01

