

TRENDware International, Inc.

20675 Manhattan Place, Torrance, CA 90501


Tel: 310-961-5500 Fax: 3

FCC ID: S9ZCAMWMPN07
Request for transmitter modular approval
Transmitter Module Characteristics

Item	Requirements	EUT
1	Have its own RF shielding	Device is equipped with Metal shielding to cover RF section. Refer to external photos
2	Have buffered modulation/data inputs (if such inputs are provided),	All inputs to the modules are buffered through: RT2860 · RT2820 inputs.
3	Have it own power supply regulation	The transmitter has its own power supply regulator. (RT8010PQW)
4	Meet the antenna requirements of Section 15.203	Device is equipped with unique antenna (u.FL/MHF) connector. Refer to external photos
5	Be tested in a stand-alone configuration, i.e., the antenna, AC or DC power and data input/output lines must be connected to the module but, the module must not be inside another case during testing	Device was tested outside the laptop for modular approval. Refer to setup photos.
6	Be labeled with its own FCC ID number, and if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.	Two proposed FCC ID label format are included in the filing. One label is to be placed on the module and the other label is to be placed on the outside of system. Refer to FCC ID label format and location file.
7	The modular transmitter is manufactured so that the user cannot influence the operation of the transmitter that will operate outside of the scope of the regulations.	The required FCC rule has been fulfilled and all the instructions for maintaining compliance has been clearly stated in users manual.

8	Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF exposure compliance in accordance with Section 15.247(b)(4).	Transmitter meets MPE calculations of 47 CFR 1.1307(b)(1). RF exposure requirement can be fulfilled only for mobile configuration
---	---	--

Sincerely,



Wen Tsai / Sr. Product Manager

Applicant: TRNEDware International, Inc.
Address: 20675 Manhattan Place, Torrance, CA 90501, U.S.A.
Tel: 310-961-5500
Fax: 310-961-5511
Email: w.tsai@trendnet.com