

## APPENDIX A – TEST DATA OF CONDUCTED EMISSION

### Output Power UNII-2C


| Mode       | Freq (MHz) | Chain         | Conducted average power output(dBm) |
|------------|------------|---------------|-------------------------------------|
| 802.11a    | 5500       | Chain0        | 14.96                               |
|            |            | Chain1        | 15.66                               |
|            | 5580       | Chain0        | 14.19                               |
|            |            | Chain1        | 15.92                               |
|            | 5700       | Chain0        | 14.18                               |
|            |            | Chain1        | 15.51                               |
| 802.11n20M | 5500       | Chain0        | 14.01                               |
|            |            | Chain1        | 14.46                               |
|            |            | Chain0+Chain1 | 17.25                               |
|            | 5580       | Chain0        | 12.99                               |
|            |            | Chain1        | 14.74                               |
|            |            | Chain0+Chain1 | 16.96                               |
|            | 5700       | Chain0        | 13.14                               |
|            |            | Chain1        | 15.47                               |
|            |            | Chain0+Chain1 | 17.47                               |
| 802.11n40M | 5510       | Chain0        | 13.40                               |
|            |            | Chain1        | 14.17                               |
|            |            | Chain0+Chain1 | 16.81                               |
|            | 5590       | Chain0        | 13.07                               |
|            |            | Chain1        | 14.32                               |
|            |            | Chain0+Chain1 | 16.75                               |
|            | 5670       | Chain0        | 12.72                               |
|            |            | Chain1        | 14.25                               |
|            |            | Chain0+Chain1 | 16.56                               |

### Emission Bandwidth


Offset 11.5dB =Attenuator 10dB+ Temporary antenna connector loss 0.5dB+ Cable loss 1dB  
Test Mode:802.11a

| Carrier frequency (MHz) | Chain  | 26dB Bandwidth (MHz) |
|-------------------------|--------|----------------------|
| 5500                    | Chain0 | 22.17                |
|                         | Chain1 | 19.59                |
| 5580                    | Chain0 | 20.38                |
|                         | Chain1 | 19.99                |
| 5700                    | Chain0 | 20.51                |
|                         | Chain1 | 21.82                |


Test Mode:802.11a Chain0



Test Mode:802.11a Chain0




Test Mode:802.11a Chain0




Test Mode:802.11a Chain1



Test Mode:802.11a Chain1




Test Mode:802.11a Chain1




Test Mode:802.11n HT20

| Carrier frequency (MHz) | Chain  | 26dB Bandwidth (MHz) |
|-------------------------|--------|----------------------|
| 5500                    | Chain0 | 23.88                |
|                         | Chain1 | 20.34                |
| 5580                    | Chain0 | 22.27                |
|                         | Chain1 | 21.39                |
| 5700                    | Chain0 | 20.60                |
|                         | Chain1 | 20.64                |


Test Mode:802.11n HT20 Chain0



Test Mode:802.11n HT20 Chain0




Test Mode:802. 11n HT20 Chain0



Test Mode:802. 11n HT20 Chain1



Test Mode:802. 11n HT20 Chain1




Test Mode:802. 11n HT20 Chain1




Test Mode:802. 11n HT40

| Carrier frequency (MHz) | Chain  | 26dB Bandwidth (MHz) |
|-------------------------|--------|----------------------|
| 5510                    | Chain0 | 40.58                |
|                         | Chain1 | 40.42                |
| 5590                    | Chain0 | 52.40                |
|                         | Chain1 | 40.74                |
| 5670                    | Chain0 | 40.39                |
|                         | Chain1 | 40.38                |


Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1




### Occupied Bandwidth

Offset 11.5dB =Attenuator 10dB+ Temporary antenna connector loss 0.5dB+ Cable loss 1dB


Test Mode:802.11a

| Carrier frequency (MHz) | Chain  | Occupied Bandwidth (MHz) |
|-------------------------|--------|--------------------------|
| 5500                    | Chain0 | 16.853                   |
|                         | Chain1 | 16.812                   |
| 5580                    | Chain0 | 16.867                   |
|                         | Chain1 | 16.942                   |
| 5700                    | Chain0 | 16.804                   |
|                         | Chain1 | 16.879                   |


Test Mode:802.11a Chain0




Test Mode:802.11a Chain0




Test Mode:802.11a Chain0




Test Mode:802.11a Chain1



Test Mode:802.11a Chain1




Test Mode:802.11a Chain1




Test Mode:802.11n HT20

| Carrier frequency (MHz) | Chain  | Occupied Bandwidth (MHz) |
|-------------------------|--------|--------------------------|
| 5500                    | Chain0 | 17.797                   |
|                         | Chain1 | 17.887                   |
| 5580                    | Chain0 | 17.860                   |
|                         | Chain1 | 17.881                   |
| 5700                    | Chain0 | 17.797                   |
|                         | Chain1 | 17.854                   |


Test Mode:802.11n HT20 Chain0




Test Mode:802.11n HT20 Chain0




Test Mode:802. 11n HT20 Chain0



Test Mode:802. 11n HT20 Chain1



Test Mode:802. 11n HT20 Chain1



Test Mode:802. 11n HT20 Chain1




Test Mode:802. 11n HT40


| Carrier frequency (MHz) | Chain  | Occupied Bandwidth (MHz) |
|-------------------------|--------|--------------------------|
| 5510                    | Chain0 | 36.255                   |
|                         | Chain1 | 36.319                   |
| 5590                    | Chain0 | 36.244                   |
|                         | Chain1 | 36.242                   |
| 5670                    | Chain0 | 36.363                   |
|                         | Chain1 | 36.201                   |




Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain0




Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1



### Transmitter Power Spectral Density

Offset 11.5dB =Attenuator 10dB+ Temporary antenna connector loss 0.5dB+ Cable loss 1dB  
Test Mode:802.11a

| Carrier frequency (MHz) | Correction Factor(dB) | Chain  | Power Density (dBm) |
|-------------------------|-----------------------|--------|---------------------|
| 5500                    | 0.05                  | Chain0 | 5.122               |
|                         |                       | Chain1 | 5.747               |
| 5580                    |                       | Chain0 | 4.197               |
|                         |                       | Chain1 | 5.885               |
| 5700                    |                       | Chain0 | 4.535               |
|                         |                       | Chain1 | 7.717               |


Test Mode:802.11a Chain0




Test Mode:802.11a Chain0



Test Mode:802.11a Chain0



Test Mode:802.11a Chain1



Test Mode:802.11a Chain1




Test Mode:802.11a Chain1



Test Mode:802. 11n HT20

| Carrier frequency (MHz) | Correction Factor(dB) | Chain         | Power Density (dBm) |
|-------------------------|-----------------------|---------------|---------------------|
| 5500                    | 0.06                  | Chain0        | 4.313               |
|                         |                       | Chain1        | 4.801               |
|                         |                       | Chain0+Chain1 | 7.574               |
| 5580                    |                       | Chain0        | 3.415               |
|                         |                       | Chain1        | 5.002               |
|                         |                       | Chain0+Chain1 | 7.291               |
| 5700                    |                       | Chain0        | 3.525               |
|                         |                       | Chain1        | 5.586               |
|                         |                       | Chain0+Chain1 | 7.687               |


Test Mode:802. 11n HT20 Chain0




Test Mode:802. 11n HT20 Chain0




Test Mode:802. 11n HT20 Chain0




Test Mode:802. 11n HT20 Chain1



Test Mode:802. 11n HT20 Chain1




Test Mode:802. 11n HT20 Chain1



Test Mode:802. 11n HT40

| Carrier frequency (MHz) | Correction Factor(dB) | Chain         | Power Density (dBm) |
|-------------------------|-----------------------|---------------|---------------------|
| 5510                    | 0.10                  | Chain0        | 0.242               |
|                         |                       | Chain1        | 0.954               |
|                         |                       | Chain0+Chain1 | 3.623               |
| 5590                    |                       | Chain0        | 0.013               |
|                         |                       | Chain1        | 1.092               |
|                         |                       | Chain0+Chain1 | 3.596               |
| 5670                    |                       | Chain0        | -0.426              |
|                         |                       | Chain1        | 1.006               |
|                         |                       | Chain0+Chain1 | 3.359               |

Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1



Test Mode:802. 11n HT40 Chain1



**Frequency Stability**  
UNII-2C

| Mode    | Data Rate   | Chain  | Center Frequency (MHz) | Measured Frequency (MHz) | Frequency Stability (ppm) | Voltage (V) | Temperature (°C) |
|---------|-------------|--------|------------------------|--------------------------|---------------------------|-------------|------------------|
| 802.11a | 6Mbps       | Chain0 | 5500                   | 5499.901995              | -17.82                    | NV          | -10              |
|         |             |        | 5500                   | 5500.056334              | 10.24                     | NV          | 0                |
|         |             |        | 5500                   | 5499.988857              | -2.03                     | NV          | +10              |
|         |             |        | 5500                   | 5500.038652              | 7.03                      | NV          | +20              |
|         |             |        | 5500                   | 5500.049720              | 9.04                      | HV          | +20              |
|         |             |        | 5500                   | 5500.016783              | 3.05                      | LV          | +20              |
|         |             |        | 5500                   | 5499.908217              | -16.69                    | NV          | +30              |
|         |             |        | 5500                   | 5500.097231              | 17.68                     | NV          | +40              |
|         |             |        | 5500                   | 5499.925901              | -13.47                    | NV          | +50              |
|         |             |        | 5500                   | 5500.073670              | 13.39                     | NV          | +60              |
|         |             | 5500   | 5499.957059            | -7.81                    | NV                        | +70         |                  |
|         |             | Chain1 | 5500                   | 5500.050036              | 9.10                      | NV          | -10              |
|         |             |        | 5500                   | 5500.004979              | 0.91                      | NV          | 0                |
|         |             |        | 5500                   | 5499.992760              | -1.32                     | NV          | +10              |
|         |             |        | 5500                   | 5500.016109              | 2.93                      | HV          | +20              |
|         |             |        | 5500                   | 5499.904740              | -17.32                    | LV          | +20              |
|         |             |        | 5500                   | 5500.084413              | 15.35                     | NV          | +20              |
|         |             |        | 5500                   | 5500.078659              | 14.30                     | NV          | +30              |
|         |             |        | 5500                   | 5499.963423              | -6.65                     | NV          | +40              |
|         |             |        | 5500                   | 5500.061760              | 11.23                     | NV          | +50              |
| 5500    | 5500.032444 |        | 5.90                   | NV                       | +60                       |             |                  |
| 5500    | 5500.040370 | 7.34   | NV                     | +70                      |                           |             |                  |



## Dynamic Frequency Selection

### DESCRIPTION OF Master Device


The Master Device is a SKSpruce Technologies Co., Ltd., Indoor Access Point, FCC ID: 2AHKT-WIA3300-20. The rated output power of the Master unit is > 23dBm (EIRP).

Therefore the required interference threshold level is -60 dBm.

### Radar Waveform Calibration Result

#### <20MHz / 5500 MHz> Radar Type 0


#### Radar / DFS detection threshold level and the burst of pulses on the Channel frequency



Date: 30.MAR.2021 17:39:12


#### <80MHz / 5530 MHz> Radar Type 0

#### Radar / DFS detection threshold level and the burst of pulses on the Channel frequency



Date: 30.MAR.2021 17:41:40

**Data Traffic and Noise Floor Plots**







### Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test



| Frequency | Test Item                         | Test Result  | Limit    | Pass/Fail |
|-----------|-----------------------------------|--------------|----------|-----------|
| 5500MHz   | Channel Move Time                 | < 10s*       | < 10s    | Pass      |
|           | Channel Closing Transmission Time | 200ms +4ms   | < 260ms  | Pass      |
|           | Non-Occupancy Period              | ≥ 30         | ≥ 30 min | Pass      |
| 5530MHz   | Channel Move Time                 | < 10s*       | < 10s    | Pass      |
|           | Channel Closing Transmission Time | 200ms +2.4ms | < 260ms  | Pass      |
|           | Non-Occupancy Period              | ≥ 30         | ≥ 30 min | Pass      |

Note\*: We notice clearly that “Channel Move Time” is less than 10s from the figure. The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 seconds period. The aggregate duration of control signals will not count quiet periods in between transmissions.

### Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test Plots



**Note:**  
Dwell (0.4 ms) = Sweep Time (12000 ms) / Sweep Point Bins (30000)  
Channel Closing Transmission Time (200 + 2 ms) = 200 + Number of beacon after 200ms(5) X Dwell (0.4 ms)  
< 260ms



**Note:**  
Dwell (0.4 ms) = Sweep Time (12000 ms) / Sweep Point Bins (30000)  
Channel Closing Transmission Time (200 + 2.4 ms) = 200 + Number of beacon after 200ms(6) X Dwell (0.4 ms) < 260ms