



Test Mode: 802.11a Chain1




Test Mode: 802.11a Chain1




Test Mode: 802.11n HT20

Carrier frequency(MHz)	Chain	6dB Bandwidth (MHz)
5745	Chain0	16.93
	Chain1	17.54
5785	Chain0	17.30
	Chain1	17.59
5825	Chain0	17.64
	Chain1	17.56


Test Mode: 802.11n HT20 Chain0




Test Mode: 802.11n HT20 Chain0




Test Mode: 802.11n HT20 Chain0




Test Mode: 802.11n HT20 Chain1



Test Mode: 802.11n HT20 Chain1




Test Mode: 802.11n HT20 Chain1




Test Mode: 802.11n HT40

Carrier frequency(MHz)	Chain	6dB Bandwidth (MHz)
5755	Chain0	36.00
	Chain1	35.43
5795	Chain0	35.09
	Chain1	35.26


Test Mode: 802.11n HT40 Chain0




Test Mode: 802.11n HT40 Chain0



Test Mode: 802.11n HT40 Chain1




Test Mode: 802.11n HT40 Chain1




Test Mode: 802.11ac VHT20

Carrier frequency(MHz)	Chain	6dB Bandwidth (MHz)
5745	Chain0	17.66
	Chain1	16.75
5785	Chain0	17.70
	Chain1	17.59
5825	Chain0	17.27
	Chain1	17.49


Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain1



Test Mode: 802.11ac VHT20 Chain1




Test Mode: 802.11ac VHT20 Chain1




Test Mode: 802.11ac VHT40

Carrier frequency(MHz)	Chain	6dB Bandwidth (MHz)
5755	Chain0	36.33
	Chain1	35.43
5795	Chain0	36.31
	Chain1	35.78


Test Mode: 802.11ac VHT40 Chain0




Test Mode: 802.11ac VHT40 Chain0



Test Mode: 802.11ac VHT40 Chain1




Test Mode: 802.11ac VHT40 Chain1




Test Mode: 802.11ac VHT80

Carrier frequency(MHz)	Chain	6dB Bandwidth (MHz)
5775	Chain0	75.47
	Chain1	75.40

Test Mode: 802.11ac VHT80 Chain0



Test Mode: 802.11ac VHT80 Chain1



Transmitter Power Spectral Density


Offset 11dB = Attenuator 10dB+ Temporary antenna connector loss 0.5dB+ Cable loss 0.5dB

Test Mode: 802.11a


Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5745	0.05	Chain0	0.984
		Chain1	0.757
5785		Chain0	0.557
		Chain1	0.561
5825		Chain0	0.261
		Chain1	0.157

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10log(500kHz/RBW) to the measured result.


Test Mode: 802.11a Chain0




Test Mode: 802.11a Chain0




Test Mode: 802.11a Chain0




Test Mode: 802.11a Chain1



Test Mode: 802.11a Chain1



Test Mode: 802.11a Chain1






Test Mode: 802.11n HT20


Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5745	0.06	Chain0	-0.050
		Chain1	0.816
5785		Chain0	-0.156
		Chain1	0.441
5825		Chain0	-0.315
		Chain1	0.089

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add  $10\log(500\text{kHz}/\text{RBW})$  to the measured result.


Test Mode: 802.11n HT20 Chain0




Test Mode: 802.11n HT20 Chain0




Test Mode: 802.11n HT20 Chain0



Test Mode: 802.11n HT20 Chain1



Test Mode: 802.11n HT20 Chain1



Test Mode: 802.11n HT20 Chain1




Test Mode: 802.11n HT40


Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5755	0.12	Chain0	-2.756
		Chain1	-2.718
5795		Chain0	-2.898
		Chain1	-2.862

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add  $10\log(500\text{kHz}/\text{RBW})$  to the measured result.


Test Mode: 802.11n HT40 Chain0




Test Mode: 802.11n HT40 Chain0



Test Mode: 802.11n HT40 Chain1



Test Mode: 802.11n HT40 Chain1




Test Mode: 802.11ac VHT20


Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5745	0.06	Chain0	-0.076
		Chain1	0.076
5785		Chain0	-0.207
		Chain1	-0.101
5825		Chain0	-0.329
		Chain1	-0.275

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add  $10\log(500\text{kHz}/\text{RBW})$  to the measured result.


Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain0




Test Mode: 802.11ac VHT20 Chain1



Test Mode: 802.11ac VHT20 Chain1



Test Mode: 802.11ac VHT20 Chain1




Test Mode: 802.11ac VHT40


Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5755	0.11	Chain0	-2.916
		Chain1	-2.945
5795		Chain0	-3.090
		Chain1	-3.083

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add  $10\log(500\text{kHz}/\text{RBW})$  to the measured result.


Test Mode: 802.11ac VHT40 Chain0




Test Mode: 802.11ac VHT40 Chain0



Test Mode: 802.11ac VHT40 Chain1



Test Mode: 802.11ac VHT40 Chain1



Test Mode: 802.11ac VHT80

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm/500kHz)
5775	0.22	Chain0	-5.153
		Chain1	-5.111

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10log(500kHz/RBW) to the measured result.

