

## APPENDIX B – TEST DATA OF RADIATED EMISSION

### Radiated Emission Band Edge

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (92.12 dBuV/m) = (44.32 dBμV) + (12.4 dB) + (34.4 dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	92.12	44.32	N/A	N/A	12.40	35.40
2	5150	50.28	2.48	-17.92	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	89.79	41.99	N/A	N/A	12.40	35.40
2	5150	48.88	1.08	-19.32	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.61	42.81	N/A	N/A	12.40	35.40
2	5150	39.12	-8.68	-14.88	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.34	38.54	N/A	N/A	12.40	35.40
2	5150	38.15	-9.65	-15.85	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	91.04	43.04	N/A	N/A	12.60	35.40
2	5350	50.38	2.38	-17.82	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	88.29	40.29	N/A	N/A	12.60	35.40
2	5350	49.02	1.02	-19.18	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.91	41.91	N/A	N/A	12.60	35.40
2	5350	41.37	-6.63	-12.63	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.17	38.17	N/A	N/A	12.60	35.40
2	5350	40.55	-7.45	-13.45	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	92.68	44.88	N/A	N/A	12.40	35.40
2	5150	49.26	1.46	-18.94	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	88.10	40.30	N/A	N/A	12.40	35.40
2	5150	48.79	0.99	-19.41	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.71	42.91	N/A	N/A	12.40	35.40
2	5150	40.93	-6.87	-13.07	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	87.42	39.62	N/A	N/A	12.40	35.40
2	5150	39.71	-8.09	-14.29	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	90.99	42.99	N/A	N/A	12.60	35.40
2	5350	51.62	3.62	-16.58	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	87.40	39.40	N/A	N/A	12.60	35.40
2	5350	51.61	3.61	-16.59	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.66	41.66	N/A	N/A	12.60	35.40
2	5350	41.88	-6.12	-12.12	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.28	38.28	N/A	N/A	12.60	35.40
2	5350	40.72	-7.28	-13.28	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	91.57	43.77	N/A	N/A	12.40	35.40
2	5150	49.87	2.07	-18.33	68.20	12.40	35.40

Carrier frequency (MHz): 5180  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	88.70	40.90	N/A	N/A	12.40	35.40
2	5150	49.28	1.48	-18.92	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.86	43.06	N/A	N/A	12.40	35.40
2	5150	39.09	-8.71	-14.91	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	88.10	40.30	N/A	N/A	12.40	35.40
2	5150	37.64	-10.16	-16.36	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	91.06	43.06	N/A	N/A	12.60	35.40
2	5350	51.39	3.39	-16.81	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.32	38.32	N/A	N/A	12.60	35.40
2	5350	49.59	1.59	-18.61	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	88.72	40.72	N/A	N/A	12.60	35.40
2	5350	40.64	-7.36	-13.36	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.10	38.10	N/A	N/A	12.60	35.40
2	5350	38.87	-9.13	-15.13	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	91.03	43.23	N/A	N/A	12.40	35.40
2	5150	50.20	2.40	-18.00	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	86.89	39.09	N/A	N/A	12.40	35.40
2	5150	50.14	2.34	-18.06	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	89.76	41.96	N/A	N/A	12.40	35.40
2	5150	39.69	-8.11	-14.31	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	87.35	39.55	N/A	N/A	12.40	35.40
2	5150	39.54	-8.26	-14.46	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	90.05	42.05	N/A	N/A	12.60	35.40
2	5350	50.76	2.76	-17.44	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	85.60	37.60	N/A	N/A	12.60	35.40
2	5350	49.25	1.25	-18.95	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	88.17	40.17	N/A	N/A	12.60	35.40
2	5350	40.36	-7.64	-13.64	54.00	12.60	35.40



Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	84.04	36.04	N/A	N/A	12.60	35.40
2	5350	38.41	-9.59	-15.59	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	91.24	43.44	N/A	N/A	12.40	35.40
2	5150	49.47	1.67	-18.73	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	88.83	41.03	N/A	N/A	12.40	35.40
2	5150	47.73	-0.07	-20.47	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	90.78	42.98	N/A	N/A	12.40	35.40
2	5150	39.92	-7.88	-14.08	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	87.91	40.11	N/A	N/A	12.40	35.40
2	5150	39.06	-8.74	-14.94	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	90.95	42.95	N/A	N/A	12.60	35.40
2	5350	50.36	2.36	-17.84	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	87.33	39.33	N/A	N/A	12.60	35.40
2	5350	49.99	1.99	-18.21	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	88.57	40.57	N/A	N/A	12.60	35.40
2	5350	42.00	-6.00	-12.00	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	84.01	36.01	N/A	N/A	12.60	35.40
2	5350	40.08	-7.92	-13.92	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	89.91	42.11	N/A	N/A	12.40	35.40
2	5150	49.52	1.72	-18.68	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	85.25	37.45	N/A	N/A	12.40	35.40
2	5150	48.70	0.90	-19.50	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	88.03	40.23	N/A	N/A	12.40	35.40
2	5150	40.67	-7.13	-13.33	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	83.37	35.57	N/A	N/A	12.40	35.40
2	5150	39.41	-8.39	-14.59	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	88.50	40.50	N/A	N/A	12.60	35.40
2	5150	50.74	2.74	-17.46	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	85.45	37.45	N/A	N/A	12.60	35.40
2	5150	48.78	0.78	-19.42	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	86.85	38.85	N/A	N/A	12.60	35.40
2	5150	40.28	-7.72	-13.72	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	83.80	35.80	N/A	N/A	12.60	35.40
2	5150	40.17	-7.83	-13.83	54.00	12.60	35.40

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	88.06	40.76	N/A	N/A	12.70	34.60
2	5475	51.81	4.51	-16.39	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	83.35	36.05	N/A	N/A	12.70	34.60
2	5475	51.03	3.73	-17.17	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.96	38.66	N/A	N/A	12.70	34.60
2	5475	40.42	-6.88	-13.58	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.66	35.36	N/A	N/A	12.70	34.60
2	5475	39.23	-8.07	-14.77	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	87.60	40.00	N/A	N/A	12.90	34.70
2	5850	51.45	3.85	-16.75	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.69	35.09	N/A	N/A	12.90	34.70
2	5850	50.75	3.15	-17.45	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	85.51	37.91	N/A	N/A	12.90	34.70
2	5850	40.20	-7.40	-13.80	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.46	34.86	N/A	N/A	12.90	34.70
2	5850	39.67	-7.93	-14.33	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	89.91	42.61	N/A	N/A	12.70	34.60
2	5475	51.57	4.27	-16.63	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.78	39.48	N/A	N/A	12.70	34.60
2	5475	51.06	3.76	-17.14	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.38	39.08	N/A	N/A	12.70	34.60
2	5475	41.34	-5.96	-12.66	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	83.23	35.93	N/A	N/A	12.70	34.60
2	5475	39.36	-7.94	-14.64	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	87.79	40.19	N/A	N/A	12.90	34.70
2	5850	52.45	4.85	-15.75	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.97	35.37	N/A	N/A	12.90	34.70
2	5850	50.79	3.19	-17.41	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	86.21	38.61	N/A	N/A	12.90	34.70
2	5850	40.96	-6.64	-13.04	54.00	12.90	34.70



Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.23	34.63	N/A	N/A	12.90	34.70
2	5850	39.25	-8.35	-14.75	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	89.14	41.84	N/A	N/A	12.70	34.60
2	5475	52.72	5.42	-15.48	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	84.56	37.26	N/A	N/A	12.70	34.60
2	5475	51.87	4.57	-16.33	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.92	39.62	N/A	N/A	12.70	34.60
2	5475	40.53	-6.77	-13.47	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	84.19	36.89	N/A	N/A	12.70	34.60
2	5475	39.89	-7.41	-14.11	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	87.08	39.48	N/A	N/A	12.90	34.70
2	5850	52.79	5.19	-15.41	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	83.92	36.32	N/A	N/A	12.90	34.70
2	5850	50.90	3.30	-17.30	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	85.20	37.60	N/A	N/A	12.90	34.70
2	5850	40.04	-7.56	-13.96	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	81.67	34.07	N/A	N/A	12.90	34.70
2	5850	39.60	-8.00	-14.40	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	87.66	40.36	N/A	N/A	12.70	34.60
2	5475	52.98	5.68	-15.22	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	85.64	38.34	N/A	N/A	12.70	34.60
2	5475	52.24	4.94	-15.96	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	83.53	36.23	N/A	N/A	12.70	34.60
2	5475	41.41	-5.89	-12.59	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	81.32	34.02	N/A	N/A	12.70	34.60
2	5475	40.00	-7.30	-14.00	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	86.23	38.63	N/A	N/A	12.90	34.70
2	5850	51.36	3.76	-16.84	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	81.28	33.68	N/A	N/A	12.90	34.70
2	5850	50.03	2.43	-18.17	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.70	36.10	N/A	N/A	12.90	34.70
2	5850	40.14	-7.46	-13.86	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	80.09	32.49	N/A	N/A	12.90	34.70
2	5850	39.63	-7.97	-14.37	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	87.11	39.81	N/A	N/A	12.70	34.60
2	5475	51.10	3.80	-17.10	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	83.08	35.78	N/A	N/A	12.70	34.60
2	5475	49.41	2.11	-18.79	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	84.72	37.42	N/A	N/A	12.70	34.60
2	5475	40.66	-6.64	-13.34	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.85	33.55	N/A	N/A	12.70	34.60
2	5475	39.44	-7.86	-14.56	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	86.40	38.80	N/A	N/A	12.90	34.70
2	5850	51.36	3.76	-16.84	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.79	36.19	N/A	N/A	12.90	34.70
2	5850	49.58	1.98	-18.62	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	82.85	35.25	N/A	N/A	12.90	34.70
2	5850	41.18	-6.42	-12.82	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	80.22	32.62	N/A	N/A	12.90	34.70
2	5850	41.14	-6.46	-12.86	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	86.71	39.41	N/A	N/A	12.70	34.60
2	5475	51.96	4.66	-16.24	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	84.71	37.41	N/A	N/A	12.70	34.60
2	5475	50.88	3.58	-17.32	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	83.45	36.15	N/A	N/A	12.70	34.60
2	5475	40.09	-7.21	-13.91	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	81.27	33.97	N/A	N/A	12.70	34.60
2	5475	39.09	-8.21	-14.91	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	85.19	37.59	N/A	N/A	12.90	34.70
2	5850	51.59	3.99	-16.61	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	82.54	34.94	N/A	N/A	12.90	34.70
2	5850	51.09	3.49	-17.11	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average


No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	82.75	35.15	N/A	N/A	12.90	34.70
2	5850	41.33	-6.27	-12.67	54.00	12.90	34.70



Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	77.97	30.37	N/A	N/A	12.90	34.70
2	5850	40.60	-7.00	-13.40	54.00	12.90	34.70

Full Spectrum



Radiated Emission Band Edge for 5180MHz

### Sample Calculations

#### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(27.05 \text{ dB}\mu\text{V/m}) = (47.55 \text{ dB}\mu\text{V}) + (-20.5 \text{ dB/m})$ , the corresponding frequency is 33.055500MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	27.05	-20.5	47.55	Vertical	40.00
57.693500	16.04	-18.5	34.54	Vertical	40.00
119.967500	26.08	-21.4	47.48	Vertical	43.50
311.979000	25.43	-15.7	41.13	Vertical	46.00
455.975500	26.43	-12.0	38.43	Vertical	46.00
916.725500	22.81	-3.0	25.81	Vertical	46.00

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.21	-20.5	47.71	Vertical	40.00
119.967500	26.01	-21.4	47.41	Vertical	43.50
311.979000	25.42	-15.7	41.12	Vertical	46.00
456.024000	26.25	-12.0	38.25	Vertical	46.00
798.143000	22.89	-5.3	28.19	Vertical	46.00
990.494000	27.03	-2.2	29.23	Vertical	54.00

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.14	-20.5	47.64	Vertical	40.00
57.839000	16.18	-18.5	34.68	Vertical	40.00
119.967500	26.06	-21.4	47.46	Vertical	43.50
311.979000	25.47	-15.7	41.17	Vertical	46.00
456.024000	26.18	-12.0	38.18	Vertical	46.00
600.020500	28.25	-8.1	36.35	Vertical	46.00

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.27	-20.5	47.77	Vertical	40.00
119.967500	26.03	-21.4	47.43	Vertical	43.50
263.964000	20.96	-16.9	37.86	Vertical	46.00
311.979000	25.44	-15.7	41.14	Vertical	46.00
455.975500	26.40	-12.0	38.40	Vertical	46.00
600.020500	28.21	-8.1	36.31	Vertical	46.00

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.22	-20.5	47.72	Vertical	40.00
119.967500	25.95	-21.4	47.35	Vertical	43.50
311.979000	25.38	-15.7	41.08	Vertical	46.00
443.317000	19.65	-12.2	31.85	Vertical	46.00
600.020500	28.25	-8.1	36.35	Vertical	46.00
988.263000	18.01	-2.3	20.31	Vertical	54.00

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	27.13	-20.5	47.63	Vertical	40.00
57.839000	16.09	-18.5	34.59	Vertical	40.00
119.967500	25.94	-21.4	47.34	Vertical	43.50
269.978000	33.54	-16.7	50.24	Vertical	46.00
402.868000	23.16	-13.0	36.16	Vertical	46.00
599.972000	28.17	-8.1	36.27	Vertical	46.00

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	27.18	-20.5	47.68	Vertical	40.00
57.790500	16.17	-18.5	34.67	Vertical	40.00
119.967500	26.04	-21.4	47.44	Vertical	43.50
324.007000	8.94	-15.3	24.24	Vertical	46.00
401.316000	22.48	-13.0	35.48	Vertical	46.00
902.515000	22.92	-3.2	26.12	Vertical	46.00

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.30	-20.5	47.80	Vertical	40.00
57.936000	16.03	-18.6	34.63	Vertical	40.00
119.967500	25.96	-21.4	47.36	Vertical	43.50
270.026500	32.68	-16.7	49.38	Vertical	46.00
324.007000	8.95	-15.3	24.25	Vertical	46.00
902.175500	23.11	-3.2	26.31	Vertical	46.00

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.32	-20.5	47.82	Vertical	40.00
119.967500	25.92	-21.4	47.32	Vertical	43.50
263.964000	21.06	-16.9	37.96	Vertical	46.00
324.007000	8.95	-15.3	24.25	Vertical	46.00
400.152000	24.11	-13.1	37.21	Vertical	46.00
910.420500	24.97	-3.1	28.07	Vertical	46.00

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.32	-20.5	47.82	Vertical	40.00
58.421000	13.78	-18.6	32.38	Vertical	40.00
119.967500	25.95	-21.4	47.35	Vertical	43.50
269.978000	33.54	-16.7	50.24	Vertical	46.00
404.420000	25.16	-13.0	38.16	Vertical	46.00
902.854500	23.93	-3.2	27.13	Vertical	46.00

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.41	-20.5	47.91	Vertical	40.00
57.839000	16.09	-18.5	34.59	Vertical	40.00
119.967500	25.91	-21.4	47.31	Vertical	43.50
264.012500	22.33	-16.9	39.23	Vertical	46.00
399.570000	18.93	-13.1	32.03	Vertical	46.00
647.987000	30.49	-7.7	38.19	Vertical	46.00

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	27.14	-20.5	47.64	Vertical	40.00
57.790500	16.09	-18.5	34.59	Vertical	40.00
119.967500	25.90	-21.4	47.30	Vertical	43.50
269.978000	13.25	-16.7	29.95	Vertical	46.00
400.152000	24.26	-13.1	37.36	Vertical	46.00
901.254000	23.01	-3.2	26.21	Vertical	46.00

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.26	-20.5	47.76	Vertical	40.00
119.967500	25.95	-21.4	47.35	Vertical	43.50
264.012500	22.42	-16.9	39.32	Vertical	46.00
324.007000	8.94	-15.3	24.24	Vertical	46.00
404.953500	23.16	-12.9	36.06	Vertical	46.00
901.060000	24.40	-3.2	27.60	Vertical	46.00

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.716000	26.84	-20.5	47.34	Vertical	40.00
57.936000	15.98	-18.6	34.58	Vertical	40.00
119.967500	25.91	-21.4	47.31	Vertical	43.50
269.978000	13.19	-16.7	29.89	Vertical	46.00
402.965000	23.42	-13.0	36.42	Vertical	46.00
600.020500	28.28	-8.1	36.38	Vertical	46.00

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.26	-20.5	47.76	Vertical	40.00
57.839000	16.15	-18.5	34.65	Vertical	40.00
119.967500	25.93	-21.4	47.33	Vertical	43.50
270.026500	13.08	-16.7	29.78	Vertical	46.00
404.953500	22.61	-12.9	35.51	Vertical	46.00
899.556500	19.57	-3.3	22.87	Vertical	46.00

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.23	-20.5	47.73	Vertical	40.00
57.693500	16.07	-18.5	34.57	Vertical	40.00
119.967500	25.92	-21.4	47.32	Vertical	43.50
324.007000	34.14	-15.3	49.44	Vertical	46.00
647.987000	22.71	-7.7	30.41	Vertical	46.00
910.372000	25.85	-3.1	28.95	Vertical	46.00

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.38	-20.5	47.88	Vertical	40.00
119.967500	26.00	-21.4	47.40	Vertical	43.50
283.946000	21.39	-16.5	37.89	Vertical	46.00
324.007000	34.19	-15.3	49.49	Vertical	46.00
404.323000	23.80	-13.0	36.80	Vertical	46.00
647.987000	30.60	-7.7	38.30	Vertical	46.00

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.104000	26.93	-20.4	47.33	Vertical	40.00
57.839000	16.12	-18.5	34.62	Vertical	40.00
119.967500	26.04	-21.4	47.44	Vertical	43.50
270.026500	13.17	-16.7	29.87	Vertical	46.00
323.958500	32.10	-15.3	47.40	Vertical	46.00
910.226500	23.34	-3.1	26.44	Vertical	46.00

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	27.23	-20.5	47.73	Vertical	40.00
58.081500	15.52	-18.6	34.12	Vertical	40.00
119.967500	26.00	-21.4	47.40	Vertical	43.50
324.007000	34.12	-15.3	49.42	Vertical	46.00
401.898000	23.28	-13.0	36.28	Vertical	46.00
904.212500	23.35	-3.2	26.55	Vertical	46.00

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.23	-20.5	47.73	Vertical	40.00
57.693500	16.06	-18.5	34.56	Vertical	40.00
119.967500	26.01	-21.4	47.41	Vertical	43.50
269.978000	13.29	-16.7	29.99	Vertical	46.00
400.249000	23.64	-13.1	36.74	Vertical	46.00
600.020500	28.35	-8.1	36.45	Vertical	46.00

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.25	-20.5	47.75	Vertical	40.00
119.967500	26.00	-21.4	47.40	Vertical	43.50
311.979000	25.50	-15.7	41.20	Vertical	46.00
455.975500	26.28	-12.0	38.28	Vertical	46.00
914.543000	22.91	-3.1	26.01	Vertical	46.00
995.926000	27.17	-2.2	29.37	Vertical	54.00

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.552000	26.09	-20.9	46.99	Vertical	40.00
119.967500	26.13	-21.4	47.53	Vertical	43.50
311.979000	25.56	-15.7	41.26	Vertical	46.00
425.081000	19.45	-12.6	32.05	Vertical	46.00
799.161500	22.94	-5.2	28.14	Vertical	46.00
997.866000	26.59	-2.1	28.69	Vertical	54.00

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.33	-20.5	47.83	Vertical	40.00
119.967500	26.10	-21.4	47.50	Vertical	43.50
311.979000	25.53	-15.7	41.23	Vertical	46.00
456.024000	26.21	-12.0	38.21	Vertical	46.00
918.762500	22.62	-3.0	25.62	Vertical	46.00
989.912000	28.22	-2.2	30.42	Vertical	54.00

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.152500	26.68	-20.4	47.08	Vertical	40.00
119.967500	26.05	-21.4	47.45	Vertical	43.50
394.865500	19.70	-13.2	32.90	Vertical	46.00
796.979000	23.13	-5.3	28.43	Vertical	46.00
992.337000	27.36	-2.2	29.56	Vertical	54.00
994.422500	27.10	-2.2	29.30	Vertical	54.00

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.007000	27.13	-20.5	47.63	Vertical	40.00
58.081500	15.55	-18.6	34.15	Vertical	40.00
119.967500	25.98	-21.4	47.38	Vertical	43.50
311.979000	25.49	-15.7	41.19	Vertical	46.00
796.736500	22.56	-5.3	27.86	Vertical	46.00
995.586500	26.70	-2.2	28.90	Vertical	54.00

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.24	-20.5	47.74	Vertical	40.00
57.645000	16.09	-18.5	34.59	Vertical	40.00
119.967500	26.02	-21.4	47.42	Vertical	43.50
311.979000	25.48	-15.7	41.18	Vertical	46.00
455.975500	26.47	-12.0	38.47	Vertical	46.00
889.759500	23.41	-3.5	26.91	Vertical	46.00

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.27	-20.5	47.77	Vertical	40.00
57.887500	16.23	-18.5	34.73	Vertical	40.00
119.967500	26.06	-21.4	47.46	Vertical	43.50
311.979000	25.51	-15.7	41.21	Vertical	46.00
455.975500	26.47	-12.0	38.47	Vertical	46.00
905.716000	22.40	-3.2	25.60	Vertical	46.00



For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.24	-20.5	47.74	Vertical	40.00
57.936000	15.97	-18.6	34.57	Vertical	40.00
119.967500	26.09	-21.4	47.49	Vertical	43.50
263.964000	21.03	-16.9	37.93	Vertical	46.00
472.514000	22.36	-11.6	33.96	Vertical	46.00
599.729500	21.07	-8.1	29.17	Vertical	46.00

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.35	-20.5	47.85	Vertical	40.00
57.790500	16.10	-18.5	34.60	Vertical	40.00
119.967500	26.14	-21.4	47.54	Vertical	43.50
263.964000	20.95	-16.9	37.85	Vertical	46.00
311.979000	25.61	-15.7	41.31	Vertical	46.00
790.140500	22.27	-5.3	27.57	Vertical	46.00

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.104000	26.88	-20.4	47.28	Vertical	40.00
119.967500	26.16	-21.4	47.56	Vertical	43.50
456.024000	26.11	-12.0	38.11	Vertical	46.00
600.020500	28.36	-8.1	36.46	Vertical	46.00
988.020500	25.61	-2.3	27.91	Vertical	54.00
993.937500	27.22	-2.2	29.42	Vertical	54.00

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.39	-20.5	47.89	Vertical	40.00
119.967500	26.12	-21.4	47.52	Vertical	43.50
311.979000	25.54	-15.7	41.24	Vertical	46.00
476.879000	22.51	-11.5	34.01	Vertical	46.00
796.494000	21.54	-5.3	26.84	Vertical	46.00
990.106000	27.38	-2.2	29.58	Vertical	54.00

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.764500	27.02	-20.5	47.52	Vertical	40.00
57.693500	16.05	-18.5	34.55	Vertical	40.00
119.967500	26.04	-21.4	47.44	Vertical	43.50
311.979000	25.51	-15.7	41.21	Vertical	46.00
455.975500	26.40	-12.0	38.40	Vertical	46.00
889.808000	23.19	-3.5	26.69	Vertical	46.00

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.34	-20.5	47.84	Vertical	40.00
57.645000	16.04	-18.5	34.54	Vertical	40.00
119.967500	26.03	-21.4	47.43	Vertical	43.50
311.979000	25.54	-15.7	41.24	Vertical	46.00
791.353000	22.64	-5.3	27.94	Vertical	46.00
799.161500	23.87	-5.2	29.07	Vertical	46.00

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.25	-20.5	47.75	Vertical	40.00
57.790500	16.12	-18.5	34.62	Vertical	40.00
119.967500	26.10	-21.4	47.50	Vertical	43.50
311.979000	25.63	-15.7	41.33	Vertical	46.00
795.669500	21.30	-5.3	26.60	Vertical	46.00
998.205500	26.23	-2.1	28.33	Vertical	54.00

For 802.11a Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.746000	26.32	-20.8	47.12	Vertical	40.00
119.967500	26.12	-21.4	47.52	Vertical	43.50
455.975500	26.37	-12.0	38.37	Vertical	46.00
592.745500	20.38	-8.3	28.68	Vertical	46.00
989.330000	27.17	-2.2	29.37	Vertical	54.00
999.854500	25.76	-2.1	27.86	Vertical	54.00

For 802.11n(HT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.33	-20.5	47.83	Vertical	40.00
57.548000	15.77	-18.5	34.27	Vertical	40.00
119.967500	26.06	-21.4	47.46	Vertical	43.50
263.964000	20.97	-16.9	37.87	Vertical	46.00
311.979000	25.64	-15.7	41.34	Vertical	46.00
894.076000	23.24	-3.4	26.64	Vertical	46.00

For 802.11ac(VHT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	27.13	-20.5	47.63	Vertical	40.00
57.645000	15.97	-18.5	34.47	Vertical	40.00
119.967500	26.11	-21.4	47.51	Vertical	43.50
311.979000	25.59	-15.7	41.29	Vertical	46.00
791.498500	20.61	-5.3	25.91	Vertical	46.00
993.355500	26.47	-2.2	28.67	Vertical	54.00

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.37	-20.5	47.87	Vertical	40.00
57.887500	16.13	-18.5	34.63	Vertical	40.00
119.967500	26.05	-21.4	47.45	Vertical	43.50
263.964000	21.11	-16.9	38.01	Vertical	46.00
311.979000	25.56	-15.7	41.26	Vertical	46.00
893.154500	23.29	-3.4	26.69	Vertical	46.00

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.42	-20.5	47.92	Vertical	40.00
57.742000	16.05	-18.5	34.55	Vertical	40.00
119.967500	26.12	-21.4	47.52	Vertical	43.50
311.979000	25.55	-15.7	41.25	Vertical	46.00
455.975500	26.37	-12.0	38.37	Vertical	46.00
899.653500	23.43	-3.3	26.73	Vertical	46.00

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.36	-20.5	47.86	Vertical	40.00
57.887500	16.01	-18.5	34.51	Vertical	40.00
119.967500	26.09	-21.4	47.49	Vertical	43.50
399.133500	20.85	-13.1	33.95	Vertical	46.00
600.020500	28.49	-8.1	36.59	Vertical	46.00
988.311500	27.83	-2.3	30.13	Vertical	54.00

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.716000	26.99	-20.5	47.49	Vertical	40.00
58.081500	15.52	-18.6	34.12	Vertical	40.00
119.967500	26.06	-21.4	47.46	Vertical	43.50
311.979000	25.54	-15.7	41.24	Vertical	46.00
396.320500	20.72	-13.2	33.92	Vertical	46.00
799.646500	22.74	-5.2	27.94	Vertical	46.00

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	27.16	-20.5	47.66	Vertical	40.00
119.967500	26.12	-21.4	47.52	Vertical	43.50
311.979000	25.64	-15.7	41.34	Vertical	46.00
456.024000	26.13	-12.0	38.13	Vertical	46.00
790.286000	22.88	-5.3	28.18	Vertical	46.00
992.967500	27.58	-2.2	29.78	Vertical	54.00

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.764500	27.23	-20.5	47.73	Vertical	40.00
119.967500	26.07	-21.4	47.47	Vertical	43.50
311.979000	25.63	-15.7	41.33	Vertical	46.00
398.406000	20.26	-13.1	33.36	Vertical	46.00
921.575500	22.57	-3.0	25.57	Vertical	46.00
991.076000	27.62	-2.2	29.82	Vertical	54.00

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.764500	27.13	-20.5	47.63	Vertical	40.00
119.967500	26.11	-21.4	47.51	Vertical	43.50
311.979000	25.63	-15.7	41.33	Vertical	46.00
455.975500	26.24	-12.0	38.24	Vertical	46.00
599.972000	28.45	-8.1	36.55	Vertical	46.00
998.545000	25.69	-2.1	27.79	Vertical	54.00

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	27.42	-20.5	47.92	Vertical	40.00
119.967500	26.05	-21.4	47.45	Vertical	43.50
311.979000	25.57	-15.7	41.27	Vertical	46.00
400.637000	18.58	-13.0	31.58	Vertical	46.00
797.221500	21.54	-5.3	26.84	Vertical	46.00
993.695000	27.39	-2.2	29.59	Vertical	54.00

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	27.44	-20.5	47.94	Vertical	40.00
119.967500	26.01	-21.4	47.41	Vertical	43.50
263.964000	21.23	-16.9	38.13	Vertical	46.00
311.979000	25.61	-15.7	41.31	Vertical	46.00
799.792000	23.51	-5.2	28.71	Vertical	46.00
987.826500	28.18	-2.3	30.48	Vertical	54.00

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	26.76	-20.5	47.26	Vertical	40.00
119.967500	25.98	-21.4	47.38	Vertical	43.50
264.012500	22.35	-16.9	39.25	Vertical	46.00
311.979000	25.62	-15.7	41.32	Vertical	46.00
600.020500	28.53	-8.1	36.63	Vertical	46.00
993.889000	26.83	-2.2	29.03	Vertical	54.00

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.007000	26.96	-20.5	47.46	Vertical	40.00
119.967500	26.11	-21.4	47.51	Vertical	43.50
456.024000	26.03	-12.0	38.03	Vertical	46.00
600.020500	28.54	-8.1	36.64	Vertical	46.00
987.632500	27.49	-2.3	29.79	Vertical	54.00
997.623500	26.44	-2.1	28.54	Vertical	54.00

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.05	-20.5	47.55	Vertical	40.00
57.887500	16.24	-18.5	34.74	Vertical	40.00
119.967500	26.13	-21.4	47.53	Vertical	43.50
311.979000	25.71	-15.7	41.41	Vertical	46.00
792.420000	22.43	-5.3	27.73	Vertical	46.00
990.445500	26.52	-2.2	28.72	Vertical	54.00

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.764500	26.79	-20.5	47.29	Vertical	40.00
57.984500	15.90	-18.6	34.50	Vertical	40.00
119.967500	26.16	-21.4	47.56	Vertical	43.50
270.026500	13.21	-16.7	29.91	Vertical	46.00
311.979000	25.66	-15.7	41.36	Vertical	46.00
910.954000	25.31	-3.1	28.41	Vertical	46.00

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.15	-20.5	47.65	Vertical	40.00
119.967500	26.10	-21.4	47.50	Vertical	43.50
269.978000	13.29	-16.7	29.99	Vertical	46.00
323.958500	32.20	-15.3	47.50	Vertical	46.00
403.983500	24.45	-13.0	37.45	Vertical	46.00
908.820000	24.08	-3.1	27.18	Vertical	46.00

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	27.21	-20.5	47.71	Vertical	40.00
119.967500	26.01	-21.4	47.41	Vertical	43.50
324.007000	34.16	-15.3	49.46	Vertical	46.00
404.226000	23.31	-13.0	36.31	Vertical	46.00
647.987000	30.31	-7.7	38.01	Vertical	46.00
908.917000	24.03	-3.1	27.13	Vertical	46.00

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	26.86	-20.5	47.36	Vertical	40.00
57.887500	16.22	-18.5	34.72	Vertical	40.00
119.967500	26.13	-21.4	47.53	Vertical	43.50
269.978000	13.28	-16.7	29.98	Vertical	46.00
401.995000	23.02	-13.0	36.02	Vertical	46.00
599.972000	28.45	-8.1	36.55	Vertical	46.00

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.716000	26.76	-20.5	47.26	Vertical	40.00
119.967500	26.07	-21.4	47.47	Vertical	43.50
269.978000	33.55	-16.7	50.25	Vertical	46.00
311.979000	25.81	-15.7	41.51	Vertical	46.00
400.103500	23.61	-13.1	36.71	Vertical	46.00
907.316500	22.23	-3.2	25.43	Vertical	46.00

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	27.18	-20.5	47.68	Vertical	40.00
57.693500	16.20	-18.5	34.70	Vertical	40.00
119.967500	26.08	-21.4	47.48	Vertical	43.50
311.979000	25.81	-15.7	41.51	Vertical	46.00
405.002000	22.48	-12.9	35.38	Vertical	46.00
900.041500	24.01	-3.3	27.31	Vertical	46.00

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.18	-20.5	47.68	Vertical	40.00
59.973000	15.05	-18.8	33.85	Vertical	40.00
119.967500	26.04	-21.4	47.44	Vertical	43.50
311.979000	25.73	-15.7	41.43	Vertical	46.00
456.024000	26.19	-12.0	38.19	Vertical	46.00
791.159000	22.73	-5.3	28.03	Vertical	46.00

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.055500	26.86	-20.5	47.36	Vertical	40.00
119.967500	26.02	-21.4	47.42	Vertical	43.50
311.979000	25.74	-15.7	41.44	Vertical	46.00
455.975500	26.43	-12.0	38.43	Vertical	46.00
599.972000	28.49	-8.1	36.59	Vertical	46.00
989.863500	28.35	-2.2	30.55	Vertical	54.00

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.007000	27.02	-20.5	47.52	Vertical	40.00
57.984500	15.93	-18.6	34.53	Vertical	40.00
119.967500	26.06	-21.4	47.46	Vertical	43.50
264.012500	22.22	-16.9	39.12	Vertical	46.00
311.979000	25.73	-15.7	41.43	Vertical	46.00
896.646500	23.61	-3.4	27.01	Vertical	46.00

For 802.11ac(VHT40) Channel No.:159


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.667500	26.50	-20.6	47.10	Vertical	40.00
57.984500	15.93	-18.6	34.53	Vertical	40.00
119.967500	26.07	-21.4	47.47	Vertical	43.50
311.979000	25.73	-15.7	41.43	Vertical	46.00
456.024000	26.31	-12.0	38.31	Vertical	46.00
798.919000	22.11	-5.2	27.31	Vertical	46.00



For 802.11ac(VHT80) Channel No.:155


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.958500	27.19	-20.5	47.69	Vertical	40.00
57.887500	16.27	-18.5	34.77	Vertical	40.00
119.967500	26.09	-21.4	47.49	Vertical	43.50
311.979000	25.75	-15.7	41.45	Vertical	46.00
892.281500	23.25	-3.4	26.65	Vertical	46.00
991.512500	27.89	-2.2	30.09	Vertical	54.00

Carrier frequency (MHz): 5180  
Channel No.:36




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG AV54  
\* Critical\_Freqs PK+     — PK.74     ◆ Final\_Result PK+  
◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




— Preview Result 1-PK+     — FCC PART15     ◆ Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5200  
 Channel No.:40


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a




Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240  
 Channel No.:48


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- ◆ PK.74
- ◆ AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5190  
 Channel No.:38

Full Spectrum




- ◆ Preview Result 1-PK+
- ◆ FCC PART15
- ◆ Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



\* Preview Result 2-AVG      — Preview Result 1-PK+      \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+      — PK.74      — AV54  
◆ Final\_Result PK+      ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




— Preview Result 1-PK+      — FCC PART15      ◆ Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5230  
Channel No.:46


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)




Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




◆ Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG AV54  
\* Critical\_Freqs PK+     — PK.74     ◆ Final\_Result AVG  
◆ Final\_Result PK+

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5210  
 Channel No.:42

Full Spectrum




— Preview Result 1-PK+     — FCC PART15     ◆ Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5260  
Channel No.:52


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5300  
 Channel No.:60


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5320  
 Channel No.:64


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5270  
 Channel No.:54


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)




Full Spectrum



Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5310  
Channel No.:62

Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)