


Exhibit C: Label Location
World Telemetry, Inc.
DataLink WTDL0901

**World Telemetry, Inc.
DataLink WTDL0901**



Label goes here



Front Label

World Telemetry, Inc.
DataLink WTDL0901



WARNING: TO PREVENT IGNITION OF A HAZARDOUS ATMOSPHERE, BATTERY MUST ONLY BE CHANGED IN AN AREA KNOWN TO BE NON- HAZARDOUS.

WARNING - SUBSTITUTION OF COMPONENTS MAY IMPAIR INTRINSIC SAFETY.

ADVERTISSEMENT: AFIN DE PRÉVENIR L'INFLAMMATION D'ATMOSPHÈRES DANGEREUSES, NE CHANGER LE BATTERIE QUE DANS DES EMPLACEMENTS DÉSIGNÉS NON DANGEREUX.

ADVERTISSEMENT: LA SUBSTITUTION DE COMPOSANTS PEUT COMPROMETTRE LA SÉCURITÉ INTRINSÈQUE.

CAUTION: Replace battery only with WTI part no. WTAPXX01-01XXXX.

INTRINSICALLY SAFE DEVICE/ SÉCURITÉ INTRINSÈQUE Exia

Use mild soap, water and a cloth to remove dirt and grime from the DataLink and the product label.
Ambient Temperature Range -40C to +80C
Temperature Code T4 Enclosure Rating IP67
See Instruction Manual DL-TD3 for installation.

Back Label