

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

TEST REPORT

Phitek TFMT Tuneable FM Transmitter

tested to


47 Code of Federal Regulations

Part 15 - Radio Frequency Devices

Subpart C – Intentional Radiators

for

Parkside Laboratories Ltd



This Test Report is issued with the authority of:

Andrew Cutler - General Manager



All tests reported
herein have been
performed in accordance
with the laboratory's
scope of accreditation

EMC Technologies (NZ) Ltd

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Page 1 of 10 This report may not be reproduced except in full

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: aucklab@ihug.co.nz
Web Site: www.emctech.com.au

EMC Technologies (NZ) Ltd

Test Report No **50925.1**

Report date: 28 September 2005

Table of Contents

1. STATEMENT OF COMPLIANCE	3
2. RESULTS SUMMARY	3
3. INTRODUCTION	4
4. CLIENT INFORMATION	4
5. DESCRIPTION OF TEST SAMPLE	5
6. RESULTS	5
7. TEST EQUIPMENT USED	9
8. ACCREDITATIONS	9
9. PHOTOGRAPH (S)	10

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

1. STATEMENT OF COMPLIANCE

The **Phitek TFMT Tuneable FM Transmitter** complies with FCC Part 15 Subpart C as an Intentional Radiator when the methods, as described in ANSI C63.4 - 1992, are applied.

2. RESULTS SUMMARY

Clause	Parameter	Result
15.201	Equipment authorisation requirement	Certification required.
15.203	Antenna requirement	Not assessed
15.204	External PA and antenna modifications	Not assessed
15.205	Restricted bands of operation	Not assessed
15.207	Conducted limits	Not tested
15.209	Radiated emission limits	Noted. See 15.239(c)
15.215	Additional provisions	Not assessed.
15.239(a)	Operation in the band 88 – 108 MHz: Modulation	Not tested
15.239(b)	Field strength of fundamental	Not tested
15.239(c)	Field strength of spurious emissions.	Complies.
15.239(d)	Telemetry intentional radiator	Not assessed

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

3. INTRODUCTION

This report describes the tests and measurements performed on the **Phitek TFMT Tuneable FM Transmitter** for the purpose of determining compliance with the specification.

The client selected the test sample.

This report relates only to the sample tested.

This report contains no corrections or erasures.

Measurement uncertainties with statistical confidence intervals of 95% are shown below test results. Both Class A and Class B uncertainties have been accounted for, as well as influence uncertainties where appropriate.

4. CLIENT INFORMATION

Company Name Parkside Laboratories Ltd

Address PO Box 9194

City Christchurch

Country New Zealand

Contact Mr Brian Drumm

FCC Grantee Code Not known

FRN # Not known

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

5. DESCRIPTION OF TEST SAMPLE

Brand Name	Phitek
Model Number	TFMT
Product	Tuneable FM Transmitter
Manufacturer	Phitek Systems Ltd
Country of Origin	New Zealand
Serial Number	S1

6. RESULTS

Standard

The sample was tested in accordance with 47 CFR Part 15 Subpart C.

Methods and Procedures

The measurement methods and procedures as described in ANSI C63.4 - 1992 were used.

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

Section 15.209: Radiated emission limits, general requirements

At the request of the client limited measurements were carried out over the range of 7.0 MHz to 30 MHz.

Initial measurements were carried out in the laboratory using a Van Veen Loop 2 m Triple Loop antenna system.

Further measurements were then made at the test site using a magnetic loop.

Testing was carried out at the laboratory's open area test site - located at Driving Creek, Orere Point, Auckland, New Zealand.

This site conforms to the requirements of CISPR 16, Part 1, Clause 16, and ANSI C63.4 – 1992 and is site listed with the FCC.

The device was placed on the test tabletop, which is a total of 0.8 m above the test site ground plane.

The antenna was located at a distance of 10 metres from the device with the centre of the loop being 1 metre above the test site ground plane.

When an emission is located, it is positively identified and its maximum level is found by rotating the automated turntable, and by varying the position of the loop antenna.

The emission level was determined in field strength by taking the following into consideration:

Level (dB μ V/m) = Receiver Reading(dB μ V) + Antenna Factor(dB) + Coax Loss(dB)

Measurements were made while the device was transmitting continuously.

A receiver with a quasi peak detector with a 10 kHz bandwidth was used between 7.0 – 30.0 MHz.

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

The limit as described in Section 15.209 have been applied as follows:

1.705 – 30.0 MHz 30 uV/m 29.5 dBuV/m when measured at 30 metres.

As measurements have been attempted at 10 metres the 30 metre limit has been scaled using a factor of 40 dB per decade as per section 15.31 (f)(2).

Therefore a limit of 49.5 dBuV/m has been applied.

Result: Complies.

Measurement uncertainty with a confidence interval of 95% is:

- Free radiation tests (0.15 – 30.0 MHz) \pm 4.8 dB

EMC Technologies (NZ) Ltd

Test Report No 50925.1


Report date: 28 September 2005

Radiated Emissions at 10m

Comments:

Device tested using 12V DC when transmitting continuously on 90.2MHz.

Level [dB μ V/m]



Peak -----

Quasi Peak X

Quasi-Peak Measurements

Frequency MHz	Level dB μ V	Limit dB μ V	Margin dB	Exceed	Rechecks dB μ V
10.030000	13.51	49.50	35.99		
14.020000	15.14	49.50	34.36		
18.550000	16.46	49.50	33.04		
30.000000	21.47	49.50	28.03		

EMC Technologies (NZ) Ltd

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

E-mail: aucklab@ihug.co.nz
Web Site: www.emctech.com.au

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

7. TEST EQUIPMENT USED

Instrument	Manufacturer	Model	Serial No	Asset Ref
Aerial Controller	EMCO	1090	9112-1062	RFS 3710
Turntable	EMCO	1080-1-2.1	9109-1578	RFS 3709
Measurement Receiver	Rohde & Schwarz	ESCS 30	847124/020	E1595
2m Triple Loop Antenna	Rohde & Schwarz	HM020	843885/004	-
Coax Cable	Sucoflex	104PA	2545/4PA	-
Loop Antenna Tuner	Schwarzbeck	FMZ 1514	-	RFS 3602
Magnetic Loop	Schwarzbeck	FMZ 15142	-	RFS 3654
Magnetic Loop	Schwarzbeck	FMZ 15141	-	RFS 3653

8. ACCREDITATIONS

Testing was carried out in accordance with EMC Technologies Ltd registration with the Federal Communications Commission as a listed facility, Registration Number: 90838, which was last updated on February 17th, 2004.

All testing was carried out in accordance with the terms of EMC Technologies (NZ) Ltd International Accreditation New Zealand (IANZ) Accreditation to NZS/ISO/IEC 17025.1999.

All measurement equipment has been calibrated in accordance with the terms of the EMC Technologies (NZ) Ltd International Accreditation New Zealand (IANZ) Accreditation to NZS/ISO/IEC 17025.1999.

International Accreditation New Zealand has Mutual Recognition Arrangements for testing and calibration with 46 accreditation bodies in 34 economies. This includes NATA (Australia), UKAS (UK), SANAS (South Africa), NVLAP (USA), A2LA (USA), SWEDAC (Sweden). Further details can be supplied on request.

EMC Technologies (NZ) Ltd

Test Report No 50925.1

Report date: 28 September 2005

9. PHOTOGRAPH (S)

