Test of Sensus Metering Systems Navicomm Series

To: FCC 47 CFR Part 15, SubPart B and Radio Collocation

Test Report Serial No.: SNUS11-U2 Rev C



TEST REPORT



Test of: Sensus Metering Systems Navicomm

To: FCC 47 CFR Part 15, SubPart B and Radio Collocation

Test Report Serial No.: SNUS11-U2 Rev C

This report supersedes: SNUS11-U2 Rev B

Applicant:		Sensus Mete	Sensus Metering Systems			
		8609 Six Forl	ks Rd 3rd Floor			
		Raleigh, NC	27615			
		USA				
Product Funct	tion:	Remote telen	netry device			
Copy No:	pdf	Issue Date:	20th January 2011			





Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 3 of 57

TABLE OF CONTENTS

1	ACCREDITATION, LISTINGS & RECOGNITION	4
	1.1 TESTING ACCREDITATION	4
	1.2 RECOGNITION	5
	1.3 PRODUCT CERTIFICATION	6
2	DOCUMENT HISTORY	7
3	TEST RESULT CERTIFICATE	8
4	REFERENCES AND MEASUREMENT UNCERTAINTY	9
	4.1 Normative References	9
	4.2 Test and Uncertainty Procedures	. 10
5	TEST SUMMARY	. 11
6	PRODUCT DETAILS AND TEST CONFIGURATIONS	.12
	6.1 Test Program Scope	. 12
	6.2 EUT Details	. 15
	6.3 External A.C/D.C Power Adaptor	. 16
	6.4 Antenna Details	. 16
	6.5 Cabling and I/O Ports	. 16
	6.6 Equipment Details	.17
	6.8 Equipment Modifications	. 17
	6.9 Deviations from the Test Standard	17
7	Test Results	18
•	7.1 Radiated Spurious Emissions – Digital Apparatus	.18
	7.1.1 Measurement Results for Radiated Spurious Emissions – Digital Apparatus	.24
	7.2 Conducted Disturbance at Mains Terminal (150 kHz – 30 MHz)	. 25
	7.2.1 Conducted Disturbance at Mains Terminal (150 kHz – 30 MHz)	.29
	7.3 Radiated Spurious Emissions - Radio Collocation	. 30
	7.3.1 Measurement Results: F4 Radio Collocation	.36
	7.3.2 Measurement Results: G2 Radio Collocation	.40
-	7.3.3 Measurement Results: 900 Radio Collocation	.44
8	Photographs	.48
	8.1 GPRS base station simulator setup	.48
	8.2 Navicomm with E4 Radio; Emissions above 1 GHz	.49
	8.4 Navicomm with G2 Radio: Emissions 30 - 1000 MHz	. 50
	8.5 Navicomm with G2 Radio; Emissions above 1 GHz	.52
	8.6 Navicomm with 900MHz Radio: Emissions 30 - 1000 MHz.	.53
	8.7 Navicomm with 900 MHz Radio; Emissions 30 - 1000 MHz	. 54
	8.8 Navicomm emissions on AC Line	. 55
9	TEST EQUPIMENT DETAILS	56



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 4 of 57

1 ACCREDITATION, LISTINGS & RECOGNITION

1.1 TESTING ACCREDITATION

MiCOM Labs, Inc. is an accredited Electrical testing laboratory per the international standard EN ISO/IEC 17025. The company is accredited by the American Association for Laboratory Accreditation (A2LA) <u>www.a2la.org</u> test laboratory number 2381.01. MiCOM Labs test schedule is available at the following URL; <u>http://www.a2la.org/scopepdf/2381-01.pdf</u>



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



1.2 RECOGNITION

MiCOM Labs, Inc has widely recognized Electrical testing capabilities. Our international recognition includes Conformity Assessment Body designation by APEC MRA** countries. Our test reports are widely accepted for global type approvals.

Country	Recognition Body	Status	Phase	Identification No.
USA	Federal Communications Commission (FCC)	TCB	-	Listing #: 102167
Canada	Industry Canada (IC)	FCB	APEC MRA 2	Listing #: 4143A
Japan	VCCI	-	-	No. 2959
Australia	Australian Communications and Media Authority (ACMA)	CAB	APEC MRA 1	
Hong Kong	Office of the Telecommunication Authority (OFTA)	CAB	APEC MRA 1	
Korea	Ministry of Information and Communication Radio Research Laboratory (RRL)	CAB	APEC MRA 1	
Singapore	Infocomm Development Authority (IDA)	CAB	APEC MRA 1	
Taiwan	National Communications Commission (NCC) Bureau of Standards, Metrology and Inspection (BSMI)	CAB	APEC MRA 1	
Vietnam	Ministry of Communication (MIC)	CAB	APEC MRA 1	

**APEC MRA – Asia Pacific Economic Community Mutual Recognition Agreement. Is a recognition agreement under which test lab is accredited to regulatory standards of the APEC member countries.

Phase I - recognition for product testing Phase II – recognition for both product testing and certification N/A – Not Applicable



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 6 of 57

1.3 PRODUCT CERTIFICATION

MiCOM Labs, Inc. is an accredited Product Certification Body per the international standard EN ISO/IEC Guide 65. The company is accredited by the American Association for Laboratory Accreditation (A2LA) <u>www.a2la.org</u> test laboratory number 2381.02. MiCOM Labs test schedule is available at the following URL; <u>http://www.a2la.org/scopepdf/2381-02.pdf</u>



United States of America – Telecommunication Certification Body

TCB Identifier - US0159

Industry Canada – Certification Body

CAB Identifier - US0159



2 DOCUMENT HISTORY

Document History				
Revision	Date	Comments		
Draft				
Rev A	4 th January 2011	Initial Release		
Rev B	4 th January 2011	Correction of typo.		
Rev C	20 th January 2011	Correction of 900MHz radio model name.		

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 8 of 57

3 TEST RESULT CERTIFICATE

Applicant:	Sensus Metering Systems 8609 Six Forks Rd 3rd Floor Raleigh NC 27615, USA	Tested By:	MiCOM Labs, Inc. 440 Boulder Court Suite 200 Pleasanton California, 94566, USA
Product:	Navicomm Series	Telephone:	+1 925 462 0304
Model No.:	NaviComm-GSM/GPRS-G2 NaviComm-GSM/GPRS-F4 NaviComm-FLX-900	Fax:	+1 925 462 0306
5/N0 S:	N/A - Engineering Samples		
Date(s) Tested:	9/21/2010 - 9/23/2010	Website:	www.micomlabs.com

STANDARD(S)TEST RESULTSFCC 47 CFR Part 15 Subpart B + radio
collocationEQUIPMENT COMPLIES

MiCOM Labs, Inc. tested the equipment mentioned in accordance with the requirements set forth in the above standards. Test results indicate that the equipment tested is capable of demonstrating compliance with the requirements as documented within this report.

Notes:

- 1. This document reports conditions under which testing was conducted and the results of testing performed.
- 2. Details of test methods used have been recorded and kept on file by the laboratory.
- 3. Test results apply only to the item(s) tested.

Approved & Released for MiCOM Labs, Inc. by:

Graeme Grieve Quality Manager MiCOM Labs, Inc.

TESTING CERTIFICATE #2381.01

Gordon Hurst resident & CEO MiCOM Labs, Inc.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 9 of 57

4 REFERENCES AND MEASUREMENT UNCERTAINTY

Publication Ref. Year Title Code of Federal Regulations, Title 47, Part 15 (47 CFR 47 CFR 2009 i. Part 15 15) 47 CFR 2009 PART 22--PUBLIC MOBILE SERVICES ii. Part 22H PART 24--PERSONAL COMMUNICATIONS 47 CFR 2009 iii. Part 24E SERVICES FCC 47 2009 Code of Federal Regulations; Part 90 iv. CFR Part 90 FCC 47 2009 Code of Federal Regulations; Part 101 CFR Part v. 101 American National Standards for Methods of Measurement of Radio-Noise Emissions from Low-ANSI C63.4 2009 vi. Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz Limits and Methods of Measurements of Radio 2008 CISPR 22/ Disturbance Characteristics of Information Technology vii. 2006+A1:2007 EN 55022 Equipment Edition 1 Dec. Expression of Uncertainty and Confidence in M 3003 viii. 1997 Measurements Edition 1 LAB34 The expression of uncertainty in EMC Testing ix. Aug 2002 Parts 1 and 2 ETSI TR Electromagnetic compatibility and Radio Spectrum 2001 х. 100 028 Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics Reference to A2LA Accreditation Status - A2LA 9TH June 2010 A2LA xi. Advertising Policy

4.1 Normative References

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 10 of 57

4.2 Test and Uncertainty Procedures

Conducted and radiated emission measurements were conducted in accordance with American National Standards Institute ANSI C63.4, listed in the Normative References section of this report.

Measurement uncertainty figures are calculated in accordance with ETSI TR 100 028 Parts 1 and 2.

Measurement uncertainties stated are based on a standard uncertainty multiplied by a coverage factor k = 2, providing a level of confidence of approximately 95 % in accordance with UKAS document M 3003 listed in the Normative References section of this report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 11 of 57

5 TEST SUMMARY

List of Measurements: The following table represents the list of measurements required under FCC 47 CFR Part 15, SubPart 15.247

Standard Section(s)	Test Description	Condition	Result	Test Report Section
15.205, 15.210	Radiated (Digital) Emissions	Radiated	Compliant	7.1
15.207	AC Wireline Emissions 0.15 – 30 MHz	Conducted	Compliant	7.2
(d), 15.205, 15.209	Transmitter Radiated Spurious Emissions; Colocation F4 radio module	Radiated	Compliant	7.3.1
(d), 15.205, 15.209	Transmitter Radiated Spurious Emissions; Colocation G2 radio module	Radiated	Compliant	7.3.2
(d), 15.205, 15.209	Transmitter Radiated Spurious Emissions; Colocation FlexNet 900 radio module	Radiated	Compliant	7.3.3

Note 1: Test results reported in this document relate only to the items tested

Note 2: The required tests demonstrated compliance as per client declaration of test configuration, monitoring methodology and associated pass/fail criteria

Note 3: Section 6.8 Equipment Modifications highlights the equipment modifications that were required to bring the product into compliance with the above test matrix

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 12 of 57

6 PRODUCT DETAILS AND TEST CONFIGURATIONS

6.1 Test Program Scope

The purpose of this test report is to show compliance of the Sensus Metering Systems Navicomm series of devices with FCC Class B emissions and Radio collocation requirements.

The Navicomm series of devices uses the Horstmann 2.4 GHz Smart Controller FCC ID: YQVHHH002 in colocation with one of the following devices:

MultiTech 900/1800 MHz (G2) device; FCC ID: AU792U09D24824 MultiTech 900/1800 MHz (F4) device; FCC ID: AU792U07A31817 Sensus Model U905458B; FlexNet 900; FCC ID: SDBDAFLX;



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 13 of 57

APPLICANT: Sensus Metering Systems PRODUCT: Navicomm



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 14 of 57

Internal Photograph of Navicomm showing location of Radio and Antennas.



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



6.2 EUT Details

Detail	Description
Purpose:	The purpose of this test report is to show compliance of the Sensus Metering Systems Navicomm series of devices with FCC Class B emissions and Radio collocation requirements
Applicant:	Sensus Metering Systems 8609 Six Forks Rd 3rd Floor Raleigh, NC 27615 USA
Manufacturer:	Same as applicant
Test Laboratory:	MiCOM Labs, Inc. 440 Boulder Court, Suite 200 Pleasanton, California 94566 USA
Test report reference number:	SNUS11
Date EUT received:	20th September 2010
Dates of test (from - to):	21st to 23rd September 2010
No of Units Tested:	2
Product Name:	Navicomm
Manufacturers Trade Name:	Sensus
Model No.:	NaviComm-GSM/GPRS-G2 NaviComm-GSM/GPRS-F4 NaviComm-FLX-900
Equipment Primary Function:	Remote Faulted Circuit Indicator
Equipment Secondary Function(s):	N/A
Installation type:	Fixed
Construction/Location for Use:	Outdoor only
Software/Firmware Release:	1.6.697
Hardware Release:	REV A
Test Software Release:	Engineering release
Rated Input Voltage and Current AC:	120VAC +/-10% (108VAC-132VAC), 0.1A
Operating Frequency:	60Hz +/- 0.5%
Rated Input Voltage and Current DC:	No DC option for normal operation
Operating Temperature Range °C:	-30C to +70C
Long Term Frequency Stability:	20 p.p.m.
Equipment Dimensions:	6" x 4" x 8"
Weight:	5lbs

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



6.3 External A.C/D.C Power Adaptor

No AC/DC adaptor used with this device.

6.4 Antenna Details

The following is a description of the EUT antennas.

Antenna Type:	Manufacturer	Model	Gain (dBi)	Frequency Range (MHz)
GSM/GPRS Antenna	Laird	TRA821/18503P	3	821/1850
900 Antenna	Laird	TRAB8903NP	3	821/1850
2.4GHz Antenna	Laird	MAP24064 Mini Nano-blade	2.5	2400- 2483.5

6.5 Cabling and I/O Ports

The following is a description of the cable and input, output ports available on the EUT.

Type of I/O Ports	Description	Screened (y/n)	Description	Qty	Tested
AC Mains	Connection to public AC power	Ν	1m-3m	1	Y
RF	N-Type connector for GPRS antenna	Y	< 1m	1	Y



6.6 Equipment Details

The following is a description of EUT and supporting equipment used during the test program.

Type (EUT/Support)	Equipment Description	Manufacturer	Model No.	Serial No (s).
EUT	Remote Faulted Circuit Indicator	Sensus	Navicomm	N/A - Engineering Samples
Radio Module	Horstmann 2.4 GHz Smart Controller FCC ID: YQVHHH002	Horstmann	AN- 0409/050710	N/A
Radio Module	MultiTech 900/1800 MHz (F4) device FCC ID: AU792U07A31817	MultiTech	MTSMC-G-F4	N/A
Radio Module	MultiTech 900/1800 MHz (G2) device FCC ID: AU792U09D24824	MultiTech	MTSMC-G2	N/A
Radio Module	Sensus FlexNet 900 MHz remote telemetry radio FCC ID: SDBDAFLX	Sensus	U905458B	N/A

6.7 Test Configurations

Configuation	Radio Module 1	Radio Module 2
Configuration	Horstmann 2.4 GHz Smart	MultiTech 900/1800 MHz (F4) device
1	Controller FCC ID: YQVHHH002	FCC ID: AU792U07A31817
Configuration	Horstmann 2.4 GHz Smart	MultiTech 900/1800 MHz (G2) device
2	Controller FCC ID: YQVHHH002	FCC ID: AU792U09D24824
Configuration	Horstmann 2.4 GHz Smart	Sensus 900 MHz remote telemetry
2	Controller FCC ID: YQVHHH002	radio FCC ID: SDBDAFLX

6.8 Equipment Modifications

No modifications were required.

6.9 Deviations from the Test Standard

Testing was performed as detailed in the response to inquiry to FCC (KDB Tracking Number 663683) concerning collocation testing of modules certified to two (2) different FCC parts.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 18 of 57

7 Test Results

7.1 Radiated Spurious Emissions – Digital Apparatus

Standard Reference

FCC, Part 15 Subpart B §15.109 Industry Canada ICES-003 §5

Test Procedure

Testing was performed in a 3-meter semi-anechoic chamber. Preliminary radiated emissions were measured on every azimuth and with the receiving antenna in both horizontal and vertical polarizations. Preliminary emissions were recorded with in Spectrum Analyzer mode, using a maximum peak detector while in peak hold mode.

Emissions nearest the limits were chosen for maximization and formal measurement using a CISPR Compliant receiver. Emissions from 30 MHz – 1000 MHz are measured utilizing a CISPR compliant quasi-peak detector with a tuned receiver, using a bandwidth of 120 kHz. Emissions above 1000 MHz are measured utilizing a CISPR compliant average detector with a tuned receiver, using a bandwidth of 1 MHz. Only the highest emissions relative to the limit are listed.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 19 of 57

Test Measurement Set up



Measurement set up for Radiated Emission Test < 1 GHz

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Measurement set up for Radiated Emission Test > 1 GHz

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Loss, and subtracting Amplifier Gain from the measured reading. All factors are included in the reported data.

FS = R + AF + CORR - FO

FS = Field Strength R = Measured Spectrum analyzer Input Amplitude AF = Antenna Factor

CORR = Correction Factor = CL – AG + NFL

CL = Cable Loss AG = Amplifier Gain FO = Distance Falloff Factor NFL = Notch Filter Loss or Waveguide Loss

Field Strength Calculation Example:

Given receiver input reading of 51.5 dB μ V; Antenna Factor of 8.5 dB; Cable Loss of 1.3 dB; Falloff Factor of 0 dB, an Amplifier Gain of 26 dB and Notch Filter Loss of 1 dB. The Field Strength of the measured emission is:

 $FS = 51.5 + 8.5 + 1.3 - 26.0 + 1 = 36.3 dB\mu V/m$

Conversion between dB μ V/m (or dB μ V) and μ V/m (or μ V) are done as:

Level (dB μ V/m) = 20 * Log (level (μ V/m))

40 dBμV/m = 100 μV/m 48 dBμV/m = 250 μV/m

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 22 of 57

Specification

Radiated Spurious Emissions – Digital Apparatus

FCC, Part 15 Subpart B §15.109

A representative type or model of each digital apparatus shall be tested in accordance with the measurement methods described in FCC Part 15; Subpart A - General and FCC Subpart B – Unintentional Radiators.

Industry Canada ICES-003

A representative type or model of each digital apparatus shall be tested in accordance with the measurement method described in the publication referred to in Section 7.1 [Canadian Standards Association Standard CAN/CSA-CEI/IEC CISPR 22:02, "Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment."].

FCC, Part 15 Subpart B §15.109 Spurious Emissions Limits

Except for Class A digital devices, the field strength of radiated emissions from unintentional radiators at a distance of 3 meters shall not exceed the following values.

Frequency (MHz)	Field Strength @ 3m (µV/m)	Measurement Distance (meters)	Field Strength (dBµV/m) @ 3m
30-88	100	3	40.0
88-216	150	3	43.5
216-960	200	3	46.0
Above 960	500	3	54.0

Field Strength of radiated emissions for a Class A digital device are as follows.

Frequency (MHz)	Field Strength @ 10m (µV/m)	Measurement Distance (meters)	Field Strength (dBµV/m) @ 3m
30-88	90	3	49.5
88-216	150	3	54.0
216-960	210	3	57.0
Above 960	300	3	60.0

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



ICES-003 §5 Spurious Emissions Limits

Class A Digital Device: The field intensity of radio noise emissions that are radiated from a Class A digital apparatus shall not exceed the limits specified in Table 5 of the publication referred to in Section 7.1, within the indicated frequency range.

Frequency range	Quasi-peak limits dB(µV/m) @	Quasi-peak limits dB(µV/m) @
MHz	10m	3m
30 to 230	40	50.5
230 to 1 000	47	57.5
Note 1	The lower limit shall apply at the tran	nsition frequency.
Noto 2	Additional provisions may be require	ed for cases where interference
NOLE Z	occurs	

Class B Digital Device: The field intensity of radio noise emissions that are radiated from a Class B digital apparatus shall not exceed the limits specified in Table 6 of the publication referred to in Section 7.1, within the indicated frequency range.

Frequency range	Quasi-peak limits dB(µV/m) @	Quasi-peak limits dB(µV/m) @
MHz	10m	3m
30 to 230	30	40.5
230 to 1 000	37	47.5
Note 1	The lower limit shall apply at the transition frequency.	
Noto 2	Additional provisions may be required for cases where interference	
NOLE Z	occurs	

Laboratory Measurement Uncertainty for Spectrum Measurement

Measurement Uncertainty	+5.6/ -4.5 dB

Traceability

Method	Test Equipment Used
Work instruction WI-03	0088, 0158, 0134, 0304, 0311, 0315, 0310, 0312

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 24 of 57

7.1.1 Measurement Results for Radiated Spurious Emissions – Digital Apparatus



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 25 of 57

7.2 Conducted Disturbance at Mains Terminal (150 kHz – 30 MHz)

Standard Reference

FCC, Part 15 Subpart C §15.107 Industry Canada ICES-003 §5.3

Test Procedure

The EUT is configured in accordance with ANSI C63.4. The conducted emissions are measured in a shielded room with a spectrum analyzer in peak hold in the first instance. Emissions closest to the limit are measured in the quasi-peak mode (QP) with the tuned receiver using a bandwidth of 9 kHz. The emissions are maximized further by cable manipulation. The highest emissions relative to the limit are listed.

If the average limit is met when using a quasi-peak detector receiver, the EUT shall be deemed to meet both limits and measurement with the average detector receiver is unnecessary.

If the reading of the measuring receiver shows fluctuations close to the limit, the reading shall be observed for at least 15 s at each measurement frequency; the higher reading shall be recorded with the exception of any brief isolated high reading which shall be ignored.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 26 of 57

Test Measurement Set up



Measurement set up for Conducted Disturbance at Mains Terminals

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 27 of 57

Specification

Conducted Disturbance at Mains Terminal – Digital Apparatus

FCC, Part 15 Subpart B §15.107

(a) Except for Class A digital devices, for equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 ohms line impedance stabilization network (LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the band edges.

(b) For a Class A digital device that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 ohms LISN. Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

Industry Canada ICES-003

The voltage of radio noise emissions that are conducted along the power supply lines of a Class A digital apparatus shall not exceed the limits specified in Table 1 of the publication referred to in Section 7.1 [Canadian Standards Association Standard CAN/CSA-CEI/IEC CISPR 22:02, "Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment."], within the indicated frequency range.

The voltage of radio noise emissions that are conducted along the power supply lines of a Class B digital apparatus shall not exceed the limits specified in Table 2 of the publication referred to in Section 7.1 [Canadian Standards Association Standard CAN/CSA-CEI/IEC CISPR 22:02, "Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment."], within the indicated frequency range.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



FCC, Part 15 Subpart B §15.107 & Industry Canada ICES-003 Limits

Limits for conducted disturbance at the mains ports of class B ITE

Frequency of emission	Quasi-peak	Average
(MHz)	dBuV	dBuV
0.15–0.5	66 to 56*	56 to 46*
0.5–5	56	46
5–30	60	50
Note 1	* Decreases with the logarithm of t	he frequency
Note 2	* The lower limit applies at the boundary between frequency	
	ranges	

Limits for conducted disturbance at the mains ports of class A ITE

Frequency of emission (MHz)	Quasi-peak dBuV	Average dBuV
0.15–0.5	79	66
0.5–30	73	60
Note 1	* The lower limit shall apply at the transition frequency.	

Laboratory Measurement Uncertainty for Conducted Emissions

Measurement uncertainty	±2.64 dB

Traceability

Method	Test Equipment Used
Work instruction WI-EMC-01	0158, 0184, 0193, 0190, 0293, 0307



7.2.1 Conducted Disturbance at Mains Terminal (150 kHz – 30 MHz)





Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 30 of 57

7.3 Radiated Spurious Emissions - Radio Collocation

Test Procedure

Testing was performed in a 3-meter anechoic chamber. Preliminary radiated emissions were measured on every azimuth and with the receiving antenna in both horizontal and vertical polarizations. Preliminary emissions were recorded with in Spectrum Analyzer mode, using a maximum peak detector while in peak hold mode.

Emissions nearest the limits were chosen for maximization and formal measurement using a CISPR Compliant receiver. Emissions above 1000 MHz are measured utilizing a CISPR compliant average detector with a tuned receiver, using a bandwidth of 1 MHz. Emissions from 30 MHz – 1000 MHz are measured utilizing a CISPR compliant quasi-peak detector with a tuned receiver, using a bandwidth of 120 kHz. Only the highest emissions relative to the limit are listed.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 31 of 57

Radiated Emission Measurement Setup – Above 1 GHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 32 of 57

Radiated Emission Measurement Setup – Below 1 GHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Loss, and subtracting Amplifier Gain from the measured reading. All factors are included in the reported data.

FS = R + AF + CORR - FO

FS = Field Strength R = Measured Spectrum analyzer Input Amplitude AF = Antenna Factor

CORR = Correction Factor = CL – AG + NFL

CL = Cable Loss AG = Amplifier Gain FO = Distance Falloff Factor NFL = Notch Filter Loss or Waveguide Loss

Field Strength Calculation Example:

Given receiver input reading of 51.5 dB μ V; Antenna Factor of 8.5 dB; Cable Loss of 1.3 dB; Falloff Factor of 0 dB, an Amplifier Gain of 26 dB and Notch Filter Loss of 1 dB. The Field Strength of the measured emission is:

 $FS = 51.5 + 8.5 + 1.3 - 26.0 + 1 = 36.3 \text{ dB}\mu\text{V/m}$

Conversion between dB μ V/m (or dB μ V) and μ V/m (or μ V) are done as:

Level (dB μ V/m) = 20 * Log (level (μ V/m))

40 dBμV/m = 100 μV/m 48 dBμV/m = 250 μV/m

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 34 of 57

Specification FCC

Radiated Spurious Emissions

FCC §15.247(d) In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section §15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(a)).

FCC §15.205 (a) Except as shown in paragraph (d) of 15.205 (a), only spurious emissions are permitted in any of the frequency bands listed.

FCC §15.205 (a) Except as shown in paragraphs (d) and (e) of this section, the field strength of emissions appearing within these frequency bands shall not exceed the limits shown in Section §15.209. At frequencies equal to or less than 1000 MHz, compliance with the limits in Section 15.209 shall be demonstrated using measurement instrumentation employing a CISPR quasi-peak detector. Above 1000 MHz, compliance with the emission limits in Section 15.209 shall be demonstrated based on the average value of the measured emissions. The provisions in Section 15.35 apply to these measurements.

FCC §15.209 (a) Except as provided elsewhere in this subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in the following table.

Frequency (MHz)	Field Strength (µV/m)	Field Strength (dBµV/m)	Measurement Distance (meters)
30-88	100	40.0	3
88-216	150	43.5	3
216-960	200	46.0	3
Above 960	500	54.0	3

Table 1: FCC 15.209 Spurious Emissions Limits



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 35 of 57

Specification IC

Receiver Radiated Spurious Emissions

Industry Canada RSS-Gen §4.10

The search for spurious emissions shall be from the lowest frequency internally generated or used in the receiver (e.g. local oscillator, intermediate or carrier frequency), or 30 MHz, whichever is the higher, to at least 3 times the highest tunable or local oscillator frequency, whichever is the higher, without exceeding 40 GHz.

RSS-Gen §6

If a radiated measurement is made, all spurious emissions shall comply with the limits of *Table 1: RSS-Gen §6 Spurious Emissions Limits.*

Table 1: RSS-Gen §6 Spurious Emissions Limits

Frequency (MHz)	Field Strength (µV/m)	Field Strength (dBµV/m)	Measurement Distance (meters)
30-88	100	40.0	3
88-216	150	43.5	3
216-960	200	46.0	3
Above 960	500	54.0	3

Laboratory Measurement Uncertainty for Spectrum Measurement

Measurement Uncertainty +5.6/ -4.5 dB

Traceability:

Method	Test Equipment Used
Work instruction WI-03	0088, 0158, 0134, 0304, 0311, 0315, 0310, 0312

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 36 of 57

7.3.1 Measurement Results: F4 Radio Collocation

Testing was performed as detailed in the response to inquiry to FCC (Tracking Number 663683) concerning collocation testing of modules certified to two (2) different FCC parts.

Test Plan:

- 1) Test the device for spurious emissions with each radio operating independently to the applicable procedures / limits for each module.
- 2) Test the device for spurious emissions with both radios operating to access any intermodulation / mixing of spurious frequencies.
- Investigate any new emissions that were not present on independent scans. These
 emissions should be less than the highest limits of the applicable rule parts for the radios
 used in the device.
- 4) Investigate amplitudes of emissions in step 2 to emissions in step 1. Emissions must still meet the limits of the rule part for the certified module.

Response per FCC KDB #663683:

"If you are co-locating 2 certified devices and a motherboard into one enclosure, you must get a completely new certification for these devices co-located within the one enclosure.

The testing is such that you must turn both transmitters on, ie. both certified devices, and test the enclosure the device consisting of 2 certified devices such that they comply with all rule parts associated to each certified device. That is to say rule part 15.209 with both previously certified devices turn on and rule parts Part 22, Part 24, Part 90, Part 101 rules for the other device with both devices turned on."

Test Setup:

2.4GHz and GSM: GSM antenna connection terminated with 50 Ohm cable into Willtek 2201 Prolock. 2.4GHz using internal antenna. Band stop filter in line before preamplifier.

Results Summary:

No additional emissions were witnessed during Collocation testing. All emissions meet the requirements of their respective FCC parts.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 37 of 57

	Date	Wedne	sday, S	eptember	22, 2010	Tracker #			acker #	SNUS11			
Test	Freq.	2400.5	2482.5	(1&2 On)	; ; GPRS 1900 C			E	ngineer	SB			
v	ariant	F4 GPF	RS radio	w/2.4GH	Iz radio			Те	mp (ºC)	26			
Freq. I	Range	1000 -	18000 I	MHz				Rel. I	-um .(%)	34			
Power S	etting	Maximu	ım				P	ress.	(m Bars)	995			
An	tenna	See be	low					Duty C	Sycle (%)	99%			
TestNo	otes 1	Both tr	ansmitte	ers operat	ing simultaneous	sly; Fu	ndame	ntal att	enuated b	y band s	top filte	r.	
TestNo	otes 2	GPRS t	erminat	ed w ith 50	Ohm cable; 80	2.11 c	onnect	ted to i	ntegral an	tenna			
Miccine dBuv Vasona by EMiSoft 23 Sep 10 09:05 000 000 000 Picketical 000 000 Picketical Picketical 000 Picketical Picketical Picketical 0000<										 Ita I I			
Frequency M Hz	Raw dBuV	Cable Loss	A F dB	Level dBuV	M easurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV	M argin dB	Pass /Fail	Comments	
4800.992	56.0	4.5	-9.4	51.1	Peak Max	V	126	266	74.0	-22.9	Pass		
17352.274	43.1	8.7	2.0	53.7	Peak Max	Н	152	43	74.0	-20.3	Pass		
5599.198	47.3	4.7	-8.6	43.3	Peak Max	V	111	192	74	-30.7	Pass		
4788.707	53.7	4.4	-9.4	48.7	Peak Max	Н	103	76	74	-25.3	Pass		
5204.569	48.2	4.6	-9.5	43.3	Peak Max	Н	152	129	74	-30.7	Pass		
4800.992	46.9	4.5	-9.4	42.0	Average Max	V	126	266	54	-12.0	Pass		
17352.274	30.0	8.7	2.0	40.7	Average Max	Н	152	43	54	-13.3	Pass		
5599.198	34.2	4.7 -8.6 30.3 Average Max V 111 192 54 -23.7 Pass											
4788.707	35.2	4.4	-9.4	30.2	Average Max	Н	103	76	54	-23.8	Pass		
5204.569	34.9	4.6	-9.5	30.0	Average Max	Н	152	129	54	-24.0	Pass		
1851.703	86.5	2.7	-12.5	76.6	Peak [Scan]	Н					n/a	FUND	
Legend:	TX = 1 NRB =	ransmit Non-Re	ter Emis estricted	sions; DK I Band. R	6 = Digital Emissi B = Restricted B	ons; F and.	UND =	Funda	mental; W	B = Wide	band Er	nission	

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 38 of 57

Test	Frea.	2400.5	2482.5	(1&2 On)	: GPRS 1900 C			E	naineer	SB		
V	ariant	E4 GPE	oiher 29	w/24GH	, cradio				mn (°C)	26		
	lange	1000	10000					Del I		24		
Freq. F	kange	1000 -	100001	VIFIZ				Rel. I	-um.(%)	005		
Power Se	etting	Maximu	IM				PI	ress.	(m Bars)	995		
Ant	tenna	See be	low					Duty C	Sycle (%)	99%		
TestNo	otes 1	Only G	PRS Op	eration (-1	3 dBm limits); Fi	undam	ental a	ittenua	ted by bar	nd stop fi	lter.	
TestNo	otes 2	GPRS t	erminat	ed w ith 50	Ohm cable; 802	2.11 c	onnect	ed to i	ntegral an	tenna		
MiCOM	abs	d8m 00 -100 -200 -200 -400 -400 -400 -400 -400 -4	iated En name: k:	vissions program\se	Vasona by E	MiSof	plate; f	1000 CCC Sul / testing	DD bstitution M 2 - colocatio	22 Sep Au + D Au + D Meas Spec Frequent 180000 lethod INVarta \r4	10 14:25 Vertical verage L ebug Dist 3m Dist 3m cy: MHz + gprs co	 ta t
Formally	mea	sured	emiss	sion pea	ks							
Frequency M Hz	Raw dBuV	Cable Loss	A F dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	M argin dB	Pass /Fail	Comments
No emissions	near lin	ır limit.										
Legend:	TX = T	Transmitter Emissions; DIG = Digital Emissions; FUND = Fundamental; WB = Wideband Emission										
- 0	NRB =	Non-Re	estricted	Band. R	B = Restricted B	and.			,			-
						-						

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 39 of 57

	_ 1	<u></u>	<u></u>	(100.0.)	0000 (000 0			_		0.0		
Test	Freq.	2400.5	2482.5	(1&2 On)	; ; GPRS 1900 C			E	ngineer	SB		
Va	ariant	F4 GPF	RS radio	w/2.4GH	lz radio			Те	mp (⁰C)	26		
Freq. R	ange	1000 -	18000 I	MHz				Rel. I	Hum .(%)	34		
Power Se	etting	Maximu	ım				Pi	ress.	(m Bars)	995		
Ant	enna	See be	low					Duty C	Sycle (%)	99%		
TestNo	tes 1	Only2.4	IGHz O	peration (-	13 dBm limits); F	undar	nental	attenu	ated by ba	and stop f	filter.	
TestNo	tes 2	GPRS t	erminat	ed with 50) Ohm cable; 802	2.11 c	onnect	ed to i	ntegral an	tenna		
MiC®iMLa	abs	d8u∨ 300 700 500 300 300 200 100 Rad File	iated En	hissions program/se	Vasona by E	MiSof	plate; F	1000 CC RE / testing	DD 1-18GHz 2 - colocatio	23 Sep 1 PK P Meas Spec Frequen 180000 m/data/f4	10 09:40 Horizon Vertical eak Limit verage Li ebug Dist 3m Dist 3m Cy: MHz + gprs co	 ta :
Formally	meas	sured	emiss	sion pea	ks							
Frequency M Hz	Raw dBuV	Cable Loss	A F dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	M argin dB	Pass /Fail	Comments
All emissions r	neasur	ured in simultanious transmission plot.										
Legend:	TX = T	ransmit	ansmitter Emissions; DIG = Digital Emissions; FUND = Fundamental; WB = Wideband Emission									
F	NRB =	Non-Re	stricted	d Band. R	B = Restricted B	and.						

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 40 of 57

7.3.2 Measurement Results: G2 Radio Collocation

Testing was performed as detailed in the response to inquiry to FCC (Tracking Number 663683) concerning collocation testing of modules certified to two (2) different FCC parts.

Test Plan:

- 1) Test the device for spurious emissions with each radio operating independently to the applicable procedures / limits for each module.
- 2) Test the device for spurious emissions with both radios operating to access any intermodulation / mixing of spurious frequencies.
- Investigate any new emissions that were not present on independent scans. These
 emissions should be less than the highest limits of the applicable rule parts for the radios
 used in the device.
- 4) Investigate amplitudes of emissions in step 2 to emissions in step 1. Emissions must still meet the limits of the rule part for the certified module.

Response per FCC KDB #663683:

"If you are co-locating 2 certified devices and a motherboard into one enclosure, you must get a completely new certification for these devices co-located within the one enclosure.

The testing is such that you must turn both transmitters on, ie. both certified devices, and test the enclosure the device consisting of 2 certified devices such that they comply with all rule parts associated to each certified device. That is to say rule part 15.209 with both previously certified devices turn on and rule parts Part 22, Part 24, Part 90, Part 101 rules for the other device with both devices turned on."

Test Setup:

2.4GHz and GSM: GSM antenna connection terminated with 50 Ohm cable into Willtek 2201 Prolock. 2.4GHz using internal antenna. Band stop filter in line before preamplifier.

Results Summary:

No additional emissions were witnessed during Collocation testing. All emissions meet the requirements of their respective FCC parts.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 41 of 57

	Date	Tuesda	ay, Sept	ember 21,	2010			Tra	icker#	SNUS11		
Lab.	Notes	Tx at 2	400.5 N	lHz (switc	hes 1&2 Off); 2	482.5	MHz (S	Sw itch	es 1&2 Or	י);		
Lab.	Notes											
Test	Freq.	2400.5	2482.5	(1&2 On)	; ; GPRS 1900 C			E	ngineer	SB		
V	ariant	G2 GP	RS radio	w / 2.4Gl	Hz radio			Те	mp(°C)	26		
Freq. F	Range	1000 -	18000 I	MHz				Rel. I	-um .(%)	34		
Power Se	etting	Maximu	um				P	ress.	(m Bars)	995		
An	tenna	See be	low					Duty C	ycle (%)	99%		
TestNo	otes 1	Both tr	th transmitters operating simultaneously. Fundamental attenuated via band stop filter.									
TestNo	otes 2	GPRS t	erminat	ed with 50	Ohm cable; 80	2.11 c	onnect	ted to in	ntegral an	tenna		
MiCOM	abs	dBu∨ 800 600 400 200 ∞ 200 100 File	o Jiated En name: ki	hissions program\s	Vasona by E	MiSo + + + + +	nplarte: I	1000 FCC RE v testing	DD 1-18GHz 9 - colocatic	21 Sep PK P PK P D D PK P P P P P P P P P P P P P P	10 12:19) Vertica eak Limit ebug Shrepm Dist 3m cy: MHz + gprs co	 I t
Formally	mea	asure	d em	ission	peaks						-	
Frequency MHz	Raw dBuV	Loss	dB	dBuV	Measurement Type	Pol	H gt cm	Azt Deg	dB uV	Margin dB	Pass /Fail	Comments
4800.721	44.6	4.5	-9.4	39.7	Average	Н	98	337	54.0	-14.3	Pass	
4800.721	57.0	4.5	-9.4	52.1	Peak	Н	98	337	74.0	-21.9	Pass	
5269.098	34.6	4.6	-9.7	29.5	Average	Н	98	337	54	-24.6	Pass	
5269.098	54.8	4.6	4.6 -9.7 49.7 Peak H 98 337 54 -4.3 Pass Transient									
Legend:	TX = T	ransmit	ansmitter Emissions; DIG = Digital Emissions; FUND = Fundamental; WB = Wideband Emission									
	NRB =	Non-Re	estricted	Band. R	B = Restricted B	and.						

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 42 of 57

Test	Freq.	2400.5	2482.5	(1&2 On)	SB								
V	ariant	G2 GP	RS radio	w / 2.4Gl	Hz radio			Те	mp(⁰C)	26			
Freq. F	Range	1000 -	18000 I	MHz				Rel. I	lum.(%)	34			
Power Se	etting	Maximu	ım				Pi	ress.	(m Bars)	995			
An	tenna	See be	low					Duty C	ycle (%)	99%			
TestNo	otes 1	Only G	PRS Op	eration (-	13 dBm limits); F	undam	ental a	ittenua	ted via ba	nd stop f	ilter.		
TestNo	otes 2	GPRS t	erminat	ed w ith 50) Ohm cable; 80	2.11 c	onnect	ed to in	ntegral an	tenna			
Wice Mates 2 GPRS terminated with so child cable, so2. It connected to integra antenna Vasona by EMiSoft 21 Sep 10 15:49 -100 -100 -200												 fta t	
Frequency M H z	Raw dBm	Cable Loss	Cable AF Level Measurement Pol Hgt Azt Limit Margin Pass Loss dB dBm Type Pol cm Deg dBm dB /Fail Comments										
5262.084	-73.1	4.6	3.4	-65.0	Average Max	Н	201	229	-13.0	-52.0	Pass		
2402.001	-74.6	3.0 1.9 -69.7 Average Max H 163 342 -13.0 -56.7 Pass											
4801.017	-64.2	4.5	3.7	-56.1	Average Max	Н	137	360	-13	-43.1	Pass		
Legend:	TX = T	ransmit	ter Emis	sions; DIC	G = Digital Emissi	ons; F	UND =	Funda	mental; W	B = Wide	band En	nission	
	NRB =	Non-Re	n-Restricted Band. RB = Restricted Band.										

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 43 of 57

Test	Freq.	2400.5	2482.5	(1&2 On)	; ; GPRS 1900 C	ngineer	SB						
V	ariant	G2 GP	RS radio	w / 2.4G	Hz radio			Те	mp(⁰C)	26			
Freq. F	Range	1000 -	18000 I	MHz				Rel. I	Hum .(%)	34			
Power Se	etting	Maximu	um				P	ress.	(m Bars)	995			
An	tenna	See be	low					Duty C	ycle (%)	99%			
TestNo	otes 1	2.4GHz	z only (1	15.209 Lin	nits); Fundament	al atte	nuated	via ba	nd stop fil	ter.			
TestNo	otes 2	GPRS t	terminat	ed with 5	0 Ohm cable; 80	2.11 c	onnect	ted to i	ntegral an	tenna			
MiCOM	abs	¹⁵ dBuV Vasona by EMiSoft 21 Sep 10 16:43 70.0											
Formally	mea	sured	emiss	sion pea	iks								
Frequency M H z	Raw dBuV	Cable Loss	A F dB	Level dBuV	M easurement Type	Pol	H gt c m	Azt Deg	Limit dBuV	M argin dB	Pass /Fail	Comments	
16878.247	42.4	8.6	1.1	52.0	Peak Max	V	121	149	74.0	-22.0	Pass		
4800.677	55.7	4.5	4.5 -9.4 50.8 Peak Max H 98 237 74.0 -23.2 Pass										
16878.247	29.3	8.6	1.1	39.0	Average Max	V	121	149	54	-15.0	Pass		
4800.677	52.2	4.5	-9.4	47.3	Average Max	Н	98	237	54	-6.7	Pass		
Legend:	TX = T NRB =	ransmit Non-Re	nsmitter Emissions; DIG = Digital Emissions; FUND = Fundamental; WB = Wideband Emission n-Restricted Band. RB = Restricted Band.										

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 44 of 57

7.3.3 Measurement Results: FlexNet 900 Radio Collocation

Testing was performed as detailed in the response to inquiry to FCC (Tracking Number 663683) concerning collocation testing of modules certified to two (2) different FCC parts.

Test Plan:

- 1) Test the device for spurious emissions with each radio operating independently to the applicable procedures / limits for each module.
- 2) Test the device for spurious emissions with both radios operating to access any intermodulation / mixing of spurious frequencies.
- Investigate any new emissions that were not present on independent scans. These
 emissions should be less than the highest limits of the applicable rule parts for the radios
 used in the device.
- 4) Investigate amplitudes of emissions in step 2 to emissions in step 1. Emissions must still meet the limits of the rule part for the certified module.

Response per FCC KDB #663683:

"If you are co-locating 2 certified devices and a motherboard into one enclosure, you must get a completely new certification for these devices co-located within the one enclosure.

The testing is such that you must turn both transmitters on, ie. both certified devices, and test the enclosure the device consisting of 2 certified devices such that they comply with all rule parts associated to each certified device. That is to say rule part 15.209 with both previously certified devices turn on and rule parts Part 22, Part 24, Part 90, Part 101 rules for the other device with both devices turned on."

Test Setup:

2.4GHz and 900MHz: 900 MHz using external antenna. 2.4GHz using internal antenna. Band-stop filter in place before preamplifier to attenuate fundamental.

Results Summary:

No additional emissions were witnessed during Collocation testing. All emissions meet the requirements of their respective FCC parts.

The first plot below indicates a combination of emissions from both the 900 MHz radio and 2.4 GHz radio. The limits referenced in this plot are only the Part 15.209 limits. The source of the emissions were determined by operating each radio individually. Emissions that appear to be above the 15.209 average limit provided in the initial plot were determined to be from the 900 MHz radio, which requires compliance to FCC Part 90/Part 101, with a limit of -20 dBm.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 45 of 57

Test	Freq.	900MH	z and 2	.4GHz Ra	dio			E	ngineer	CSB		
Va	riant	Coloca	tion Tes	ting				Те	mp (⁰C)	26		
Freq. R	ange	1000 -	18000 N	MHz				Rel. I	-lum.(%)	33		
Power Se	tting	Maximu	ım				Pi	ress.	(m Bars)	1007		
Ant	enna	Laird										
TestNo	tes 1	Both ra	adios tra	insmitting	at maximum pow	ver wi	th mod	ulation	. Emissior	ns limits ir	n plot ar	e
TestNo	tes 2	only P	art 15 re	estricted b	oand limits. Thes	e do r	ot app	ly to a	l emission	s in plot.		
Wicewise <pre></pre>										- H t t		
Formally	mea	sure	d em	ission	peaks							
Frequency MHz	Raw dBuV	Cable Loss	A F dB	Level dBuV	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV	Margin dB	Pass /Fail	Comments
1792.002	77.7	2.6	-12.8	67.5	Average Max	V	102	98	54	13.5	N/A	NRB
1792.002	78.0	2.6	-12.8	67.8	Peak Max	V	102	98	74	-6.2	N/A	NRB
2688.039	59.3	3.2	-11.2	51.2	Peak Max	V	104	282	74	-22.8	N/A	NRB
2688.039	56.9	3.2	-11.2	48.9	Average Max	V	104	282	54	-5.1	N/A	NRB
4800.586	52.3	4.4	-9.4	47.4	Peak Max	V	130	77	74	-26.6	N/A	RB
4800.586	38.2	4.4	-9.4	33.3	Average Max	V	130	77	54	-20.7	N/A	RB
5376.065	61.5	4.6	-9.3	56.8	Peak Max	Н	99	245	74	-17.2	N/A	RB
5376.065	59.7	4.6	-9.3	55.0	Average Max	Н	99	245	54	1.0	N/A	RB
6272.093	63.2	5.0	-6.8	61.4	Peak Max	Н	103	219	74	-12.6	N/A	NRB
6272.093	61.5	5.0	-6.8	59.7	Average Max	Н	103	219	54	5.7	N/A	NRB
7168.081	63.3	5.4	-5.3	63.5	Average Max	V	109	232	54	9.5	N/A	NRB
7168.081	64.4	5.4	-5.3	64.5	Peak Max	V	109	232	74	-9.5	N/A	NRB
8064.128	62.3	5.6	5.6 -4.2 63.7 Peak Max V 102 228 74 -10.3 N/A RB								RB	
8064.128	61.2	5.6	-4.2	62.6	Average Max	V	102	228	54	8.6	N/A	RB
8960.128	53.0	6.2	6.2 -4.1 55.1 Average Max V 101 246 54 1.1 N/A NRB								NRB	
8960.128	55.6	6.2	-4.1	57.7	Peak Max	V	101	246	74	-16.3	N/A	NRB
Legend:	TX = T	ransmit	.2 -4.1 57.7 Peak Max V 101 246 74 -16.3 N/A NRB smitter Emissions: DIG = Digital Emissions: FUND = Fundamental: WB = Wideband Emission									

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 46 of 57

Test	Freq.	900MH	z and 2	.4GHz Ra	dio	Enginee				CSB			
V	ariant	Coloca	tion Tes	ting				Те	mp (ºC)	26			
Freq. F	Range	1000 -	18000 I	MHz				Rel. I	-lum.(%)	33			
Power Se	etting	Maximu	ım				P	ress.	(m Bars)	1007			
An	tenna	Laird						Duty C	ycle (%)	0			
TestNo	otes 1	Flexnet	t 900 Ra	adio transi	mitting. Emission	ns freq	uencie	es iden	ticle to co	mbination	•		
TestNo	otes 2	only Pa	art 15 re	estricted b	and limits. Thes	e do r	not app	ly to al	l emission	s in plot.			
Vasona by EMISoft 100 100 100 100 100 100 100 10											ta nr		
Formally	/ mea	sured	emiss	ion pea	ıks								
Frequency MHz	Raw dBm	Cable Loss	A F dB	Level dBm	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBm	Margin dB	Pass /Fail	Comments	
1792.002	-30.7	2.6	0.1	-28.1	Peak [Scan]	V	98	360	-20.0	-8.1	Pass	Flexnet 900	
2688.039	-51.5	3.1	1.9	-46.5	Peak [Scan]	V	98	360	-20.0	-26.5	Pass	Flexnet 900	
4800.586	-54.2	4.4	3.5	-46.2	Peak [Scan]	V	98	360	-20	-26.2	Pass	Flexnet 900	
7168.081	-44.9	5.4	7.7	-31.8	Peak [Scan]	V	98	360	-20	-11.8	Pass	Flexnet 900	
8064.128	-47.4	5.6	8.8	-33.0	Peak [Scan]	V	98	360	-20	-13.0	Pass	Flexnet 900	
8960.128	-51.4	6.2	9.3	-35.9	Peak [Scan]	V	98	360	-20	-15.9	Pass	Flexnet 900	
4475.448	-53.1	4.2	3.2	-45.8	Peak [Scan]	Н	98	360	-20	-25.8	Pass	Flexnet 900	
5376.065	-47.2	4.6	3.5	-39.1	Peak [Scan]	Н	98	360	-20	-19.1	Pass	Flexnet 900	
6272.093	-46.8	5.0	6.3	-35.5	Peak [Scan]	Н	98	360	-20	-15.5	Pass	Flexnet 900	
Legend:	TX = T NRB =	ransmit Non-Re	ter Emis estricted	sions; DK Band. R	G = Digital Emissi B = Restricted B	ons; F and.	UND =	Funda	mental; W	B = Wide	band En	nission	

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 47 of 57

Test	Freq.	900MH	z and 2	.4GHz Rad	dio			E	ngineer	CSB		
Va	ariant	Coloca	tion Tes	ting				Те	mp (⁰C)	26		
Freq. F	Range	1000 -	18000 N	MHz				Rel. I	Hum.(%)	33		
Power Se	etting	Maximu	ım				Pi	ress.	(m Bars)	1007		
An	tenna	Laird						Duty C	Sycle (%)	0		
TestNo	otes 1	2.4GHz	z 802.11	radio tra	nsmitting.							
TestNo	otes 2											
MiC@ML	abs	d8u√ 800 600 800 400 300 € 200 100 100 100 100 100 100 100 100 100	Jisted Em name: k:	+	Vasona by E	MiSot	t + +		DD 1-18GHz foo part 1	28 Jul 11 PK P, D D D Au Spec Au Spec F Frequen 180000 5 subpart b	0 15:55) Horizon) Vertical eak Limit verage Limit verage Limit ebug bist 3m Dist 3m cy: MHz vhavicon	nr
Formally	/ mea	sured	ured emission peaks									
Frequency MHz	Raw dBuV	Cable Loss	Cable LossAF dBLevel dBuVMeasurement TypePolHgt cmAzt DegLimit dBuVMargin dBPass /FailComments									
4800.681	54.2	4.5	-9.4	49.3	Peak [Scan]	V	100	0	54.0	-4.7	Pass	
Legend:	TX = T	ransmit	ter Emis	sions; DIC	6 = Digital Emissi	ons; F	UND =	Funda	mental; W	B = Wide	band En	nission
	NRB =	Non-Re	estricted	Band. R	B = Restricted B	and.						

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 48 of 57

8 Photographs

8.1 GPRS base station simulator setup



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 49 of 57

8.2 Navicomm with F4 Radio; Emissions 30 - 1000 MHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 50 of 57

8.3 Navicomm with F4 Radio; Emissions above 1 GHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 51 of 57

8.4 Navicomm with G2 Radio; Emissions 30 - 1000 MHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 52 of 57

8.5 Navicomm with G2 Radio; Emissions above 1 GHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 53 of 57

8.6 Navicomm with 900MHz Radio; Emissions 30 - 1000 MHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 54 of 57

8.7 Navicomm with 900 MHz Radio; Emissions 30 - 1000 MHz



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 55 of 57

8.8 Navicomm emissions on AC Line



This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title:Sensus Metering Systems NavicommTo:FCC 47 CFR Part 15 & Radio CollocationSerial #:SNUS11-U2 Rev CIssue Date:20th January 2011Page:Page 56 of 57

9 TEST EQUIPMENT DETAILS

Asset #	Instrument	Manufacturer	Model #	Serial #
0072	Signal Generator	Hewlett Packard	HP 83640A	2927A00105
0075	Environmental Chamber	Thermatron	SE-300-2-2	27946
0338	Antenna (30M-3GHz)	Sunol Sciences	JB3	A052907
0083	Coupler	Hewlett Packard	HP 87301D	3116A00389
0287	EMI Receiver	Rhode & Schwartz	ESIB 40	100201
0098	Oscilloscope	Hewlett Packard	54810A	US38100105
0335	Horn Antenna	The Electro-Mechanics Company	3117	00066580
0116	Power Sensor	Hewlett Packard	8485A	3318A19694
0117	Power Sensor	Hewlett Packard	8487D	3318A00371
0134	Amplifier	ComPower	PA-122	181910
0158	Barometer /Thermometer	Control Co.	4196	E2844
0193	EMI Receiver	Rhode & Schwartz	ESI 7	838496/007
0223	Power Meter	Hewlett Packard	HP EPM-442A	US37480256
0252	K-Cable	Megaphase	Sucoflex 104	Unknown
0253	K-Cable	Megaphase	Sucoflex 104	Unknown
0256	K-Cable	Megaphase	Sucoflex 104	Unknown
0251	K-Cable	Megaphase	Sucoflex 104	Unknown
0305	20M-2GHz Amplifier	ML	ML001	001
0310	2m SMA Cable	Micro-Coax	UFA210A-0- 0787-3G03G0	209089-001
0312	3m SMA Cable	Micro-Coax	UFA210A-1- 1181-3G0300	209092-001
0313	Coupler	Hewlett Packard	86205A	3140A01285
0314	30 dB N-Type Attenuator	ARRA	N944-30	1623
Dipole	20MHz-1GHz Dipole Antennas	EMCO	3121C	9009-505

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



440 Boulder Court, Suite 200 Pleasanton, CA 94566, USA Tel: 1.925.462.0304 Fax: 1.925.462.0306 www.micomlabs.com