

TEL : + 82 31 639 8518

FAX : + 82 31 639 8525

<http://www.hct.co.kr>

April 24, 2005

Test Site: HYUNDAI CALIBRATION & CERTIFICATION
TECHNOLOGIES CO., LTD.

FRN: 0005866421

SUBJECT: KTF Technologies Co., Ltd.

FCC ID: SDJKTFT-UX200

MODEL: KTFT-UX200

Part 22 / 24 / 2 Certification (Permissive Change Class II)

Gentlemen:

Submitted herewith, on behalf of KTF Technologies Co., Ltd., is an application for Part 22 / 24 Certification of the following Tri-Mode Dual-Band Phone (AMPS/ CDMA/ PCS CDMA):

Change of contents:

Antenna have been changed

Trade Name/Model(s):	KTFT / KTFT-UX200
EUT Type:	Tri-Mode Dual-Band Phone (AMPS/CDMA/ PCS CDMA)- Prototype
Tx Frequency:	824.04 — 848.97 MHz (AMPS) / 824.70 — 848.31 MHz (CDMA) 1851.25 — 1908.75 MHz (PCS CDMA)
Rx Frequency:	869.04 — 893.97 MHz (AMPS) / 869.70 — 893.31 MHz (CDMA) 1931.25 — 1988.75 MHz (PCS CDMA)
Max. RF Output Power:	0.337W ERP AMPS (25.27dBm) / 0.276W ERP CDMA (24.41dBm) 0.233W EIRP PCS CDMA (23.67dBm)
Maximum SAR:	0.943 W/kg AMPS Head SAR / 0.714 W/kg AMPS Body SAR 0.742 W/kg CDMA Head SAR / 0.550 W/kg CDMA Body SAR 1.310 W/kg PCS CDMA Head SAR / 0.734W/kg PCS CDMA Body SAR

Attached is the applicant's measurement report test data and plots, RF Exposure measurement report and data, external, internal, and test setup photographs.

Should you have any questions or comments concerning the above, please contact the undersigned.



Report prepared by : Ki-Soo Kim

Manager of Product Compliance Team

cc: Mr. Chul- Gyoo Park – KTF Technologies Co., Ltd.

Project Manager / R & D Center