



Inter**Lab**[®]
Photo Report on
Test Setups

Sparky, HILTI PD-C (01)
FCC ID SDL-PDC01
IC: 5228A-PDC01

Report Reference: MDE_ELEKT_1404_FCCf_Photo_Setups

Test Laboratory:

7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany



Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH

Borsigstraße 11
40880 Ratingen, Germany
T +49 (0) 2102 749 0
F +49 (0) 2102 749 350

Geschäftsführer/
Managing Director:
Dr. Harald Ansorge

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159652
Steuer-Nr./TAX-No. 147/5869/0385

*a Bureau Veritas
Group Company*

www.7layers.com



Photo 1: Test setup for radiated measurements (Enclosure, below 30 MHz, intentional radiator §15)



Photo 2: Test setup for radiated measurements (Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15)




Photo 3: Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 1-18 (15) GHz intentional radiator §15)




Photo 4: Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 18-25 GHz, intentional radiator § 15.247)



Photo 5: Test setup for conducted measurements (computer peripheral setup, EUT supplied by USB-cable from computer, charging mode, unintentional radiator §15)




Photo 6: Test setup for radiated measurements (computer peripheral setup, EUT supplied by external DC power to enable USB data transfer to computer, unintentional radiator §15)